

# Pablo Teta

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1770033/publications.pdf>

Version: 2024-02-01

71  
papers

1,344  
citations

361413

20  
h-index

414414

32  
g-index

72  
all docs

72  
docs citations

72  
times ranked

1208  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | A contribution to the knowledge of the taxonomy of the subgenus <i>Abrothrix</i> ( <i>Angelomys</i> ) (Rodentia,) Tj ETQq1 1 0.784314 rgBT /Overlock 1.2  | 1.2 | 0         |
| 2  | DNA barcodes highlight genetic diversity patterns in rodents from lowland desert and Andean areas in Argentina. <i>Molecular Ecology Resources</i> , 2022, 22, 2349-2362.   | 4.8 | 0         |
| 3  | Uncovering cryptic diversity does not end: a new species of leaf-eared mouse, genus <i>Phyllotis</i> (Rodentia, Cricetidae), from Central Sierras of Argentina. <i>Mammalia</i> , 2022, 86, 393-405.  | 0.7 | 6         |
| 4  | Geographic patterns of skull variation in two species of cavies of the genus <i>Microcavia</i> (Rodentia,) Tj ETQq0 0 0 rgBT /Overlock 0.8  | 0.8 | 10        |
| 5  | Phylogenetic relationships among cryptic species of the <i>Phyllotis xanthopygus</i> complex (Rodentia, Cricetidae). <i>Zoologica Scripta</i> , 2021, 50, 269-281.  | 1.7 | 15        |
| 6  | A Short Overview of the Systematics of <i>Ctenomys</i> : Species Limits and Phylogenetic Relationships. , 2021, , 17-41.  |     | 16        |
| 7  | Bat (Mammalia: Chiroptera) biodiversity in a subtropical inselberg ecosystem of Northeastern Argentina. <i>Revista De Biología Tropical</i> , 2021, 69, .   | 0.4 | 1         |
| 8  | Uncovering species boundaries through qualitative and quantitative morphology in the genus <i>Dasyprocta</i> (Rodentia, Caviomorpha), with emphasis in <i>D. punctata</i> and <i>D. variegata</i> . <i>Journal of Mammalogy</i> , 2021, 102, 1548-1563.   | 1.3 | 1         |
| 9  | A reappraisal of the species richness of <i>Euneomys</i> Coues 1874 (Rodentia, Cricetidae), with emendations of the type localities of <i>Reithrodon fossor</i> Thomas 1899 and <i>Euneomys mordax</i> Thomas 1912. <i>Mammalia</i> , 2021, 85, 379-388.  | 0.7 | 2         |
| 10 | The role and impact of Zootaxa in mammalogy in its first 20 years. <i>Zootaxa</i> , 2021, 4979, 7094.   | 0.5 | 2         |
| 11 | A comprehensive review of dietary strategies of sigmodontine rodents of central-eastern Argentina: linking diet, body mass, and stomach morphology. <i>Canadian Journal of Zoology</i> , 2021, 99, 885-901.   | 1.0 | 1         |
| 12 | The <i>Phyllotis xanthopygus</i> complex (Rodentia, Cricetidae) in central Andes, systematics and description of a new species. <i>Zoologica Scripta</i> , 2021, 50, 689-706.   | 1.7 | 12        |
| 13 | The taxonomic impediment: a shortage of taxonomists, not the lack of technical approaches. <i>Zoological Journal of the Linnean Society</i> , 2021, 193, 381-387.   | 2.3 | 135       |
| 14 | Conservation Genetics of Rodents in Argentina. , 2021, , 297-324.   |     | 0         |
| 15 | Quantitative morphological characters of the skull suggest that <i>Akodon oenos</i> (Rodentia,) Tj ETQq1 1 0.784314 rgBT /Overlock 0.7  | 0.7 | 6         |
| 16 | Integrative taxonomy of extant maras supports the recognition of the genera <i>Pediolagus</i> and <i>Dolichotis</i> within the Dolichotinae (Rodentia, Caviidae). <i>Journal of Mammalogy</i> , 2020, 101, 817-834.                                       | 1.3 | 4         |
| 17 | An Ecomorphological Comparative Study of Extant and Late Holocene Sigmodontinae (Rodentia,) Tj ETQq1 1 0.784314 rgBT /Overlock 1.8  | 1.8 | 5         |
| 18 | Integrative taxonomy of the southernmost tucu-tucus in the world: differentiation of the nominal forms associated with <i>Ctenomys magellanicus</i> Bennett, 1836 (Rodentia, Hystricomorpha, Ctenomyidae). <i>Mammalian Biology</i> , 2020, 100, 125-139. | 1.5 | 22        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Key to cranial and mandibular remains of non-flying small mammals from southern South America. <i>Journal of Archaeological Science: Reports</i> , 2020, 31, 102310.  | 0.5 | 6         |
| 20 | Uncovering the species diversity of subterranean rodents at the end of the World: three new species of Patagonian tuco-tucos (Rodentia, Hystricomorpha, <i>Ctenomys</i> ). <i>PeerJ</i> , 2020, 8, e9259.   | 2.0 | 33        |
| 21 | Zooarchaeology, taphonomy and palaeoenvironments: small mammal remains from an intermountain valley of the southern Andean cordillera (Mendoza, Argentina). <i>Journal of Archaeological Science: Reports</i> , 2020, 31, 102365.                   | 0.5 | 2         |
| 22 | Rethinking the living diversity of the <i>Abrocoma cinerea</i> Thomas, 1919 species complex (Rodentia, Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50   | 0.2 | 0         |
| 23 | The usage of subgenera in mammalian taxonomy. <i>Mammalia</i> , 2019, 83, 209-211.  | 0.7 | 11        |
| 24 | Geographic variation in quantitative skull traits in the genus <i>Myoprocta</i> Thomas, 1903 (Rodentia, Dasyproctidae) and its taxonomic implications. <i>Mammalia</i> , 2019, 83, 212-218.   | 0.7 | 3         |
| 25 | Morphological reassessment and new locality records for <i>Galea comes</i> Thomas, 1919 (Rodentia, Tj ETQq1 1 0.784314 rgBT /Overlock 1   | 0.7 | 2         |
| 26 | Solving a long-standing nomenclatorial controversy: designation of a neotype for the southern sea lion <i>Otaria flavescens</i> (Shaw, 1800). <i>Zootaxa</i> , 2019, 4555, 296.   | 0.5 | 8         |
| 27 | Redescription and phylogenetic position of <i>Ctenomys dorsalis</i> Thomas 1900, an enigmatic tuco tuco (Rodentia, Ctenomyidae) from the Paraguayan Chaco. <i>Mammalia</i> , 2019, 83, 227-236.   | 0.7 | 15        |
| 28 | The least known with the smallest ranges: analyzing the patterns of occurrence and conservation of South American rodents known only from their type localities. <i>Therya</i> , 2019, 10, 271-278.   | 0.4 | 17        |
| 29 | Geographic variation in quantitative skull traits and systematic of southern populations of the leaf-eared mice of the <i>Phyllotis xanthopygus</i> complex (Cricetidae, Phyllotini) in southern South America. <i>Zootaxa</i> , 2018, 4446, 68-80. | 0.5 | 5         |
| 30 | Taxonomy based on science is necessary for global conservation. <i>PLoS Biology</i> , 2018, 16, e2005075.   | 5.6 | 149       |
| 31 | Phylogeny of the tribe Abrotrichini (Cricetidae, Sigmodontinae): integrating morphological and molecular evidence into a new classification. <i>Cladistics</i> , 2017, 33, 153-182.   | 3.3 | 28        |
| 32 | Is <i>Galea tixiensis</i> Quintana, 2001 a synonym of <i>G. leucoblephara</i> Burmeister, 1861?. <i>Therya</i> , 2017, 8, 209-216.  | 0.4 | 7         |
| 33 | Geographic Variation in Cranial Morphology of the Southern Mountain Cavy, (Rodentia, Caviidae): Taxonomic Implications, with the Description of a New Species. <i>Zoological Studies</i> , 2017, 56, e29.   | 0.3 | 2         |
| 34 | A new species of arboreal rat, genus <i>Oecomys</i> (Rodentia, Cricetidae) from Chaco. <i>Journal of Mammalogy</i> , 2016, 97, 1177-1196.   | 1.3 | 19        |
| 35 | A new distributional record for <i>Lyncodon patagonicus</i> (Carnivora: Mustelidae), one of the smallest and least known mustelids of South America. <i>Revista Mexicana De Biodiversidad</i> , 2016, 87, 1159-1161.                                | 0.4 | 1         |
| 36 | Unraveling the patterns of small mammal species richness in the southernmost aridlands of South America. <i>Journal of Arid Environments</i> , 2016, 134, 136-144.  | 2.4 | 9         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | A new species of the rodent genus <i>Necromys</i> Ameghino (Cricetidae: Sigmodontinae: Akodontini) from the Chaco Serrano grasslands of northwestern Argentina. <i>Journal of Mammalogy</i> , 2016, 97, 1321-1335.                                      | 1.3 | 5         |
| 38 | Human subsistence and environmental stability during the last 2200 years in Epullín Chica cave (northwestern Patagonia, Argentina): A perspective from the zooarchaeological record. <i>Quaternary International</i> , 2016, 391, 38-50.                | 1.5 | 20        |
| 39 | Regional Extinctions and Quaternary Shifts in the Geographic Range of <i>Lestodelphys halli</i> , the Southernmost Living Marsupial: Clues for Its Conservation. <i>PLoS ONE</i> , 2015, 10, e0132130.  | 2.5 | 21        |
| 40 | Description of a new soft-haired mouse, genus <i>Abrothrix</i> (Sigmodontinae), from the temperate Valdivian rainforest. <i>Journal of Mammalogy</i> , 2015, 96, 839-853.   | 1.3 | 24        |
| 41 | Molecular systematics of South American marsh rats of the genus <i>Holochilus</i> (Muroidea). <i>Tj ETQq1 1 0.784314 rgBT / Overlock 10</i>   | 1.3 | 23        |
| 42 | Micromamíferos, cambio climático e impacto antrópico: ¿Cuánto han cambiado las comunidades del sur de América del Sur en los últimos 500 años?. <i>Therya</i> , 2014, 5, 7-38.  | 0.4 | 44        |
| 43 | Congruence between morphology and phylogeography in the Patagonian long-clawed mouse <i>Chelemys macronyx</i> (Rodentia, Cricetidae). <i>Mammalia</i> , 2014, .   | 0.7 | 2         |
| 44 | A new species of the tetraploid vizcacha rat <i>Tympanoctomys</i> (Caviomorpha, Octodontidae) from central Patagonia, Argentina. <i>Journal of Mammalogy</i> , 2014, 95, 60-71.   | 1.3 | 12        |
| 45 | A new genus of sigmodontine rodent from eastern Brazil and the origin of the tribe Phyllotini. <i>Journal of Mammalogy</i> , 2014, 95, 201-215.   | 1.3 | 35        |
| 46 | Last glacial maximum environments in northwestern Patagonia revealed by fossil small mammals. <i>Quaternary Research</i> , 2014, 82, 198-208.   | 1.7 | 16        |
| 47 | Posición sistemática de <i>Akodon</i> ( <i>Abrothrix</i> ) <i>kermacki</i> y <i>A. (Ab.) magnus</i> (Rodentia, Cricetidae) del Plio-Pleistoceno del sudeste de Buenos Aires, Argentina. <i>Revista Brasileira De Paleontologia</i> , 2014, 17, 405-416. | 0.4 | 5         |
| 48 | Enlarging rodent diversity in west-central Argentina: a new species of the genus <i>Holochilus</i> (Cricetidae, Sigmodontinae). <i>Journal of Mammalogy</i> , 2013, 94, 231-240.  | 1.3 | 19        |
| 49 | Holocene stability and recent dramatic changes in micromammalian communities of northwestern Patagonia. <i>Quaternary International</i> , 2013, 305, 127-140.   | 1.5 | 34        |
| 50 | The taxonomic status of <i>Oligoryzomys brendae</i> ; Massoia, 1998 (Rodentia, Cricetidae), with comments on the availability of this name. <i>Zootaxa</i> , 2013, 3641, 433-47.  | 0.5 | 19        |
| 51 | Small mammals (Didelphimorphia and Rodentia) of the archaeological site Calera (Pampean region). <i>Quaternary International</i> , 2012, 278, 32-44.  | 1.5 | 26        |
| 52 | Burning damage and small-mammal human consumption in Quebrada del Real 1 (Cordoba, Argentina): an experimental approach. <i>Journal of Archaeological Science</i> , 2012, 39, 737-743.  | 2.4 | 62        |
| 53 | Small mammal remains from Cueva Huenul 1, northern Patagonia, Argentina: Taphonomy and paleoenvironments since the Late Pleistocene. <i>Quaternary International</i> , 2012, 278, 22-31.  | 1.5 | 41        |
| 54 | Variation in the Diet of Western Barn Owls ( <i>Tyto alba</i> ) Along an Urban-Rural Gradient. <i>Wilson Journal of Ornithology</i> , 2012, 124, 589-596.   | 0.2 | 27        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Systematics of the subgenus of mouse opossums <i>Marmosa</i> ( <i>Micoureus</i> ) ( <i>Didelphimorphia</i> , <i>Didelphidae</i> ) with noteworthy records from Paraguay. <i>Mammalian Biology</i> , 2012, 77, 229-236.  | 1.5 | 30        |
| 56 | Enlarging the knowledge on <i>Graomys griseoflavus</i> (Rodentia: Sigmodontinae) in Patagonia: distribution and environments. <i>Mammalia</i> , 2011, 75, 185-193.  | 0.7 | 8         |
| 57 | Dense-sampling reveals a complex distributional pattern between the southernmost marsupials <i>Lestodelphys</i> and <i>Thylamys</i> in Patagonia, Argentina. <i>Mammalia</i> , 2011, 75, .  | 0.7 | 11        |
| 58 | Consumo Antropico de Pequeños Mamíferos en el Holoceno de Argentina Central: Perspectivas desde el Abrigo Rocoso Quebrada del Real 1 (Pampa de Achala, Córdoba). <i>Latin American Antiquity</i> , 2011, 22, 618-631.   | 0.6 | 24        |
| 59 | The evolutionary history of sigmodontine rodents in Patagonia and Tierra del Fuego. <i>Biological Journal of the Linnean Society</i> , 2011, 103, 495-513.  | 1.6 | 55        |
| 60 | Phylogenetic position and morphology of <i>Abrothrix illutea</i> Thomas, 1925, with comments on the incongruence between gene trees of <i>Abrothrix</i> (Rodentia, Cricetidae) and their implications for the delimitation of the genus. <i>Zoosystematics and Evolution</i> , 2011, 87, 227-241. | 1.1 | 7         |
| 61 | On the taxonomic status of the Brazilian mouse <i>Calomys anoblepas</i> Winge, 1887 (Mammalia, Rodentia.) <i>Tj ETQq1 1 0.784314 rgBT / Overlock 10</i>   | 0.5 | 7         |
| 62 | Mammalia, Rodentia, Sigmodontinae, <i>Euneomys chinchilloides</i> (Waterhouse, 1839): range extension. <i>Check List</i> , 2010, 6, 167.  | 0.4 | 6         |
| 63 | Taxonomy and distribution of <i>Abrawayaomys</i> (Rodentia: Cricetidae), an Atlantic Forest endemic with the description of a new species. <i>Zootaxa</i> , 2009, 2128, 39-60.  | 0.5 | 22        |
| 64 | New data on the endemic Patagonian long-clawed mouse <i>Notiomys edwardsii</i> (Rodentia: Cricetidae). <i>Mammalia</i> , 2008, 72, .  | 0.7 | 11        |
| 65 | Raptor predation and new locality records for the poorly known Patagonian Weasel ( <i>Lyncodon</i> ) <i>Tj ETQq1 1 0.784314 rgBT / Overlock 10</i>  | 1.5 | 5         |
| 66 | Rodents from southern Patagonian semi-arid steppes (Santa Cruz Province, Argentina). <i>Journal of Arid Environments</i> , 2008, 72, 56-61.   | 2.4 | 13        |
| 67 | Food habits of Geoffroy's cat ( <i>Leopardus geoffroyi</i> ) in the central Monte desert of Argentina. <i>Journal of Arid Environments</i> , 2008, 72, 1120-1126.   | 2.4 | 34        |
| 68 | Rediscovery of <i>Juliomys pictipes</i> (Rodentia: Cricetidae) in Argentina: emended diagnosis, geographic distribution, and insights on genetic structure. <i>Zootaxa</i> , 2008, 1758, 29.  | 0.5 | 14        |
| 69 | Mammalia, <i>Didelphimorphia</i> and Rodentia, southwest of the province of Mendoza, Argentina. <i>Check List</i> , 2008, 4, 218.   | 0.4 | 13        |
| 70 | Agricultural intensification and small mammal assemblages in agroecosystems of the Rolling Pampas, central Argentina. <i>Agriculture, Ecosystems and Environment</i> , 2007, 121, 371-375.  | 5.3 | 43        |
| 71 | Rediscovery of <i>Chacodelphys</i> : A South American marsupial genus previously known from a single specimen. <i>Mammalian Biology</i> , 2006, 71, 309-314.  | 1.5 | 17        |