

Hasnah Osman

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1770710/hasnah-osman-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

188
papers

2,529
citations

27
h-index

44
g-index

208
ext. papers

2,863
ext. citations

3.6
avg, IF

5.07
L-index

#	Paper	IF	Citations
188	Neolamarckia cadamba alkaloids as eco-friendly corrosion inhibitors for mild steel in 1M HCl media. <i>Corrosion Science</i> , 2013 , 69, 292-301	6.8	180
187	Therapeutic potential of coumarins as antiviral agents. <i>European Journal of Medicinal Chemistry</i> , 2016 , 123, 236-255	6.8	168
186	Synthesis and antimicrobial properties of some new thiazolyl coumarin derivatives. <i>European Journal of Medicinal Chemistry</i> , 2011 , 46, 3788-94	6.8	112
185	Substituted spiro [2.3]oxindolespiro [3.2]-5,6-dimethoxy-indane-1-one-pyrrolidine analogue as inhibitors of acetylcholinesterase. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2010 , 20, 7064-6	2.9	111
184	The immobilization of 3-(chloropropyl)triethoxysilane onto silica by a simple one-pot synthesis. <i>Journal of Colloid and Interface Science</i> , 2009 , 331, 143-7	9.3	91
183	Synthesis and discovery of novel piperidone-grafted mono- and bis-spirooxindole-hexahydropyrrolizines as potent cholinesterase inhibitors. <i>Bioorganic and Medicinal Chemistry</i> , 2013 , 21, 1696-707	3.4	77
182	Evaluation of Green Corrosion Inhibition by Alkaloid Extracts of Ochrosia oppositifolia and Isoreserpiline against Mild Steel in 1 M HCl Medium. <i>Industrial & Engineering Chemistry Research</i> , 2013 , 52, 10582-10593	3.9	75
181	Antioxidant activity and phenolic content of Paederia foetida and Syzygium aqueum. <i>Molecules</i> , 2009 , 14, 970-8	4.8	63
180	Antioxidant activities of mangrove Rhizophora apiculata bark extracts. <i>Food Chemistry</i> , 2008 , 107, 200-207	3.7	59
179	A facile chemo-, regio- and stereoselective synthesis and cholinesterase inhibitory activity of spirooxindole-pyrrolizine-piperidine hybrids. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2013 , 23, 2979-83	3.9	56
178	Magnetic poly(β-cyclodextrin-ionic liquid) nanocomposites for micro-solid phase extraction of selected polycyclic aromatic hydrocarbons in rice samples prior to GC-FID analysis. <i>Food Chemistry</i> , 2019 , 278, 322-332	8.5	51
177	Synthesis, characterization, and molecular docking analysis of novel benzimidazole derivatives as cholinesterase inhibitors. <i>Bioorganic Chemistry</i> , 2013 , 49, 33-9	5.1	50
176	AChE inhibitor: a regio- and stereo-selective 1,3-dipolar cycloaddition for the synthesis of novel substituted 5,6-dimethoxy spiro[5.3]oxindole-spiro-[6.3]-2,3-dihydro-1H-inden-1-one-7-(substituted aryl)-tetrahydro-1H-pyrrolo[1,2-c][1,3]thiazole. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2012 , 22, 508-11	2.9	45
175	Synthesis and discovery of highly functionalized mono- and bis-spiro-pyrrolidines as potent cholinesterase enzyme inhibitors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2014 , 24, 1815-9	2.9	44
174	Synthesis and evaluation of novel benzimidazole derivatives as sirtuin inhibitors with antitumor activities. <i>Bioorganic and Medicinal Chemistry</i> , 2014 , 22, 703-10	3.4	41
173	An expedient, ionic liquid mediated multi-component synthesis of novel piperidone grafted cholinesterase enzymes inhibitors and their molecular modeling study. <i>European Journal of Medicinal Chemistry</i> , 2013 , 67, 221-9	6.8	36
172	Ionic liquid mediated synthesis of mono- and bis-spirooxindole-hexahydropyrrolidines as cholinesterase inhibitors and their molecular docking studies. <i>Bioorganic and Medicinal Chemistry</i> , 2014 , 22, 1318-28	3.4	35

171	The heterogenation of melamine and its catalytic activity. <i>Applied Catalysis A: General</i> , 2010 , 382, 115-124.	3.1	35
170	New thiazolyl-coumarin hybrids: Design, synthesis, characterization, X-ray crystal structure, antibacterial and antiviral evaluation. <i>Journal of Molecular Structure</i> , 2018 , 1166, 147-154	3.4	34
169	Antimycobacterial activity: a facile three-component [3+2]-cycloaddition for the regioselective synthesis of highly functionalised dispiropyrrolidines. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2012 , 22, 4930-3	2.9	34
168	Cholinesterase inhibitory triterpenoids from the bark of <i>Garcinia hombroniana</i> . <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2015 , 30, 133-9	5.6	33
167	Microwave-assisted synthesis and antioxidant properties of hydrazinyl thiazolyl coumarin derivatives. <i>Chemistry Central Journal</i> , 2012 , 6, 32		33
166	Facile, regio- and diastereoselective synthesis of spiro-pyrrolidine and pyrrolizine derivatives and evaluation of their antiproliferative activities. <i>Molecules</i> , 2014 , 19, 10033-55	4.8	30
165	Determination of underivatized long chain fatty acids using RP-HPLC with capacitively coupled contactless conductivity detection. <i>Talanta</i> , 2010 , 81, 20-4	6.2	29
164	Simultaneous determination of diethylene glycol, diethylene glycol monoethyl ether, coumarin and caffeine in food items by gas chromatography. <i>Food Chemistry</i> , 2011 , 126, 1412-1416	8.5	28
163	The Chemical Components of <i>Sesbania grandiflora</i> Root and Their Antituberculosis Activity. <i>Pharmaceuticals</i> , 2012 , 5, 882-9	5.2	28
162	Molecular docking studies of coumarin hybrids as potential acetylcholinesterase, butyrylcholinesterase, monoamine oxidase A/B and β -amyloid inhibitors for Alzheimer's disease. <i>Chemistry Central Journal</i> , 2018 , 12, 128		28
161	Synthesis of Mesoporous Silica Immobilized with 3-[(Mercapto or amino)propyl]trialkoxysilane by a Simple One-pot Reaction. <i>Chinese Journal of Chemistry</i> , 2010 , 28, 2383-2388	4.9	27
160	Microwave assisted synthesis, cholinesterase enzymes inhibitory activities and molecular docking studies of new pyridopyrimidine derivatives. <i>Bioorganic and Medicinal Chemistry</i> , 2013 , 21, 3022-31	3.4	26
159	Synthesis, spectroscopic and mesomorphic studies on heterocyclic liquid crystals with 1,3-oxazepine-4,7-dione, 1,3-oxazepane-4,7-dione and 1,3-oxazepine-1,5-dione cores. <i>Journal of Molecular Structure</i> , 2010 , 982, 33-44	3.4	26
158	Design, characterization, in vitro antibacterial, antitubercular evaluation and structure-activity relationships of new hydrazinyl thiazolyl coumarin derivatives. <i>Medicinal Chemistry Research</i> , 2017 , 26, 1139-1148	2.2	24
157	New phragmalin-type limonoids from <i>Swietenia macrophylla</i> King. <i>Food Chemistry</i> , 2009 , 115, 1279-1285.	5.5	23
156	Poly(cyclodextrin-ionic liquid) based ferrofluid: A new class of magnetic colloid for dispersive liquid phase microextraction of polycyclic aromatic hydrocarbons from food samples prior to GC-FID analysis. <i>Food Chemistry</i> , 2020 , 314, 126214	8.5	22
155	Esterification via saccharine mediated silica solid catalyst. <i>Applied Catalysis A: General</i> , 2009 , 365, 165-173.	3.1	21
154	Cytotoxic benzophenone and triterpene from <i>Garcinia hombroniana</i> . <i>Bioorganic Chemistry</i> , 2014 , 54, 60-7	5.1	19

153	Inhibitive effect of <i>Xylopiya ferruginea</i> extract on the corrosion of mild steel in 1M HCl medium. <i>International Journal of Minerals, Metallurgy and Materials</i> , 2011 , 18, 413-418	3.1	19
152	A facile three-component [3+2]-cycloaddition/annulation domino protocol for the regio- and diastereoselective synthesis of novel penta- and hexacyclic cage systems, involving the generation of two heterocyclic rings and five contiguous stereocenters. <i>Tetrahedron</i> , 2011 , 67, 3132-3139	2.4	19
151	Indole Alkaloids of <i>Alstonia angustifolia</i> var. <i>latifolia</i> as Green Inhibitor for Mild Steel Corrosion in 1 M HCl Media. <i>Journal of Materials Engineering and Performance</i> , 2013 , 22, 1072-1078	1.6	18
150	Synthesis and discovery of novel hexacyclic cage compounds as inhibitors of acetylcholinesterase. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2011 , 21, 3997-4000	2.9	18
149	Dipolar Cycloaddition-Based Multicomponent Reactions in Ionic Liquids: A Green, Fully Stereoselective Synthesis of Novel Polycyclic Cage Systems with the Generation of Two New Azaheterocyclic Rings. <i>Synthesis</i> , 2015 , 47, 2721-2730	2.9	17
148	Cholinesterase inhibitory activity versus aromatic core multiplicity: a facile green synthesis and molecular docking study of novel piperidone embedded thiazolopyrimidines. <i>Bioorganic and Medicinal Chemistry</i> , 2014 , 22, 906-16	3.4	17
147	Essential Oils of <i>Etilingera elatior</i> (Jack) R. M. Smith and <i>Etilingera littoralis</i> (Koenig) Giseke. <i>Journal of Essential Oil Research</i> , 2010 , 22, 461-466	2.3	17
146	Combination of Cyclodextrin and Ionic Liquid in Analytical Chemistry: Current and Future Perspectives. <i>Critical Reviews in Analytical Chemistry</i> , 2017 , 47, 454-467	5.2	16
145	4-Thiazolidinone coumarin derivatives as two-component NS2B/NS3 DENV flavivirus serine protease inhibitors: synthesis, molecular docking, biological evaluation and structure-activity relationship studies. <i>Chemistry Central Journal</i> , 2018 , 12, 69		16
144	Synthesis and Anisotropic Properties of Novel Asymmetric Diones Fused With 1,3-Oxazepine and Oxazepane Rings. <i>Molecular Crystals and Liquid Crystals</i> , 2012 , 552, 177-193	0.5	16
143	A facile stereoselective synthesis of dispiro-indeno pyrrolidine/pyrrolothiazole-thiochroman hybrids and evaluation of their antimycobacterial, anticancer and AchE inhibitory activities. <i>Bioorganic and Medicinal Chemistry</i> , 2016 , 24, 5873-5883	3.4	16
142	One-pot microwave assisted stereoselective synthesis of novel dihydro-2 <i>Q</i> -spiro[indene-2,1 <i>Q</i> pyrrolo-[3,4- <i>c</i>]pyrrole]-tetraones and evaluation of their antimycobacterial activity and inhibition of AchE. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2017 , 27, 2074-2075	2.9	15
141	Utilization of the agricultural waste (<i>Cicer arietinum</i> Linn fruit shell biomass) as biosorbent for decolorization of Congo red. <i>Desalination and Water Treatment</i> , 2015 , 56, 2181-2192		14
140	Metabolomics approach for multibiomarkers determination to investigate dengue virus infection in human patients. <i>Acta Biochimica Polonica</i> , 2017 , 64, 215-219	2	14
139	QUINAZOLINONE COMPOUNDS AS CORROSION INHIBITORS FOR MILD STEEL IN SULFURIC ACID MEDIUM. <i>Chemical Engineering Communications</i> , 2012 , 199, 751-766	2.2	14
138	Synthesis, characterization, X-ray crystal structures of heterocyclic Schiff base compounds and <i>in vitro</i> cholinesterase inhibition and anticancer activity. <i>Journal of Molecular Structure</i> , 2017 , 1149, 216-228	3.4	13
137	Synthesis, characterization and theoretical study of a new liquid crystal compound with an oxazepine core. <i>Journal of Molecular Structure</i> , 2015 , 1087, 88-96	3.4	13
136	Synthesis of metal(II) [M = Cu, Mn, Zn] Schiff base complexes and their Pro-apoptotic activity in liver tumor cells via caspase activation. <i>Medicinal Chemistry Research</i> , 2013 , 22, 4727-4736	2.2	13

135	An expedient synthesis and screening for antiacetylcholinesterase activity of piperidine embedded novel pentacyclic cage compounds. <i>Medicinal Chemistry</i> , 2014 , 10, 228-36	1.8	13
134	Synthesis, characterisation and thermal properties of hyperbranched polyimide derived from melamine via emulsion polymerisation. <i>Journal of Thermal Analysis and Calorimetry</i> , 2015 , 120, 1785-1798	4.1	12
133	Thermal degradation behavior of a flame retardant melamine derivative hyperbranched polyimide with different terminal groups. <i>RSC Advances</i> , 2015 , 5, 92664-92676	3.7	11
132	Molecular docking studies and in vitro cholinesterase enzyme inhibitory activities of chemical constituents of <i>Garcinia hombroniana</i> . <i>Natural Product Research</i> , 2015 , 29, 86-90	2.3	11
131	Synthesis and Antibacterial Study of Eugenol Derivatives. <i>Asian Journal of Chemistry</i> , 2017 , 29, 22-26	0.4	11
130	A one-pot tandem synthesis of various 1,2-disubstituted benzimidazoles. <i>Tetrahedron Letters</i> , 2014 , 55, 4697-4700	2	11
129	3,5-Bis(arylidene)-4-piperidones as potential dengue protease inhibitors. <i>Acta Pharmaceutica Sinica B</i> , 2017 , 7, 479-484	15.5	10
128	Metabolomics for characterization of gender differences in patients infected with dengue virus. <i>Asian Pacific Journal of Tropical Medicine</i> , 2015 , 8, 451-6	2.1	10
127	Antituberculosis activity, phytochemical identification of <i>Costus speciosus</i> (J. Koenig) Sm., <i>Cymbopogon citratus</i> (DC. Ex Nees) Stapf., and <i>Tabernaemontana coronaria</i> (L.) Willd. and their effects on the growth kinetics and cellular integrity of <i>Mycobacterium tuberculosis</i> H37Rv. <i>BMC Complementary and Alternative Medicine</i> , 2018 , 18, 5	4.7	10
126	3-{2-[2-(2-Fluoro-benzyl-idene)hydrazin-yl]-1,3-thia-zol-4-yl}-2H-chromen-2-one. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2010 , 66, o1446-7		10
125	A comprehensive molecular insight into host-guest interaction of Phenanthrene with native and ionic liquid modified β -cyclodextrins: Preparation and characterization in aqueous medium and solid state. <i>Journal of Molecular Structure</i> , 2020 , 1206, 127675	3.4	10
124	Antituberculosis agents bearing the 1,2-disubstituted benzimidazole scaffold. <i>Medicinal Chemistry Research</i> , 2017 , 26, 770-778	2.2	9
123	Antituberculosis: synthesis and antimycobacterial activity of novel benzimidazole derivatives. <i>BioMed Research International</i> , 2013 , 2013, 926309	3	9
122	16-[(E)-Benzyl-idene]-13-hydroxy-4-methyl-2-phenyl-4,14-diaza-penta-cyclo-[12.3.1.0.0.0]octa-deca-7(12),8,10-triene-6		9
121	Anti-proliferation effects of benzimidazole derivatives on HCT-116 colon cancer and MCF-7 breast cancer cell lines. <i>Asian Pacific Journal of Cancer Prevention</i> , 2012 , 13, 4075-9	1.7	9
120	Ethyl nitrobenzoate: A novel scaffold for cholinesterase inhibition. <i>Bioorganic Chemistry</i> , 2017 , 70, 27-33	5.1	8
119	INVESTIGATION OF SOME SCHIFF BASES AS CORROSION INHIBITORS FOR ALUMINIUM ALLOY IN 0.5 M HYDROCHLORIC ACID SOLUTIONS. <i>Surface Review and Letters</i> , 2011 , 18, 127-133	1.1	8
118	Effect of flecainide derivatives on sarcoplasmic reticulum calcium release suggests a lack of direct action on the cardiac ryanodine receptor. <i>British Journal of Pharmacology</i> , 2016 , 173, 2446-59	8.6	8

117	Synthesis and structural elucidation of two new series of aurone derivatives as potent inhibitors against the proliferation of human cancer cells. <i>Medicinal Chemistry Research</i> , 2015 , 24, 3504-3515	2.2	7
116	Straightforward synthesis of novel 1-(2-O-D-glucopyranosyl ethyl) 2-arylbenzimidazoles. <i>Molecules</i> , 2012 , 17, 9887-99	4.8	7
115	Conjugation of benzylvanillin and benzimidazole structure improves DNA binding with enhanced antileukemic properties. <i>PLoS ONE</i> , 2013 , 8, e80983	3.7	7
114	Synthesis of orthogonally protected d-olivoid, 1,3-di-O-acetyl-4-O-benzyl-2,6-dideoxy-d-arabinopyranose, as a C-glycosyl donor. <i>Tetrahedron</i> , 2009 , 65, 4092-4098	2.4	7
113	Diaminobenzene schiff base, a novel class of DNA minor groove binder. <i>International Journal of Oncology</i> , 2012 , 41, 504-10	4.4	7
112	2-(2-Benzyloxy-3-methoxyphenyl)-1H-benzimidazole. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2006 , 62, o3954-o3956		7
111	Ethyl 1-sec-butyl-2-(4-methoxy-phen-yl)-1H-benzimidazole-5-carboxyl-ate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2010 , 66, o845		7
110	Synthesis and Mesomorphic Behavior of New Mesogenic Compounds Possessing a Biphenyl Ester Moiety with a 6-Amino-1,3-Dimethyluracil. <i>Molecular Crystals and Liquid Crystals</i> , 2014 , 590, 130-139	0.5	6
109	Microwave-assisted synthesis of sec/tert-butyl 2-arylbenzimidazoles and their unexpected antiproliferative activity towards ER negative breast cancer cells. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2013 , 28, 1255-60	5.6	6
108	Synthesis of Fluorescent 1-(3-Amino-4-(4-(tert-butyl)phenyl)-6-(p-tolyl)furo[2,3-b]pyridin-2-yl)ethan-1-one: Crystal Structure, Fluorescence Behavior, Antimicrobial and Antioxidant Studies. <i>Journal of Fluorescence</i> , 2018 , 28, 655-662	2.4	5
107	Synthesis, X-ray crystallographic study, pharmacology and docking of hydrazinyl thiazolyl coumarins as dengue virus NS2B/NS3 serine protease inhibitors. <i>Medicinal Chemistry Research</i> , 2018 , 27, 1647-1665 ^{2.2}		5
106	Ionic liquid mediated synthesis and molecular docking study of novel aromatic embedded Schiff bases as potent cholinesterase inhibitors. <i>Bioorganic Chemistry</i> , 2014 , 57, 162-168	5.1	5
105	CARBON TETRACHLORIDE-INDUCED HEPATOPROTECTIVE AND CYTOTOXIC ACTIVITIES OF (SEASHORE MANGOSTEEN). <i>Tropical Journal of Obstetrics and Gynaecology</i> , 2017 , 14, 374-382	0.3	5
104	Synthesis and phase transition studies of new dimer compounds connected to a 1,3-dimethylbarbituric acid core. <i>Turkish Journal of Chemistry</i> , 2014 , 38, 443-453	1	5
103	Synthesis and Characterization of New 3-(3-Hydroxyphenyl)-4-alkyl-3,4-dihydrobenzo[e][1,3]oxazepine-1,5-dione Compounds. <i>Chinese Journal of Chemistry</i> , 2011 , 29, 1518-1522	4.9	5
102	19-[(E)-4-Chloro-benzyl-idene]-16-(4-chloro-phen-yl)-2-hydr-oxy-1,11-diaza-hexa-cyclo-[15.3.1.0.0.0.0]hencosa-3(8),4,6-trien-5-one. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2010 , 66, o1444-5		5
101	(E)-1-[(2-Amino-5-nitro-phen-yl)iminio-meth-yl]naphthalen-2-olate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2010 , 66, o1227-8		5
100	2-Hydr-oxy-16-[(E)-4-hydr-oxy-3-methoxy-benzyl-idene]-13-(4-hydr-oxy-3-methoxy-phen-yl)-11-methyl-1,11-diaza-penta-cyclo-[15.3.1.0.0.0.0]hencosa-3(8),4,6-trien-5-one. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2010 , 66, o1370-1		5

99	Synthesis, characterization and cytotoxicity of new nicotinonitriles and their furo[2,3-b]pyridine derivatives. <i>Journal of the Iranian Chemical Society</i> , 2019 , 16, 715-722	2	5
98	(Z)-3-(2-{2-[1-(4-Hydroxy-phenyl)ethylidene]hydrazin-1-yl}-1,3-thiazol-4-yl)-2H-chromen-2-one. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2010 , 66, o1632-3		4
97	3-{2-[2-(Diphenyl-methyl-ene)hydrazin-yl]thiazol-4-yl}-2H-chromen-2-one. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2010 , 66, o1788-9		4
96	Ethyl 1-sec-butyl-2-(4-chloro-phen-yl)-1H-benzimidazole-5-carboxyl-ate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2010 , 66, o2412-3		4
95	3-[(E)-3-(2,4-Dichloro-phen-yl)prop-2-en-oyl]-4-hydroxy-2H-chromen-2-one. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2010 , 66, o3022-3		4
94	Essential Oil of the Leaves of <i>Sarcandra glabra</i> (Thunb.) Nakai. <i>Journal of Essential Oil Research</i> , 2009 , 21, 71-73	2.3	4
93	3-(2-Methyl-amino-1,3-thiazol-4-yl)-2H-chromen-2-one. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2012 , 68, o2416-7		4
92	9-(7-Fluoro-4-oxo-4H-chromen-3-yl)-3,3,6,6-tetra-methyl-2,3,4,5,6,7,8,9-octa-hydro-1H-xanthene-1,8-dione. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2012 , 68, o38		4
91	3- β -Acet-oxy-5 β -cholestan-6-one 2-cyano-acetyl-hydrazone. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2012 , 68, o473-4		4
90	6,6'-Dimethoxy-2,2'-[m-phenylenebis(nitrilomethylidene)]diphenol. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2007 , 63, o3570-o3571		4
89	2-[1-(2-Hydroxy-3-methoxybenzyl)-1H-benzimidazol-2-yl]-6-methoxyphenol monohydrate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2009 , 65, o913-4		4
88	Antimycobacterial activity and in silico study of highly functionalised dispiropyrrolidines. <i>Medicinal Chemistry Research</i> , 2015 , 24, 818-828	2.2	3
87	Synthesis and thermo-chemical stability properties of 4,4',4''-((1,3,5-triazine-2,4,6-triyl)tris(oxy))trianiline/4,4''-(4,4''-Isopropylidene-diphenoxy)bis(phthalic anhydride) hyperbranched polyimide. <i>Journal of King Saud University - Science</i> , 2018 , 30, 337-351	3.6	3
86	(E)-1-[1-(6-Bromo-2-oxo-2H-chromen-3-yl)ethylidene]thio-semicarbazide. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2010 , 66, o1491-2		3
85	3-{2-[2-(3-Hydroxy-benzyl-idene)hydrazin-1-yl]-1,3-thiazol-4-yl}-2H-chromen-2-one hemihydrate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2010 , 66, o1498-9		3
84	2-[(E)-(3-Carb-oxy-4-hydroxy-phen-yl)iminiometh-yl]-4-chloro-phenolate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2010 , 66, o2466		3
83	6,6'-Dimeth-oxy-2,2'-[p-phenyl-ene-bis(nitrilo-methyl-idyne)]diphenol chloro-form disolvate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2009 , 65, o680-1		3
82	3-[(E)-[(4-Formyl-phen-yl)iminium-yl]meth-yl]naphthalen-2-olate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2010 , 67, o143		3

81	(E)-3-(2-{2-[1-(3-Hydroxy-phenyl)ethylidene]hydrazin-yl}-1,3-thiazol-4-yl)-2H-chromen-2-one. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2011 , 67, o1072-3		3
80	2-Benzyloxy-3-methoxybenzaldehyde (benzyl-o-vanillin). <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2006 , 62, o4768-o4770		3
79	2-[1-(2-Hydroxy-3-methoxy-benz-yl)-1H-benzimidazol-2-yl]-6-methoxy-phenol methanol 1.13-solvate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2009 , 65, o925-6		3
78	3-Hydroxy-2-(4-methoxy-benzene-sulfonamido)-butanoic acid. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2011 , 67, o3275		3
77	Synthesis of Novel and Highly Functionalized 4-hydroxycoumarin Chalcone and their Pyrazoline Derivatives as Anti-Tuberculosis Agents. <i>Letters in Drug Design and Discovery</i> , 2013 , 11, 222-230	0.8	3
76	An efficient ionic liquid mediated synthesis, cholinesterase inhibitory activity and molecular modeling study of novel piperidone embedded β,β -unsaturated ketones. <i>Medicinal Chemistry</i> , 2014 , 10, 512-20	1.8	3
75	Ethyl 4-(tert-butyl-amino)-3-nitro-benzoate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2008 , 64, o1550-1		3
74	Smectogenic and nematogenic liquid crystals of a new series of heterocyclic derivatives bearing an ester terminal chain: Synthesis, characterization, and theoretical study. <i>Molecular Crystals and Liquid Crystals</i> , 2016 , 630, 44-57	0.5	3
73	The Synthesis, Characterization, Cytotoxic Activity Assessment and Structure-Activity Relationship of 4-Aryl-6-(2,5-dichlorothiophen-3-yl)-2-methoxypyridine-3-carbonitriles. <i>Molecules</i> , 2019 , 24,	4.8	3
72	Synthesis and Antibacterial Study of Thymol Derivatives. <i>Asian Journal of Chemistry</i> , 2018 , 30, 126-128	0.4	2
71	Evaluation of Biological Activities of Extracts and Chemical Constituents of <i>Mimusops elengi</i> . <i>Tropical Journal of Pharmaceutical Research</i> , 2013 , 12,	0.8	2
70	Ethyl 1-sec-butyl-2-p-tolyl-1H-benzimidazole-5-carboxyl-ate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2010 , 66, o1214-5		2
69	5-[(E)-2-Bromo-benzylidene]-8-(2-bromo-phen-yl)-2-hydroxy-10-methyl-3,10-di-aza-hexa-cyclo-[10.7.1.1.0.0.0]henicosane. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2010 , 66, o2376-7		2
68	3-Methyl-4-[(E)-3-thien-ylmethylidene-amino]-1H-1,2,4-triazole-5(4H)-thione. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2010 , 66, o2861-2		2
67	3-Acetyl-4-hydroxy-6,7-dimethyl-2H-chromen-2-one. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2010 , 66, o3129-30		2
66	6-Chloro-3-phenethyl-2-thioxo-2,3-dihydro-quinazolin-4(1H)-one. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2010 , 66, o950		2
65	1,3-Oxazepane-4,7-Diones Compounds: ¹ H and ¹³ C NMR High-Resolution Spectroscopy (1D and 2D). <i>International Journal of Spectroscopy</i> , 2011 , 2011, 1-7		2
64	2-Amino-4-chloro-benzoic acid. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2010 , 67, o37		2

63	5-[(E)-2-Fluoro-benzyl-idene]-8-(2-fluoro-phen-yl)-2-hy-droxy-10-methyl-3,10-di-aza-hexa-cyclo-[10.7.1.1.0.0.0]hencosa-1(19),12(20),13,15,17,19-hexaene 0.25-solvate 0.6-hydrate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2010 , 67, o211-2		2
62	7-Fluoro-4-oxochromene-3-carbaldehyde. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2011 , 67, o766		2
61	(3E,5E)-3,5-Dibenzyl-idene-1-[3-(piperidin-1-yl)propano-yl]piperidin-4-one. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2011 , 67, o1299-300		2
60	4-Methyl-2-oxo-2H-chromen-7-yl 4-meth-oxy-benzene-sulfonate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2011 , 67, o3457		2
59	3E-Chloro-6-[2-(2-cyano-acet-yl)hydrazin-1-yl-idene]-5H-cholestane. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2012 , 68, o1056-7		2
58	Ethyl 4-fluoro-3-nitro-benzoate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2009 , 65, o556		2
57	4-(But-3-enylamino)-3-nitro-benzoic acid. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2009 , 65, o1560-1		2
56	The Effect of 4-hydroxybenzaldehyde on the β aminobutyric Acid Type A Receptor. <i>The Malaysian Journal of Medical Sciences</i> , 2017 , 24, 94-99	1.3	2
55	SYNTHESIS, AND EVALUATION OF COUMARIN HYBRIDS AS ANTIMYCOBACTERIAL AGENTS. <i>Acta Poloniae Pharmaceutica</i> , 2019 , 76, 1029-1036	1.3	2
54	4-Butyl-amino-3-nitro-benzoic acid. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2009 , 65, o1122-3		2
53	A Sustainable Approach to the Stereoselective Synthesis of Diazaheptacyclic Cage Systems Based on a Multicomponent Strategy in an Ionic Liquid. <i>Molecules</i> , 2016 , 21, 165	4.8	2
52	Synthesis of imidazolium-based poly(ionic liquids) with diverse substituents and their applications in dispersive solid-phase extraction. <i>Microchemical Journal</i> , 2022 , 178, 107363	4.8	2
51	Synthesis and biological evaluation of novel 6,7-dimethoxy-3-(4-pyridyl)-2,3,3a,4-tetrahydroindeno[1,2-c]pyrazol-2-yl-4-substituted phenylmethanone/ethanone derivatives. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2012 , 27, 155-9	5.6	1
50	4-[(E)-(4-Hy-droxy-2-oxo-2H-chromen-3-yl)methyl-idene-amino]-1,5-dimethyl-2-phenyl-1H-pyrazol-3(2H)-one monohydrate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2010 , 66, o2491-2		1
49	16-[(E)-Benzyl-idene]-2-hy-droxy-12,13-diphenyl-1,11-diaza-penta-cyclo-[12.3.1.0.0.0]octa-deca-3(8),4,6-triene-9,15-dione 0.25-solvate 0.6-hydrate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2010 , 66, o2084-5		1
48	N-(4-Chloro-benzyl-idene)-4-nitro-benzene-1,2-diamine. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2010 , 66, o2220		1
47	2-Hy-droxy-11-methyl-16-[(E)-4-methyl-benzyl-idene]-13-(4-methyl-phen-yl)-1,11-diaza-penta-cyclo-[12.3.1.0.0.0]octa-deca-3(8),4,6-triene-9,15-dione 0.25-solvate 0.6-hydrate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2010 , 66, o2370-1		1
46	5-[(E)-Benzyl-idene]-2-hy-droxy-10-methyl-8-phenyl-3,10-diaza-hexa-cyclo-[10.7.1.1.0.0.0]hencosa-1(19),12(20),13,15,17,19-hexaene 0.25-solvate 0.6-hydrate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2010 , 66, o2736-7		1

- 45 4-Chloro-2-(6-nitro-1H-benzimidazol-2-yl)phenol N,N-dimethyl-form-amide solvate. *Acta Crystallographica Section E: Structure Reports Online*, **2010**, 66, o2863 1
- 44 11-[(E)-4-Bromo-benzyl-idene]-8-(4-bromo-phen-yl)-14-hy-droxy-3,13-diaza-hepta-cyclo-[13.7.1.1.0.0.0.0]tetra-cosa-1(22),15,17,19(23),20-pent-11-ene. *Acta Crystallographica Section E: Structure Reports Online*, **2010**, 66, o2926-7 1
- 43 11-[(E)-Benzyl-idene]-14-hy-droxy-8-phenyl-3,13-diaza-hepta-cyclo-[13.7.1.1.0.0.0.0]tetra-cosa-1(22),15,17,19(23),20-pent-11-ene. *Acta Crystallographica Section E: Structure Reports Online*, **2010**, 66, o3045 1
- 42 Ethyl 1-tert-butyl-2-(4-hydr-oxy-3-methoxy-phen-yl)-1H-benzimidazole-5-carboxyl-ate. *Acta Crystallographica Section E: Structure Reports Online*, **2010**, 66, o1051-2 1
- 41 Ethyl 1-sec-butyl-2-(2-hydroxy-phen-yl)-1H-benzimidazole-5-carboxyl-ate 0.25-hydrate. *Acta Crystallographica Section E: Structure Reports Online*, **2010**, 66, o1285-6 1
- 40 (E)-2-(4-Methylbenzylidene)hydrazinecarboxamide. *Acta Crystallographica Section E: Structure Reports Online*, **2011**, 67, o242 1
- 39 3-[5-(2,4-Dichloro-phen-yl)-1-phenyl-4,5-dihydro-1H-pyrazol-3-yl]-4-hy-droxy-2H-chromen-2-one. *Acta Crystallographica Section E: Structure Reports Online*, **2011**, 67, o437-8 1
- 38 (3E,5E)-1-Acryloyl-3,5-bis-(2-chloro-benzyl-idene)piperidin-4-one. *Acta Crystallographica Section E: Structure Reports Online*, **2011**, 67, o1228-9 1
- 37 (E)-6-Bromo-3-{2-[2-(2-chloro-benzyl-idene)hydrazin-yl]thia-zol-5-yl}-2H-chromen-2-one dimethyl sulfoxide monosolvate. *Acta Crystallographica Section E: Structure Reports Online*, **2011**, 67, o1009-10 1
- 36 (E)-6-Bromo-3-{2-[2-(4-chloro-benzyl-idene)hydrazin-yl]thia-zol-5-yl}-2H-chromen-2-one. *Acta Crystallographica Section E: Structure Reports Online*, **2011**, 67, o1007-8 1
- 35 (3E,5E)-1-Acryloyl-3,5-bis-(2,4-dichloro-benzyl-idene)piperidin-4-one hemihydrate. *Acta Crystallographica Section E: Structure Reports Online*, **2011**, 67, o1301-2 1
- 34 2-[(E)-(2,4-Dichloro-benzyl-idene)amino]-isoindoline-1,3-dione. *Acta Crystallographica Section E: Structure Reports Online*, **2011**, 67, o1712 1
- 33 (E)-6-Bromo-3-{2-[2-(2-meth-oxy-benzyl-idene)hydrazin-yl]-1,3-thia-zol-4-yl}-2H-chromen-2-one. *Acta Crystallographica Section E: Structure Reports Online*, **2011**, 67, o1825 1
- 32 16-[(E)-4-Bromo-benzyl-idene]-13-(4-bromo-phen-yl)-2-hy-droxy-11-methyl-1,11-diaza-penta-cyclo-[12.3.1.0.0.0]octa-deca-1,9,11-triene. *Acta Crystallographica Section E: Structure Reports Online*, **2010**, 67, o137-8 1
- 31 (3E,5E)-3,5-Bis(naphthalen-1-yl-methyl-idene)piperidin-4-one. *Acta Crystallographica Section E: Structure Reports Online*, **2012**, 68, o802-3 1
- 30 2-Cyano-NQ[(E)-1-(2-oxo-2H-chromen-3-yl)ethyl-idene]acetohydrazide. *Acta Crystallographica Section E: Structure Reports Online*, **2012**, 68, o2005 1
- 29 11-[(E)-2-Fluoro-benzyl-idene]-8-(2-fluoro-phen-yl)-14-hy-droxy-6-thia-3,13-diaza-hepta-cyclo-[13.7.1.1(9,13).0(2,9).0(2,14).0(2,14)]hepta-cosa-1(22),15,17,19(23),20-pent-11-ene. *Acta Crystallographica Section E: Structure Reports Online*, **2012**, 68, o2094-5 1
- 28 (3E,5E)-3,5-Bis(4-methyl-benzyl-idene)-1-[3-(piperidin-1-yl)propano-yl]piperidin-4-one. *Acta Crystallographica Section E: Structure Reports Online*, **2012**, 68, o2493-4 1

- 27 (R)- and (S)-1-[2-(benzyloxy)-3-methoxyphenyl]-2,2,2-trichloroethyl benzenesulfonate. *Acta Crystallographica Section E: Structure Reports Online*, **2007**, 63, o3233-o3233 1
- 26 Swietenolide monohydrate. *Acta Crystallographica Section E: Structure Reports Online*, **2008**, 64, o1267-8 1
- 25 4-Cyclo-butyl-amino-3-nitro-benzoic acid. *Acta Crystallographica Section E: Structure Reports Online*, **2009**, 65, o1566-7 1
- 24 14-Hydroxy-11-[(E)-4-methoxybenzylidene]-8-(4-methoxyphenyl)-5-thia-3,13-diaza-hepta-cyclo-[13.7.1.1.0.0.0]tetrahydropyridine. *Acta Crystallographica Section E: Structure Reports Online*, **2011**, 67, o2881-2 1
- 23 2-Amino-N-(2-hydroxy-3-methoxybenzylidene)aniline. *Acta Crystallographica Section E: Structure Reports Online*, **2008**, 64, o1201-2 1
- 22 A stereoselective approach to the angucyclinone antibiotics: A total synthesis of (±)-urdamycinone. *B. Arabian Journal of Chemistry*, **2019**, 12, 2501-2512 5.9 1
- 21 2-Hydroxy-16-[(E)-4-methylbenzylidene]-13-(4-methylphenyl)-12-phenyl-1,11-diaza-penta-cyclo-[12.3.1.0.0.0]octa-decahydroindole. *Acta Crystallographica Section E: Structure Reports Online*, **2010**, 66, o2086-7
- 20 4-Hydroxy-3-[(4-hydroxy-6,7-dimethyl-2-oxo-2H-chromen-3-yl)(4-oxo-4H-chromen-3-yl)methyl]-6,7-dimethyl-2H-chromen-2-one. *Acta Crystallographica Section E: Structure Reports Online*, **2010**, 66, o2859-60
- 19 5-[(E)-Benzylidene]-2-hydroxy-8,9-diphenyl-3,10-diaza-hexa-cyclo-[10.7.1.1.0.0.0]hencosa-1(19),12(20),13,15,17-pentacyclopentadiene. *Acta Crystallographica Section E: Structure Reports Online*, **2011**, 67, o2877-8
- 18 4-Hydroxy-3-[(4-hydroxy-6-methyl-2-oxo-3,6-dihydro-2H-pyran-3-yl)(3-thienyl)methyl]-6-methyl-3,6-dihydro-2H-pyran-2-one. *Acta Crystallographica Section E: Structure Reports Online*, **2011**, 67, o494-5
- 17 4-Hydroxy-3-[(4-hydroxy-2-oxo-2H-3-chromenyl)(3-thienyl)methyl]-2H-chromen-2-one. *Acta Crystallographica Section E: Structure Reports Online*, **2011**, 67, o1037-8
- 16 6-Bromo-3-{2-[2-(diphenylmethylene)hydrazinyl]-1,3-thiazol-5-yl}-2H-chromen-2-one chloroform monosolvate. *Acta Crystallographica Section E: Structure Reports Online*, **2011**, 67, o1079-80
- 15 3-Hydroxy-2-[(2-hydroxy-4,4-dimethyl-6-oxocyclohex-1-en-1-yl)(thiophen-3-yl)methyl]-5,5-dimethylcyclohex-2-en-1-one. *Acta Crystallographica Section E: Structure Reports Online*, **2011**, 67, o1813
- 14 5-[(E)-4-Fluorobenzylidene]-8-(4-fluorophenyl)-2-hydroxy-9-phenyl-3,10-diaza-hexa-cyclo-[10.7.1.1.0.0.0]hencosa-1(19),12(20),13,15,17-pentacyclopentadiene. *Acta Crystallographica Section E: Structure Reports Online*, **2011**, 67, o2879-80
- 13 Ethyl 1-(butan-2-yl)-2-(2-methoxyphenyl)-1H-benzimidazole-5-carboxylate. *Acta Crystallographica Section E: Structure Reports Online*, **2011**, 67, o3231-2
- 12 catena-Poly[[[aqua-manganese(III)]-μ(E)-5-bromo-N-[2-(5-bromo-2-oxidobenzylideneamino)-4-nitrophenyl]-2-oxidobenzamide]-N,N-dimethylformamide monosolvate]. *Acta Crystallographica Section E: Structure Reports Online*, **2012**, 68, m365-6
- 11 11-[(E)-Benzylidene]-14-hydroxy-8-phenyl-6-thia-3,13-diaza-hepta-cyclo-[13.7.1.1(9,13).0(2,9).0(2,14).0(3,7).0(19,23)]tetrahydropyridine. *Acta Crystallographica Section E: Structure Reports Online*, **2012**, 68, o2013-4
- 10 2-Hydroxy-5-[(E)-2-methylbenzylidene]-8-(2-methylphenyl)-9-phenyl-3,10-diaza-hexa-cyclo-[10.7.1.1(3,7).0(2,11).0(7,12)]hepta-cyclopentadiene. *Acta Crystallographica Section E: Structure Reports Online*, **2012**, 68, o3375

- 9 Ethyl 1-(2-hydroxy-ethyl)-2-(4-methoxy-phenyl)-1H-benzimidazole-5-carboxylate monohydrate. *Acta Crystallographica Section E: Structure Reports Online*, **2012**, 68, o421
- 8 4-Methyl-2-oxo-2H-chromen-7-yl 4-fluoro-benzene-sulfonate. *Acta Crystallographica Section E: Structure Reports Online*, **2012**, 68, o641-2
- 7 3-Chloro-5 β -cholestan-6-one. *Acta Crystallographica Section E: Structure Reports Online*, **2012**, 68, o1211-2
- 6 rac-Hatomarubigin C. *Acta Crystallographica Section E: Structure Reports Online*, **2006**, 62, o5748-o5750
- 5 Phenyl 2,3-O-isopropylidene-1-thio- β -D-rhamnopyranoside. *Acta Crystallographica Section E: Structure Reports Online*, **2007**, 64, o24-5
- 4 2-Amino-N-(2-benzyloxy-3-methoxy-benzylidene)aniline. *Acta Crystallographica Section E: Structure Reports Online*, **2008**, 64, o1290-1
- 3 5-Hydroxy-8-nitro-1,4-naphthoquinone. *Acta Crystallographica Section E: Structure Reports Online*, **2008**, 64, o1523-4
- 2 5-Chloro-8-hydroxy-6-methyl-1,4-naphthoquinone. *Acta Crystallographica Section E: Structure Reports Online*, **2009**, 65, o871-2
- 1 Synthesis, molecular structures of alkyliminophenols and studies of their derivatives 1,3-oxazepine-4,7-diones. *Karbala International Journal of Modern Science*, **2016**, 2, 113-123 4.6