Akio Tazuke

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1771335/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Varietal Differences in the Effects of Total Defoliation on the Expression of Candidate Marker Genes of Sugar Starvation in Cucumber Fruit. Horticultural Research (Japan), 2019, 18, 157-165.	0.1	1
2	Analysis of the Decline in Respiration Rate of Cucumber Fruits on Vines under Prolonged Darkness, Total Defoliation, Cutting, and Heat-girdling of the Peduncle. Horticultural Research (Japan), 2018, 17, 55-59.	0.1	1
3	The expression of a candidate cucumber fruit sugar starvation marker gene CsSEF1 is enhanced in malformed fruit induced by salinity. Physiology and Molecular Biology of Plants, 2017, 23, 565-570.	3.1	3
4	Genetic engineering and metabolite profiling for overproduction of polyhydroxybutyrate in cyanobacteria. Journal of Bioscience and Bioengineering, 2015, 120, 510-517.	2.2	44
5	Expression of the BTB/POZ domain-containing protein At1g63850-like gene CsFDI1 is enhanced by sugar starvation in cucumber fruit. Acta Physiologiae Plantarum, 2015, 37, 1.	2.1	5

 $_{6}$ The Effects of NaCl Salinity and Solution Temperature on the Leaf Wilting of Snap Bean (Phaseolus) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 $_{10}$

7	Expression of CsSEF1 gene encoding putative CCCH zinc finger protein is induced by defoliation and prolonged darkness in cucumber fruit. Planta, 2013, 237, 681-691.	3.2	9
8	Effect of the Timing of Defoliation on Fruit Growth and Abortion in a Parthenocarpic Cucumber. Environmental Control in Biology, 2012, 50, 313-317.	0.7	0
9	Effects of Fruit Load on Fruit Growth, Mesocarp Starch Grain Appearance and Sucrose-catalysing Enzyme Activity in a Gynoecious Cucumber Fruit. Environmental Control in Biology, 2011, 49, 119-125.	0.7	4
10	Effects of NaCl Addition and Aeration Frequency of the Nutrient Solution on the Growth and Transpiration of Cucumber Plants Grown in a Glasshouse and a Growth Chamber. Environmental Control in Biology, 2006, 44, 293-300.	0.7	1
11	A Descriptive Model of the Growth of Cucumber Fruit under Salinity at Low Oxygen Supply Levels in the Nutrient Solution. Seibutsu Kankyo Chosetsu [Environment Control in Biology, 2004, 42, 267-276.	0.2	2
12	Allometric Relationship Between the Sucrose Synthase Activity and Fresh Weight of Cucumber Fruits Seibutsu Kankyo Chosetsu [Environment Control in Biology, 2003, 41, 63-67.	0.2	1
13	Extraction of Leaf Region from Plant Images for the Automatic Detection of Leaf Wilting. Agricultural Information Research, 2002, 11, 27-40.	0.2	4
14	Abundant DNA Markers Detected by PCR Using Simple Sequence Repeat Primers without Anchor Sequences in Soybean Breeding Science, 2001, 51, 207-210.	1.9	3
15	Sugar Concentration of Cucumber Fruits as Affected by NaCl Addition to Nutrient Solution Seibutsu Kankyo Chosetsu [Environment Control in Biology, 2001, 39, 281-288.	0.2	7
16	Effects of Adding NaCl and Reducing Aeration to Nutrient Culture Solution on the Growth of Cucumber Fruit Journal of the Japanese Society for Horticultural Science, 1997, 66, 563-568.	0.5	8
17	Growth of Cucumber Fruit as Affected by the Addition of NaCl to Nutrient Solution Journal of the Japanese Society for Horticultural Science, 1997, 66, 519-526.	0.5	11
18	Relationships between Growth in Volume and Respiration of Cucumber Fruit after Heat-girdling the Peduncle Journal of the Japanese Society for Horticultural Science, 1993, 62, 135-142.	0.5	7

#	Article	IF	CITATIONS
19	Relationships between Growth in Volume and Respiration of Cucumber Fruit Attached on the Vine. Journal of the Japanese Society for Horticultural Science, 1991, 59, 745-750.	0.5	16
20	The Effect of Potassium and Calcium Concentration in the Nutrient Solution on Copper Toxicities in Vegetable Crops. Journal of the Japanese Society for Horticultural Science, 1990, 59, 365-370.	0.5	1
21	Effect of Monochromatic Light on Anthocyanin Content in Seedlings of Benitade (Polygonum) Tj ETQq1 1 0.784	314 rgBT /0	Overlock 10