

# MarÃ- a Pilar de Lara-Castells

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1771746/publications.pdf>

Version: 2024-02-01

90  
papers

1,624  
citations

257357

24  
h-index

377752

34  
g-index

92  
all docs

92  
docs citations

92  
times ranked

961  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | First-principles modelling of the new generation of subnanometric metal clusters: Recent case studies. <i>Journal of Colloid and Interface Science</i> , 2022, 612, 737-759.  | 5.0 | 13        |
| 2  | A nuclear spin and spatial symmetry-adapted full quantum method for light particles inside carbon nanotubes: clusters of $^3\text{He}$ , $^4\text{He}$ , and $\text{H}_2$ . <i>Physical Chemistry Chemical Physics</i> , 2021, 23, 7908-7918. | 1.3 | 6         |
| 3  | Computational Characterization of the Intermixing of Iron Triade (Fe, Co, and Ni) Surfaces and Sub-nanometric Clusters with Atomic Gold. <i>ACS Omega</i> , 2021, 6, 16165-16175.   | 1.6 | 4         |
| 4  | A Path Integral Molecular Dynamics Simulation of a Harpoon-Type Redox Reaction in a Helium Nanodroplet. <i>Molecules</i> , 2021, 26, 5783.  | 1.7 | 8         |
| 5  | Nonadiabatic Effects in the Molecular Oxidation of Subnanometric $\text{Cu}_5$ Clusters. <i>Journal of Physical Chemistry A</i> , 2021, 125, 9143-9150.   | 1.1 | 6         |
| 6  | Mini Review: Quantum Confinement of Atomic and Molecular Clusters in Carbon Nanotubes. <i>Frontiers in Chemistry</i> , 2021, 9, 796890.   | 1.8 | 3         |
| 7  | New tools for the astrochemist: Multi-scale computational modelling and helium droplet-based spectroscopy. <i>Physics of Life Reviews</i> , 2020, 32, 95-98.  | 1.5 | 3         |
| 8  | $\text{Ag}_5$ -induced stabilization of multiple surface polarons on perfect and reduced $\text{TiO}_2$ rutile (110). <i>Journal of Chemical Physics</i> , 2020, 153, 164702.   | 1.2 | 14        |
| 9  | Thermally Induced Diffusion and Restructuring of Iron Triade (Fe, Co, Ni) Nanoparticles Passivated by Several Layers of Gold. <i>Journal of Physical Chemistry C</i> , 2020, 124, 16680-16688.  | 1.5 | 14        |
| 10 | From Molecular Aggregation to a One-Dimensional Quantum Crystal of Deuterium Inside a Carbon Nanotube of 1 nm Diameter. <i>Journal of Physical Chemistry Letters</i> , 2020, 11, 5081-5086.   | 2.1 | 5         |
| 11 | Exploring the properties of $\text{Ag}_5$ - $\text{TiO}_2$ interfaces: stable surface polaron formation, UV-Vis optical response, and $\text{CO}_2$ photoactivation. <i>Journal of Materials Chemistry A</i> , 2020, 8, 6842-6853.            | 5.2 | 26        |
| 12 | Spectroscopy of a rotating hydrogen molecule in carbon nanotubes. <i>Physical Chemistry Chemical Physics</i> , 2019, 21, 3423-3430.   | 1.3 | 4         |
| 13 | Effects of the Core Location on the Structural Stability of Ni@Au Core-Shell Nanoparticles. <i>Journal of Physical Chemistry C</i> , 2019, 123, 20037-20043.  | 1.5 | 28        |
| 14 | On the Stability of $\text{Cu}_5$ Catalysts in Air Using Multireference Perturbation Theory. <i>Journal of Physical Chemistry C</i> , 2019, 123, 27064-27072.   | 1.5 | 12        |
| 15 | Exploring the Catalytic Properties of Unsupported and $\text{TiO}_2$ -Supported $\text{Cu}_5$ Clusters: $\text{CO}_2$ Decomposition to CO and $\text{CO}_2$ Photoactivation. <i>Journal of Physical Chemistry C</i> , 2019, 123, 23064-23074. | 1.5 | 39        |
| 16 | Challenges in spectroscopy: accuracy versus interpretation from isolated molecules to condensed phases. <i>Physical Chemistry Chemical Physics</i> , 2019, 21, 3395-3396.   | 1.3 | 0         |
| 17 | <i>Ab initio</i> modelling of molecular hydrogen rotation in the outside of carbon nanotubes. <i>Molecular Physics</i> , 2019, 117, 1746-1757.  | 0.8 | 3         |
| 18 | Increasing the optical response of $\text{TiO}_2$ and extending it into the visible region through surface activation with highly stable $\text{Cu}_5$ clusters. <i>Journal of Materials Chemistry A</i> , 2019, 7, 7489-7500.                | 5.2 | 35        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Model studies of the structure and optical properties of the TiO <sub>2</sub> (110) surface with an adsorbed Ag atom. <i>Molecular Physics</i> , 2019, 117, 2267-2274.  | 0.8 | 10        |
| 20 | <i>Ab initio</i> design of light absorption through silver atomic cluster decoration of TiO <sub>2</sub> . <i>Physical Chemistry Chemical Physics</i> , 2018, 20, 19110-19119.  | 1.3 | 31        |
| 21 | Helium and Argon Interactions with Gold Surfaces: <i>Ab Initio</i> -Assisted Determination of the He-Au Pairwise Potential and Its Application to Accommodation Coefficient Determination. <i>Journal of Physical Chemistry C</i> , 2018, 122, 14606-14614. | 1.5 | 7         |
| 22 | Quantum Nuclear Motion of Helium and Molecular Nitrogen Clusters in Carbon Nanotubes. <i>Journal of Physical Chemistry C</i> , 2017, 121, 3807-3821.  | 1.5 | 25        |
| 23 | Spatial quenching of a molecular charge-transfer process in a quantum fluid: the Cs <sub>x</sub> -C <sub>60</sub> reaction in superfluid helium nanodroplets. <i>Physical Chemistry Chemical Physics</i> , 2017, 19, 1342-1351.                             | 1.3 | 18        |
| 24 | Quantum confinement of molecular deuterium clusters in carbon nanotubes: <i>ab initio</i> evidence for hexagonal close packing. <i>Physical Chemistry Chemical Physics</i> , 2017, 19, 28621-28629.   | 1.3 | 12        |
| 25 | <i>Ab Initio</i> Confirmation of a Harpoon-Type Electron Transfer in a Helium Droplet. <i>Journal of Physical Chemistry Letters</i> , 2017, 8, 4284-4288.   | 2.1 | 12        |
| 26 | Helium Droplet-Mediated Deposition and Aggregation of Nanoscale Silver Clusters on Carbon Surfaces. <i>Journal of Physical Chemistry C</i> , 2017, 121, 22248-22257.  | 1.5 | 17        |
| 27 | Post-Hartree-Fock studies of the He/Mg(0001) interaction: Anti-corrugation, screening, and pairwise additivity. <i>Journal of Chemical Physics</i> , 2016, 144, 244707.   | 1.2 | 16        |
| 28 | Adsorption of Noble-Gas Atoms on the TiO <sub>2</sub> (110) Surface: An <i>Ab Initio</i> -Assisted Study with van der Waals-Corrected DFT. <i>Journal of Physical Chemistry C</i> , 2016, 120, 18126-18139.   | 1.5 | 51        |
| 29 | Carbon Nanotubes Immersed in Superfluid Helium: The Impact of Quantum Confinement on Wetting and Capillary Action. <i>Journal of Physical Chemistry Letters</i> , 2016, 7, 4929-4935.   | 2.1 | 18        |
| 30 | Transferability and accuracy by combining dispersionless density functional and incremental post-Hartree-Fock theories: Noble gases adsorption on coronene/graphene/graphite surfaces. <i>Journal of Chemical Physics</i> , 2015, 143, 194701.              | 1.2 | 34        |
| 31 | A full-configuration-interaction nuclear orbital approach and application for small doped He clusters., 2015, , .   |     | 0         |
| 32 | Argon Interaction with Gold Surfaces: <i>Ab Initio</i> -Assisted Determination of Pair Ar-Au Potentials for Molecular Dynamics Simulations. <i>Journal of Physical Chemistry A</i> , 2015, 119, 6897-6908.  | 1.1 | 18        |
| 33 | Combining density functional and incremental post-Hartree-Fock approaches for van der Waals dominated adsorbate-surface interactions: Ag <sub>2</sub> /graphene. <i>Journal of Chemical Physics</i> , 2015, 143, 102804.                                    | 1.2 | 34        |
| 34 | Potential energy surface and bound states of the (X) <sup>4+</sup> KRbK complex. <i>International Journal of Quantum Chemistry</i> , 2015, 115, 19-27.  | 1.0 | 1         |
| 35 | Nuclear Bound States of Molecular Hydrogen Physisorbed on Graphene: An Effective Two-Dimensional Model. <i>Journal of Physical Chemistry A</i> , 2015, 119, 11022-11032.  | 1.1 | 15        |
| 36 | Communication: Unraveling the 4He droplet-mediated soft-landing from <i>ab initio</i> -assisted and time-resolved density functional simulations: Au@4He300/TiO <sub>2</sub> (110). <i>Journal of Chemical Physics</i> , 2015, 142, 131101.                 | 1.2 | 37        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Communication: A combined periodic density functional and incremental wave-function-based approach for the dispersion-accounting time-resolved dynamics of 4He nanodroplets on surfaces: 4He/graphene. <i>Journal of Chemical Physics</i> , 2014, 141, 151102.                             | 1.2 | 34        |
| 38 | Assessing the Performance of Dispersionless and Dispersion-Accounting Methods: Helium Interaction with Cluster Models of the TiO <sub>2</sub> (110) Surface. <i>Journal of Physical Chemistry A</i> , 2014, 118, 6367-6384.  | 1.1 | 30        |
| 39 | Unravelling Coriolis temperature-dependent effects on doped helium clusters: Vib-rotational Raman spectra of (3,4He) <sub>4</sub> Cl <sub>2</sub> (X). <i>Chemical Physics Letters</i> , 2013, 555, 12-18.   | 1.2 | 3         |
| 40 | Solvent states and spectroscopy of doped helium clusters as a quantum-chemistry-like problem. <i>Physical Chemistry Chemical Physics</i> , 2013, 15, 10126.  | 1.3 | 11        |
| 41 | Including nuclear quantum effects into highly correlated electronic structure calculations of weakly bound systems. <i>Journal of Chemical Physics</i> , 2013, 138, 184113.  | 1.2 | 14        |
| 42 | Helium mediated deposition: Modeling the He~TiO <sub>2</sub> (110)-(1Å-1) interaction potential and application to the collision of a helium droplet from density functional calculations. <i>Journal of Chemical Physics</i> , 2012, 136, 124703.   | 1.2 | 31        |
| 43 | A quantum chemistry approach to energies, structures, and spectroscopy of doped helium clusters. , 2012, , .   |     | 0         |
| 44 | Physisorption of helium on a TiO <sub>2</sub> (110) surface: Periodic and finite cluster approaches. <i>Chemical Physics</i> , 2012, 399, 272-280.   | 0.9 | 10        |
| 45 | A Finite Cluster Approach to an Extended Transition Metal Oxide: A Wave Function Based Study. <i>Journal of Physical Chemistry C</i> , 2011, 115, 17540-17557.   | 1.5 | 11        |
| 46 | Collective Bosonic Excitations in Doped H <sub>2</sub> Clusters through the Full-Configuration-Interaction Nuclear Orbital Approach. <i>Journal of Physical Chemistry Letters</i> , 2011, 2, 2145-2151.  | 2.1 | 15        |
| 47 | Microscopic description of small doped <sup>3</sup> He clusters through the full-configuration-interaction nuclear orbital approach: The ( <sup>3</sup> He) <sub>N</sub> Br <sub>2</sub> (X) case revisited. <i>International Journal of Quantum Chemistry</i> , 2011, 111, 406-415.       | 1.0 | 13        |
| 48 | Diffusion Monte Carlo description of Cs <sub>2</sub> ( <sup>3</sup> He) <sub>N</sub> clusters: an example of weak dopant-helium interaction. <i>Physica Scripta</i> , 2011, 84, 028107.  | 1.2 | 6         |
| 49 | Quantum solvent states and rovibrational spectra of small doped H <sub>3</sub> e clusters through the full-configuration-interaction nuclear orbital approach: The (H <sub>3</sub> e) <sub>N</sub> Cl <sub>2</sub> (X) case (N%4). <i>Journal of Chemical Physics</i> , 2010, 132, 194313. | 1.2 | 14        |
| 50 | An optimized full-configuration-interaction nuclear orbital approach to a "hard-core" interaction problem: Application to (H <sub>3</sub> e) <sub>N</sub> Cl <sub>2</sub> (B) clusters (N%4). <i>Journal of Chemical Physics</i> , 2009, 131, 194101.                                      | 1.2 | 23        |
| 51 | Using a Jacobi-Davidson Nuclear Orbital Method for Small Doped 3 He Clusters. <i>Few-Body Systems</i> , 2009, 45, 233-236.   | 0.7 | 15        |
| 52 | Exact, Born-Oppenheimer, and quantum-chemistry-like calculations in helium clusters doped with light molecules: The He <sub>2</sub> N <sub>2</sub> (X) system. <i>Journal of Chemical Physics</i> , 2008, 128, 164313.   | 1.2 | 9         |
| 53 | An inversion technique for the calculation of embedding potentials. <i>Journal of Chemical Physics</i> , 2008, 129, 184104.  | 1.2 | 93        |
| 54 | Spectral simulations of polar diatomic molecules immersed in He clusters: application to the ICl (X) molecule. <i>Physica Scripta</i> , 2007, 76, C96-C103.  | 1.2 | 14        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Key role of spin-orbit effects in the relaxation of CO <sub>2</sub> (010) by thermal collisions with O(3P <sub>j</sub> ). <i>Molecular Physics</i> , 2007, 105, 1171-1181.   | 0.8 | 11        |
| 56 | Exact and quantum chemistry-like calculations in helium doped clusters: The He <sub>2</sub> Br <sub>2</sub> (X) example. <i>International Journal of Quantum Chemistry</i> , 2007, 107, 2756-2762.                                     | 1.0 | 13        |
| 57 | Doped helium clusters analyzed through quantum chemistry methods. <i>International Journal of Quantum Chemistry</i> , 2007, 107, 2902-2921.  | 1.0 | 14        |
| 58 | Potential energy surfaces and dynamics of He <sub>n</sub> Br <sub>2</sub> van der Waals complexes. <i>Progress in Theoretical Chemistry and Physics</i> , 2007, , 193-202.   | 0.2 | 0         |
| 59 | A full-configuration interaction nuclear orbital method to study doped HeN <sub>3</sub> clusters (N <sup>1/2</sup> 4). <i>Journal of Chemical Physics</i> , 2006, 125, 221101.   | 1.2 | 26        |
| 60 | Vibrational quenching of CO <sub>2</sub> (010) by collisions with O(3P) at thermal energies: A quantum-mechanical study. <i>Journal of Chemical Physics</i> , 2006, 124, 164302.   | 1.2 | 15        |
| 61 | Polar di-halogen molecules solvated in bosonic helium clusters: The paradigm of Cl <sub>2</sub> (X). <i>Physical Review A</i> , 2006, 74, .  | 1.0 | 33        |
| 62 | STRUCTURE AND DYNAMICS OF VAN DER WAALS COMPLEXES: FROM TRIATOMIC TO MEDIUM SIZE CLUSTERS. , 2006, , .   |     | 0         |
| 63 | Br <sub>2</sub> (X) Microsolvation in Helium Clusters: Effect of the Interaction on the Quantum Solvent Density Distribution. <i>ChemPhysChem</i> , 2005, 6, 1348-1356.  | 1.0 | 19        |
| 64 | Energies and density distributions of (He <sub>4</sub> ) <sub>n</sub> clusters doped with Br <sub>2</sub> (X): A Hartree-like approach. <i>Physical Review A</i> , 2005, 71, .   | 1.0 | 35        |
| 65 | Adsorption and nonadiabatic processes in the photodesorption of molecular oxygen from the reduced TiO <sub>2</sub> (110) surface. <i>Israel Journal of Chemistry</i> , 2005, 45, 59-76.  | 1.0 | 27        |
| 66 | Role of Boson-Fermion Statistics on the Raman Spectra of Br <sub>2</sub> (X) in Helium Clusters. <i>Physical Review Letters</i> , 2004, 93, 053401.  | 2.9 | 46        |
| 67 | The open-shell interaction of He with the $\sigma^*(0^+)$ state of Br <sub>2</sub> : An ab initio study and its comparison with a diatomics-in-molecule perturbation model. <i>Journal of Chemical Physics</i> , 2004, 120, 2182-2192. | 1.2 | 20        |
| 68 | Raman spectra of (He) <sub>n</sub> -Br <sub>2</sub> (X) clusters: The role of boson/fermion statistics in a quantum solvent. <i>Journal of Chemical Physics</i> , 2004, 121, 2975-2984.  | 1.2 | 25        |
| 69 | Theoretical study of the UV-induced desorption of molecular oxygen from the reduced TiO <sub>2</sub> (110) surface. <i>Journal of Chemical Physics</i> , 2003, 118, 5098-5105.   | 1.2 | 46        |
| 70 | Theoretical study of the interaction of molecular oxygen with a reduced TiO <sub>2</sub> surface. <i>Chemical Physics Letters</i> , 2002, 354, 483-490.  | 1.2 | 75        |
| 71 | Complete basis set extrapolation limit for electronic structure calculations: Energetic and nonenergetic properties of HeBr and HeBr <sub>2</sub> van der Waals dimers. <i>Journal of Chemical Physics</i> , 2001, 115, 10438.         | 1.2 | 54        |
| 72 | Periodic Hartree-Fock study of the adsorption of molecular oxygen on a reduced TiO <sub>2</sub> (110) surface. <i>Journal of Chemical Physics</i> , 2001, 115, 4798-4810.  | 1.2 | 46        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Spin-dependent and Coriolis interactions by an improved configuration interaction treatment: predissociation of excited fine structure levels of OH/OD. <i>Molecular Physics</i> , 2000, 98, 1713-1727.              | 0.8 | 7         |
| 74 | Blueshifts of the B $\hat{1}\Sigma^+$ excitation spectra of He79Br2 using a DIM-based potential. <i>Chemical Physics Letters</i> , 2000, 318, 578-584.   | 1.2 | 14        |
| 75 | Selective vibrational excitations in the OX (X=F, Cl, Br, I) molecules. <i>Physical Chemistry Chemical Physics</i> , 2000, 2, 1117-1122.   | 1.3 | 15        |
| 76 | Accurate ab initio prediction of the rovibrational energy levels and equilibrium geometry of carbonyl selenide (OCSe). <i>Physical Chemistry Chemical Physics</i> , 1999, 1, 3955-3960.                              | 1.3 | 16        |
| 77 | The first order contracted density equations: correlation effects.. <i>Advances in Quantum Chemistry</i> , 1998, 31, 37-52.  | 0.4 | 45        |
| 78 | Some properties of the lower electronic states for nonlinear He3+ clusters. <i>Journal of Chemical Physics</i> , 1997, 107, 1522-1528.   | 1.2 | 7         |
| 79 | Collisional heating in ionic argon clusters The Ar+Ar2+ case. <i>Journal of the Chemical Society, Faraday Transactions</i> , 1997, 93, 901-907.  | 1.7 | 1         |
| 80 | Mode excitation dynamics in the fragmentation of Ar3+: An helicity decoupling study. <i>Journal of Chemical Physics</i> , 1997, 106, 1718-1728.  | 1.2 | 6         |
| 81 | On a possible mechanism for \$Ar_4^+\$ fragmentation. <i>Zeitschrift für Physik D-Atoms Molecules and Clusters</i> , 1997, 41, 211-217.  | 1.0 | 2         |
| 82 | A full quantum study of the vibrational predissociation mechanisms in Ar3+ cluster. <i>Chemical Physics</i> , 1997, 218, 71-81.  | 0.9 | 6         |
| 83 | Structure and anisotropy of ionic argon clusters using density functional models [Chem. Phys. 208 (1996) 25-34]. <i>Chemical Physics</i> , 1997, 219, 117.   | 0.9 | 0         |
| 84 | Relevant space within the spin-adapted reduced Hamiltonian theory. II. Study of the $\pi$ cloud in benzene and naphthalene. <i>International Journal of Quantum Chemistry</i> , 1997, 65, 107-119.                   | 1.0 | 1         |
| 85 | Relevant space within the spin-adapted reduced Hamiltonian theory. I. Study of the BH molecule. <i>International Journal of Quantum Chemistry</i> , 1997, 65, 97-105.  | 1.0 | 7         |
| 86 | Stability and structure of rare-gas ionic clusters using density functional methods: A study of helium clusters. , 1996, 60, 593-608.  |     | 23        |
| 87 | Computed energy curves for modelling the dissociation of helium trimer ions. <i>Chemical Physics Letters</i> , 1996, 259, 641-646.   | 1.2 | 6         |
| 88 | Structure and anisotropy of ionic argon clusters using density functional models. <i>Chemical Physics</i> , 1996, 208, 25-34.  | 0.9 | 13        |
| 89 | Fragmentation of Ar3+ clusters via vibrational predissociation. <i>Chemical Physics Letters</i> , 1995, 242, 336-342.  | 1.2 | 19        |
| 90 | Improving the second order reduced density matrix within the spin-adapted reduced hamiltonian theory. An application to the BeH2 potential curve. <i>Computational and Theoretical Chemistry</i> , 1995, 341, 33-40. | 1.5 | 1         |