

Richard D. Riley

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1772445/richard-d-riley-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

241
papers

17,133
citations

60
h-index

128
g-index

280
ext. papers

22,527
ext. citations

4.9
avg, IF

7.07
L-index

#	Paper	IF	Citations
241	Completeness of reporting of clinical prediction models developed using supervised machine learning: a systematic review.. <i>BMC Medical Research Methodology</i> , 2022 , 22, 12	4.7	5
240	Predicting relapse or recurrence of depression: systematic review of prognostic models.. <i>British Journal of Psychiatry</i> , 2022 , 1-11	5.4	0
239	Methodological conduct of prognostic prediction models developed using machine learning in oncology: a systematic review.. <i>BMC Medical Research Methodology</i> , 2022 , 22, 101	4.7	0
238	Study protocol for the development and internal validation of Schizophrenia Prediction of Resistance to Treatment (SPIRIT): a clinical tool for predicting risk of treatment resistance to antipsychotics in first-episode schizophrenia.. <i>BMJ Open</i> , 2022 , 12, e056420	3	
237	Systematic Reviews of Prediction Models 2022 , 347-376		
236	Systematic Reviews of Prognostic Factor Studies 2022 , 324-346		
235	Combining Results Using Meta-Analysis 2022 , 159-184		
234	Minimum sample size calculations for external validation of a clinical prediction model with a time-to-event outcome.. <i>Statistics in Medicine</i> , 2021 ,	2.3	2
233	Risk of bias in studies on prediction models developed using supervised machine learning techniques: systematic review. <i>BMJ, The</i> , 2021 , 375, n2281	5.9	13
232	GRADE concept paper 2: Concepts for Judging Certainty on the Calibration of Prognostic Models in a Body of Validation Studies. <i>Journal of Clinical Epidemiology</i> , 2021 ,	5.7	4
231	Case-finding and improving patient outcomes for chronic obstructive pulmonary disease in primary care: the BLISS research programme including cluster RCT. <i>Programme Grants for Applied Research</i> , 2021 , 9, 1-148	1.5	
230	Developing clinical prediction models when adhering to minimum sample size recommendations: The importance of quantifying bootstrap variability in tuning parameters and predictive performance. <i>Statistical Methods in Medical Research</i> , 2021 , 30, 2545-2561	2.3	0
229	Flaws in the Development and Validation of a Coronavirus Disease 2019 Prediction Model. <i>Clinical Infectious Diseases</i> , 2021 , 73, 557-558	11.6	
228	Authors' reply to Sabour and Ghajari "Clinical prediction models to predict the risk of multiple binary outcomes: Methodological issues". <i>Statistics in Medicine</i> , 2021 , 40, 1861-1862	2.3	
227	Individual participant data meta-analysis for external validation, recalibration, and updating of a flexible parametric prognostic model. <i>Statistics in Medicine</i> , 2021 , 40, 3066-3084	2.3	2
226	Clinical prediction models: diagnosis versus prognosis. <i>Journal of Clinical Epidemiology</i> , 2021 , 132, 142-145	5.7	7
225	Sample sizes of prediction model studies in prostate cancer were rarely justified and often insufficient. <i>Journal of Clinical Epidemiology</i> , 2021 , 133, 53-60	5.7	4

224	Methodology over metrics: current scientific standards are a disservice to patients and society. <i>Journal of Clinical Epidemiology</i> , 2021 , 138, 219-226	5.7	16
223	Developing more generalizable prediction models from pooled studies and large clustered data sets. <i>Statistics in Medicine</i> , 2021 , 40, 3533-3559	2.3	3
222	Minimum sample size for external validation of a clinical prediction model with a binary outcome. <i>Statistics in Medicine</i> , 2021 , 40, 4230-4251	2.3	21
221	Prognostic models for predicting relapse or recurrence of major depressive disorder in adults. <i>The Cochrane Library</i> , 2021 , 5, CD013491	5.2	4
220	External validation of a model to predict women most at risk of postpartum venous thromboembolism: Maternity clot risk. <i>Thrombosis Research</i> , 2021 ,	8.2	3
219	Research Note: Individual participant data (IPD) meta-analysis. <i>Journal of Physiotherapy</i> , 2021 , 67, 224-227	7.0	1
218	Diet and physical activity in pregnancy to prevent gestational diabetes: a protocol for an individual participant data (IPD) meta-analysis on the differential effects of interventions with economic evaluation. <i>BMJ Open</i> , 2021 , 11, e048119	3	0
217	External validation of clinical prediction models: simulation-based sample size calculations were more reliable than rules-of-thumb. <i>Journal of Clinical Epidemiology</i> , 2021 , 135, 79-89	5.7	11
216	Development and validation of a risk prediction model of preterm birth for women with preterm labour symptoms (the QUIDS study): A prospective cohort study and individual participant data meta-analysis. <i>PLoS Medicine</i> , 2021 , 18, e1003686	11.6	4
215	Protocol for development of a reporting guideline (TRIPOD-AI) and risk of bias tool (PROBAST-AI) for diagnostic and prognostic prediction model studies based on artificial intelligence. <i>BMJ Open</i> , 2021 , 11, e048008	3	44
214	The development and validation of a prognostic model to PREDICT Relapse of depression in adult patients in primary care: protocol for the PREDICTR study. <i>Diagnostic and Prognostic Research</i> , 2021 , 5, 12	5.5	1
213	Doug Altman: Driving critical appraisal and improvements in the quality of methodological and medical research. <i>Biometrical Journal</i> , 2021 , 63, 226-246	1.5	2
212	Minimum sample size for external validation of a clinical prediction model with a continuous outcome. <i>Statistics in Medicine</i> , 2021 , 40, 133-146	2.3	15
211	A note on estimating the Cox-Snell R from a reported C statistic (AUROC) to inform sample size calculations for developing a prediction model with a binary outcome. <i>Statistics in Medicine</i> , 2021 , 40, 859-864	2.3	7
210	Penalization and shrinkage methods produced unreliable clinical prediction models especially when sample size was small. <i>Journal of Clinical Epidemiology</i> , 2021 , 132, 88-96	5.7	22
209	Clinical prediction models to predict the risk of multiple binary outcomes: a comparison of approaches. <i>Statistics in Medicine</i> , 2021 , 40, 498-517	2.3	5
208	Can risk prediction models help us individualise stillbirth prevention? A systematic review and critical appraisal of published risk models. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021 , 128, 214-224	3.7	5
207	Continual updating and monitoring of clinical prediction models: time for dynamic prediction systems?. <i>Diagnostic and Prognostic Research</i> , 2021 , 5, 1	5.5	10

206	Association between antihypertensive treatment and adverse events: systematic review and meta-analysis. <i>BMJ, The</i> , 2021 , 372, n189	5.9	7
205	Community-based complex interventions to sustain independence in older people, stratified by frailty: a protocol for a systematic review and network meta-analysis. <i>BMJ Open</i> , 2021 , 11, e045637	3	1
204	Improving prediction model systematic review methodology: Letter to the Editor. <i>Translational Sports Medicine</i> , 2021 , 4, 545	1.3	0
203	A tutorial on individualized treatment effect prediction from randomized trials with a binary endpoint. <i>Statistics in Medicine</i> , 2021 , 40, 5961-5981	2.3	3
202	PRIME-IPD SERIES Part 2. Retrieving, checking, and harmonizing data are underappreciated challenges in individual participant data meta-analyses. <i>Journal of Clinical Epidemiology</i> , 2021 , 136, 221-223	5.7	0
201	Prediction or causality? A scoping review of their conflation within current observational research. <i>European Journal of Epidemiology</i> , 2021 , 36, 889-898	12.1	4
200	A prognostic model, including quantitative fetal fibronectin, to predict preterm labour: the QUIDS meta-analysis and prospective cohort study. <i>Health Technology Assessment</i> , 2021 , 25, 1-168	4.4	0
199	Predicting pain and function outcomes in people consulting with shoulder pain: the PANDA-S clinical cohort and qualitative study protocol. <i>BMJ Open</i> , 2021 , 11, e052758	3	0
198	Reporting of prognostic clinical prediction models based on machine learning methods in oncology needs to be improved. <i>Journal of Clinical Epidemiology</i> , 2021 , 138, 60-72	5.7	11
197	Clinical Prediction Models in Sports Medicine: A Guide for Clinicians and Researchers. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2021 , 51, 517-525	4.2	5
196	Lessons learnt when accounting for competing events in the external validation of time-to-event prognostic models.. <i>International Journal of Epidemiology</i> , 2021 ,	7.8	1
195	External validation of prognostic models predicting pre-eclampsia: individual participant data meta-analysis. <i>BMC Medicine</i> , 2020 , 18, 302	11.4	4
194	One-stage individual participant data meta-analysis models for continuous and binary outcomes: Comparison of treatment coding options and estimation methods. <i>Statistics in Medicine</i> , 2020 , 39, 2536-2555	2.3	4
193	The Value of Preseason Screening for Injury Prediction: The Development and Internal Validation of a Multivariable Prognostic Model to Predict Indirect Muscle Injury Risk in Elite Football (Soccer) Players. <i>Sports Medicine - Open</i> , 2020 , 6, 22	6.1	3
192	Calculating the sample size required for developing a clinical prediction model. <i>BMJ, The</i> , 2020 , 368, m441	5.9	244
191	Meta-analysis of continuous outcomes: Using pseudo IPD created from aggregate data to adjust for baseline imbalance and assess treatment-by-baseline modification. <i>Research Synthesis Methods</i> , 2020 , 11, 780-794	7.2	5
190	The Galaxy Plot: A New Visualization Tool for Bivariate Meta-Analysis Studies. <i>American Journal of Epidemiology</i> , 2020 , 189, 861-869	3.8	5
189	GRADE Guidelines 28: Use of GRADE for the assessment of evidence about prognostic factors: rating certainty in identification of groups of patients with different absolute risks. <i>Journal of Clinical Epidemiology</i> , 2020 , 121, 62-70	5.7	86

188	Individual participant data meta-analysis to examine interactions between treatment effect and participant-level covariates: Statistical recommendations for conduct and planning. <i>Statistics in Medicine</i> , 2020 , 39, 2115-2137	2.3	26
187	Temporal recalibration for improving prognostic model development and risk predictions in settings where survival is improving over time. <i>International Journal of Epidemiology</i> , 2020 , 49, 1316-1325	7.8	8
186	Prediction models for diagnosis and prognosis of covid-19: systematic review and critical appraisal. <i>BMJ, The</i> , 2020 , 369, m1328	5.9	1283
185	Individual participant data validation of the PICNICC prediction model for febrile neutropenia. <i>Archives of Disease in Childhood</i> , 2020 , 105, 439-445	2.2	5
184	Risk assessments and structured care interventions for prevention of foot ulceration in diabetes: development and validation of a prognostic model. <i>Health Technology Assessment</i> , 2020 , 24, 1-198	4.4	4
183	Validation and development of models using clinical, biochemical and ultrasound markers for predicting pre-eclampsia: an individual participant data meta-analysis. <i>Health Technology Assessment</i> , 2020 , 24, 1-252	4.4	6
182	Accuracy of Vitalograph lung monitor as a screening test for COPD in primary care. <i>Npj Primary Care Respiratory Medicine</i> , 2020 , 30, 2	3.2	7
181	Methods and reporting of systematic reviews of comparative accuracy were deficient: a methodological survey and proposed guidance. <i>Journal of Clinical Epidemiology</i> , 2020 , 121, 1-14	5.7	8
180	Exercise treatment effect modifiers in persistent low back pain: an individual participant data meta-analysis of 3514 participants from 27 randomised controlled trials. <i>British Journal of Sports Medicine</i> , 2020 , 54, 1277-1278	10.3	29
179	Individual participant data meta-analysis of intervention studies with time-to-event outcomes: A review of the methodology and an applied example. <i>Research Synthesis Methods</i> , 2020 , 11, 148-168	7.2	21
178	The statistical importance of a study for a network meta-analysis estimate. <i>BMC Medical Research Methodology</i> , 2020 , 20, 190	4.7	0
177	Protocol for a systematic review on the methodological and reporting quality of prediction model studies using machine learning techniques. <i>BMJ Open</i> , 2020 , 10, e038832	3	21
176	Testing small study effects in multivariate meta-analysis. <i>Biometrics</i> , 2020 , 76, 1240-1250	1.8	6
175	COVID-19 prediction models should adhere to methodological and reporting standards. <i>European Respiratory Journal</i> , 2020 , 56,	13.6	10
174	Predictors of the effects of treatment for shoulder pain: protocol of an individual participant data meta-analysis. <i>Diagnostic and Prognostic Research</i> , 2019 , 3, 15	5.5	4
173	A study protocol for the development and internal validation of a multivariable prognostic model to determine lower extremity muscle injury risk in elite football (soccer) players, with further exploration of prognostic factors. <i>Diagnostic and Prognostic Research</i> , 2019 , 3, 19	5.5	2
172	A guide to systematic review and meta-analysis of prognostic factor studies. <i>BMJ, The</i> , 2019 , 364, k4597	5.9	176
171	Empirical comparison of univariate and multivariate meta-analyses in Cochrane Pregnancy and Childbirth reviews with multiple binary outcomes. <i>Research Synthesis Methods</i> , 2019 , 10, 440-451	7.2	5

170	First-trimester ultrasound measurements and maternal serum biomarkers as prognostic factors in monozygotic twins: a cohort study. <i>Diagnostic and Prognostic Research</i> , 2019 , 3, 9	5.5	5
169	Guide to presenting clinical prediction models for use in clinical settings. <i>BMJ, The</i> , 2019 , 365, l737	5.9	40
168	A framework for meta-analysis of prediction model studies with binary and time-to-event outcomes. <i>Statistical Methods in Medical Research</i> , 2019 , 28, 2768-2786	2.3	40
167	Development and validation of a prediction model for fat mass in children and adolescents: meta-analysis using individual participant data. <i>BMJ, The</i> , 2019 , 366, l4293	5.9	22
166	Evidence synthesis in prognosis research. <i>Diagnostic and Prognostic Research</i> , 2019 , 3, 13	5.5	9
165	Model-based evaluation of the long-term cost-effectiveness of systematic case-finding for COPD in primary care. <i>Thorax</i> , 2019 , 74, 730-739	7.3	7
164	Prognostic models for predicting relapse or recurrence of depression. <i>The Cochrane Library</i> , 2019 ,	5.2	78
163	Individual recovery expectations and prognosis of outcomes in non-specific low back pain: prognostic factor review. <i>The Cochrane Library</i> , 2019 , 2019,	5.2	37
162	PROBAST: A Tool to Assess the Risk of Bias and Applicability of Prediction Model Studies. <i>Annals of Internal Medicine</i> , 2019 , 170, 51-58	8	453
161	PROBAST: A Tool to Assess Risk of Bias and Applicability of Prediction Model Studies: Explanation and Elaboration. <i>Annals of Internal Medicine</i> , 2019 , 170, W1-W33	8	285
160	Development and validation of prediction models to estimate risk of primary total hip and knee replacements using data from the UK: two prospective open cohorts using the UK Clinical Practice Research Datalink. <i>Annals of the Rheumatic Diseases</i> , 2019 , 78, 91-99	2.4	19
159	Minimum sample size for developing a multivariable prediction model: Part I—Continuous outcomes. <i>Statistics in Medicine</i> , 2019 , 38, 1262-1275	2.3	59
158	Minimum sample size for developing a multivariable prediction model: PART II - binary and time-to-event outcomes. <i>Statistics in Medicine</i> , 2019 , 38, 1276-1296	2.3	222
157	Prediction of pre-eclampsia: review of reviews. <i>Ultrasound in Obstetrics and Gynecology</i> , 2019 , 54, 16-27	5.8	39
156	Random-effects meta-analysis of the clinical utility of tests and prediction models. <i>Statistics in Medicine</i> , 2018 , 37, 2034-2052	2.3	18
155	Quantitative fibronectin to help decision-making in women with symptoms of preterm labour (QUIDS) part 1: Individual participant data meta-analysis and health economic analysis. <i>BMJ Open</i> , 2018 , 8, e020796	3	4
154	Does vitamin D supplementation improve bone density in vitamin D-deficient children? Protocol for an individual patient data meta-analysis. <i>BMJ Open</i> , 2018 , 8, e019584	3	4
153	Periodic Health Examination and Injury Prediction in Professional Football (Soccer): Theoretically, the Prognosis is Good. <i>Sports Medicine</i> , 2018 , 48, 2443-2448	10.6	13

152	The role of secondary outcomes in multivariate meta-analysis. <i>Journal of the Royal Statistical Society Series C: Applied Statistics</i> , 2018 , 67, 1177-1205	1.5	10
151	Bayesian bivariate meta-analysis of correlated effects: Impact of the prior distributions on the between-study correlation, borrowing of strength, and joint inferences. <i>Statistical Methods in Medical Research</i> , 2018 , 27, 428-450	2.3	10
150	Meta-analysis of prediction model performance across multiple studies: Which scale helps ensure between-study normality for the C-statistic and calibration measures?. <i>Statistical Methods in Medical Research</i> , 2018 , 27, 3505-3522	2.3	35
149	Deriving percentage study weights in multi-parameter meta-analysis models: with application to meta-regression, network meta-analysis and one-stage individual participant data models. <i>Statistical Methods in Medical Research</i> , 2018 , 27, 2885-2905	2.3	9
148	Meta-analysis of test accuracy studies using imputation for partial reporting of multiple thresholds. <i>Research Synthesis Methods</i> , 2018 , 9, 100-115	7.2	9
147	An improved method for bivariate meta-analysis when within-study correlations are unknown. <i>Research Synthesis Methods</i> , 2018 , 9, 73-88	7.2	6
146	Detecting small-study effects and funnel plot asymmetry in meta-analysis of survival data: A comparison of new and existing tests. <i>Research Synthesis Methods</i> , 2018 , 9, 41-50	7.2	83
145	Temporal Changes in Co-Morbidity Burden in Patients Having Percutaneous Coronary Intervention and Impact on Prognosis. <i>American Journal of Cardiology</i> , 2018 , 122, 712-722	3	13
144	Individual participant data meta-analysis of continuous outcomes: A comparison of approaches for specifying and estimating one-stage models. <i>Statistics in Medicine</i> , 2018 , 37, 4404-4420	2.3	16
143	Simulation-based power calculations for planning a two-stage individual participant data meta-analysis. <i>BMC Medical Research Methodology</i> , 2018 , 18, 41	4.7	8
142	Guidance for deriving and presenting percentage study weights in meta-analysis of test accuracy studies. <i>Research Synthesis Methods</i> , 2018 , 9, 163-178	7.2	4
141	A matrix-based method of moments for fitting multivariate network meta-analysis models with multiple outcomes and random inconsistency effects. <i>Biometrics</i> , 2018 , 74, 548-556	1.8	18
140	Study protocol: quantitative fibronectin to help decision-making in women with symptoms of preterm labour (QUIDS) part 2, UK Prospective Cohort Study. <i>BMJ Open</i> , 2018 , 8, e020795	3	4
139	Protease activity as a prognostic factor for wound healing in venous leg ulcers. <i>The Cochrane Library</i> , 2018 , 9, CD012841	5.2	18
138	Factors affecting local regrowth after watch and wait for patients with a clinical complete response following chemoradiotherapy in rectal cancer (InterCoRe consortium): an individual participant data meta-analysis. <i>The Lancet Gastroenterology and Hepatology</i> , 2018 , 3, 825-836	18.8	69
137	Persistent sex disparities in clinical outcomes with percutaneous coronary intervention: Insights from 6.6 million PCI procedures in the United States. <i>PLoS ONE</i> , 2018 , 13, e0203325	3.7	41
136	Measurement error and timing of predictor values for multivariable risk prediction models are poorly reported. <i>Journal of Clinical Epidemiology</i> , 2018 , 102, 38-49	5.7	12
135	Borrowing of strength and study weights in multivariate and network meta-analysis. <i>Statistical Methods in Medical Research</i> , 2017 , 26, 2853-2868	2.3	28

134	Performance of methods for meta-analysis of diagnostic test accuracy with few studies or sparse data. <i>Statistical Methods in Medical Research</i> , 2017 , 26, 1896-1911	2.3	123
133	One-stage individual participant data meta-analysis models: estimation of treatment-covariate interactions must avoid ecological bias by separating out within-trial and across-trial information. <i>Statistics in Medicine</i> , 2017 , 36, 772-789	2.3	45
132	Development and validation of prediction models for risk of adverse outcomes in women with early-onset pre-eclampsia: protocol of the prospective cohort PREP study. <i>Diagnostic and Prognostic Research</i> , 2017 , 1, 6	5.5	2
131	Is the first urinary albumin/creatinine ratio (ACR) in women with suspected preeclampsia a prognostic factor for maternal and neonatal adverse outcome? A retrospective cohort study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2017 , 96, 580-588	3.8	5
130	Association of maternal serum PAPP-A levels, nuchal translucency and crown-rump length in first trimester with adverse pregnancy outcomes: retrospective cohort study. <i>Prenatal Diagnosis</i> , 2017 , 37, 705-711	3.2	4
129	Measuring the statistical validity of summary meta-analysis and meta-regression results for use in clinical practice. <i>Statistics in Medicine</i> , 2017 , 36, 3283-3301	2.3	33
128	A random effects meta-analysis model with Box-Cox transformation. <i>BMC Medical Research Methodology</i> , 2017 , 17, 109	4.7	7
127	External validation, update and development of prediction models for pre-eclampsia using an Individual Participant Data (IPD) meta-analysis: the International Prediction of Pregnancy Complication Network (IPPIC pre-eclampsia) protocol. <i>Diagnostic and Prognostic Research</i> , 2017 , 1, 16	5.5	7
126	Protease activity as a prognostic factor for wound healing in venous leg ulcers. <i>The Cochrane Library</i> , 2017 ,	5.2	1
125	Predicting risk of undiagnosed COPD: development and validation of the TargetCOPD score. <i>European Respiratory Journal</i> , 2017 , 49,	13.6	17
124	Prediction of complications in early-onset pre-eclampsia (PREP): development and external multinational validation of prognostic models. <i>BMC Medicine</i> , 2017 , 15, 68	11.4	27
123	Prognosis research ideally should measure time-varying predictors at their intended moment of use. <i>Diagnostic and Prognostic Research</i> , 2017 , 1, 1	5.5	12
122	Meta-analysis using individual participant data: one-stage and two-stage approaches, and why they may differ. <i>Statistics in Medicine</i> , 2017 , 36, 855-875	2.3	227
121	Early Clinical Features in Systemic Lupus Erythematosus: Can They Be Used to Achieve Earlier Diagnosis? A Risk Prediction Model. <i>Arthritis Care and Research</i> , 2017 , 69, 833-841	4.7	26
120	Random effects meta-analysis: Coverage performance of 95% confidence and prediction intervals following REML estimation. <i>Statistics in Medicine</i> , 2017 , 36, 301-317	2.3	78
119	Subgrouping and TargetEd Exercise pRogrammes for knee and hip OsteoArthritis (STEER OA): a systematic review update and individual participant data meta-analysis protocol. <i>BMJ Open</i> , 2017 , 7, e018971	3	13
118	A guide to systematic review and meta-analysis of prediction model performance. <i>BMJ, The</i> , 2017 , 356, i6460	5.9	170
117	Multivariate and network meta-analysis of multiple outcomes and multiple treatments: rationale, concepts, and examples. <i>BMJ, The</i> , 2017 , 358, j3932	5.9	102

116	Development and Validation of Risk Prediction Model for Venous Thromboembolism in Postpartum Women: Multinational Cohort Study. <i>Obstetric Anesthesia Digest</i> , 2017 , 37, 205-206	0.2	
115	Development and validation of Prediction models for Risks of complications in Early-onset Pre-eclampsia (PREP): a prospective cohort study. <i>Health Technology Assessment</i> , 2017 , 21, 1-100	4.4	18
114	Effects of antenatal diet and physical activity on maternal and fetal outcomes: individual patient data meta-analysis and health economic evaluation. <i>Health Technology Assessment</i> , 2017 , 21, 1-158	4.4	136
113	Cohort Profile: The Birmingham Chronic Obstructive Pulmonary Disease (COPD) Cohort Study. <i>International Journal of Epidemiology</i> , 2017 , 46, 23	7.8	15
112	Development of a Flipped Medical School Dermatology Module. <i>Southern Medical Journal</i> , 2017 , 110, 319-324	0.6	7
111	Targeted case finding for chronic obstructive pulmonary disease versus routine practice in primary care (TargetCOPD): a cluster-randomised controlled trial. <i>Lancet Respiratory Medicine</i> , 2016 , 4, 720-730	35.1	42
110	Development and validation of risk prediction model for venous thromboembolism in postpartum women: multinational cohort study. <i>BMJ, The</i> , 2016 , 355, i6253	5.9	64
109	External validation of clinical prediction models using big datasets from e-health records or IPD meta-analysis: opportunities and challenges. <i>BMJ, The</i> , 2016 , 353, i3140	5.9	206
108	Prediction models in obstetrics: understanding the treatment paradox and potential solutions to the threat it poses. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2016 , 123, 1060-4	3.7	19
107	Problems of variable biomarker evaluation in stratified medicine research--A case study of ERCC1 in non-small-cell lung cancer. <i>Lung Cancer</i> , 2016 , 92, 1-7	5.9	10
106	Bayesian meta-analytical methods to incorporate multiple surrogate endpoints in drug development process. <i>Statistics in Medicine</i> , 2016 , 35, 1063-89	2.3	20
105	Multivariate meta-analysis of individual participant data helped externally validate the performance and implementation of a prediction model. <i>Journal of Clinical Epidemiology</i> , 2016 , 69, 40-50	5.7	45
104	Risk of Late Relapse or Reinfection With Hepatitis C Virus After Achieving a Sustained Virological Response: A Systematic Review and Meta-analysis. <i>Clinical Infectious Diseases</i> , 2016 , 62, 683-694	11.6	198
103	Predicting microbiologically defined infection in febrile neutropenic episodes in children: global individual participant data multivariable meta-analysis. <i>British Journal of Cancer</i> , 2016 , 114, 623-30	8.7	30
102	Prediction of risk of recurrence of venous thromboembolism following treatment for a first unprovoked venous thromboembolism: systematic review, prognostic model and clinical decision rule, and economic evaluation. <i>Health Technology Assessment</i> , 2016 , 20, i-xxxiii, 1-190	4.4	19
101	Self-management of health care behaviors for COPD: a systematic review and meta-analysis. <i>International Journal of COPD</i> , 2016 , 11, 305-26	3	40
100	Risk stratification in febrile neutropenic episodes in adolescent/young adult patients with cancer. <i>European Journal of Cancer</i> , 2016 , 64, 101-6	7.5	9
99	Systematic review of prognostic models for recurrent venous thromboembolism (VTE) post-treatment of first unprovoked VTE. <i>BMJ Open</i> , 2016 , 6, e011190	3	52

98	Explicit inclusion of treatment in prognostic modeling was recommended in observational and randomized settings. <i>Journal of Clinical Epidemiology</i> , 2016 , 78, 90-100	5.7	35
97	Individual participant data meta-analyses compared with meta-analyses based on aggregate data. <i>The Cochrane Library</i> , 2016 , 9, MR000007	5.2	41
96	When is birthweight at term (≥37 weeks' gestation) abnormally low? A systematic review and meta-analysis of the prognostic and predictive ability of current birthweight standards for childhood and adult outcomes. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2015 , 122, 634-42	3.7	17
95	Preferred Reporting Items for Systematic Review and Meta-Analyses of individual participant data: the PRISMA-IPD Statement. <i>JAMA - Journal of the American Medical Association</i> , 2015 , 313, 1657-65	27.4	939
94	Multivariate meta-analysis helps examine the impact of outcome reporting bias in Cochrane rheumatoid arthritis reviews. <i>Journal of Clinical Epidemiology</i> , 2015 , 68, 542-50	5.7	12
93	The science of clinical practice: disease diagnosis or patient prognosis? Evidence about "what is likely to happen" should shape clinical practice. <i>BMC Medicine</i> , 2015 , 13, 20	11.4	113
92	Meta-analysis of diagnostic accuracy studies in mental health. <i>Evidence-Based Mental Health</i> , 2015 , 18, 103-9	11.1	51
91	Joint synthesis of multiple correlated outcomes in networks of interventions. <i>Biostatistics</i> , 2015 , 16, 84-97	3.7	27
90	An alternative pseudolikelihood method for multivariate random-effects meta-analysis. <i>Statistics in Medicine</i> , 2015 , 34, 361-80	2.3	16
89	Multivariate meta-analysis of prognostic factor studies with multiple cut-points and/or methods of measurement. <i>Statistics in Medicine</i> , 2015 , 34, 2481-96	2.3	32
88	Multivariate meta-analysis using individual participant data. <i>Research Synthesis Methods</i> , 2015 , 6, 157-74	7.2	51
87	Supported self-management for patients with COPD who have recently been discharged from hospital: a systematic review and meta-analysis. <i>International Journal of COPD</i> , 2015 , 10, 853-67	3	24
86	Meta-analysis of test accuracy studies: an exploratory method for investigating the impact of missing thresholds. <i>Systematic Reviews</i> , 2015 , 4, 12	3	17
85	Summarising and validating test accuracy results across multiple studies for use in clinical practice. <i>Statistics in Medicine</i> , 2015 , 34, 2081-103	2.3	31
84	Predicting risk of COPD in primary care: development and validation of a clinical risk score. <i>BMJ Open Respiratory Research</i> , 2015 , 2, e000060	5.6	9
83	Prognostic significance of the morning blood pressure surge in clinical practice: a systematic review. <i>American Journal of Hypertension</i> , 2015 , 28, 30-41	2.3	42
82	Individual Participant Data (IPD) Meta-analyses of Randomised Controlled Trials: Guidance on Their Use. <i>PLoS Medicine</i> , 2015 , 12, e1001855	11.6	154
81	Individual participant data (IPD) meta-analyses of diagnostic and prognostic modeling studies: guidance on their use. <i>PLoS Medicine</i> , 2015 , 12, e1001886	11.6	69

80	Supported self-management for patients with moderate to severe chronic obstructive pulmonary disease (COPD): an evidence synthesis and economic analysis. <i>Health Technology Assessment</i> , 2015 , 19, 1-516	4.4	52
79	The prognostic utility of tests of platelet function for the detection of 'aspirin resistance' in patients with established cardiovascular or cerebrovascular disease: a systematic review and economic evaluation. <i>Health Technology Assessment</i> , 2015 , 19, 1-366	4.4	13
78	When is birthweight at term abnormally low? A systematic review and meta-analysis of the association and predictive ability of current birthweight standards for neonatal outcomes. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2014 , 121, 515-26	3.7	49
77	Association and prediction of amniotic fluid measurements for adverse pregnancy outcome: systematic review and meta-analysis. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2014 , 121, 686-99	3.7	56
76	A refined method for multivariate meta-analysis and meta-regression. <i>Statistics in Medicine</i> , 2014 , 33, 541-54	2.3	24
75	Individual recovery expectations and prognosis of outcomes in non-specific low back pain: prognostic factor exemplar review. <i>The Cochrane Library</i> , 2014 ,	5.2	21
74	Meta-analysis of a continuous outcome combining individual patient data and aggregate data: a method based on simulated individual patient data. <i>Research Synthesis Methods</i> , 2014 , 5, 322-51	7.2	1
73	Sharing individual participant data from clinical trials: an opinion survey regarding the establishment of a central repository. <i>PLoS ONE</i> , 2014 , 9, e97886	3.7	31
72	Methodological issues and recommendations for systematic reviews of prognostic studies: an example from cardiovascular disease. <i>Systematic Reviews</i> , 2014 , 3, 140	3	16
71	TargetCOPD: a pragmatic randomised controlled trial of targeted case finding for COPD versus routine practice in primary care: protocol. <i>BMC Pulmonary Medicine</i> , 2014 , 14, 157	3.5	14
70	Feasibility trial of GP and case-managed support for workplace sickness absence. <i>Primary Health Care Research and Development</i> , 2014 , 15, 252-61	1.6	7
69	Red blood cell transfusion and mortality in trauma patients: risk-stratified analysis of an observational study. <i>PLoS Medicine</i> , 2014 , 11, e1001664	11.6	35
68	Improving the transparency of prognosis research: the role of reporting, data sharing, registration, and protocols. <i>PLoS Medicine</i> , 2014 , 11, e1001671	11.6	81
67	Stratified medicine in European Medicines Agency licensing: a systematic review of predictive biomarkers. <i>BMJ Open</i> , 2014 , 4, e004188	3	12
66	Multilevel mixed effects parametric survival models using adaptive Gauss-Hermite quadrature with application to recurrent events and individual participant data meta-analysis. <i>Statistics in Medicine</i> , 2014 , 33, 3844-58	2.3	47
65	Study protocol: differential effects of diet and physical activity based interventions in pregnancy on maternal and fetal outcomes--individual patient data (IPD) meta-analysis and health economic evaluation. <i>Systematic Reviews</i> , 2014 , 3, 131	3	21
64	Meta-analysis of randomized phase II trials to inform subsequent phase III decisions. <i>Trials</i> , 2014 , 15, 346	2.8	8
63	Developing and validating risk prediction models in an individual participant data meta-analysis. <i>BMC Medical Research Methodology</i> , 2014 , 14, 3	4.7	49

62	Meta-Analysis of Test Accuracy Studies with Multiple and Missing Thresholds: A Multivariate-Normal Model. <i>Journal of Biometrics & Biostatistics</i> , 2014 , 05,	4	17
61	Protocol for a systematic review of the diagnostic and prognostic utility of tests currently available for the detection of aspirin resistance in patients with established cardiovascular or cerebrovascular disease. <i>Systematic Reviews</i> , 2013 , 2, 16	3	5
60	Individual participant data meta-analyses should not ignore clustering. <i>Journal of Clinical Epidemiology</i> , 2013 , 66, 865-873.e4	5.7	60
59	Protocol for a systematic review of prognostic models for the recurrence of venous thromboembolism (VTE) following treatment for a first unprovoked VTE. <i>Systematic Reviews</i> , 2013 , 2, 91	3	4
58	Closed-Forms Solution for Simplified PV Modeling and Voltage Evaluation Including Irradiation and Temperature Dependence 2013 ,		1
57	A matrix-based method of moments for fitting the multivariate random effects model for meta-analysis and meta-regression. <i>Biometrical Journal</i> , 2013 , 55, 231-45	1.5	47
56	Prognosis research strategy (PROGRESS) 4: stratified medicine research. <i>BMJ, The</i> , 2013 , 346, e5793	5.9	251
55	Prognosis Research Strategy (PROGRESS) 3: prognostic model research. <i>PLoS Medicine</i> , 2013 , 10, e10013816	3.16	677
54	Prognosis Research Strategy (PROGRESS) 2: prognostic factor research. <i>PLoS Medicine</i> , 2013 , 10, e10013806	3.06	382
53	Unexpected predictor-outcome associations in clinical prediction research: causes and solutions. <i>Cmaj</i> , 2013 , 185, E499-505	3.5	26
52	A framework for developing, implementing, and evaluating clinical prediction models in an individual participant data meta-analysis. <i>Statistics in Medicine</i> , 2013 , 32, 3158-80	2.3	110
51	Meta-analysis of randomised trials with a continuous outcome according to baseline imbalance and availability of individual participant data. <i>Statistics in Medicine</i> , 2013 , 32, 2747-66	2.3	65
50	Neurocognitive predictors of transition to psychosis: medium- to long-term findings from a sample at ultra-high risk for psychosis. <i>Psychological Medicine</i> , 2013 , 43, 2349-60	6.9	39
49	Prognosis research strategy (PROGRESS) 1: a framework for researching clinical outcomes. <i>BMJ, The</i> , 2013 , 346, e5595	5.9	310
48	Individual participant data meta-analysis for a binary outcome: one-stage or two-stage?. <i>PLoS ONE</i> , 2013 , 8, e60650	3.7	120
47	Predicting infectious complications in neutropenic children and young people with cancer (IPD protocol). <i>Systematic Reviews</i> , 2012 , 1, 8	3	20
46	Systematic review and meta-analysis of the value of clinical features to exclude radiographic pneumonia in febrile neutropenic episodes in children and young people. <i>Journal of Paediatrics and Child Health</i> , 2012 , 48, 641-8	1.3	10
45	Exercise therapy for chronic low back pain: protocol for an individual participant data meta-analysis. <i>Systematic Reviews</i> , 2012 , 1, 64	3	24

44	Individual participant data meta-analysis of prognostic factor studies: state of the art?. <i>BMC Medical Research Methodology</i> , 2012 , 12, 56	4.7	58
43	Individual patient data meta-analysis of survival data using Poisson regression models. <i>BMC Medical Research Methodology</i> , 2012 , 12, 34	4.7	46
42	A multivariate meta-analysis approach for reducing the impact of outcome reporting bias in systematic reviews. <i>Statistics in Medicine</i> , 2012 , 31, 2179-95	2.3	63
41	Quantifying the impact of between-study heterogeneity in multivariate meta-analyses. <i>Statistics in Medicine</i> , 2012 , 31, 3805-20	2.3	388
40	A systematic review of breast cancer incidence risk prediction models with meta-analysis of their performance. <i>Breast Cancer Research and Treatment</i> , 2012 , 132, 365-77	4.4	113
39	Mortality and implant revision rates of hip arthroplasty in patients with osteoarthritis: registry based cohort study. <i>BMJ, The</i> , 2012 , 344, e3319	5.9	98
38	Diagnostic accuracy of spot urinary protein and albumin to creatinine ratios for detection of significant proteinuria or adverse pregnancy outcome in patients with suspected pre-eclampsia: systematic review and meta-analysis. <i>BMJ, The</i> , 2012 , 345, e4342	5.9	97
37	Assessment of publication bias, selection bias, and unavailable data in meta-analyses using individual participant data: a database survey. <i>BMJ, The</i> , 2012 , 344, d7762	5.9	231
36	Statistical methods can be improved within Cochrane pregnancy and childbirth reviews. <i>Journal of Clinical Epidemiology</i> , 2011 , 64, 608-18	5.7	23
35	Multivariate meta-analysis: potential and promise. <i>Statistics in Medicine</i> , 2011 , 30, 2481-98	2.3	266
34	Rejoinder to commentaries on Multivariate meta-analysis: Potential and promise. <i>Statistics in Medicine</i> , 2011 , 30, 2509-2510	2.3	154
33	Interpretation of random effects meta-analyses. <i>BMJ, The</i> , 2011 , 342, d549	5.9	1353
32	Excision repair cross-complementation group 1 (ERCC1) status and lung cancer outcomes: a meta-analysis of published studies and recommendations. <i>PLoS ONE</i> , 2011 , 6, e25164	3.7	68
31	A systematic review of p53 as a prognostic factor of survival in squamous cell carcinoma of the four main anatomical subsites of the head and neck. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 574-87	4	66
30	Commentary: like it and lump it? Meta-analysis using individual participant data. <i>International Journal of Epidemiology</i> , 2010 , 39, 1359-61	7.8	39
29	Meta-analysis of individual participant data: rationale, conduct, and reporting. <i>BMJ, The</i> , 2010 , 340, c2215.9	5.9	925
28	The impact of home-based physiotherapy interventions on breathlessness during activities of daily living in severe COPD: a systematic review. <i>Physiotherapy</i> , 2010 , 96, 108-19	3	23
27	Meta-analysis of a binary outcome using individual participant data and aggregate data. <i>Research Synthesis Methods</i> , 2010 , 1, 2-19	7.2	69

26	Prognostic markers in cancer: the evolution of evidence from single studies to meta-analysis, and beyond. <i>British Journal of Cancer</i> , 2009 , 100, 1219-29	8.7	102
25	Ten steps towards improving prognosis research. <i>BMJ, The</i> , 2009 , 339, b4184	5.9	96
24	Meta-analysis of individual patient data versus aggregate data from longitudinal clinical trials. <i>Clinical Trials</i> , 2009 , 6, 16-27	2.2	108
23	Multivariate meta-analysis: the effect of ignoring within-study correlation. <i>Journal of the Royal Statistical Society Series A: Statistics in Society</i> , 2009 , 172, 789-811	2.1	112
22	An alternative model for bivariate random-effects meta-analysis when the within-study correlations are unknown. <i>Biostatistics</i> , 2008 , 9, 172-86	3.7	114
21	Meta-analysis of continuous outcomes combining individual patient data and aggregate data. <i>Statistics in Medicine</i> , 2008 , 27, 1870-93	2.3	185
20	Meta-analysis of diagnostic test studies using individual patient data and aggregate data. <i>Statistics in Medicine</i> , 2008 , 27, 6111-36	2.3	63
19	An evaluation of bivariate random-effects meta-analysis for the joint synthesis of two correlated outcomes. <i>Statistics in Medicine</i> , 2007 , 26, 78-97	2.3	135
18	Bivariate random-effects meta-analysis and the estimation of between-study correlation. <i>BMC Medical Research Methodology</i> , 2007 , 7, 3	4.7	154
17	Where Next for Evidence Synthesis of Prognostic Marker Studies? Improving the Quality and Reporting of Primary Studies to Facilitate Clinically Relevant Evidence-Based Results 2007 , 39-58		4
16	Evidence synthesis combining individual patient data and aggregate data: a systematic review identified current practice and possible methods. <i>Journal of Clinical Epidemiology</i> , 2007 , 60, 431-9	5.7	123
15	Prognosis research: toward evidence-based results and a Cochrane methods group. <i>Journal of Clinical Epidemiology</i> , 2007 , 60, 863-5; author reply 865-6	5.7	37
14	Conducting a critical interpretive synthesis of the literature on access to healthcare by vulnerable groups. <i>BMC Medical Research Methodology</i> , 2006 , 6, 35	4.7	895
13	Evidence-Based Assessment and Application of Prognostic Markers: The Long Way from Single Studies to Meta-Analysis. <i>Communications in Statistics - Theory and Methods</i> , 2006 , 35, 1333-1342	0.5	22
12	Primer: an evidence-based approach to prognostic markers. <i>Nature Clinical Practice Oncology</i> , 2005 , 2, 466-72		51
11	Meta-analysis of genetic studies using Mendelian randomization--a multivariate approach. <i>Statistics in Medicine</i> , 2005 , 24, 2241-54	2.3	61
10	The relationship between measures of patient satisfaction and enablement and professional assessments of consultation competence. <i>Medical Teacher</i> , 2004 , 26, 223-8	3	8
9	A systematic review of molecular and biological tumor markers in neuroblastoma. <i>Clinical Cancer Research</i> , 2004 , 10, 4-12	12.9	148

8	Sensitivity analyses allowed more appropriate and reliable meta-analysis conclusions for multiple outcomes when missing data was present. <i>Journal of Clinical Epidemiology</i> , 2004 , 57, 911-24	5.7	27
7	Reporting of prognostic markers: current problems and development of guidelines for evidence-based practice in the future. <i>British Journal of Cancer</i> , 2003 , 88, 1191-8	8.7	126
6	A systematic review of molecular and biological markers in tumours of the Ewing's sarcoma family. <i>European Journal of Cancer</i> , 2003 , 39, 19-30	7.5	42
5	A systematic review and evaluation of the use of tumour markers in paediatric oncology: Ewing's sarcoma and neuroblastoma. <i>Health Technology Assessment</i> , 2003 , 7, 1-162	4.4	49
4	Circulating neuroblastoma cells detected by reverse transcriptase polymerase chain reaction for tyrosine hydroxylase mRNA are an independent poor prognostic indicator in stage 4 neuroblastoma in children over 1 year. <i>Journal of Clinical Oncology</i> , 2001 , 19, 1795-801	2.2	90
3	Systematic review and critical appraisal of prediction models for diagnosis and prognosis of COVID-19 infection		84
2	Completeness of reporting of clinical prediction models developed using supervised machine learning: A systematic review		1
1	Validation of prediction models in the presence of competing risks: a guide through modern methods. <i>BMJ</i> , <i>The</i> ,e069249	5.9	0