

Hong-Cheu Lin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1772863/publications.pdf>

Version: 2024-02-01

165
papers

4,827
citations

87843

38
h-index

138417

58
g-index

165
all docs

165
docs citations

165
times ranked

5506
citing authors

#	ARTICLE	IF	CITATIONS
1	Controllable FRET processes towards ratiometric Fe ³⁺ ion sensor of pseudo [3]rotaxane containing naphthalimide-based macrocyclic host donor and multi-stimuli responsive rhodamine-modified guest acceptor. <i>Dyes and Pigments</i> , 2022, 197, 109907.	2.0	5
2	Self-healable and anti-freezing ion conducting hydrogel-based artificial bioelectronic tongue sensing toward astringent and bitter tastes. <i>Biosensors and Bioelectronics</i> , 2022, 198, 113811.	5.3	28
3	Optical-switchable energy transfer controlled by multiple-responsive turn-on fluorescence via metal-ligand and host-guest interactions in diarylethene-based [2]pseudo-rotaxane polymers. <i>Materials Chemistry Frontiers</i> , 2021, 5, 438-449.	3.2	12
4	Application of stimuli-responsive FRET behavior toward cyanide detection in a photo-switchable [2]pseudorotaxane polymer containing the BODIPY donor and the merocyanine acceptor. <i>Journal of Materials Chemistry C</i> , 2021, 9, 2321-2333.	2.7	15
5	Acid-base controllable nanostructures and the fluorescence detection of H ₂ PO ₄ ⁻ by the molecular shuttling of tetraphenylethene-based [2]rotaxanes. <i>Journal of Materials Chemistry C</i> , 2021, 9, 3215-3228.	2.7	10
6	Controllable FRET Behaviors of Supramolecular Host-Guest Systems as Ratiometric Aluminum Ion Sensors Manipulated by Tetraphenylethylene-Functionalized Macrocyclic Host Donor and Multistimuli-Responsive Fluorescein-Based Guest Acceptor. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 20662-20680.	4.0	17
7	FRET processes of bi-fluorophoric sensor material containing tetraphenylethylene donor and optical-switchable merocyanine acceptor for lead ion (Pb ²⁺) detection in semi-aqueous media. <i>Dyes and Pigments</i> , 2021, 189, 109238.	2.0	10
8	Oxygen-Enriched β -MoO ₃ nanobelts suppress lithium dendrite formation in stable lithium-metal batteries. <i>Journal of Power Sources</i> , 2021, 507, 230306.	4.0	12
9	Multi-stimuli responsive fluorescence of amphiphilic AIEgen copolymers for ultrafast, highly sensitive and selective copper ion detection in water. <i>Sensors and Actuators B: Chemical</i> , 2021, 344, 130241.	4.0	22
10	Fully self-healable, highly stretchable, and anti-freezing supramolecular gels for energy-harvesting triboelectric nanogenerator and self-powered wearable electronics. <i>Nano Energy</i> , 2021, 90, 106525.	8.2	36
11	Liquid crystal dimers containing Cholesteryl and Triazole-containing mesogenic units. <i>Liquid Crystals</i> , 2020, 47, 219-230.	0.9	18
12	Efficient FRET Approaches toward Copper(II) and Cyanide Detections via Host-Guest Interactions of Photo-Switchable [2]Pseudo-Rotaxane Polymers Containing Naphthalimide and Merocyanine Moieties. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 53257-53273.	4.0	19
13	Hierarchical self-assembly of supramolecular polymer complexes mediated by various generations of bent-core mesogenic dendrimers hydrogen-bonded with triblock copolymer. <i>Polymer</i> , 2020, 208, 122880.	1.8	1
14	Optimization of FRET Behavior in Photoswitchable [2]Rotaxanes Containing Bifluorophoric Naphthalimide Donor and Merocyanine Acceptor with Sensor Approaches toward Sulfite Detection. <i>Chemistry of Materials</i> , 2020, 32, 9371-9389.	3.2	23
15	Highly Efficient Förster Resonance Energy Transfer Modulations of Dual-AIEgens between a Tetraphenylethylene Donor and a Merocyanine Acceptor in Photo-Switchable [2]Rotaxanes and Reversible Photo-Patterning Applications. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 47921-47938.	4.0	43
16	Highly stretchable supramolecular conductive self-healable gels for injectable adhesive and flexible sensor applications. <i>Journal of Materials Chemistry A</i> , 2020, 8, 19954-19964.	5.2	52
17	UV-enhanced room-temperature ultrasensitive NO gas sensor with vertical channel nano-porous organic diodes. <i>Sensors and Actuators B: Chemical</i> , 2020, 320, 128392.	4.0	26
18	Multi-Stimuli Responsive FRET Processes of Bifluorophoric AIEgens in an Amphiphilic Copolymer and Its Application to Cyanide Detection in Aqueous Media. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 10959-10972.	4.0	81

#	ARTICLE	IF	CITATIONS
19	Using ultrathin double-layer gas-permeable capping metal to form sensitive low-power gas sensors. <i>Semiconductor Science and Technology</i> , 2020, 35, 124001.	1.0	2
20	Synthesis and mesomorphic properties of new rod-like heterocyclic liquid crystals. <i>Studia Universitatis Babes-Bolyai Chemia</i> , 2020, 65, 135-150.	0.1	1
21	A 0.05 V driven ammonia gas sensor based on an organic diode with a top porous layered electrode and an air-stable sensing film. <i>Journal of Materials Chemistry C</i> , 2019, 7, 6440-6447.	2.7	7
22	Pyrene-SH functionalized OTFT for detection of Hg ²⁺ ions in aquatic environments. <i>Organic Electronics</i> , 2019, 69, 275-280.	1.4	17
23	Facile synthesis of composite tin oxide nanostructures for high-performance planar perovskite solar cells. <i>Nano Energy</i> , 2019, 60, 275-284.	8.2	57
24	Synthesis and enhanced electron transfer of supramolecular nano-composite containing dendritic dye and surface-modified ZnO nano-rods. <i>Dyes and Pigments</i> , 2018, 157, 179-189.	2.0	4
25	A novel ball milling technique for room temperature processing of TiO ₂ nanoparticles employed as the electron transport layer in perovskite solar cells and modules. <i>Journal of Materials Chemistry A</i> , 2018, 6, 7114-7122.	5.2	35
26	Heterocyclic pyridine-based liquid crystals: synthesis and mesomorphic properties. <i>Liquid Crystals</i> , 2018, 45, 1574-1584.	0.9	40
27	Flexible Organic Thin Film Transistors Incorporating a Biodegradable CO ₂ -Based Polymer as the Substrate and Dielectric Material. <i>Scientific Reports</i> , 2018, 8, 8146.	1.6	31
28	Multi-stimuli-responsive high contrast fluorescence molecular controls with a far-red emitting BODIPY-based [2]rotaxane. <i>Sensors and Actuators B: Chemical</i> , 2018, 270, 382-395.	4.0	10
29	Novel supramolecular conjugated polyrotaxane as an acid-base controllable optical molecular switch. <i>Sensors and Actuators B: Chemical</i> , 2017, 243, 84-95.	4.0	17
30	Synthesis of fluorinated benzotriazole (BTZ)- and benzodithiophene (BDT)-based low-bandgap conjugated polymers for solar cell applications. <i>Dyes and Pigments</i> , 2017, 139, 349-360.	2.0	16
31	Monomeric and aggregation emissions of tetraphenylethene in a photo-switchable polymer controlled by cyclization of diarylethene and solvent conditions. <i>Journal of Materials Chemistry C</i> , 2017, 5, 9952-9962.	2.7	37
32	Phase transitional behaviour of S-shaped oligomers incorporating biphenylene and cholesterol entities. <i>Liquid Crystals</i> , 2017, 44, 822-832.	0.9	7
33	Synthesis and phase transition behaviours of laterally substituted liquid crystals containing methylhydroquinone: emerging of smectic C phase for higher homologues. <i>Phase Transitions</i> , 2017, 90, 449-464.	0.6	0
34	Host-guest interaction of rotaxane assembly through selective detection of ferric ion: Insight into hemin sensing and switching with sodium ascorbate. <i>Dyes and Pigments</i> , 2016, 131, 49-59.	2.0	15
35	Novel Water-Soluble Cyclodextrin-Based Conjugated Polymer for Selective Host-Guest Interactions of Cationic Surfactant CTAB and Reverse FRET with Rhodamine B Tagged Adamantyl Guest. <i>Macromolecules</i> , 2016, 49, 5587-5598.	2.2	20
36	Lateral fluoro-substitution and chiral effects on supramolecular liquid crystals containing rod-like and H-bonded bent-core mesogens. <i>RSC Advances</i> , 2016, 6, 110482-110492.	1.7	3

#	ARTICLE	IF	CITATIONS
37	Facile rhodamine-based colorimetric sensors for sequential detections of Cu(II) ions and pyrophosphate (P ₂ O ₇ ⁴⁻) anions. RSC Advances, 2016, 6, 106631-106640.	1.7	40
38	Hydrogen-bonded bent-core blue phase liquid crystal complexes containing various molar ratios of proton acceptors and donors. RSC Advances, 2016, 6, 32319-32327.	1.7	17
39	A fully-aqueous red-fluorescent probe for selective optical sensing of Hg ²⁺ and its application in living cells. Dyes and Pigments, 2016, 130, 256-265.	2.0	6
40	Novel fluoride-substituted donor/acceptor polymers containing benzodithiophene and quinoxaline units for use in low-band gap solar cells. European Polymer Journal, 2016, 82, 334-346.	2.6	5
41	Novel pyrene containing monomeric and dimeric supramolecular AIEE active nano-probes utilized in selective Co^{3+} -trivalent metal and highly acidic pH sensing with live cell applications. Journal of Materials Chemistry C, 2016, 4, 2056-2071.	2.7	71
42	A theranostic nrGO@MSN-ION nanocarrier developed to enhance the combination effect of sonodynamic therapy and ultrasound hyperthermia for treating tumor. Nanoscale, 2016, 8, 12648-12657.	2.8	81
43	Exploration of Energy Modulations in Novel RhB-TPE-Based Bichromophoric Materials via Interactions of Cu ²⁺ Ion under Various Semiaqueous and Micellar Conditions. ACS Applied Materials & Interfaces, 2016, 8, 6751-6762.	4.0	15
44	Interfacial electronic structure of Na deposited on rubrene thin film studied by synchrotron radiation photoemission. Applied Surface Science, 2015, 357, 2255-2259.	3.1	2
45	Hydrogen-bonded effects on supramolecular blue phase liquid crystal dimeric complexes. RSC Advances, 2015, 5, 54629-54637.	1.7	14
46	Novel asymmetrical single- and double-chiral liquid crystal diads with wide blue phase ranges. RSC Advances, 2015, 5, 4615-4622.	1.7	12
47	Shape and Confinement Effects of Various Terminal Siloxane Groups on Supramolecular Interactions of Hydrogen-Bonded Bent-Core Liquid Crystals. Chemistry of Materials, 2015, 27, 4525-4537.	3.2	19
48	A cyanide-responsive supramolecular nanovalve based on Pd(II)-templated pseudo-rotaxane. Journal of Materials Chemistry A, 2015, 3, 6414-6422.	5.2	9
49	The first blue phase reactive monomers containing a bi-mesogenic core and their side-chain polymers. Journal of Materials Chemistry C, 2015, 3, 4663-4669.	2.7	1
50	Acid/Base and H ₂ PO ₄ ⁻ Controllable High-Contrast Optical Molecular Switches with a Novel BODIPY Functionalized [2]Rotaxane. ACS Applied Materials & Interfaces, 2015, 7, 26491-26503.	4.0	47
51	Synthesis and study of hybrid hydrogen-bonded bent-core liquid crystal complexes containing C ₆₀ - and Si-based proton donors. RSC Advances, 2015, 5, 99732-99738.	1.7	5
52	A new pyrene-based aggregation induced ratiometric emission probe for selective detections of trivalent metal ions and its living cell application. Sensors and Actuators B: Chemical, 2015, 207, 338-345.	4.0	67
53	Solution-Processed Small-Molecule Bulk Heterojunction Ambipolar Transistors. Advanced Functional Materials, 2014, 24, 2057-2063.	7.8	62
54	Alkyl chain self ordering, induction and suppression of mesophase by Cu(II) containing [1,2,3]-triazole-based bidentate salicylaldehyde ligands: synthesis, characterisation and X-ray diffraction studies. Liquid Crystals, 2014, 41, 1897-1910.	0.9	13

#	ARTICLE	IF	CITATIONS
55	Non-conventional three-armed star-shaped mesogens based on 1,3,5-trisubstituted benzene with azobenzene moieties at the periphery: synthesis, and mesomorphic behaviour. <i>Liquid Crystals</i> , 2014, 41, 1017-1033.	0.9	16
56	Broad Ranges and Fast Responses of Single-Component Blue-Phase Liquid Crystals Containing Banana-Shaped 1,3,4-Oxadiazole Cores. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 228-235.	4.0	52
57	Self-Assembly of Tetraphenylethene-Based [2]Catenane Driven by Acid-Base-Controllable Molecular Switching and Its Enabled Aggregation-Induced Emission. <i>Organic Letters</i> , 2014, 16, 5564-5567.	2.4	33
58	Synthesis of novel platinum complex core as a selective Ag ⁺ sensor and its H-bonded tetrads self-assembled with triarylamine dendrimers for electron/energy transfers. <i>Journal of Materials Chemistry A</i> , 2014, 2, 17463-17476.	5.2	17
59	Novel metallo-dendrimers containing various Ru core ligands and dendritic thiophene arms for photovoltaic applications. <i>Polymer Chemistry</i> , 2014, 5, 5423-5435.	1.9	12
60	A facile ratiometric fluorescent chemodosimeter for hydrazine based on InGaN-Manske hydrazinolysis and its applications in living cells. <i>Dyes and Pigments</i> , 2014, 103, 9-20.	2.0	70
61	Naked eye and fluorescent detections of Hg ²⁺ ions and Cysteine via J-aggregation and deaggregation of a perylene bisimide derivative. <i>Sensors and Actuators B: Chemical</i> , 2014, 194, 229-237.	4.0	40
62	Star-shaped self-assembly of an organic thin film transistor sensor in the presence of Cu ²⁺ and CN ⁻ ions. <i>Organic Electronics</i> , 2014, 15, 582-589.	1.4	10
63	Synthesis of metal-free organic dyes containing tris(dodecyloxy)phenyl and dithienothiophenyl units and a study of their mesomorphic and photovoltaic properties. <i>Tetrahedron</i> , 2013, 69, 2124-2130.	1.0	6
64	A Novel Diketopyrrolopyrrole (DPP)-Based [2]Rotaxane for Highly Selective Optical Sensing of Fluoride. <i>Organic Letters</i> , 2013, 15, 1274-1277.	2.4	50
65	Novel pyrene- and anthracene-based Schiff base derivatives as Cu ²⁺ and Fe ³⁺ fluorescence turn-on sensors and for aggregation induced emissions. <i>Journal of Materials Chemistry A</i> , 2013, 1, 1310-1318.	5.2	245
66	Simple pyridyl-salicylimine-based fluorescence turn-on sensors for distinct detections of Zn ²⁺ , Al ³⁺ and OH ⁻ ions in mixed aqueous media. <i>Analyst</i> , The, 2013, 138, 2931.	1.7	118
67	Synthesis and study of novel supramolecular nanocomposites containing aryl-imidazo-phenanthroline-based metallo-polymers (H-donors) and surface-modified ZnO nanoparticles (H-acceptors). <i>Tetrahedron</i> , 2013, 69, 293-301.	1.0	8
68	Self-assembled 1,2-bis[4-(4-(10-decyloxy)phenylazo)]benzoylhydrazine dimer and its hydrogen-bonded complexes. <i>Supramolecular Chemistry</i> , 2013, 25, 424-431.	1.5	2
69	Synthesis and smectogenic properties of novel phloroglucinol-based star-shaped liquid crystals containing three peripheral alkyloxylated Schiff base arms. <i>Liquid Crystals</i> , 2013, 40, 516-527.	0.9	25
70	Synthesis and Characterization of Reversible Chemosensory Polymers: Modulation of Sensitivity through the Attachment of Novel Imidazole Pendants. <i>Chemistry - A European Journal</i> , 2012, 18, 16061-16072.	1.7	15
71	Structure optimization of ruthenium photosensitizers for efficient dye-sensitized solar cells – A goal toward a “bright” future. <i>Coordination Chemistry Reviews</i> , 2012, 256, 3008-3035.	9.5	152
72	Recoverable fluorescence chemosensors for Ni ²⁺ ions based on hydrogen-bonded side-chain copolymers presenting pendent benzoic acid and pyridyl receptor units. <i>Journal of Materials Chemistry</i> , 2012, 22, 12358.	6.7	8

#	ARTICLE	IF	CITATIONS
73	Stable organic thin film transducers for biochemical and label-free sensing under physiological conditions. <i>Journal of Materials Chemistry</i> , 2012, 22, 16506.	6.7	8
74	Enhanced light-harvesting capability by phenothiazine in ruthenium sensitizers with superior photovoltaic performance. <i>Journal of Materials Chemistry</i> , 2012, 22, 130-139.	6.7	20
75	Synthesis of novel dithienothiophene- and 2,7-carbazole-based conjugated polymers and H-bonded effects on electrochromic and photovoltaic properties. <i>Journal of Polymer Science Part A</i> , 2012, 50, 5011-5022.	2.5	13
76	Synthesis of novel supramolecular triads bearing a H-bonded perylene bisimide core. <i>Tetrahedron</i> , 2012, 68, 7926-7931.	1.0	9
77	Synthesis of novel triarylamine-based dendrimers with N4,N6-dibutyl-1,3,5-triazine-4,6-diamine probe for electron/energy transfers in H-bonded donor-acceptor-donor triads and as efficient Cu ²⁺ sensors. <i>Journal of Materials Chemistry</i> , 2012, 22, 8976.	6.7	49
78	Synthesis and applications of a novel supramolecular polymer network with multiple H-bonded melamine pendants and uracil crosslinkers. <i>Journal of Polymer Science Part A</i> , 2012, 50, 967-975.	2.5	7
79	Design, synthesis, photophysical, and electrochemical properties of DCM-based conjugated polymers for light-emitting devices. <i>Journal of Polymer Science Part A</i> , 2012, 50, 3806-3818.	2.5	11
80	Novel Thieno-imidazole Based Probe for Colorimetric Detection of Hg ²⁺ and Fluorescence Turn-on Response of Zn ²⁺ . <i>Organic Letters</i> , 2012, 14, 2564-2567.	2.4	93
81	Novel dithieno-benzo-imidazole-based Pb ²⁺ sensors: substituent effects on sensitivity and reversibility. <i>Chemical Communications</i> , 2012, 48, 5668.	2.2	26
82	Surface Modification of Gold Nanorods by Grafting Fluorene-Based Conjugated Copolymers Containing Thiol-Pendants. <i>Macromolecular Chemistry and Physics</i> , 2012, 213, 1550-1558.	1.1	10
83	Synthesis of Main-Chain Metallo-Copolymers Containing Donor and Acceptor Bis-Terpyridyl Ligands for Photovoltaic Applications. <i>Macromolecular Rapid Communications</i> , 2012, 33, 528-533.	2.0	20
84	Structural planarity and conjugation effects of novel symmetrical acceptor-donor-acceptor organic sensitizers on dye-sensitized solar cells. <i>Dyes and Pigments</i> , 2012, 93, 1488-1497.	2.0	57
85	Enhancement of photovoltaic properties in supramolecular polymer networks featuring a solar cell main-chain polymer H-bonded with conjugated cross-linkers. <i>Polymer</i> , 2012, 53, 1219-1228.	1.8	26
86	New SmCG Phases in a Hydrogen-Bonded Bent-Core Liquid Crystal Featuring a Branched Siloxane Terminal Group. <i>Journal of the American Chemical Society</i> , 2011, 133, 15674-15685.	6.6	42
87	Novel Reversible Chemosensory Material Based on Conjugated Side-Chain Polymer Containing Fluorescent Pyridyl Receptor Pendants. <i>Journal of Physical Chemistry B</i> , 2011, 115, 8845-8852.	1.2	17
88	Synthesis and applications of main-chain Ru(II) metallo-polymers containing bis-terpyridyl ligands with various benzodiazole cores for solar cells. <i>Journal of Materials Chemistry</i> , 2011, 21, 1196-1205.	6.7	40
89	Photoluminescence quenching effects of surface-modified gold nanoparticles on side-chain polymers containing pyridyl H-acceptors with various lateral polarities. <i>European Polymer Journal</i> , 2011, 47, 2266-2276.	2.6	4
90	Synthesis and applications of cyano-vinylene-based polymers containing cyclopentadithiophene and dithienosilole units for photovoltaic cells. <i>Journal of Polymer Science Part A</i> , 2011, 49, 3417-3425.	2.5	10

#	ARTICLE	IF	CITATIONS
91	Synthesis, Characterization and Photophysical Properties of DCM-Based Light-Harvesting Dendrimers. <i>Macromolecular Chemistry and Physics</i> , 2011, 212, 849-859.	1.1	9
92	Fine Tuning of HOMO Energy Levels for Low-Band-Gap Photovoltaic Copolymers Containing Cyclopentadithienopyrrole and Bithiazole Units. <i>Macromolecular Chemistry and Physics</i> , 2011, 212, 1960-1970.	1.1	12
93	Synthesis and applications of novel acceptor-donor-acceptor organic dyes with dithienopyrrole- and fluorene-cores for dye-sensitized solar cells. <i>Tetrahedron</i> , 2011, 67, 303-311.	1.0	75
94	Applications of novel dithienothiophene- and 2,7-carbazole-based conjugated polymers with surface-modified ZnO nanoparticles for organic photovoltaic cells. <i>Thin Solid Films</i> , 2011, 519, 5212-5218.	0.8	8
95	Improvement of fast responsive LC materials by bent-core dopants in optical compensated bend mode liquid crystal displays. <i>Journal of the Chinese Institute of Engineers, Transactions of the Chinese Institute of Engineers, Series A/Chung-kuo Kung Ch'eng Hsueh K'an</i> , 2011, 34, 311-318.	0.6	4
96	Synthesis and characterization of side-chain liquid-crystalline block-copolymers containing laterally attached photoluminescent quinquephenyl units via ATRP. <i>Polymer</i> , 2010, 51, 75-83.	1.8	7
97	Synthesis and application of H-Bonded cross-linking polymers containing a conjugated pyridyl H-Acceptor side-chain polymer and various carbazole-based H-Donor dyes bearing symmetrical cyanoacrylic acids for organic solar cells. <i>Polymer</i> , 2010, 51, 6182-6192.	1.8	38
98	Polymeric dopant effects of bent-core covalently-bonded and hydrogen-bonded structures on banana-shaped liquid crystalline complexes. <i>Journal of Polymer Science Part A</i> , 2010, 48, 764-774.	2.5	9
99	Synthesis and applications of low-bandgap conjugated polymers containing phenothiazine donor and various benzodiazole acceptors for polymer solar cells. <i>Journal of Polymer Science Part A</i> , 2010, 48, 4823-4834.	2.5	66
100	Synthesis and applications of 2,7-carbazole-based conjugated main-chain copolymers containing electron deficient bithiazole units for organic solar cells. <i>Journal of Polymer Science Part A</i> , 2010, 48, 5479-5489.	2.5	40
101	Synthesis and characterization of novel low-bandgap triphenylamine-based conjugated polymers with main-chain donors and pendent acceptors for organic photovoltaics. <i>Journal of Polymer Science Part A</i> , 2010, 48, 5812-5823.	2.5	53
102	Synthesis and Mesomorphic Properties of 6-Methoxy- and 6-Ethoxy-2-(2-Hydroxy-4-Alkanoyloxybenzylidenamino)Benzothiazoles. <i>Molecular Crystals and Liquid Crystals</i> , 2010, 528, 10-22.	0.4	12
103	Synthesis of new schiff base ester liquid crystals with a benzothiazole core. <i>Liquid Crystals</i> , 2010, 37, 547-554.	0.9	48
104	Toward Optimization of Oligothiophene Antennas: New Ruthenium Sensitizers with Excellent Performance for Dye-Sensitized Solar Cells. <i>Chemistry of Materials</i> , 2010, 22, 4392-4399.	3.2	39
105	Electroluminescent main-chain copolymers containing phosphorescent benzimidazole-based iridium complexes as copolymerization backbone units or dopants. <i>Polymer Chemistry</i> , 2010, 1, 494-505.	1.9	17
106	Correlation between Exciton Lifetime Distribution and Morphology of Bulk Heterojunction Films after Solvent Annealing. <i>Journal of Physical Chemistry C</i> , 2010, 114, 9062-9069.	1.5	29
107	Novel Supramolecular Side-Chain Banana-Shaped Liquid Crystalline Polymers Containing Covalent- and Hydrogen-Bonded Bent Cores. <i>Macromolecules</i> , 2010, 43, 1277-1288.	2.2	20
108	Efficient bilayer polymer solar cells possessing planar mixed-heterojunction structures. <i>Journal of Materials Chemistry</i> , 2010, 20, 3295.	6.7	43

#	ARTICLE	IF	CITATIONS
109	Mesogenic Schiff base esters with benzothiazole core: synthesis and phase transition studies. <i>Phase Transitions</i> , 2010, 83, 195-204.	0.6	14
110	Soluble narrow-band-gap copolymers containing novel cyclopentadithiophene units for organic photovoltaic cell applications. <i>Journal of Polymer Science Part A</i> , 2009, 47, 2073-2092.	2.5	48
111	Study of supramolecular side-chain and cross-linking polymers by complexation of various H-donor acids with H-acceptor copolymers containing pendent carbazole and fluorescent pyridyl units. <i>Journal of Polymer Science Part A</i> , 2009, 47, 2734-2753.	2.5	17
112	Self-assembly of H-bonded side-chain and cross-linking copolymers containing diblock-copolymeric donors and single/double H-bonded light-emitting acceptors. <i>Journal of Polymer Science Part A</i> , 2009, 47, 4685-4702.	2.5	12
113	Supramolecular assembly of H-bonded side-chain polymers containing conjugated pyridyl H-acceptor pendants and various low-band-gap H-donor dyes bearing cyanoacrylic acid groups for organic solar cell applications. <i>Journal of Polymer Science Part A</i> , 2009, 47, 5998-6013.	2.5	16
114	Highly branched green phosphorescent tris-cyclometalated iridium(III) complexes for solution-processed organic light-emitting diodes. <i>Organic Electronics</i> , 2009, 10, 594-606.	1.4	27
115	Efficient bulk heterojunction solar cells based on a low-bandgap polyfluorene copolymers and fullerene derivatives. <i>Organic Electronics</i> , 2009, 10, 1109-1115.	1.4	15
116	Synthesis, characterization, and photophysics of electroluminescent fluorene/dibenzothiophene- and fluorene/dibenzothiophene-S,S-dioxide-based main-chain copolymers bearing benzimidazole-based iridium complexes as backbones or dopants. <i>Polymer</i> , 2009, 50, 5945-5958.	1.8	23
117	Configuration Effects of H-Bonded Sites and Rigid Core Lengths on H-Bonded Banana-Shaped Liquid Crystalline Supramolecules Consisting of Symmetric Trimers and Asymmetric Heterodimers. <i>Journal of Physical Chemistry B</i> , 2009, 113, 14648-14660.	1.2	22
118	Tunable Novel Cyclopentadithiophene-Based Copolymers Containing Various Numbers of Bithiazole and Thienyl Units for Organic Photovoltaic Cell Applications. <i>Macromolecules</i> , 2009, 42, 3681-3693.	2.2	99
119	An Unprecedentedly Huge Square-Grid Copper(II)-Organic Framework Material Built from a Bulky Pyrene-Derived Elongated Cross-Shaped Scaffold. <i>Inorganic Chemistry</i> , 2009, 48, 8650-8652.	1.9	22
120	Mesogenic Schiff's base ether with dimethylamino end group. <i>Phase Transitions</i> , 2009, 82, 387-397.	0.6	32
121	Heterocyclic benzothiazole-based liquid crystals: synthesis and mesomorphic properties. <i>Liquid Crystals</i> , 2009, 36, 917-925.	0.9	48
122	Enhanced photovoltaic performance by synergism of light-cultivation and electronic localization for highly efficient dye-sensitized solar cells. <i>Journal of Materials Chemistry</i> , 2009, 19, 7036.	6.7	42
123	Synthesis and Mesomorphic Properties of 2-(4-Alkyloxyphenyl)benzothiazoles. <i>Molecular Crystals and Liquid Crystals</i> , 2009, 506, 56-70.	0.4	24
124	Supramolecular assembly of H-bonded copolymers/complexes/nanocomposites and fluorescence quenching effects of surface-modified gold nanoparticles on fluorescent copolymers containing pyridyl H-acceptors and acid H-donors. <i>Journal of Materials Chemistry</i> , 2009, 19, 4753.	6.7	16
125	Novel narrow-band-gap conjugated copolymers containing phenothiazine-arylcyanovinyl units for organic photovoltaic cell applications. <i>Journal of Polymer Science Part A</i> , 2008, 46, 4285-4304.	2.5	29
126	Green phosphorescent iridium dendrimers containing dendronized benzoimidazole-based ligands for OLEDs. <i>Organic Electronics</i> , 2008, 9, 557-568.	1.4	32

#	ARTICLE	IF	CITATIONS
127	Study of Supramolecular Side-Chain Copolymers Containing Light-Emitting H-Acceptors and Electron-Transporting Dendritic H-Donors. <i>Macromolecules</i> , 2008, 41, 9692-9703.	2.2	33
128	5.4: Improvement of Fast Response LC Materials by Bent-Core Dopants in Optical Compensated Bend (OCB) Mode Liquid Crystal Displays. <i>Digest of Technical Papers SID International Symposium</i> , 2008, 39, 40.	0.1	1
129	Metallo-homopolymer and metallo-copolymers containing light-emitting poly(fluorene/ethynylene/(terpyridyl)zinc(II)) backbones and 1,3,4-oxadiazole (OXD) pendants. <i>Polymer</i> , 2007, 48, 5268-5278.	1.8	29
130	Synthesis and characterization of light-emitting main-chain metallo-polymers containing bis-terpyridyl ligands with various lateral substituents. <i>Journal of Polymer Science Part A</i> , 2007, 45, 3243-3255.	2.5	53
131	Synthesis and characterization of liquid crystalline side-chain block copolymers containing luminescent 4,4'-bis(biphenyl)fluorene pendants. <i>Journal of Polymer Science Part A</i> , 2007, 45, 4564-4572.	2.5	7
132	Novel Self-Assembled Metallo-Homopolymers and Metallo-alt-copolymer Containing Terpyridyl Zinc(II) Moieties. <i>Macromolecules</i> , 2006, 39, 8559-8566.	2.2	85
133	Synthesis and Characterization of Kinked and Hyperbranched Carbazole/Fluorene-Based Copolymers. <i>Macromolecules</i> , 2006, 39, 7232-7240.	2.2	63
134	H-Bonded Effects on Novel Supramolecular Dendrimers Containing Electron-Transporting Donor Dendrons and Single/Double H-Bonded Acceptor Emitters. <i>Macromolecules</i> , 2006, 39, 7985-7997.	2.2	24
135	Synthesis and Characterization of Poly(fluorene)-Based Copolymers Containing Various 1,3,4-Oxadiazole Dendritic Pendants. <i>Macromolecules</i> , 2006, 39, 4298-4305.	2.2	78
136	Synthesis and Characterization of Light-Emitting H-Bonded Complexes and Polymers Containing Bis(pyridyl) Emitting Acceptors. <i>Macromolecules</i> , 2006, 39, 557-568.	2.2	40
137	Novel red and white PLED devices consisting of PVK blended with blue-emitting fluorene derivatives and carbazole dopants. <i>Synthetic Metals</i> , 2006, 156, 1155-1160.	2.1	13
138	Synthesis and characterization of light-emitting oligo(p-phenylene-vinylene)s and polymeric derivatives containing three- and five-conjugated phenylene rings. II. Electro-optical properties and optimization of PLED performance. <i>Journal of Polymer Science Part A</i> , 2006, 44, 2922-2936.	2.5	8
139	Synthesis and characterization of liquid-crystalline block copolymers with cyanoterphenyl moieties by atom transfer radical polymerization. <i>Journal of Polymer Science Part A</i> , 2006, 44, 4593-4602.	2.5	13
140	Synthesis and characterization of poly(fluorene-co-alt-phenylene) containing 1,3,4-oxadiazole dendritic pendants. <i>Journal of Polymer Science Part A</i> , 2006, 44, 6765-6774.	2.5	36
141	Synthesis and characterization of light-emitting oligo(p-phenylene-vinylene)s and polymeric derivatives containing three- and five-conjugated phenylene rings. <i>Journal of Polymer Science Part A</i> , 2006, 44, 783-800.	2.5	19
142	Star-like fluorene based polyamines: non-conjugated building blocks for light-harvesting materials. <i>Tetrahedron</i> , 2006, 62, 3517-3522.	1.0	22
143	Synthesis and Characterization of Rod-Coil Polymers Based on Poly(ethylene oxide)s and Novel Luminescent Aromatic Cores. <i>Macromolecules</i> , 2006, 39, 3808-3816.	2.2	25
144	Synthesis and characterization of alternating fluorene-based copolymers containing diaryl- and non-substituted bithiophene units. <i>Polymer</i> , 2005, 46, 9810-9820.	1.8	21

#	ARTICLE	IF	CITATIONS
145	Synthesis and characterization of H-bonded side-chain and crosslinking LC polymers containing donor/acceptor homopolymers and copolymers. <i>Polymer</i> , 2005, 46, 12146-12157.	1.8	23
146	Synthesis and characterization of poly(fluorene)-based copolymers containing various 1,3,4-oxadiazole pendants. <i>Journal of Polymer Science Part A</i> , 2005, 43, 2700-2711.	2.5	33
147	Effect of polar substituents on the properties of 1,3,4-oxadiazole-based liquid crystalline materials containing asymmetric cores. <i>Liquid Crystals</i> , 2004, 31, 831-840.	0.9	58
148	Novel Alternating Fluorene-Based Conjugated Polymers Containing Oxadiazole Pendants with Various Terminal Groups. <i>Macromolecules</i> , 2004, 37, 7945-7954.	2.2	80
149	Synthesis and Second-Order Nonlinearities of Chiral Prolinol-Substituted Chromophores. <i>Journal of the Chinese Chemical Society</i> , 2004, 51, 487-492.	0.8	2
150	H-Bonded effects on supramolecular liquid crystalline trimers containing photoluminescent cores. <i>Journal of Materials Chemistry</i> , 2001, 11, 2958-2965.	6.7	23
151	Novel synthesis of liquid crystalline compounds of 5-substituted 2-(4-alkylphenyl)pyridines. <i>Tetrahedron Letters</i> , 2001, 42, 2177-2179.	0.7	15
152	Positional and Charged Effects of Heterocyclic N Atoms on Mesogenic Properties of Stilbazoles and Analogous N-Oxides. <i>Molecular Crystals and Liquid Crystals</i> , 2000, 339, 55-71.	0.3	3
153	Synthesis and mesogenic properties of azo-dye liquid crystals. <i>Liquid Crystals</i> , 2000, 27, 707-709.	0.9	17
154	Fused-ring and linking group effects of proton donors and acceptors on simple H-bonded liquid crystals. <i>Liquid Crystals</i> , 2000, 27, 1103-1112.	0.9	17
155	Supramolecular liquid crystals containing isoquinoline hydrogen-bonded acceptors. <i>Liquid Crystals</i> , 1999, 26, 613-618.	0.9	28
156	Synthesis and second-order nonlinearities of sulfonyl-substituted pyrrole imino dyes. <i>Tetrahedron Letters</i> , 1999, 40, 2157-2160.	0.7	31
157	Hydrothermal synthesis of nonlinear optical potassium niobate ceramic powder. <i>Materials Letters</i> , 1998, 34, 172-176.	1.3	104
158	Preliminary communication Properties of nonlinear supramolecular liquid crystals containing thiophenedicarboxylic acids. <i>Liquid Crystals</i> , 1998, 25, 277-283.	0.9	15
159	Preliminary communication - The effects of bending sites on unconventionally shaped hydrogen-bonded liquid crystals. <i>Liquid Crystals</i> , 1998, 24, 315-323.	0.9	17
160	Supramolecular Side-Chain Liquid Crystalline Polymers with Various Kinked Pendant Groups. <i>Macromolecules</i> , 1998, 31, 7298-7311.	2.2	24
161	Preliminary communication A novel class of heterocyclic liquid crystals with broad smectic C phase. <i>Liquid Crystals</i> , 1997, 22, 661-667.	0.9	21
162	Synthesis and Characterization of Liquid Crystalline Molecules Containing the Quinoline Unit. <i>Molecular Crystals and Liquid Crystals</i> , 1996, 287, 177-181.	0.3	64

#	ARTICLE	IF	CITATIONS
163	Synthesis of sulfone-substituted thiophene chromophores for second-order nonlinear optics. Tetrahedron Letters, 1996, 37, 7279-7282.	0.7	36
164	Synthesis and Characterization of $ASnOAsO_4$ (A = K and Rb). Journal of the Chinese Chemical Society, 1995, 42, 913-918.	0.8	3
165	A Superficial new Solid-State Synthesis of SnO ₂ for High-Performance and Stable Perovskite Solar Cells. , 0, , .		0