

Colleen Keller

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1774341/publications.pdf>

Version: 2024-02-01

26
papers

640
citations

687363

13
h-index

642732

23
g-index

27
all docs

27
docs citations

27
times ranked

972
citing authors

#	ARTICLE	IF	CITATIONS
1	Print versus a culturally-relevant Facebook and text message delivered intervention to promote physical activity in African American women: a randomized pilot trial. <i>BMC Women's Health</i> , 2015, 15, 30.	2.0	127
2	Using Visual Methods to Uncover Context. <i>Qualitative Health Research</i> , 2008, 18, 428-436.	2.1	60
3	A comparison of a social support physical activity intervention in weight management among post-partum Latinas. <i>BMC Public Health</i> , 2014, 14, 971.	2.9	54
4	Perimenopausal Obesity. <i>Journal of Women's Health</i> , 2010, 19, 987-996.	3.3	44
5	Designing Culturally Relevant Physical Activity Programs for African-American Women: A Framework for Intervention Development. <i>Journal of Racial and Ethnic Health Disparities</i> , 2017, 4, 397-409.	3.2	40
6	Utility of Social Cognitive Theory in Intervention Design for Promoting Physical Activity among African-American Women: A Qualitative Study. <i>American Journal of Health Behavior</i> , 2017, 41, 518-533.	1.4	40
7	Interventions for Weight Management in Postpartum Women. <i>JOGNN - Journal of Obstetric, Gynecologic, and Neonatal Nursing</i> , 2008, 37, 71-79.	0.5	38
8	Stages of Change, Processes of Change, and Social Support for Exercise and Weight Gain in Postpartum Women. <i>JOGNN - Journal of Obstetric, Gynecologic, and Neonatal Nursing</i> , 2006, 35, 232-240.	0.5	30
9	Seeking normalcy: The experience of coronary artery bypass surgery. <i>Research in Nursing and Health</i> , 1991, 14, 173-178.	1.6	27
10	Madres para la Salud: Design of a theory-based intervention for postpartum Latinas. <i>Contemporary Clinical Trials</i> , 2011, 32, 418-427.	1.8	27
11	Validity of two brief physical activity questionnaires with accelerometers among African-American women. <i>Primary Health Care Research and Development</i> , 2016, 17, 265-276.	1.2	24
12	Results of a Culturally Tailored Smartphone-Delivered Physical Activity Intervention Among Midlife African American Women: Feasibility Trial. <i>JMIR MHealth and UHealth</i> , 2021, 9, e27383.	3.7	24
13	Hair As a Barrier to Physical Activity among African American Women: A Qualitative Exploration. <i>Frontiers in Public Health</i> , 2017, 5, 367.	2.7	18
14	Promotoras' Roles in Integrative Validity and Treatment Fidelity Efforts in Randomized Controlled Trials. <i>Family and Community Health</i> , 2012, 35, 120-129.	1.1	13
15	Incorporating religion and spirituality into the design of community-based physical activity programs for African American women: a qualitative inquiry. <i>BMC Research Notes</i> , 2017, 10, 506.	1.4	13
16	Rationale and design of Smart Walk: A randomized controlled pilot trial of a smartphone-delivered physical activity and cardiometabolic risk reduction intervention for African American women. <i>Contemporary Clinical Trials</i> , 2019, 77, 46-60.	1.8	13
17	Mujeres en Accion: Design and Baseline Data. <i>Journal of Community Health</i> , 2011, 36, 703-714.	3.8	12
18	Overweight, Obesity, and Neighborhood Characteristics among Postpartum Latinas. <i>Journal of Obesity</i> , 2013, 2013, 1-8.	2.7	12

#	ARTICLE	IF	CITATIONS
19	A Culturally Relevant Smartphone-Delivered Physical Activity Intervention for African American Women: Development and Initial Usability Tests of Smart Walk. JMIR MHealth and UHealth, 2020, 8, e15346.	3.7	8
20	Cultural Factors relevant to Korean Americans in Health Research: A Systematic Review. Journal of Community Health, 2018, 43, 421-432.	3.8	7
21	Comparison and evaluation of dietary quality between older and younger Mexican-American women. Public Health Nutrition, 2015, 18, 2615-2624.	2.2	5
22	Review: dietary intervention plus exercise is no better than dietary intervention alone for inducing long term weight loss. Evidence-based Nursing, 2006, 9, 46-46.	0.2	3
23	Review: dietary plus pharmacological intervention (orlistat or sibutramine) induces long term weight loss in overweight or obese adults. Evidence-based Nursing, 2006, 9, 47-47.	0.2	1
24	Sign Chi Do and physical function: A pilot study. Geriatric Nursing, 2013, 34, 12-18.	1.9	0
25	Comparison of the diet quality of young and older Mexican-American sedentary women enrolled in community-based social support physical activity interventions. FASEB Journal, 2013, 27, 841.8.	0.5	0
26	Creando Posibilidades: A Cognitive Model of Risk Behaviors in Mexican American Women. Journal of Food & Nutritional Disorders, 2014, 03, .	0.1	0