

Vanya B Kurteva

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1774373/publications.pdf>

Version: 2024-02-01

63
papers

1,129
citations

430874

18
h-index

414414

32
g-index

69
all docs

69
docs citations

69
times ranked

1167
citing authors

#	ARTICLE	IF	CITATIONS
1	Acylpyrazolones possessing a heterocyclic moiety in the acyl fragment: intramolecular vs. intermolecular zwitterionic structures. <i>New Journal of Chemistry</i> , 2022, 46, 1080-1086.	2.8	1
2	Synergistic and antagonistic effects during solvent extraction of Gd(III) ion in ionic liquids. <i>Journal of Molecular Liquids</i> , 2022, 353, 118818.	4.9	6
3	Recent Progress in Metal-Free Direct Synthesis of Imidazo[1,2- <i>a</i>]pyridines. <i>ACS Omega</i> , 2021, 6, 35173-35185.	3.5	29
4	Novel Quaternary Ammonium Derivatives of 4-Pyrrolidino Pyridine: Synthesis, Structural, Thermal, and Antibacterial Studies. <i>Crystals</i> , 2020, 10, 339.	2.2	6
5	Synergism in the Solvent Extraction of Europium(III) with Thenoyltrifluoroacetone and CMPO in Methyylimidazolium Ionic Liquids. <i>Journal of Solution Chemistry</i> , 2019, 48, 15-30.	1.2	13
6	Spontaneous conversion of <i>O</i> -tosylates of 2-(piperazin-1-yl)ethanols into chlorides during classical tosylation procedure. <i>Royal Society Open Science</i> , 2019, 6, 181840.	2.4	4
7	Constrained 1-Phenylethyl Amine Analogues as Chiral Auxiliaries in Stereoselective <i>trans</i> - β -Lactam Formation via Staudinger Cycloaddition. <i>Journal of Heterocyclic Chemistry</i> , 2019, 56, 930-937.	2.6	2
8	Insights into the synergistic selectivity of 4f-ions implementing 4-acyl-5-pyrazolone and two new unsymmetrical NH-urea containing ring molecules in an ionic liquid. <i>Separation and Purification Technology</i> , 2018, 204, 328-335.	7.9	14
9	Betti Bases from 4-(3-Pyridazo)-1-naphthol: Synthesis, Coordination Behaviour and Unusual Substitution Reactions. <i>ChemistrySelect</i> , 2018, 3, 12017-12021.	1.5	3
10	Data on the synthesis and characterization of two novel polydentate ligands possessing unsymmetrical NH-urea fragment. <i>Data in Brief</i> , 2018, 20, 933-939.	1.0	3
11	Prenylated β -diketones, two new additions to the family of biologically active <i>Hypericum perforatum</i> L. (Hypericaceae) secondary metabolites. <i>Food and Chemical Toxicology</i> , 2018, 118, 505-513.	3.6	13
12	Peculiar synergistic extraction behavior of Eu(III) in ionic liquids: Benzoylacetone and CMPO fusion. <i>Separation and Purification Technology</i> , 2017, 183, 226-236.	7.9	19
13	Synthesis of Chiral Cyclopentenones. <i>Chemical Reviews</i> , 2016, 116, 5744-5893.	47.7	194
14	The interaction of extractants during synergistic solvent extraction of metals. Is it an important reaction?. <i>RSC Advances</i> , 2016, 6, 81250-81265.	3.6	28
15	Crystal structures of novel polydentate N,O-ligands. <i>Acta Crystallographica Section A: Foundations and Advances</i> , 2016, 72, s403-s403.	0.1	2
16	Synergism as a phenomenon in solvent extraction of 4f-elements with calixarenes. <i>RSC Advances</i> , 2016, 6, 11303-11324.	3.6	61
17	Solvent extraction and separation of light lanthanoids with mixtures of two chelating extractants: Benzene vs. ionic liquid. <i>Separation Science and Technology</i> , 2016, 51, 290-299.	2.5	17
18	Coordination Chemistry of Europium(III) Ion Towards Acylpyrazolone Ligands. <i>Analytical Sciences</i> , 2015, 31, 917-922.	1.6	13

#	ARTICLE	IF	CITATIONS
19	4-Hydroxy-1-naphthaldehydes: proton transfer or deprotonation. <i>Physical Chemistry Chemical Physics</i> , 2015, 17, 10238-10249.	2.8	19
20	Are fancy acidic or neutral ligands really needed for synergism in ionic liquids? A comparative study of lanthanoid extraction in CHCl_3 and an ionic liquid. <i>New Journal of Chemistry</i> , 2015, 39, 7932-7941.	2.8	22
21	Conformational behaviour of 3-methyl-4-(4-methylbenzoyl)-1-phenyl-pyrazol-5-one: a sudden story of three desmotropes. <i>RSC Advances</i> , 2015, 5, 73859-73867.	3.6	8
22	NMR Study on the Possible Interactions Between Imidazolium Based Ionic Liquids and Extractants Widely Applied in Solvent Extraction and Separation of f-Ions. <i>Journal of Solution Chemistry</i> , 2015, 44, 2416-2430.	1.2	10
23	Controlled Tautomeric Switching in Azonaphthols Tuned by Substituents on the Phenyl Ring. <i>ChemPhysChem</i> , 2015, 16, 649-657.	2.1	13
24	Synthesis of 3-Methyl-4-(4-methylbenzoyl)-1-phenyl-pyrazol-5-one: How To Avoid O-Acylation. <i>Journal of Chemical Education</i> , 2015, 92, 382-384.	2.3	13
25	On the mechanism of the direct acid catalyzed formation of 2,3-disubstituted imidazo[1,2-a]pyridines from 2-aminopyridines and acetophenones. Concurrence between ketimine and Ortoleva's King type reaction intermediated transformations. <i>RSC Advances</i> , 2014, 4, 175-184.	3.6	11
26	Comparing extraction, synergism and separation of lanthanoids using acidic and neutral compounds in chloroform and one ionic liquid: is the latter always "better"? <i>RSC Advances</i> , 2014, 4, 38820-38829.	3.6	45
27	Liquid Extraction of Light Lanthanoid(III) Ions with 4-Benzoyl-3-phenyl-5-isoxazolone: The Role of Aza-Crown and Azo-Dye Fragments on the Extraction Ability. <i>Journal of Chemical & Engineering Data</i> , 2014, 59, 1295-1303.	1.9	4
28	Controlled tautomerism "switching" caused by an "underground" anionic effect. <i>RSC Advances</i> , 2013, 3, 25410.	3.6	8
29	Tautomerism of 4,4'-dihydroxy-1,1'-naphthalaldazine studied by experimental and theoretical methods. <i>Chemistry Central Journal</i> , 2013, 7, 29.	2.6	4
30	Fast and efficient direct conversion of 2-aminopyridine into 2,3-disubstituted imidazo[1,2-a]pyridines. <i>Arkivoc</i> , 2013, 2012, 282-294.	0.5	9
31	Tautomerism in 1-phenylazo-4-naphthols: Experimental results vs quantum-chemical predictions. <i>Dyes and Pigments</i> , 2012, 92, 714-723.	3.7	33
32	Switching azonaphthols containing a side chain with limited flexibility. Part 1. Synthesis and tautomeric properties. <i>Dyes and Pigments</i> , 2012, 92, 1266-1277.	3.7	4
33	The influence of nanoparticle architecture on latex film formation and healing properties. <i>Journal of Colloid and Interface Science</i> , 2012, 368, 21-33.	9.4	10
34	Behavior of mixed systems based on para-substituted 4-aryl-5-pyrazolones in the presence of phosphorus containing calix[4]arene towards lanthanoids: Synergistic solvent extraction and separation. <i>Separation and Purification Technology</i> , 2012, 95, 58-63.	7.9	27
35	Synergistic Effect in the Solvent Extraction and Separation of Lanthanoids by 4-(4-Fluorobenzoyl)-3-methyl-1-phenyl-pyrazol-5-one in the Presence of Monofunctional Neutral Organophosphorus Extractants. <i>Industrial & Engineering Chemistry Research</i> , 2011, 50, 12170-12176.	3.7	31
36	Gas-Phase Study of Molecular Switches Based on Tautomeric Proton Transfer. <i>European Journal of Mass Spectrometry</i> , 2011, 17, 47-56.	1.0	6

#	ARTICLE	IF	CITATIONS
37	(E)-1-(4-Methoxyanthracen-1-yl)-2-phenyldiazene. Acta Crystallographica Section E: Structure Reports Online, 2011, 67, o993-o993.	0.2	1
38	Naphthylethylamines as chiral auxiliaries in a stereoselective formation of trans- β -lactams via Staudinger cycloaddition. Arkivoc, 2011, 2011, 198-212.	0.5	2
39	Tautocrowns: a concept for a sensing molecule with an active side-arm. Tetrahedron, 2010, 66, 4292-4297.	1.9	32
40	Gas-phase tautomerism in hydroxy azo dyes - from 4-phenylazo-1-phenol to 4-phenylazo-anthracen-1-ol. Rapid Communications in Mass Spectrometry, 2010, 24, 714-720.	1.5	11
41	Exploiting Tautomerism for Switching and Signaling. Angewandte Chemie - International Edition, 2009, 48, 7875-7878.	13.8	62
42	Gas-phase tautomerism in 1-phenylazonaphthalene-4-ol: verification of the responses of individual tautomers. Rapid Communications in Mass Spectrometry, 2009, 23, 1724-1734.	1.5	7
43	Chiral amine-induced stereoselectivity in trans- β -lactam formation via Staudinger cycloaddition. Tetrahedron, 2009, 65, 10339-10347.	1.9	18
44	Synthesis of Cyclopentitols by Ring-Closing Approaches. Chemical Reviews, 2009, 109, 6809-6857.	47.7	109
45	Microwave assisted solventless synthesis of melamines with flexible aromatic substituents. Arkivoc, 2007, 2007, 232-245.	0.5	1
46	Simple transformation of crystalline chiral natural anions to liquid medium and their use to induce chirality. Chemical Communications, 2006, , 2371-2372.	4.1	78
47	trans,trans-2,3,4-Triphenylazetidinium bromide. Acta Crystallographica Section E: Structure Reports Online, 2006, 62, o2141-o2143.	0.2	0
48	One Pot Synthesis and X-ray Crystallographic Investigation of p-t-Butylcalix[4]arenes with Flexible Narrow Rim Dimethylphosphinoylpropoxy Ligating Groups. Supramolecular Chemistry, 2006, 18, 621-626.	1.2	3
49	Stereoelectronic effects in intramolecular S \rightarrow N acyl migrations in diastereoisomeric 3-amino- and 3-methylamino-1,2,3-triphenylpropyl thiolacetates. Arkivoc, 2006, 2006, 91-100.	0.5	2
50	Solvent-free synthesis of a series of differently N-substituted 4-amino-2-methylquinazolines under microwave irradiation. Arkivoc, 2006, 2006, 46-56.	0.5	2
51	A direct intramolecular asymmetric catalytic aldol cyclodehydration of meso-3,4-disubstituted-1,6-dialdehydes. Tetrahedron, 2005, 61, 267-273.	1.9	28
52	A Direct Intramolecular Asymmetric Catalytic Aldol Cyclodehydration of meso-3,4-Disubstituted-1,6-dialdehydes.. ChemInform, 2005, 36, no.	0.0	0
53	A study on the intramolecular catalytic aldol cyclodehydration of 3,4-disubstituted 1,6-dialdehydes. Journal of Molecular Catalysis A, 2005, 234, 159-167.	4.8	6
54	Tetrahydropyrimidin-2(1H)-ones with three neighbouring phenyl groups. Synthesis and allylic strain effects. Arkivoc, 2005, 2005, 8-20.	0.5	2

#	ARTICLE	IF	CITATIONS
55	Synthesis of a series of vicinal diamines with potential biological activity. Open Chemistry, 2004, 2, 686-695.	1.9	4
56	Microwave-Accelerated Facile Synthesis of Fused Polynuclear Hydrocarbons in Dry Media by Intramolecular Friedel-Crafts Alkylation.. ChemInform, 2004, 35, no.	0.0	0
57	Microwave accelerated facile synthesis of fused polynuclear hydrocarbons in dry media by intramolecular Friedel-Crafts alkylation. Organic and Biomolecular Chemistry, 2004, 2, 514-523.	2.8	19
58	Solvent-free synthesis of melamines under microwave irradiation. Green Chemistry, 2004, 6, 183.	9.0	18
59	Determination of the diastereoisomeric purity of d,l- and meso-HM-PAO by ¹³ C-NMR spectroscopy. European Journal of Medicinal Chemistry, 2003, 38, 219-222.	5.5	3
60	CONFORMATIONS OF 4,5,6-TRIPHENYL-TETRAHYDRO-1,3-THIAZINE-2-THIONES AND THEIR N-ALKYL DERIVATIVES. UNUSUAL THIAZINETHIONE OR AZETIDINE FORMATION UPON REACTION OF 3-AMINO- AND 3-METHYLAMINO-1,2,3-TRIPHENYLPROPYL CHLORIDES WITH POTASSIUM ETHYLXANTHATE. Phosphorus, Sulfur and Silicon and the Related Elements, 2000, 161, 239-249.	1.6	3
61	Unusual Azetidine or Oxazine Formation upon Reaction of O-Ethyl Dithiocarbonate with 1,2,3-Triphenyl-3-Phthalimidopropyl Iodides; Erythro Selectivity in the Reaction of Iodotrimethylsilane with Phthalimidopropanols. Journal of Chemical Research Synopses, 1998, , 658-659.	0.3	1
62	A CONVENIENT SYNTHESIS OF 3-(2-METHYLPYRIDYL)ACETIC ACID METHYL ESTER, A PYRITHIAMINE INTERMEDIATE. Organic Preparations and Procedures International, 1994, 26, 549-551.	1.3	1
63	Diastereoisomers with three neighbouring phenyl groups. XI-Hindered phenyl and formylmethylamino group rotations in 3-(formylmethylamino)-1,2,3-triphenylpropyl chlorides. Magnetic Resonance in Chemistry, 1988, 26, 564-570.	1.9	3