

Julia Spaet

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1774442/publications.pdf>

Version: 2024-02-01

26
papers

756
citations

687363

13
h-index

610901

24
g-index

26
all docs

26
docs citations

26
times ranked

909
citing authors

#	ARTICLE	IF	CITATIONS
1	The status of coral reef ecology research in the Red Sea. <i>Coral Reefs</i> , 2013, 32, 737-748.	2.2	153
2	Fish market surveys indicate unsustainable elasmobranch fisheries in the Saudi Arabian Red Sea. <i>Fisheries Research</i> , 2015, 161, 356-364.	1.7	82
3	Troubled waters: Threats and extinction risk of the sharks, rays and chimaeras of the Arabian Sea and adjacent waters. <i>Fish and Fisheries</i> , 2018, 19, 1043-1062.	5.3	66
4	Testing a global standard for quantifying species recovery and assessing conservation impact. <i>Conservation Biology</i> , 2021, 35, 1833-1849.	4.7	51
5	The trade in sharks and their products in the United Arab Emirates. <i>Biological Conservation</i> , 2015, 181, 190-198.	4.1	48
6	Blacktip reef sharks, <i>Carcharhinus melanopterus</i> , have high genetic structure and varying demographic histories in their Indo-Pacific range. <i>Molecular Ecology</i> , 2014, 23, 5193-5207.	3.9	44
7	Elasmobranch fisheries in the Arabian Seas Region: Characteristics, trade and management. <i>Fish and Fisheries</i> , 2017, 18, 1096-1118.	5.3	41
8	Ongoing decline of shark populations in the Eastern Red Sea. <i>Biological Conservation</i> , 2016, 201, 20-28.	4.1	40
9	Spatiotemporal distribution patterns of immature Australasian white sharks (<i>Carcharodon</i>) in the Eastern Red Sea. <i>Biological Conservation</i> , 2017, 181, 1043-1062.	3.3	38
10	A review of elasmobranch research in the Red Sea. <i>Journal of Fish Biology</i> , 2012, 80, 952-965.	1.6	31
11	Relationships of mercury concentrations across tissue types, muscle regions and fins for two shark species. <i>Environmental Pollution</i> , 2017, 223, 323-333.	7.5	29
12	Population genetics of four heavily exploited shark species around the Arabian Peninsula. <i>Ecology and Evolution</i> , 2015, 5, 2317-2332.	1.9	28
13	Extensive use of mesopelagic waters by a Scalloped hammerhead shark (<i>Sphyrna lewini</i>) in the Red Sea. <i>Animal Biotelemetry</i> , 2017, 5, .	1.9	23
14	First record of the Pigeye Shark, <i>Carcharhinus amboinensis</i> (Müller & Henle, 1839) (Carcharhiniformes: Carcharhinidae), in the Red Sea. <i>Zoology in the Middle East</i> , 2011, 52, 118-121.	0.6	13
15	Habitat use and movement patterns of tiger sharks (<i>Galeocerdo cuvier</i>) in eastern Australian waters. <i>ICES Journal of Marine Science</i> , 2020, 77, 3127-3137.	2.5	13
16	Unoccupied aerial video (UAV) surveys as alternatives to BRUV surveys for monitoring elasmobranch species in coastal waters. <i>ICES Journal of Marine Science</i> , 2022, 79, 1604-1613.	2.5	11
17	Trade in threatened elasmobranchs in the Bay of Bengal, Bangladesh. <i>Fisheries Research</i> , 2021, 243, 106059.	1.7	10
18	Weak population structure of the Spottail shark <i>Carcharhinus sorrah</i> and the Blacktip shark <i>C. limbatus</i> along the coasts of the Arabian Peninsula, Pakistan, and South Africa. <i>Ecology and Evolution</i> , 2018, 8, 9536-9549.	1.9	7

#	ARTICLE	IF	CITATIONS
19	Predictable annual aggregation of longnose parrotfish (<i>Hipposcarus harid</i>) in the Red Sea. <i>Marine Biodiversity</i> , 2013, 43, 179-180.	1.0	6
20	Red Sea Sharksâ€™ Biology, Fisheries and Conservation. Springer Oceanography, 2019, , 267-280.	0.3	6
21	Learned hook avoidance of lemon sharks (<i>Negaprion brevirostris</i>) based on electroreception and shock treatment. <i>Marine Biology Research</i> , 2010, 6, 399-407.	0.7	5
22	Repeated observations of cetaceans and carcharhiniformes associations in the Red Sea. <i>Marine Biodiversity</i> , 2016, 46, 25-26.	1.0	4
23	Fishers' talesâ€™ Impact of artisanal fisheries on threatened sharks and rays in the Bay of Bengal, Bangladesh. <i>Conservation Science and Practice</i> , 2022, 4, .	2.0	4
24	Development of microsatellite markers for globally distributed populations of the threatened silky shark, <i>Carcharhinus falciformis</i> . <i>Conservation Genetics Resources</i> , 2015, 7, 463-465.	0.8	1
25	Spawning aggregations of the Humpback red snapper, <i>Lutjanus gibbus</i> , in the Tuamotus, French Polynesia. <i>Marine Biodiversity</i> , 2017, 47, 375-376.	1.0	1
26	Determining effective acoustic array design for monitoring presence of white sharks <i>Carcharodon carcharias</i> in nearshore habitats. <i>Marine Biology</i> , 2021, 168, 1.	1.5	1