## Xiaobing Li

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/177470/publications.pdf

Version: 2024-02-01

		623699	580810
35	657	14	25 g-index
papers	citations	h-index	g-index
35	35	35	538
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Covalent organic frameworks-based smart materials for mitigation of pharmaceutical pollutants from aqueous solution. Chemosphere, 2022, 286, 131710.	8.2	40
2	Micro-nano bubbles production using a swirling-type venturi bubble generator. Chemical Engineering and Processing: Process Intensification, 2022, 170, 108697.	3.6	24
3	A type II heterojunction α-Fe <sub>2</sub> O <sub>3</sub> /g-C <sub>3</sub> N <sub>4</sub> for the heterogeneous photo-Fenton degradation of phenol. RSC Advances, 2022, 12, 8300-8309.	3.6	14
4	Effect of Oil-Displacing Agent Composition on Oil/Water Interface Stability of the Asphaltene-Rich ASP Flooding-Produced Water. Langmuir, 2022, 38, 3329-3338.	3.5	11
5	Enhanced catalytic reduction of p-nitrophenol and azo dyes on copper hexacyanoferrate nanospheres decorated copper foams. Journal of Environmental Management, 2022, 314, 115075.	7.8	9
6	Influence of polymer concentration on the stability of the polymer flooding wastewater: Oil droplets floating behaviour and oil–water interfacial properties. Chemical Engineering and Processing: Process Intensification, 2022, 179, 109044.	3.6	3
7	Demulsification of O/W emulsion using a novel polyether-polyquaternium copolymer: effect of the demulsifier structure and solution environment conditions. Separation Science and Technology, 2021, 56, 811-820.	2.5	6
8	Adsorptive removal of oil drops from ASP flooding-produced water by polyether polysiloxane-grafted ZIF-8. Powder Technology, 2021, 378, 76-84.	4.2	32
9	Synergetic adsorption of asphaltenes and oil displacement surfactants on the oil-water interface: Insights on stabilization mechanism of the interfacial film. Chemical Engineering Science, 2021, 245, 116850.	3.8	17
10	Enanced removal of scaling cations from oilfield produced water by carrier mineral floatation. Water Science and Technology, 2021, 84, 3629-3640.	2.5	2
11	The behavior of interfacial film thinning in oil-in-water emulsion from the produced water from ASP flooding. Separation Science and Technology, 2020, 55, 155-164.	2.5	8
12	Preparation and application of supported demulsifier PPA@SiO <sub>2</sub> for oil removal of oil-in-water emulsion. Separation Science and Technology, 2020, 55, 2538-2549.	2.5	9
13	Novel polyether-polyquaternium copolymer as an effective reverse demulsifier for O/W emulsions: Demulsification performance and mechanism. Fuel, 2020, 263, 116770.	6.4	63
14	Adsorption behavior of oil-displacing surfactant at oil/water interface: Molecular simulation and experimental. Journal of Water Process Engineering, 2020, 36, 101292.	5.6	19
15	A novel silica-supported polyether polysiloxane quaternary ammonium demulsifier for highly efficient fine-sized oil droplet removal of oil-in-water emulsions. RSC Advances, 2020, 10, 18918-18926.	3.6	13
16	Recyclable polyether–polyquaternium grafted SiO <sub>2</sub> microsphere for efficient treatment of ASP flooding-produced water: oil adsorption characteristics and mechanism. RSC Advances, 2020, 10, 15124-15131.	3.6	3
17	Catalytic ozonation of phenylamine in water with a manganese ore. RSC Advances, 2020, 10, 36192-36200.	3.6	5
18	A numerical study and flotation experiments of bicyclone column flotation for treating of produced water from ASP flooding. Journal of Water Process Engineering, 2019, 32, 100972.	5.6	19

#	Article	IF	CITATIONS
19	Rapid and large-scale production of carbon dots by salt-assisted electrochemical exfoliation of graphite rods. Journal of Electroanalytical Chemistry, 2019, 851, 113390.	3.8	12
20	Research of novel process route and scale-up based on oil-water separation flotation column. Journal of Water Reuse and Desalination, 2018, 8, 111-122.	2.3	5
21	Nitric acid-anionic surfactant modified activated carbon to enhance cadmium(II) removal from wastewater: preparation conditions and physicochemical properties. Water Science and Technology, 2018, 78, 1489-1498.	2.5	5
22	Effect of gas holdup on the efficiency of cyclonic-static microbubble flotation column for oily wastewater treatment. Environmental Protection Engineering, 2018, 44, .	0.1	0
23	Cyclonic state micro-bubble flotation column in oil-in-water emulsion separation. Separation and Purification Technology, 2016, 165, 101-106.	7.9	87
24	Reduction of amine mist emissions from a pilot-scale CO <sub>2</sub> capture process using charged colloidal gas aphrons. Separation Science and Technology, 2016, 51, 75-82.	2.5	6
25	The effect of bubble size on oil-water separation efficiency for a novel oil-water separation column. Separation Science and Technology, 2016, 51, 41-48.	2.5	7
26	Gas holdup in cyclone-static micro-bubble flotation column. Environmental Technology (United) Tj ETQq0 0 0 rgl	BT <u>/O</u> verlo	ck 10 Tf 50 46
27	Oil removing efficiency in oil–water separation flotation column. Desalination and Water Treatment, 2015, 53, 2456-2463.	1.0	14
28	Separation of Oil from Wastewater by Coal Adsorption-Column Flotation. Separation Science and Technology, 2015, 50, 583-591.	2.5	20
29	Reducing Amine Aerosol Emissions from Carbon Capture Systems Using Colloidal Gas Aprons. Energy Procedia, 2014, 63, 951-956.	1.8	4
30	Experimental investigation and modeling of flotation column for treatment of oily wastewater. International Journal of Mining Science and Technology, 2013, 23, 665-668.	10.3	23
31	Cyclonic separation process intensification oil removal based on microbubble flotation. International Journal of Mining Science and Technology, 2013, 23, 415-422.	10.3	26
32	Cyclonic-static micro-bubble flotation column. Minerals Engineering, 2013, 45, 1-3.	4.3	73
33	Adsorption of oil from waste water by coal: characteristics and mechanism. Mining Science and Technology, 2010, 20, 778-781.	0.3	24
34	Separation of Oil from Wastewater by Column Flotation. Mining Science and Technology, 2007, 17, 546-577.	0.8	48
35	Removal of CO2 from high-temperature flue gas using PDMS/IL composite membranes. New Journal of Chemistry, 0, , .	2.8	0