

# Ciara McCabe

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/1775021/ciara-mccabe-publications-by-year.pdf>

**Version:** 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

43 papers	2,066 citations	24 h-index	45 g-index
48 ext. papers	2,325 ext. citations	4.6 avg, IF	5.26 L-index

#	Paper	IF	Citations
43	Development and validation of a new adolescent self-report scale to measure loss of interest and pleasure: The Anhedonia Scale for Adolescents. <i>Psychological Assessment</i> , <b>2021</b> , 33, 201-217	5.3	1
42	A qualitative study exploring adolescents' experience of brief behavioural activation for depression and its impact on the symptom of anhedonia. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , <b>2021</b> , 94, 266-288	3.5	1
41	Social reinforcement learning as a predictor of real-life experiences in individuals with high and low depressive symptomatology. <i>Psychological Medicine</i> , <b>2021</b> , 51, 408-415	6.9	4
40	Effects of serotonin and dopamine depletion on neural prediction computations during social learning. <i>Neuropsychopharmacology</i> , <b>2020</b> , 45, 1431-1437	8.7	1
39	Impaired social learning predicts reduced real-life motivation in individuals with depression: A computational fMRI study. <i>Journal of Affective Disorders</i> , <b>2020</b> , 263, 698-706	6.6	10
38	Understanding anhedonia: a qualitative study exploring loss of interest and pleasure in adolescent depression. <i>European Child and Adolescent Psychiatry</i> , <b>2020</b> , 29, 489-499	5.5	25
37	What Role Does the Prefrontal Cortex Play in the Processing of Negative and Positive Stimuli in Adolescent Depression?. <i>Brain Sciences</i> , <b>2019</b> , 9,	3.4	7
36	Can Understanding Reward Help Illuminate Anhedonia?. <i>Current Behavioral Neuroscience Reports</i> , <b>2019</b> , 6, 236-242	1.7	2
35	Dimensional anhedonia and the adolescent brain: reward and aversion anticipation, effort and consummation. <i>BJPsych Open</i> , <b>2019</b> , 5, e99	5	4
34	Linking anhedonia symptoms with behavioural and neural reward responses in adolescent depression. <i>Current Opinion in Behavioral Sciences</i> , <b>2018</b> , 22, 143-151	4	12
33	Anhedonia and depression severity dissociated by dmPFC resting-state functional connectivity in adolescents. <i>Journal of Psychopharmacology</i> , <b>2018</b> , 32, 1067-1074	4.6	30
32	Blunted neural response to anticipation, effort and consummation of reward and aversion in adolescents with depression symptomatology. <i>Journal of Psychopharmacology</i> , <b>2017</b> , 31, 303-311	4.6	32
31	Bupropion Administration Increases Resting-State Functional Connectivity in Dorso-Medial Prefrontal Cortex. <i>International Journal of Neuropsychopharmacology</i> , <b>2017</b> , 20, 455-462	5.8	9
30	Increased social anhedonia and reduced helping behaviour in young people with high depressive symptomatology. <i>Journal of Affective Disorders</i> , <b>2016</b> , 205, 372-377	6.6	22
29	Investigating the Predictive Value of Functional MRI to Appetitive and Aversive Stimuli: A Pattern Classification Approach. <i>PLoS ONE</i> , <b>2016</b> , 11, e0165295	3.7	1
28	Neural signals of intensity but not wanting or liking of rewards may be trait markers for depression. <i>Journal of Psychopharmacology</i> , <b>2016</b> , 30, 1020-7	4.6	9
27	Increased anticipatory but decreased consummatory brain responses to food in sisters of anorexia nervosa patients. <i>BJPsych Open</i> , <b>2016</b> , 2, 255-261	5	4

26	Decreased anticipated pleasure correlates with increased salience network resting state functional connectivity in adolescents with depressive symptomatology. <i>Journal of Psychiatric Research</i> , <b>2016</b> , 82, 40-7	5.2	24
25	Satiation attenuates BOLD activity in brain regions involved in reward and increases activity in dorsolateral prefrontal cortex: an fMRI study in healthy volunteers. <i>American Journal of Clinical Nutrition</i> , <b>2015</b> , 101, 697-704	7	44
24	The CB1 Neutral Antagonist Tetrahydrocannabivarin Reduces Default Mode Network and Increases Executive Control Network Resting State Functional Connectivity in Healthy Volunteers. <i>International Journal of Neuropsychopharmacology</i> , <b>2015</b> , 19,	5.8	22
23	Investigating subtypes of reward processing deficits as trait markers for depression. <i>Translational Developmental Psychiatry</i> , <b>2015</b> , 3, 27517		2
22	Neural effects of cannabinoid CB1 neutral antagonist tetrahydrocannabivarin on food reward and aversion in healthy volunteers. <i>International Journal of Neuropsychopharmacology</i> , <b>2014</b> , 18,	5.8	34
21	Opposing neural effects of naltrexone on food reward and aversion: implications for the treatment of obesity. <i>Psychopharmacology</i> , <b>2014</b> , 231, 4323-35	4.7	36
20	Increased resting state functional connectivity in the default mode network in recovered anorexia nervosa. <i>Human Brain Mapping</i> , <b>2014</b> , 35, 483-91	5.9	82
19	Effects of pramipexole on the processing of rewarding and aversive taste stimuli. <i>Psychopharmacology</i> , <b>2013</b> , 228, 283-90	4.7	12
18	Neural responses to emotional faces in women recovered from anorexia nervosa. <i>Psychiatry Research - Neuroimaging</i> , <b>2012</b> , 201, 190-5	2.9	29
17	Reply to: Punishing Food: What Brain Activity Can Tell Us About the Representation of Food in Recovered Anorexia Nervosa. <i>Biological Psychiatry</i> , <b>2012</b> , 71, e33	7.9	
16	Neural processing of reward and punishment in young people at increased familial risk of depression. <i>Biological Psychiatry</i> , <b>2012</b> , 72, 588-94	7.9	122
15	Serotonergic activity influences the cognitive appraisal of close intimate relationships in healthy adults. <i>Biological Psychiatry</i> , <b>2011</b> , 69, 720-5	7.9	24
14	Increased neural processing of rewarding and aversive food stimuli in recovered anorexia nervosa. <i>Biological Psychiatry</i> , <b>2011</b> , 70, 736-743	7.9	164
13	Antidepressant medications reduce subcortical-cortical resting-state functional connectivity in healthy volunteers. <i>NeuroImage</i> , <b>2011</b> , 57, 1317-23	7.9	155
12	The D2 antagonist sulpiride modulates the neural processing of both rewarding and aversive stimuli in healthy volunteers. <i>Psychopharmacology</i> , <b>2011</b> , 217, 271-8	4.7	35
11	Diminished neural processing of aversive and rewarding stimuli during selective serotonin reuptake inhibitor treatment. <i>Biological Psychiatry</i> , <b>2010</b> , 67, 439-45	7.9	226
10	Reduced neural response to reward following 7 days treatment with the cannabinoid CB1 antagonist rimonabant in healthy volunteers. <i>International Journal of Neuropsychopharmacology</i> , <b>2010</b> , 13, 1103-13	5.8	67
9	NK1 receptor antagonism and the neural processing of emotional information in healthy volunteers. <i>International Journal of Neuropsychopharmacology</i> , <b>2009</b> , 12, 1261-74	5.8	26

8	Neural representation of reward in recovered depressed patients. <i>Psychopharmacology</i> , <b>2009</b> , 205, 667-777	4.7	197
7	Cognitive influences on the affective representation of touch and the sight of touch in the human brain. <i>Social Cognitive and Affective Neuroscience</i> , <b>2008</b> , 3, 97-108	4	172
6	Umami: a delicious flavor formed by convergence of taste and olfactory pathways in the human brain. <i>European Journal of Neuroscience</i> , <b>2007</b> , 25, 1855-64	3.5	168
5	Enhanced affective brain representations of chocolate in cravers vs. non-cravers. <i>European Journal of Neuroscience</i> , <b>2007</b> , 26, 1067-76	3.5	143
4	Assessment of the relative reinforcing strength of cocaine in socially housed monkeys using a choice procedure. <i>Journal of Pharmacology and Experimental Therapeutics</i> , <b>2005</b> , 312, 96-102	4.7	49
3	Effects of drugs that potentiate GABA on extinction of positively-reinforced operant behaviour. <i>Neuroscience and Biobehavioral Reviews</i> , <b>2004</b> , 28, 229-38	9	24
2	Subtype-selective GABAergic drugs facilitate extinction of mouse operant behaviour. <i>Neuropharmacology</i> , <b>2004</b> , 46, 171-8	5.5	30
1	Social Reinforcement Learning as a Predictor of Real-Life Experiences in Individuals with High and Low Depressive Symptomatology		4