

# Hyosung An

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1777754/publications.pdf>

Version: 2024-02-01

121  
papers

6,160  
citations

66343

42  
h-index

76900

74  
g-index

124  
all docs

124  
docs citations

124  
times ranked

7174  
citing authors

#	ARTICLE	IF	CITATIONS
1	A practical guide to quartz crystal microbalance with dissipation monitoring of thin polymer films. <i>Journal of Polymer Science</i> , 2022, 60, 1090-1107.	3.8	76
2	Experimental determination of the compressive piezoresistive response of a free-standing film with application to reduced graphene oxide. <i>Journal of Applied Physics</i> , 2022, 131, .	2.5	2
3	Mechanism and performance relevance of nanomorphogenesis in polyamide films revealed by quantitative 3D imaging and machine learning. <i>Science Advances</i> , 2022, 8, eabk1888.	10.3	22
4	Effect of Ethanol and Urea as Solvent Additives on PSSâ€“PDADMA Polyelectrolyte Complexation. <i>Macromolecules</i> , 2022, 55, 3140-3150.	4.8	11
5	Anion Identity and Time Scale Affect the Cation Insertion Energy Storage Mechanism in Ti <sub>3</sub> C <sub>2</sub> T <sub>x</sub> MXene Multilayers. <i>ACS Energy Letters</i> , 2022, 7, 1828-1834.	17.4	4
6	Quantification of Waterâ€“Ion Pair Interactions in Polyelectrolyte Multilayers Using a Quartz Crystal Microbalance Method. <i>ACS Polymers Au</i> , 2022, 2, 287-298.	4.1	5
7	Chiral emergence in multistep hierarchical assembly of achiral conjugated polymers. <i>Nature Communications</i> , 2022, 13, 2738.	12.8	20
8	Conformal Layer-by-Layer Assembly of Ti <sub>3</sub> C <sub>2</sub> T <sub>z</sub> MXene-Only Thin Films for Optoelectronics and Energy Storage. <i>Chemistry of Materials</i> , 2022, 34, 4884-4895.	6.7	14
9	The Role of Antioxidant Structure in Mitigating Oxidation in Ti <sub>3</sub> C <sub>2</sub> T <sub>x</sub> and Ti <sub>2</sub> CT <sub>x</sub> MXenes. <i>Advanced Materials Interfaces</i> , 2022, 9, .	3.7	16
10	Ionic Effect on Electrochemical Behavior of Water-Soluble Radical Polyelectrolytes. <i>Macromolecules</i> , 2022, 55, 5733-5743.	4.8	5
11	Unravelling kinetic and mass transport effects on two-electron storage in radical polymer batteries. <i>Journal of Materials Chemistry A</i> , 2021, 9, 13071-13079.	10.3	21
12	One-step hydrothermal synthesis of porous Ti <sub>3</sub> C <sub>2</sub> T <sub>z</sub> MXene/rGO gels for supercapacitor applications. <i>Nanoscale</i> , 2021, 13, 16543-16553.	5.6	36
13	Flocculation of MXenes and Their Use as 2D Particle Surfactants for Capsule Formation. <i>Langmuir</i> , 2021, 37, 2649-2657.	3.5	17
14	Layer-by-Layer Assembly of Reduced Graphene Oxide and MXene Nanosheets for Wire-Shaped Flexible Supercapacitors. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 14068-14076.	8.0	74
15	Polypeptide organic radical batteries. <i>Nature</i> , 2021, 593, 61-66.	27.8	195
16	Oxidative Stability of Nb <sub>n</sub> +1C <sub>n</sub> T <sub>z</sub> MXenes. <i>Journal of Physical Chemistry C</i> , 2021, 125, 13990-13996.	3.1	21
17	Structural Lithium-Ion Battery Cathodes and Anodes Based on Branched Aramid Nanofibers. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 34807-34817.	8.0	17
18	Relaxation Times of Solid-like Polyelectrolyte Complexes of Varying pH and Water Content. <i>Macromolecules</i> , 2021, 54, 7765-7776.	4.8	14

#	ARTICLE	IF	CITATIONS
19	Electronic and Optical Property Control of Polycation/MXene Layer-by-Layer Assemblies with Chemically Diverse MXenes. <i>Langmuir</i> , 2021, 37, 11338-11350.	3.5	19
20	Synthesis and Electronic Applications of Particle-Templated $\text{Ti}_3\text{C}_2\text{T}_z$ MXene/Polymer Films via Pickering Emulsion Polymerization. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 51556-51566.	8.0	21
21	Carbon Additive-Free Crumpled $\text{Ti}_3\text{C}_2\text{T}_x$ MXene-Encapsulated Silicon Nanoparticle Anodes for Lithium-Ion Batteries. <i>ACS Applied Energy Materials</i> , 2021, 4, 10762-10773.	5.1	20
22	Water-dispersible $\text{Ti}_3\text{C}_2\text{T}_z$ MXene nanosheets by molten salt etching. <i>IScience</i> , 2021, 24, 103403.	4.1	60
23	Polymer-Peptide Conjugates Convert Amyloid into Protein Nanobundles through Fragmentation and Lateral Association. <i>ACS Applied Nano Materials</i> , 2020, 3, 937-945.	5.0	11
24	Aramid nanofiber-reinforced three-dimensional graphene hydrogels for supercapacitor electrodes. <i>Journal of Colloid and Interface Science</i> , 2020, 560, 581-588.	9.4	38
25	pH-Response of polycation/ $\text{Ti}_3\text{C}_2\text{T}_x$ MXene layer-by-layer assemblies for use as resistive sensors. <i>Molecular Systems Design and Engineering</i> , 2020, 5, 366-375.	3.4	24
26	Charting the quantitative relationship between two-dimensional morphology parameters of polyamide membranes and synthesis conditions. <i>Molecular Systems Design and Engineering</i> , 2020, 5, 102-109.	3.4	8
27	Emerging trends in the dynamics of polyelectrolyte complexes. <i>Physical Chemistry Chemical Physics</i> , 2020, 22, 24157-24177.	2.8	41
28	Annealed $\text{Ti}_3\text{C}_2\text{T}_z$ MXene Films for Oxidation-Resistant Functional Coatings. <i>ACS Applied Nano Materials</i> , 2020, 3, 10578-10585.	5.0	49
29	Carbon Nanotube/Reduced Graphene Oxide/Aramid Nanofiber Structural Supercapacitors. <i>ACS Applied Energy Materials</i> , 2020, 3, 11763-11771.	5.1	23
30	Branched aramid nanofiber-polyaniline electrodes for structural energy storage. <i>Nanoscale</i> , 2020, 12, 16840-16850.	5.6	21
31	A Diverse View of Science to Catalyse Change. <i>Journal of the American Chemical Society</i> , 2020, 142, 14393-14396.	13.7	12
32	A diverse view of science to catalyse change. <i>Nature Chemistry</i> , 2020, 12, 773-776.	13.6	18
33	A diverse view of science to catalyse change. <i>Chemical Science</i> , 2020, 11, 9043-9047.	7.4	4
34	Nitroxide Radical Polymer-Solvent Interactions and Solubility Parameter Determination. <i>Macromolecules</i> , 2020, 53, 7997-8008.	4.8	17
35	Quantifying internal charge transfer and mixed ion-electron transfer in conjugated radical polymers. <i>Chemical Science</i> , 2020, 11, 9962-9970.	7.4	13
36	Minimizing two-dimensional $\text{Ti}_3\text{C}_2\text{T}_x$ MXene nanosheet loading in carbon-free silicon anodes. <i>Nanoscale</i> , 2020, 12, 20699-20709.	5.6	18

#	ARTICLE	IF	CITATIONS
37	A Diverse View of Science to Catalyse Change. Angewandte Chemie, 2020, 132, 18462-18466.	2.0	2
38	pH, Nanosheet Concentration, and Antioxidant Affect the Oxidation of $\text{Ti}_3\text{C}_2\text{Tx}$ and $\text{Ti}_2\text{CTx}$ MXene Dispersions. Advanced Materials Interfaces, 2020, 7, 2000845.	3.7	99
39	Imaging how thermal capillary waves and anisotropic interfacial stiffness shape nanoparticle supracrystals. Nature Communications, 2020, 11, 4555.	12.8	19
40	A Diverse View of Science to Catalyse Change. Angewandte Chemie - International Edition, 2020, 59, 18306-18310.	13.8	7
41	Structural batteries take a load off. Science Robotics, 2020, 5, .	17.6	15
42	A diverse view of science to catalyse change. Croatica Chemica Acta, 2020, 93, 77-81.	0.4	2
43	High Modulus, Thermally Stable, and Self-Extinguishing Aramid Nanofiber Separators. ACS Applied Materials & Interfaces, 2020, 12, 25756-25766.	8.0	71
44	Tannic Acid as a Small-Molecule Binder for Silicon Anodes. ACS Applied Energy Materials, 2020, 3, 6985-6994.	5.1	33
45	Layer-by-layer assembly of polymers and anisotropic nanomaterials using spray-based approach. Journal of Materials Research, 2020, 35, 1163-1172.	2.6	7
46	Structural reduced graphene oxide supercapacitors mechanically enhanced with tannic acid. Sustainable Energy and Fuels, 2020, 4, 2301-2308.	4.9	18
47	100th Anniversary of Macromolecular Science Viewpoint: Fundamentals for the Future of Macromolecular Nitroxide Radicals. ACS Macro Letters, 2020, 9, 358-370.	4.8	47
48	Solution-Processable Thermally Crosslinked Organic Radical Polymer Battery Cathodes. ChemSusChem, 2020, 13, 2371-2378.	6.8	46
49	Multifunctional efficiency metric for structural supercapacitors. Multifunctional Materials, 2020, 3, 044002.	3.7	3
50	Fourier transform infrared spectroscopy investigation of water microenvironments in polyelectrolyte multilayers at varying temperatures. Soft Matter, 2020, 16, 2291-2300.	2.7	22
51	A diverse view of science to catalyse change: valuing diversity leads to scientific excellence, the progress of science and, most importantly, it is simply the right thing to do. We must value diversity not only in words, but also in actions. Canadian Journal of Chemistry, 2020, 98, 597-600.	1.1	2
52	Self-Doped Conjugated Polymeric Binders Improve the Capacity and Mechanical Properties of V <sub>2</sub> O <sub>5</sub> Cathodes. Polymers, 2019, 11, 589.	4.5	7
53	Fabrication, characterization and micromechanics modeling of the electrical conductivity of reduced graphene oxide/aramid nanofiber nanocomposites. Smart Materials and Structures, 2019, 28, 094001.	3.5	9
54	Heating of $\text{Ti}_3\text{C}_2\text{Tx}$ MXene/polymer composites in response to Radio Frequency fields. Scientific Reports, 2019, 9, 16489.	3.3	32

#	ARTICLE	IF	CITATIONS
55	Highly Multifunctional Dopamine-Functionalized Reduced Graphene Oxide Supercapacitors. <i>Matter</i> , 2019, 1, 1532-1546.	10.0	66
56	Lightweight Kevlarâ€Reinforced Graphene Oxide Architectures with High Strength for Energy Storage. <i>Advanced Materials Interfaces</i> , 2019, 6, 1900786.	3.7	14
57	Interfacial Engineering of Reduced Graphene Oxide for Aramid Nanofiberâ€Enabled Structural Supercapacitors. <i>Batteries and Supercaps</i> , 2019, 2, 464-472.	4.7	29
58	Layer-by-Layer Assembly and Electrochemical Study of Alizarin Red S-Based Thin Films. <i>Polymers</i> , 2019, 11, 165.	4.5	7
59	Unraveling the Morphologyâ€Function Relationships of Polyamide Membranes Using Quantitative Electron Tomography. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 8517-8526.	8.0	53
60	Effects of Particle Size on Mg <sup>2+</sup> Ion Intercalation into $\lambda$ -MnO <sub>2</sub> Cathode Materials. <i>Nano Letters</i> , 2019, 19, 4712-4720.	9.1	41
61	Antioxidants Unlock Shelf-Stable Ti <sub>3</sub> C <sub>2</sub> T (MXene) Nanosheet Dispersions. <i>Matter</i> , 2019, 1, 513-526.	10.0	436
62	Poly(fluorene- <i>alt</i> -naphthalene diimide) as n-Type Polymer Electrodes for Energy Storage. <i>ACS Applied Polymer Materials</i> , 2019, 1, 1155-1164.	4.4	27
63	Timeâ€Temperature and Timeâ€Water Superposition Principles Applied to Poly(allylamine)/Poly(acrylic) Tj ETQq1,1,0.784314 rgBT /O	4.8	61
64	Design of multifunctional supercapacitor electrodes using an informatics approach. <i>Molecular Systems Design and Engineering</i> , 2019, 4, 654-663.	3.4	17
65	Oxidation stability of Ti <sub>3</sub> C <sub>2</sub> T <sub>x</sub> MXene nanosheets in solvents and composite films. <i>Npj 2D Materials and Applications</i> , 2019, 3, .	7.9	312
66	Layer-by-Layer Assembly of Polyaniline Nanofibers and MXene Thin-Film Electrodes for Electrochemical Energy Storage. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 47929-47938.	8.0	38
67	Micromechanics modeling of the elastic moduli of rGO/ANF nanocomposites. <i>Acta Mechanica</i> , 2019, 230, 265-280.	2.1	10
68	Real-time insight into the doping mechanism of redox-active organic radical polymers. <i>Nature Materials</i> , 2019, 18, 69-75.	27.5	140
69	Water Sorption in MXene/Polyelectrolyte Multilayers for Ultrafast Humidity Sensing. <i>ACS Applied Nano Materials</i> , 2019, 2, 948-955.	5.0	173
70	Process Safety Analysis for Ti <sub>3</sub> C <sub>2</sub> T <sub>x</sub> MXene Synthesis and Processing. <i>Industrial &amp; Engineering Chemistry Research</i> , 2019, 58, 1570-1579.	3.7	89
71	Surface-agnostic highly stretchable and bendable conductive MXene multilayers. <i>Science Advances</i> , 2018, 4, eaaq0118.	10.3	229
72	Molecular Origin of the Glass Transition in Polyelectrolyte Assemblies. <i>ACS Central Science</i> , 2018, 4, 638-644.	11.3	100

#	ARTICLE	IF	CITATIONS
73	Layer-by-layer nanostructured supercapacitor electrodes consisting of ZnO nanoparticles and multi-walled carbon nanotubes. <i>Journal of Materials Science</i> , 2018, 53, 6719-6728.	3.7	26
74	Porous organic/inorganic hybrid one-dimensional photonic crystals for rapid visual detection of organic solvents. <i>Journal of Materials Chemistry C</i> , 2018, 6, 2704-2711.	5.5	48
75	Effect of assembly condition on the morphologies and temperature-triggered transformation of layer-by-layer microtubes. <i>Korean Journal of Chemical Engineering</i> , 2018, 35, 263-271.	2.7	5
76	Corrosion behaviour of eco-friendly airbrushed reduced graphene oxide-poly(vinyl alcohol) coatings. <i>Green Chemistry</i> , 2018, 20, 506-514.	9.0	46
77	Polymer-clay nanocomposite coatings as efficient, environment-friendly surface pretreatments for aluminum alloy 2024-T3. <i>Electrochimica Acta</i> , 2018, 260, 73-81.	5.2	27
78	Hydration and Temperature Response of Water Mobility in Poly(diallyldimethylammonium)â€“Poly(sodium 4-styrenesulfonate) Complexes. <i>Macromolecules</i> , 2018, 51, 8268-8277.	4.8	49
79	Regioregularity and Molecular Weight Effects in Redox-Active Poly(3-hexylthiophene)- <i>block</i> -poly(ethylene oxide) Electrode Binders. <i>ACS Applied Energy Materials</i> , 2018, 1, 5919-5927.	5.1	7
80	Effect of Nanorod Aspect Ratio on Shear Thickening Electrolytes for Safety-Enhanced Batteries. <i>ACS Applied Nano Materials</i> , 2018, 1, 2774-2784.	5.0	24
81	Electrochemical Energy Storage in Poly(dithieno[3,2-b:2'3'-d]pyrrole) Bearing Pendant Nitroxide Radicals. <i>Chemistry of Materials</i> , 2018, 30, 5169-5174.	6.7	40
82	Comparison of KBr and NaCl effects on the glass transition temperature of hydrated layer-by-layer assemblies. <i>Journal of Chemical Physics</i> , 2018, 149, 163317.	3.0	9
83	Fabrication and Electrochemical Performance of Structured Mesoscale Open Shell $V_{2}O_{5}$ Networks. <i>Langmuir</i> , 2017, 33, 5975-5981.	3.5	11
84	Robust and Flexible Aramid Nanofiber/Graphene Layer-by-Layer Electrodes. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 17125-17135.	8.0	94
85	Unusual Internal Electron Transfer in Conjugated Radical Polymers. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 9856-9859.	13.8	45
86	Spray-On Polymer-Clay Multilayers as a Superior Anticorrosion Metal Pretreatment. <i>Macromolecular Materials and Engineering</i> , 2017, 302, 1600552.	3.6	11
87	Scalable Synthesis and Multiâ€“Electron Transfer of Aniline/Fluorene Copolymer for Solutionâ€“Processable Battery Cathodes. <i>Macromolecular Rapid Communications</i> , 2017, 38, 1700067.	3.9	9
88	Waterâ€“Based Assembly of Polymerâ€“Metal Organic Framework (MOF) Functional Coatings. <i>Advanced Materials Interfaces</i> , 2017, 4, 1600905.	3.7	13
89	Role of Salt and Water in the Plasticization of PDAC/PSS Polyelectrolyte Assemblies. <i>Journal of Physical Chemistry B</i> , 2017, 121, 322-333.	2.6	72
90	Harnessing the Power of Plastics: Nanostructured Polymer Systems in Lithium-Ion Batteries. <i>ACS Energy Letters</i> , 2017, 2, 1919-1936.	17.4	77

#	ARTICLE	IF	CITATIONS
91	All nanoparticle-based P(MMA- <i>co</i> -AA)/TiO <sub>2</sub> one-dimensional photonic crystal films with tunable structural colors. <i>Journal of Materials Chemistry C</i> , 2017, 5, 8266-8272.	5.5	30
92	Unusual Internal Electron Transfer in Conjugated Radical Polymers. <i>Angewandte Chemie</i> , 2017, 129, 9988-9991.	2.0	15
93	Mechanically Strong Graphene/Aramid Nanofiber Composite Electrodes for Structural Energy and Power. <i>ACS Nano</i> , 2017, 11, 6682-6690.	14.6	190
94	Hydrogen-bonded polymer nanocomposites containing discrete layers of gold nanoparticles. <i>Journal of Colloid and Interface Science</i> , 2017, 485, 260-268.	9.4	18
95	Conducting Block Copolymer Binders for Carbon-Free Hybrid Vanadium Pentoxide Cathodes with Enhanced Performance. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 28585-28591.	8.0	26
96	Confinement-Induced Supercriticality and Phase Equilibria of Hydrocarbons in Nanopores. <i>Langmuir</i> , 2016, 32, 11506-11513.	3.5	85
97	Effect of confinement on the bubble points of hydrocarbons in nanoporous media. <i>AIChE Journal</i> , 2016, 62, 1772-1780.	3.6	89
98	Electropolymerized Polythiophenes Bearing Pendant Nitroxide Radicals. <i>ACS Macro Letters</i> , 2016, 5, 337-341.	4.8	46
99	Highly Flexible Self-Assembled V <sub>2</sub> O <sub>5</sub> Cathodes Enabled by Conducting Diblock Copolymers. <i>Scientific Reports</i> , 2015, 5, 14166.	3.3	31
100	Sprayable, paintable layer-by-layer polyaniline nanofiber/graphene electrodes. <i>RSC Advances</i> , 2015, 5, 14994-15001.	3.6	29
101	Spray-On Polyaniline/Poly(acrylic acid) Electrodes with Enhanced Electrochemical Stability. <i>ACS Applied Materials &amp; Interfaces</i> , 2015, 7, 24150-24158.	8.0	29
102	Thermal Transitions in Polyelectrolyte Assemblies Occur via a Dehydration Mechanism. <i>ACS Macro Letters</i> , 2015, 4, 1017-1021.	4.8	46
103	Polyaniline nanofiber/electrochemically reduced graphene oxide layer-by-layer electrodes for electrochemical energy storage. <i>Journal of Materials Chemistry A</i> , 2015, 3, 3757-3767.	10.3	72
104	Promotion of strongly anchored dyes on the surface of titania by tetraethyl orthosilicate treatment for enhanced solar cell performance. <i>Journal of Materials Chemistry A</i> , 2014, 2, 2250-2255.	10.3	11
105	Polyaniline nanofiber/vanadium pentoxide sprayed layer-by-layer electrodes for energy storage. <i>Journal of Materials Chemistry A</i> , 2014, 2, 14421-14428.	10.3	30
106	Densely Packed Siloxane Barrier for Blocking Electron Recombination in Dye-Sensitized Solar Cells. <i>ACS Applied Materials &amp; Interfaces</i> , 2014, 6, 12422-12428.	8.0	8
107	Crystallization and orientation of isotactic poly(propylene) in cylindrical nanopores. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2014, 52, 1412-1419.	2.1	13
108	A protective layer approach to solvatochromic sensors. <i>Nature Communications</i> , 2013, 4, 2461.	12.8	136

#	ARTICLE	IF	CITATIONS
109	Electrochemically Active Polymers for Electrochemical Energy Storage: Opportunities and Challenges. ACS Macro Letters, 2013, 2, 839-844.	4.8	86
110	Porous polyaniline nanofiber/vanadium pentoxide layer-by-layer electrodes for energy storage. Journal of Materials Chemistry A, 2013, 1, 7648.	10.3	46
111	Recent advances in conjugated polymer energy storage. Journal of Polymer Science, Part B: Polymer Physics, 2013, 51, 468-480.	2.1	175
112	Oxidatively stable polyaniline:polyacid electrodes for electrochemical energy storage. Physical Chemistry Chemical Physics, 2013, 15, 9654.	2.8	82
113	Polyaniline/Vanadium Pentoxide Layer-by-Layer Electrodes for Energy Storage. Chemistry of Materials, 2012, 24, 181-189.	6.7	97
114	Inkjet Printing of Conjugated Polymer Precursors on Paper Substrates for Colorimetric Sensing and Flexible Electrothermochromic Display. Advanced Materials, 2011, 23, 5492-5497.	21.0	231
115	Quasi-Solid State Electrolytes Based on Nonionic Surfactant-PEGDME Composites for Dye-Sensitized Solar Cells. Bulletin of the Korean Chemical Society, 2011, 32, 3555-3556.	1.9	0
116	Effect of the Layer-by-Layer (LbL) Deposition Method on the Surface Morphology and Wetting Behavior of Hydrophobically Modified PEO and PAA LbL Films. Langmuir, 2008, 24, 7995-8000.	3.5	95
117	Electrochemically enabled polyelectrolyte multilayer devices: from fuel cells to sensors. Soft Matter, 2007, 3, 804.	2.7	245
118	Anisotropic Structure and Transport in Self-Assembled Layered Polymer~Clay Nanocomposites. Langmuir, 2007, 23, 8515-8521.	3.5	70
119	Development of Surface Morphology in Multilayered Films Prepared by Layer-by-Layer Deposition Using Poly(acrylic acid) and Hydrophobically Modified Poly(ethylene oxide). Macromolecules, 2007, 40, 4028-4036.	4.8	31
120	Elastomeric Flexible Free-Standing Hydrogen-Bonded Nanoscale Assemblies. Journal of the American Chemical Society, 2005, 127, 17228-17234.	13.7	214
121	Dye Sensitized Solar Cells Incorporating Polyelectrolyte Multilayer Composites. Materials Research Society Symposia Proceedings, 2004, 836, L1.5.1.	0.1	0