

# Zhanglin Zhang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1778654/publications.pdf>

Version: 2024-02-01

12  
papers

129  
citations

1478505

6  
h-index

1281871

11  
g-index

12  
all docs

12  
docs citations

12  
times ranked

150  
citing authors

#	ARTICLE	IF	CITATIONS
1	Curcumin activates NLRC4, AIM2, and IFI16 inflammasomes and induces pyroptosis by up-regulated ISG3 transcript factor in acute myeloid leukemia cell lines. <i>Cancer Biology and Therapy</i> , 2022, 23, 328-335.	3.4	15
2	Downregulation of miR-142a Contributes to the Enhanced Anti-Apoptotic Ability of Murine Chronic Myelogenous Leukemia Cells. <i>Frontiers in Oncology</i> , 2021, 11, 718731.	2.8	4
3	CREM Is Correlated With Immune-Suppressive Microenvironment and Predicts Poor Prognosis in Gastric Adenocarcinoma. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 697748.	3.7	9
4	Acute myeloid leukemia with a novel CPSF6â€RARG variant is sensitive to homoharringtonine and cytarabine chemotherapy. <i>American Journal of Hematology</i> , 2020, 95, E48-E51.	4.1	19
5	Identification of a new cryptic PML-RARÎ± fusion gene without t(15;17) and biallelic CEBPA mutation in a case of acute promyelocytic leukemia: a case detected only by RT-PCR but not cytogenetics and FISH. <i>Cancer Biology and Therapy</i> , 2020, 21, 309-314.	3.4	4
6	Overexpression of IFIT2 inhibits the proliferation of chronic myeloid leukemia cells by regulating the BCRâ€ABL/AKT/mTOR pathway. <i>International Journal of Molecular Medicine</i> , 2020, 45, 1187-1194.	4.0	5
7	Heterogeneous BCR-ABL1 signal patterns identified by fluorescence in situ hybridization are associated with leukemic clonal evolution and poorer prognosis in BCR-ABL1 positive leukemia. <i>BMC Cancer</i> , 2019, 19, 935.	2.6	6
8	Adenylate cyclase 7 regulated by miR-192 promotes ATRA-induced differentiation of acute promyelocytic leukemia cells. <i>Biochemical and Biophysical Research Communications</i> , 2018, 506, 543-547.	2.1	9
9	Haemophagocytic lymphohistiocytosis occurred during induction chemotherapy in an acute monocytic leukemia patient with FLT3-ITD and DNMT3A mutations. <i>BMC Cancer</i> , 2018, 18, 604.	2.6	2
10	Inhibition of CRL-NEDD8 pathway as a new approach to enhance ATRA-induced differentiation of acute promyelocytic leukemia cells. <i>International Journal of Medical Sciences</i> , 2018, 15, 674-681.	2.5	7
11	Curcumin induces apoptosis in human leukemic cell lines through an IFIT2-dependent pathway. <i>Cancer Biology and Therapy</i> , 2017, 18, 43-50.	3.4	26
12	Inhibition of Proteasome Activity Induces Aggregation of IFIT2 in the Centrosome and Enhances IFIT2-Induced Cell Apoptosis. <i>International Journal of Biological Sciences</i> , 2017, 13, 383-390.	6.4	23