

Maria Ruzzene

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1779018/maria-ruzzene-publications-by-citations.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

110 papers	5,237 citations	37 h-index	70 g-index
114 ext. papers	5,782 ext. citations	5.4 avg, IF	5.33 L-index

#	Paper	IF	Citations
110	How do protein kinases recognize their substrates?. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1996 , 1314, 191-225	4.9	362
109	Selectivity of 4,5,6,7-tetrabromobenzotriazole, an ATP site-directed inhibitor of protein kinase CK2 (Casein kinase-2). <i>FEBS Letters</i> , 2001 , 496, 44-8	3.8	290
108	Addiction to protein kinase CK2: a common denominator of diverse cancer cells?. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2010 , 1804, 499-504	4	253
107	Protein kinase CK2 phosphorylates and upregulates Akt/PKB. <i>Cell Death and Differentiation</i> , 2005 , 12, 668-77	12.7	244
106	Different susceptibility of protein kinases to staurosporine inhibition. Kinetic studies and molecular bases for the resistance of protein kinase CK2. <i>FEBS Journal</i> , 1995 , 234, 317-22		222
105	Protein kinase CK2 inhibitor 4,5,6,7-tetrabromobenzotriazole (TBB) induces apoptosis and caspase-dependent degradation of haematopoietic lineage cell-specific protein 1 (HS1) in Jurkat cells. <i>Biochemical Journal</i> , 2002 , 364, 41-7	3.8	200
104	The selectivity of inhibitors of protein kinase CK2: an update. <i>Biochemical Journal</i> , 2008 , 415, 353-65	3.8	193
103	2-Dimethylamino-4,5,6,7-tetrabromo-1H-benzimidazole: a novel powerful and selective inhibitor of protein kinase CK2. <i>Biochemical and Biophysical Research Communications</i> , 2004 , 321, 1040-4	3.4	160
102	Optimization of protein kinase CK2 inhibitors derived from 4,5,6,7-tetrabromobenzimidazole. <i>Journal of Medicinal Chemistry</i> , 2004 , 47, 6239-47	8.3	151
101	Salicylic acid activates nitric oxide synthesis in Arabidopsis. <i>Journal of Experimental Botany</i> , 2007 , 58, 1397-405	7	145
100	Quinalizarin as a potent, selective and cell-permeable inhibitor of protein kinase CK2. <i>Biochemical Journal</i> , 2009 , 421, 387-95	3.8	127
99	Biochemical and three-dimensional-structural study of the specific inhibition of protein kinase CK2 by [5-oxo-5,6-dihydroindolo-(1,2-a)quinazolin-7-yl]acetic acid (IQA). <i>Biochemical Journal</i> , 2003 , 374, 639-46	3.8	127
98	pLG72 modulates intracellular D-serine levels through its interaction with D-amino acid oxidase: effect on schizophrenia susceptibility. <i>Journal of Biological Chemistry</i> , 2008 , 283, 22244-56	5.4	123
97	Multiple myeloma cell survival relies on high activity of protein kinase CK2. <i>Blood</i> , 2006 , 108, 1698-707	2.2	113
96	Tetrabromocinnamic acid (TBCA) and related compounds represent a new class of specific protein kinase CK2 inhibitors. <i>ChemBioChem</i> , 2007 , 8, 129-39	3.8	104
95	Development and exploitation of CK2 inhibitors. <i>Molecular and Cellular Biochemistry</i> , 2005 , 274, 69-76	4.2	83
94	Inhibition of protein kinase CK2 by condensed polyphenolic derivatives. An in vitro and in vivo study. <i>Biochemistry</i> , 2004 , 43, 12931-6	3.2	82

93	Protein kinase CK2 in hematologic malignancies: reliance on a pivotal cell survival regulator by oncogenic signaling pathways. <i>Leukemia</i> , 2012 , 26, 1174-9	10.7	80
92	Pharmacological inhibition of protein kinase CK2 reverts the multidrug resistance phenotype of a CEM cell line characterized by high CK2 level. <i>Oncogene</i> , 2007 , 26, 6915-26	9.2	77
91	Casein kinase: the triple meaning of a misnomer. <i>Biochemical Journal</i> , 2014 , 460, 141-56	3.8	76
90	Dephosphorylation of phosphopeptides by calcineurin (protein phosphatase 2B). <i>FEBS Journal</i> , 1994 , 219, 109-17		68
89	Site specificity of p72syk protein tyrosine kinase: efficient phosphorylation of motifs recognized by Src homology 2 domains of the Src family. <i>FEBS Letters</i> , 1995 , 367, 149-52	3.8	66
88	Lamin A Ser404 is a nuclear target of Akt phosphorylation in C2C12 cells. <i>Journal of Proteome Research</i> , 2008 , 7, 4727-35	5.6	64
87	Phosphatidylinositol 3-kinase is recruited to a specific site in the activated IL-1 receptor I. <i>FEBS Letters</i> , 1998 , 438, 49-54	3.8	62
86	Protein kinase CK2 protects multiple myeloma cells from ER stress-induced apoptosis and from the cytotoxic effect of HSP90 inhibition through regulation of the unfolded protein response. <i>Clinical Cancer Research</i> , 2012 , 18, 1888-900	12.9	61
85	The yeast cyclin-dependent kinase inhibitor Sic1 and mammalian p27Kip1 are functional homologues with a structurally conserved inhibitory domain. <i>Biochemical Journal</i> , 2005 , 387, 639-47	3.8	60
84	Analysis of the interaction between piD261/Bud32, an evolutionarily conserved protein kinase of <i>Saccharomyces cerevisiae</i> , and the Grx4 glutaredoxin. <i>Biochemical Journal</i> , 2004 , 377, 395-405	3.8	55
83	Therapeutic targeting of CK2 in acute and chronic leukemias. <i>Leukemia</i> , 2018 , 32, 1-10	10.7	53
82	Dephosphorylation and inactivation of Akt/PKB is counteracted by protein kinase CK2 in HEK 293T cells. <i>Cellular and Molecular Life Sciences</i> , 2009 , 66, 3363-73	10.3	52
81	Specificity of T-cell protein tyrosine phosphatase toward phosphorylated synthetic peptides. <i>FEBS Journal</i> , 1993 , 211, 289-95		52
80	SH2 domains mediate the sequential phosphorylation of HS1 protein by p72syk and Src-related protein tyrosine kinases. <i>Biochemistry</i> , 1996 , 35, 5327-32	3.2	51
79	Tyrosine phosphorylation of protein kinase CK2 by Src-related tyrosine kinases correlates with increased catalytic activity. <i>Biochemical Journal</i> , 2003 , 372, 841-9	3.8	42
78	Role of protein kinase CK2 in antitumor drug resistance. <i>Journal of Experimental and Clinical Cancer Research</i> , 2019 , 38, 287	12.8	40
77	Effects of the CK2 inhibitors CX-4945 and CX-5011 on drug-resistant cells. <i>PLoS ONE</i> , 2012 , 7, e49193	3.7	39
76	Pyrvinium pamoate does not activate protein kinase CK1, but promotes Akt/PKB down-regulation and GSK3 activation. <i>Biochemical Journal</i> , 2013 , 452, 131-7	3.8	38

75	Functional protein network activation mapping reveals new potential molecular drug targets for poor prognosis pediatric BCP-ALL. <i>PLoS ONE</i> , 2010 , 5, e13552	3.7	38
74	Isolation from spleen of a 57-kDa protein substrate of the tyrosine kinase Lyn. Identification as a protein related to protein disulfide-isomerase and localisation of the phosphorylation sites. <i>FEBS Journal</i> , 1996 , 235, 18-25		38
73	Enhancing chemosensitivity to gemcitabine via RNA interference targeting the catalytic subunits of protein kinase CK2 in human pancreatic cancer cells. <i>BMC Cancer</i> , 2010 , 10, 440	4.8	37
72	Cell-permeable dual inhibitors of protein kinases CK2 and PIM-1: structural features and pharmacological potential. <i>Cellular and Molecular Life Sciences</i> , 2014 , 71, 3173-85	10.3	36
71	Inhibition of protein kinase CK2 with the clinical-grade small ATP-competitive compound CX-4945 or by RNA interference unveils its role in acute myeloid leukemia cell survival, p53-dependent apoptosis and daunorubicin-induced cytotoxicity. <i>Journal of Hematology and Oncology</i> , 2013 , 6, 78	22.4	35
70	Assessment of CK2 constitutive activity in cancer cells. <i>Methods in Enzymology</i> , 2010 , 484, 495-514	1.7	34
69	Autocatalytic tyrosine-phosphorylation of protein kinase CK2 α and β subunits: implication of Tyr182. <i>Biochemical Journal</i> , 2001 , 357, 563-567	3.8	33
68	Protein kinase CK2: a potential therapeutic target for diverse human diseases. <i>Signal Transduction and Targeted Therapy</i> , 2021 , 6, 183	2.1	33
67	Spontaneous autophosphorylation of Lyn tyrosine kinase at both its activation segment and C-terminal tail confers altered substrate specificity. <i>Biochemistry</i> , 1998 , 37, 1438-46	3.2	31
66	Cross-talk between the CK2 and AKT signaling pathways in cancer. <i>Advances in Biological Regulation</i> , 2017 , 64, 1-8	6.2	30
65	Aberrant signalling by protein kinase CK2 in imatinib-resistant chronic myeloid leukaemia cells: biochemical evidence and therapeutic perspectives. <i>Molecular Oncology</i> , 2013 , 7, 1103-15	7.9	30
64	Helicobacter pylori periplasmic receptor CeuE (HP1561) modulates its nickel affinity via organic metallophores. <i>Molecular Microbiology</i> , 2014 , 91, 724-35	4.1	30
63	Biochemical analysis of the interactions between the proteins involved in the [FeFe]-hydrogenase maturation process. <i>Journal of Biological Chemistry</i> , 2012 , 287, 36544-55	5.4	30
62	Functional homology between yeast piD261/Bud32 and human PRPK: both phosphorylate p53 and PRPK partially complements piD261/Bud32 deficiency. <i>FEBS Letters</i> , 2003 , 549, 63-6	3.8	30
61	A chemogenomic screening identifies CK2 as a target for pro-senescence therapy in PTEN-deficient tumours. <i>Nature Communications</i> , 2015 , 6, 7227	17.4	29
60	Sequence specificity of C-terminal Src kinase (CSK)--a comparison with Src-related kinases c-Fgr and Lyn. <i>FEBS Journal</i> , 1997 , 246, 433-9		28
59	Comparative analysis of CK2 expression and function in tumor cell lines displaying sensitivity vs. resistance to chemical induced apoptosis. <i>Molecular and Cellular Biochemistry</i> , 2008 , 316, 155-61	4.2	27
58	Cyclic GMP and nitroprusside inhibit the activation of human platelets by fluoroaluminate. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1989 , 1014, 203-6	4.9	27

57	Phosphoproteomic profiling of NSCLC cells reveals that ephrin B3 regulates pro-survival signaling through Akt1-mediated phosphorylation of the EphA2 receptor. <i>Journal of Proteome Research</i> , 2011 , 10, 2566-78	5.6	26
56	Efficient Fmoc/solid-phase peptide synthesis of O-phosphotyrosyl-containing peptides and their use as phosphatase substrates. <i>International Journal of Peptide and Protein Research</i> , 1994 , 43, 39-46		25
55	Hematopoietic lineage cell specific protein 1 associates with and down-regulates protein kinase CK2. <i>FEBS Letters</i> , 1999 , 461, 32-6	3.8	25
54	The spleen protein-tyrosine kinase TPK-IIB is highly similar to the catalytic domain of p72syk. <i>FEBS Journal</i> , 1996 , 240, 400-7		25
53	Structural features underlying the selectivity of the kinase inhibitors NBC and dNBC: role of a nitro group that discriminates between CK2 and DYRK1A. <i>Cellular and Molecular Life Sciences</i> , 2012 , 69, 449-60	10.3	24
52	Design, validation and efficacy of bisubstrate inhibitors specifically affecting ecto-CK2 kinase activity. <i>Biochemical Journal</i> , 2015 , 471, 415-30	3.8	24
51	Autocatalytic tyrosine-phosphorylation of protein kinase CK2 alpha and alpha _Q subunits: implication of Tyr182. <i>Biochemical Journal</i> , 2001 , 357, 563-7	3.8	24
50	Differential phosphorylation of Akt1 and Akt2 by protein kinase CK2 may account for isoform specific functions. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2014 , 1843, 1865-74	4.9	22
49	Phosphorylation and activation of the atypical kinase p53-related protein kinase (PRPK) by Akt/PKB. <i>Cellular and Molecular Life Sciences</i> , 2007 , 64, 2680-9	10.3	21
48	Targeting Protein Kinase CK2: Evaluating CX-4945 Potential for GL261 Glioblastoma Therapy in Immunocompetent Mice. <i>Pharmaceuticals</i> , 2017 , 10,	5.2	20
47	Protein kinase CK2 accumulation in "oncophilic" cells: causes and effects. <i>Molecular and Cellular Biochemistry</i> , 2011 , 356, 5-10	4.2	19
46	Hierarchical phosphorylation of a 50-kDa protein by protein tyrosine kinases TPK-IIB and C-Fgr, and its identification as HS1 hematopoietic-lineage cell-specific protein. <i>FEBS Journal</i> , 1995 , 229, 164-70		19
45	The protein kinase CK2 contributes to the malignant phenotype of cholangiocarcinoma cells. <i>Oncogenesis</i> , 2019 , 8, 61	6.6	17
44	Ser/Thr phosphorylation of hematopoietic specific protein 1 (HS1): implication of protein kinase CK2. <i>FEBS Journal</i> , 2000 , 267, 3065-72		17
43	Synthesis and properties of a selective inhibitor of homeodomain-interacting protein kinase 2 (HIPK2). <i>PLoS ONE</i> , 2014 , 9, e89176	3.7	17
42	The ataxia related G1107D mutation of the plasma membrane Ca ATPase isoform 3 affects its interplay with calmodulin and the autoinhibition process. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2017 , 1863, 165-173	6.9	16
41	Platelet activation by diacylglycerol or ionomycin is inhibited by nitroprusside. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1991 , 1094, 323-9	4.9	16
40	Exploiting the repertoire of CK2 inhibitors to target DYRK and PIM kinases. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2013 , 1834, 1402-9	4	15

39	PreS1 peptide-functionalized gold nanostructures with SERRS tags for efficient liver cancer cell targeting. <i>Materials Science and Engineering C</i> , 2019 , 103, 109762	8.3	14
38	Phosphorylation of the <i>Saccharomyces cerevisiae</i> Grx4p glutaredoxin by the Bud32p kinase unveils a novel signaling pathway involving Sch9p, a yeast member of the Akt / PKB subfamily. <i>FEBS Journal</i> , 2008 , 275, 5919-33	5.7	14
37	Heterogeneity of CK2 phosphorylation sites in the NS5A protein of different hepatitis C virus genotypes. <i>Journal of Hepatology</i> , 2007 , 47, 768-76	13.4	14
36	Bovine prion protein as a modulator of protein kinase CK2. <i>Biochemical Journal</i> , 2000 , 352, 191	3.8	14
35	A comparative study of the phosphotyrosyl phosphatase specificity of protein phosphatase type 2A and phosphotyrosyl phosphatase type 1B using phosphopeptides and the phosphoproteins p50/HS1, c-Fgr and Lyn. <i>FEBS Journal</i> , 1996 , 236, 548-57		14
34	Chimeric peptides as modulators of CK2-dependent signaling: Mechanism of action and off-target effects. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2015 , 1854, 1694-707	4	12
33	CD45 regulates apoptosis induced by extracellular adenosine triphosphate and cytotoxic T lymphocytes. <i>Biochemical and Biophysical Research Communications</i> , 1996 , 226, 769-76	3.4	12
32	Psoralen-fatty acid cycloadducts activate protein kinase C (PKC) in human platelets. <i>Journal of Photochemistry and Photobiology B: Biology</i> , 1994 , 22, 253-6	6.7	12
31	A V1143F mutation in the neuronal-enriched isoform 2 of the PMCA pump is linked with ataxia. <i>Neurobiology of Disease</i> , 2018 , 115, 157-166	7.5	10
30	The p23 co-chaperone protein is a novel substrate of CK2 in Arabidopsis. <i>Molecular and Cellular Biochemistry</i> , 2011 , 356, 245-54	4.2	10
29	Src homology-2 domains protect phosphotyrosyl residues against enzymatic dephosphorylation. <i>Biochemical and Biophysical Research Communications</i> , 1998 , 243, 700-5	3.4	10
28	Platelet responses promoted by the activation of protein kinase C or the increase of cytosolic Ca ²⁺ are potentiated by adrenaline. Effects of cAMP and staurosporine. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1991 , 1092, 72-8	4.9	10
27	The carboxy-terminal domain of Grp94 binds to protein kinase CK2 alpha but not to CK2 holoenzyme. <i>FEBS Letters</i> , 2001 , 505, 42-6	3.8	9
26	The antioxidant butylated hydroxytoluene stimulates platelet protein kinase C and inhibits subsequent protein phosphorylation induced by thrombin. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1991 , 1094, 121-9	4.9	9
25	A novel class of selective CK2 inhibitors targeting its open hinge conformation. <i>European Journal of Medicinal Chemistry</i> , 2020 , 195, 112267	6.8	8
24	Different Persistence of the Cellular Effects Promoted by Protein Kinase CK2 Inhibitors CX-4945 and TDB. <i>BioMed Research International</i> , 2015 , 2015, 185736	3	8
23	pCMB treatment reveals the essential role of cysteinyl residues in conferring functional competence to the regulatory subunit of protein kinase CK2. <i>Biochemical and Biophysical Research Communications</i> , 2000 , 267, 427-32	3.4	8
22	A procedure allowing measurement of cytosolic Ca ²⁺ in rat platelets. Inhibition of a plasma lipoprotein on fura 2-AM loading. <i>Thrombosis Research</i> , 1991 , 63, 47-57	8.2	7

21	Under-expression of CK2 β subunit in ccRCC represents a complementary biomarker of p-STAT3 Ser727 that correlates with patient survival. <i>Oncotarget</i> , 2018 , 9, 5736-5751	3.3	7
20	Protein kinase CK2 inhibition as a pharmacological strategy. <i>Advances in Protein Chemistry and Structural Biology</i> , 2021 , 124, 23-46	5.3	7
19	Protein kinase CK2 modulates HSP1 function through phosphorylation of the UIM2 domain. <i>Human Molecular Genetics</i> , 2017 , 26, 611-623	5.6	6
18	Purification and characterization of two casein kinases from ejaculated bovine spermatozoa. <i>Journal of Biochemistry</i> , 1992 , 112, 768-74	3.1	5
17	Targeting CK2 in cancer: a valuable strategy or a waste of time?. <i>Cell Death Discovery</i> , 2021 , 7, 325	6.9	5
16	Biochemical and cellular mechanism of protein kinase CK2 inhibition by deceptive curcumin. <i>FEBS Journal</i> , 2020 , 287, 1850-1864	5.7	5
15	How can a traffic light properly work if it is always green? The paradox of CK2 signaling. <i>Critical Reviews in Biochemistry and Molecular Biology</i> , 2021 , 56, 321-359	8.7	5
14	Specific stimulation of c-Fgr kinase by tyrosine-phosphorylated (poly)peptides--possible implication in the sequential mode of protein phosphorylation. <i>FEBS Journal</i> , 1997 , 245, 701-7		4
13	Up-Regulation of the Alpha Prime Subunit of Protein Kinase CK2 as a Marker of Fast Proliferation in GL261 Cultured Cells. <i>Pathology and Oncology Research</i> , 2019 , 25, 1659-1663	2.6	4
12	Contribution of the CK2 Catalytic Isoforms α and β to the Glycolytic Phenotype of Tumor Cells. <i>Cells</i> , 2021 , 10,	7.9	4
11	Effects of CK2 inhibition in cultured fibroblasts from Type 1 Diabetic patients with or without nephropathy. <i>Growth Factors</i> , 2015 , 33, 259-66	1.6	3
10	Phosphorylation of p23-1 cochaperone by protein kinase CK2 affects root development in Arabidopsis. <i>Scientific Reports</i> , 2019 , 9, 9846	4.9	3
9	Increased activity of c-Src and Csk in fibroblasts transformed by v-src oncogene. <i>Biochemical and Biophysical Research Communications</i> , 2002 , 290, 790-5	3.4	3
8	Effects of CK2 β subunit down-regulation on Akt signalling in HK-2 renal cells. <i>PLoS ONE</i> , 2020 , 15, e0227349	3.7	3
7	The antioxidant butylated hydroxytoluene (BHT) inhibits the dioctanoylglycerol-evoked platelet response but potentiates that elicited by ionomycin. <i>Archives of Biochemistry and Biophysics</i> , 1992 , 294, 724-30	4.1	2
6	Effects of calcium chelators, divalent cations and sulfhydryl reagents on calcium uptake and motility of bovine spermatozoa. <i>Cell Calcium</i> , 1988 , 9, 121-8	4	2
5	Multiple Myeloma Cells Survival and Proliferation Rely on High Levels and Activity of the Serine-Threonine Kinase CK2.. <i>Blood</i> , 2004 , 104, 643-643	2.2	1
4	The importance of negative determinants as modulators of CK2 targeting. The lesson of Akt2 S131. <i>PLoS ONE</i> , 2018 , 13, e0193479	3.7	1

- 3 Addiction of Cancer Cells to CK2: Survival at All Costs or Achilles Heel? 305-318 1
- 2 Role of Protein Kinase CK2 in the Retinoic Acid-Induced Differentiation of Acute Promyelocytic Leukemia Cells.. *Blood*, **2007**, 110, 879-879 2.2 O
- 1 CK2 Function in the Regulation of Akt Pathway **2015**, 125-140