

Andre Aleman

List of Publications by Citations

Source: <https://exaly.com/author-pdf/177921/andre-aleman-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

165
papers

4,711
citations

39
h-index

64
g-index

174
ext. papers

6,437
ext. citations

4.9
avg, IF

6.04
L-index

#	Paper	IF	Citations
165	Evidence-based guidelines on the therapeutic use of repetitive transcranial magnetic stimulation (rTMS): An update (2014-2018). <i>Clinical Neurophysiology</i> , 2020 , 131, 474-528	4.3	411
164	Strange feelings: do amygdala abnormalities dysregulate the emotional brain in schizophrenia?. <i>Progress in Neurobiology</i> , 2005 , 77, 283-98	10.9	194
163	Efficacy of slow repetitive transcranial magnetic stimulation in the treatment of resistant auditory hallucinations in schizophrenia: a meta-analysis. <i>Journal of Clinical Psychiatry</i> , 2007 , 68, 416-21	4.6	175
162	ENIGMA and global neuroscience: A decade of large-scale studies of the brain in health and disease across more than 40 countries. <i>Translational Psychiatry</i> , 2020 , 10, 100	8.6	154
161	Brain Networks Subserving Emotion Regulation and Adaptation after Mild Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2016 , 33, 1-9	5.4	131
160	Circulating insulin-like growth factor I and cognitive function: neuromodulation throughout the lifespan. <i>Progress in Neurobiology</i> , 2009 , 89, 256-65	10.9	130
159	Interaction of language, auditory and memory brain networks in auditory verbal hallucinations. <i>Progress in Neurobiology</i> , 2017 , 148, 1-20	10.9	116
158	Relationship between cognition, clinical and cognitive insight in psychotic disorders: a review and meta-analysis. <i>Schizophrenia Research</i> , 2014 , 152, 191-200	3.6	112
157	Secondary negative symptoms - A review of mechanisms, assessment and treatment. <i>Schizophrenia Research</i> , 2017 , 186, 29-38	3.6	96
156	White matter disturbances in major depressive disorder: a coordinated analysis across 20 international cohorts in the ENIGMA MDD working group. <i>Molecular Psychiatry</i> , 2020 , 25, 1511-1525	15.1	89
155	Treatment of negative symptoms: Where do we stand, and where do we go?. <i>Schizophrenia Research</i> , 2017 , 186, 55-62	3.6	86
154	S47. CAN YOU HEAR THAT SONG NOW? [RESULTS, PLANS, AND THE WHY BEHIND THE STUDY OF CREATIVITY, SCHIZOTYPY, AND HALLUCINATION PRONENESS IN MUSICAL HALLUCINATIONS. <i>Schizophrenia Bulletin</i> , 2019 , 45, S324-S324	1.3	78
153	S85. INDIVIDUALS WITH POSITIVE AND NEGATIVE SCHIZOTYPY EXHIBIT A REVERSED PATTERN OF THALAMIC-CEREBELLAR BRAIN CONNECTIVITY. <i>Schizophrenia Bulletin</i> , 2019 , 45, S339-S340	1.3	78
152	F82. INDIVIDUAL GRAY MATTER NETWORKS AND INSIGHT IN PSYCHOTIC DISORDERS. <i>Schizophrenia Bulletin</i> , 2019 , 45, S285-S285	1.3	78
151	F105. MEASURING EMPATHY IN SCHIZOPHRENIA: THE EMPATHIC ACCURACY TASK AND ITS CORRELATION WITH OTHER EMPATHY MEASURES. <i>Schizophrenia Bulletin</i> , 2018 , 44, S260-S261	1.3	78
150	T36. NEURAL CHANGES FOLLOWING A BODY-ORIENTED RESILIENCE THERAPY WITH ELEMENTS OF KICKBOXING FOR INDIVIDUALS WITH A PSYCHOTIC DISORDER: A RANDOMIZED CONTROLLED TRIAL. <i>Schizophrenia Bulletin</i> , 2020 , 46, S245-S245	1.3	78
149	S149. CHANGES IN FRONTO-PARIETAL CONNECTIVITY IN SCHIZOPHRENIA: TMS AND FNIRS STUDY. <i>Schizophrenia Bulletin</i> , 2020 , 46, S92-S93	1.3	78

148	O6.2. NEUROBIOLOGY OF PSYCHOMETRIC SCHIZOTYPY: INSIGHTS FROM MULTIMODAL IMAGING RESEARCH. <i>Schizophrenia Bulletin</i> , 2018 , 44, S89-S90	1.3	78
147	Use of repetitive transcranial magnetic stimulation for treatment in psychiatry. <i>Clinical Psychopharmacology and Neuroscience</i> , 2013 , 11, 53-9	3.4	73
146	Primary and persistent negative symptoms: Concepts, assessments and neurobiological bases. <i>Schizophrenia Research</i> , 2017 , 186, 19-28	3.6	72
145	Distinct associations of insula and cingulate volume with the cognitive and affective dimensions of alexithymia. <i>Neuropsychologia</i> , 2014 , 53, 284-92	3.2	71
144	Brain mechanisms in religion and spirituality: An integrative predictive processing framework. <i>Neuroscience and Biobehavioral Reviews</i> , 2017 , 73, 359-378	9	69
143	Moderate effects of noninvasive brain stimulation of the frontal cortex for improving negative symptoms in schizophrenia: Meta-analysis of controlled trials. <i>Neuroscience and Biobehavioral Reviews</i> , 2018 , 89, 111-118	9	63
142	Neural correlates of apathy in patients with neurodegenerative disorders, acquired brain injury, and psychiatric disorders. <i>Neuroscience and Biobehavioral Reviews</i> , 2016 , 69, 381-401	9	61
141	Unique and Overlapping Symptoms in Schizophrenia Spectrum and Dissociative Disorders in Relation to Models of Psychopathology: A Systematic Review. <i>Schizophrenia Bulletin</i> , 2017 , 43, 108-121	1.3	59
140	Sex differences in neural activation to facial expressions denoting contempt and disgust. <i>PLoS ONE</i> , 2008 , 3, e3622	3.7	56
139	Neural correlates of emotion regulation in patients with schizophrenia and non-affected siblings. <i>PLoS ONE</i> , 2014 , 9, e99667	3.7	53
138	Voxel-based gray and white matter morphometry correlates of hallucinations in schizophrenia: The superior temporal gyrus does not stand alone. <i>NeuroImage: Clinical</i> , 2014 , 4, 249-57	5.3	52
137	Connectomics and neuroticism: an altered functional network organization. <i>Neuropsychopharmacology</i> , 2015 , 40, 296-304	8.7	50
136	Brain aging in major depressive disorder: results from the ENIGMA major depressive disorder working group. <i>Molecular Psychiatry</i> , 2021 , 26, 5124-5139	15.1	48
135	ENIGMA MDD: seven years of global neuroimaging studies of major depression through worldwide data sharing. <i>Translational Psychiatry</i> , 2020 , 10, 172	8.6	46
134	A manual-based individual therapy to improve metacognition in schizophrenia: protocol of a multi-center RCT. <i>BMC Psychiatry</i> , 2014 , 14, 27	4.2	44
133	Insight and psychosis: Functional and anatomical brain connectivity and self-reflection in Schizophrenia. <i>Human Brain Mapping</i> , 2015 , 36, 4859-68	5.9	44
132	Virtual Histology of Cortical Thickness and Shared Neurobiology in 6 Psychiatric Disorders. <i>JAMA Psychiatry</i> , 2021 , 78, 47-63	14.5	43
131	Repetitive transcranial magnetic stimulation over the right dorsolateral prefrontal cortex disrupts digit span task performance. <i>Neuropsychobiology</i> , 2008 , 57, 44-8	4	42

130	An integrated network model of psychotic symptoms. <i>Neuroscience and Biobehavioral Reviews</i> , 2015 , 59, 238-50	9	41
129	Filling the gap: relationship between the serotonin-transporter-linked polymorphic region and amygdala activation. <i>Psychological Science</i> , 2014 , 25, 2058-66	7.9	39
128	Prevalence Rate and Risk Factors of Victimization in Adult Patients With a Psychotic Disorder: A Systematic Review and Meta-analysis. <i>Schizophrenia Bulletin</i> , 2019 , 45, 114-126	1.3	39
127	Brain imaging, genetics and emotion. <i>Biological Psychology</i> , 2008 , 79, 58-69	3.2	37
126	Prefrontal NAA and Glx Levels in Different Stages of Psychotic Disorders: a 3T 1H-MRS Study. <i>Scientific Reports</i> , 2016 , 6, 21873	4.9	36
125	Differential Patterns of Dysconnectivity in Mirror Neuron and Mentalizing Networks in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2016 , 42, 1135-48	1.3	35
124	Practical Implications of Metacognitively Oriented Psychotherapy in Psychosis: Findings From a Pilot Study. <i>Journal of Nervous and Mental Disease</i> , 2016 , 204, 713-6	1.8	34
123	The Association Between Familial Risk and Brain Abnormalities Is Disease Specific: An ENIGMA-Relatives Study of Schizophrenia and Bipolar Disorder. <i>Biological Psychiatry</i> , 2019 , 86, 545-556	7.9	33
122	Neural correlates of planning performance in patients with schizophrenia--relationship with apathy. <i>Schizophrenia Research</i> , 2015 , 161, 367-75	3.6	33
121	Association between Cognition and Serum Insulin-Like Growth Factor-1 in Middle-Aged & Older Men: An 8 Year Follow-Up Study. <i>PLoS ONE</i> , 2016 , 11, e0154450	3.7	33
120	The ice in voices: Understanding negative content in auditory-verbal hallucinations. <i>Clinical Psychology Review</i> , 2019 , 67, 1-10	10.8	33
119	Short and long term effects of left and bilateral repetitive transcranial magnetic stimulation in schizophrenia patients with auditory verbal hallucinations: a randomized controlled trial. <i>PLoS ONE</i> , 2014 , 9, e108828	3.7	32
118	Alexithymia influences brain activation during emotion perception but not regulation. <i>Social Cognitive and Affective Neuroscience</i> , 2015 , 10, 285-93	4	30
117	Dissociable morphometric profiles of the affective and cognitive dimensions of alexithymia. <i>Cortex</i> , 2014 , 54, 190-9	3.8	30
116	Brain structural abnormalities in obesity: relation to age, genetic risk, and common psychiatric disorders : Evidence through univariate and multivariate mega-analysis including 6420 participants from the ENIGMA MDD working group. <i>Molecular Psychiatry</i> , 2021 , 26, 4839-4852	15.1	29
115	Subcortical shape alterations in major depressive disorder: Findings from the ENIGMA major depressive disorder working group. <i>Human Brain Mapping</i> , 2020 ,	5.9	29
114	Glutamate in dorsolateral prefrontal cortex and auditory verbal hallucinations in patients with schizophrenia: A H MRS study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2017 , 78, 132-139	5.5	28
113	Structure of the alexithymic brain: A parametric coordinate-based meta-analysis. <i>Neuroscience and Biobehavioral Reviews</i> , 2018 , 87, 50-55	9	28

112	Brain activation during self- and other-reflection in bipolar disorder with a history of psychosis: Comparison to schizophrenia. <i>NeuroImage: Clinical</i> , 2015 , 8, 202-9	5.3	27
111	Blunted feelings: alexithymia is associated with a diminished neural response to speech prosody. <i>Social Cognitive and Affective Neuroscience</i> , 2014 , 9, 1108-17	4	26
110	Efficacy of non-invasive brain stimulation on cognitive functioning in brain disorders: a meta-analysis. <i>Psychological Medicine</i> , 2020 , 50, 2465-2486	6.9	26
109	The fragmented self: imbalance between intrinsic and extrinsic self-networks in psychotic disorders. <i>Lancet Psychiatry</i> , 2016 , 3, 784-790	23.3	26
108	Different shades of default mode disturbance in schizophrenia: Subnodal covariance estimation in structure and function. <i>Human Brain Mapping</i> , 2018 , 39, 644-661	5.9	26
107	Open, randomized trial of the effects of aripiprazole versus risperidone on social cognition in schizophrenia. <i>European Neuropsychopharmacology</i> , 2014 , 24, 575-84	1.2	25
106	Lower prefrontal activation during emotion regulation in subjects at ultrahigh risk for psychosis: an fMRI-study. <i>NPJ Schizophrenia</i> , 2015 , 1, 15026	5.5	24
105	Confirmatory Factor Analysis and Differential Relationships of the Two Subdomains of Negative Symptoms in Chronically Ill Psychotic Patients. <i>PLoS ONE</i> , 2016 , 11, e0149785	3.7	24
104	Neurobiological Divergence of the Positive and Negative Schizophrenia Subtypes Identified on a New Factor Structure of Psychopathology Using Non-negative Factorization: An International Machine Learning Study. <i>Biological Psychiatry</i> , 2020 , 87, 282-293	7.9	24
103	A composite measure of cognitive and functional progression in Alzheimer's disease: Design of the Capturing Changes in Cognition study. <i>Alzheimers and Dementia: Translational Research and Clinical Interventions</i> , 2017 , 3, 130-138	6	22
102	Effect of Bilateral Prefrontal rTMS on Left Prefrontal NAA and Glx Levels in Schizophrenia Patients with Predominant Negative Symptoms: An Exploratory Study. <i>Brain Stimulation</i> , 2017 , 10, 59-64	5.1	22
101	Associations Between Daily Affective Instability and Connectomics in Functional Subnetworks in Remitted Patients with Recurrent Major Depressive Disorder. <i>Neuropsychopharmacology</i> , 2017 , 42, 2583-2592	8.7	21
100	Effects of low frequency rTMS treatment on brain networks for inner speech in patients with schizophrenia and auditory verbal hallucinations. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2017 , 78, 105-113	5.5	20
99	Altered frontal-amygdala effective connectivity during effortful emotion regulation in bipolar disorder. <i>Bipolar Disorders</i> , 2018 , 20, 349-358	3.8	20
98	Effect of rTMS on brain activation in schizophrenia with negative symptoms: A proof-of-principle study. <i>Schizophrenia Research</i> , 2015 , 168, 475-82	3.6	19
97	Cognitive alexithymia is associated with the degree of risk for psychosis. <i>PLoS ONE</i> , 2015 , 10, e0124803	3.7	19
96	Suicide in Recent Onset Psychosis Revisited: Significant Reduction of Suicide Rate over the Last Two Decades - A Replication Study of a Dutch Incidence Cohort. <i>PLoS ONE</i> , 2015 , 10, e0129263	3.7	18
95	CHANGES IN REGIONAL BRAIN ACTIVATION RELATED TO DEPRESSIVE STATE: A 2-YEAR LONGITUDINAL FUNCTIONAL MRI STUDY. <i>Depression and Anxiety</i> , 2016 , 33, 35-44	8.4	17

94	Neural correlates of reward processing in healthy siblings of patients with schizophrenia. <i>Frontiers in Human Neuroscience</i> , 2015 , 9, 504	3.3	17
93	Insights into hallucinations in schizophrenia: novel treatment approaches. <i>Expert Review of Neurotherapeutics</i> , 2011 , 11, 1007-15	4.3	16
92	Brain Activation During Emotional Memory Processing Associated with Subsequent Course of Depression. <i>Neuropsychopharmacology</i> , 2015 , 40, 2454-63	8.7	15
91	I am Me: Brain systems integrate and segregate to establish a multidimensional sense of self. <i>NeuroImage</i> , 2020 , 205, 116284	7.9	15
90	Neuroanatomical changes in people with high schizotypy: relationship to glutamate levels. <i>Psychological Medicine</i> , 2018 , 48, 1880-1889	6.9	14
89	On the connection between level of education and the neural circuitry of emotion perception. <i>Frontiers in Human Neuroscience</i> , 2014 , 8, 866	3.3	13
88	Effectiveness and cost-effectiveness of cognitive adaptation training as a nursing intervention in long-term residential patients with severe mental illness: study protocol for a randomized controlled trial. <i>Trials</i> , 2015 , 16, 49	2.8	12
87	The silent danger of social distancing. <i>Psychological Medicine</i> , 2020 , 1-2	6.9	12
86	Lower Choline and Myo-Inositol in Temporo-Parietal Cortex Is Associated With Apathy in Amnestic MCI. <i>Frontiers in Aging Neuroscience</i> , 2018 , 10, 106	5.3	12
85	Brain-based ranking of cognitive domains to predict schizophrenia. <i>Human Brain Mapping</i> , 2019 , 40, 4487-4507	5.9	12
84	Associations between genetic risk, functional brain network organization and neuroticism. <i>Brain Imaging and Behavior</i> , 2017 , 11, 1581-1591	4.1	12
83	Self-Stigma and Its Relationship with Victimization, Psychotic Symptoms and Self-Esteem among People with Schizophrenia Spectrum Disorders. <i>PLoS ONE</i> , 2016 , 11, e0149763	3.7	12
82	A qualitative evaluation of the effects of Metacognitive Reflection and Insight Therapy: Riving more consciouslyR <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2020 , 93, 223-240	3.5	12
81	Assessing cognition and daily function in early dementia using the cognitive-functional composite: findings from the Catch-Cog study cohort. <i>Alzheimer's Research and Therapy</i> , 2019 , 11, 45	9	11
80	Social-cognitive risk factors for violence in psychosis: A discriminant function analysis. <i>Psychiatry Research</i> , 2018 , 265, 93-99	9.9	11
79	Predicting response to rTMS for auditory hallucinations: Younger patients and females do better. <i>Schizophrenia Research</i> , 2018 , 195, 583-584	3.6	11
78	Religiosity in young adolescents with auditory vocal hallucinations. <i>Psychiatry Research</i> , 2016 , 236, 158-164	6.4	11
77	Insight and emotion regulation in schizophrenia: A brain activation and functional connectivity study. <i>NeuroImage: Clinical</i> , 2018 , 20, 762-771	5.3	11

76	Differential relations of suicidality in depression to brain activation during emotional and executive processing. <i>Journal of Psychiatric Research</i> , 2018 , 105, 78-85	5.2	10
75	Deficits in Degraded Facial Affect Labeling in Schizophrenia and Borderline Personality Disorder. <i>PLoS ONE</i> , 2016 , 11, e0154145	3.7	10
74	Distinct temporal brain dynamics in bipolar disorder and schizophrenia during emotion regulation. <i>Psychological Medicine</i> , 2020 , 50, 413-421	6.9	10
73	Intrinsic Connectivity Patterns of Task-Defined Brain Networks Allow Individual Prediction of Cognitive Symptom Dimension of Schizophrenia and Are Linked to Molecular Architecture. <i>Biological Psychiatry</i> , 2021 , 89, 308-319	7.9	10
72	Intrinsic mesocorticolimbic connectivity is negatively associated with social amotivation in people with schizophrenia. <i>Schizophrenia Research</i> , 2019 , 208, 353-359	3.6	9
71	Longitudinal studies of functional magnetic resonance imaging in first-episode psychosis: A systematic review. <i>European Psychiatry</i> , 2019 , 59, 60-69	6	9
70	Grey matter, an endophenotype for schizophrenia? A voxel-based morphometry study in siblings of patients with schizophrenia. <i>Journal of Psychiatry and Neuroscience</i> , 2015 , 40, 207-13	4.5	9
69	Functional parcellation of human and macaque striatum reveals human-specific connectivity in the dorsal caudate. <i>NeuroImage</i> , 2021 , 235, 118006	7.9	9
68	Trait self-reflectiveness relates to time-varying dynamics of resting state functional connectivity and underlying structural connectomes: Role of the default mode network. <i>NeuroImage</i> , 2020 , 219, 116898	7.9	8
67	Long-term course of negative symptom subdomains and relationship with outcome in patients with a psychotic disorder. <i>Schizophrenia Research</i> , 2018 , 193, 173-181	3.6	8
66	BEATVIC, a body-oriented resilience training with elements of kickboxing for individuals with a psychotic disorder: study protocol of a multi-center RCT. <i>BMC Psychiatry</i> , 2016 , 16, 227	4.2	8
65	DISC1 gene and affective psychopathology: a combined structural and functional MRI study. <i>Journal of Psychiatric Research</i> , 2015 , 61, 150-7	5.2	8
64	Association between prefrontal N-acetylaspartate and insight in psychotic disorders. <i>Schizophrenia Research</i> , 2017 , 179, 112-118	3.6	7
63	Joint Multi-modal Parcellation of the Human Striatum: Functions and Clinical Relevance. <i>Neuroscience Bulletin</i> , 2020 , 36, 1123-1136	4.3	7
62	Functional network topology associated with apathy in Alzheimer's disease. <i>Journal of Affective Disorders</i> , 2020 , 266, 473-481	6.6	6
61	Real-Time Functional Magnetic Resonance Imaging Neurofeedback for the Relief of Distressing Auditory-Verbal Hallucinations: Methodological and Empirical Advances. <i>Schizophrenia Bulletin</i> , 2020 , 46, 1409-1417	1.3	6
60	Altered functional connectivity during self- and close other-reflection in patients with bipolar disorder with past psychosis and patients with schizophrenia. <i>Neuropsychologia</i> , 2016 , 93, 97-105	3.2	6
59	Draining the pond and catching the fish: Uncovering the ecosystem of auditory verbal hallucinations. <i>NeuroImage: Clinical</i> , 2018 , 20, 830-843	5.3	6

58	Apathy is related to reduced activation in cognitive control regions during set-shifting. <i>Human Brain Mapping</i> , 2017 , 38, 2722-2733	5.9	5
57	Effects of bilateral prefrontal rTMS on brain activation during social-emotional evaluation in schizophrenia: A double-blind, randomized, exploratory study. <i>Schizophrenia Research</i> , 2018 , 202, 210-216	3.6	5
56	Neural basis of self-initiative in relation to apathy in a student sample. <i>Scientific Reports</i> , 2017 , 7, 3264	4.9	5
55	ENIGMA-Sleep: Challenges, opportunities, and the road map. <i>Journal of Sleep Research</i> , 2021 , 30, e13347	5.8	5
54	Patterns of schizophrenia symptoms: hidden structure in the PANSS questionnaire. <i>Translational Psychiatry</i> , 2018 , 8, 237	8.6	5
53	Effects of aripiprazole versus risperidone on brain activation during planning and social-emotional evaluation in schizophrenia: A single-blind randomized exploratory study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2017 , 79, 112-119	5.5	4
52	Expressive deficits and amotivation as mediators of the associations between cognitive problems and functional outcomes: Results from two independent cohorts. <i>Schizophrenia Research</i> , 2020 , 218, 283-291	3.6	4
51	Differential Resting-State Connectivity Patterns of the Right Anterior and Posterior Dorsolateral Prefrontal Cortices (DLPFC) in Schizophrenia. <i>Frontiers in Psychiatry</i> , 2018 , 9, 211	5	4
50	Predicting therapy success from the outset: The moderating effect of insight into the illness on metacognitive psychotherapy outcome among persons with schizophrenia. <i>Clinical Psychology and Psychotherapy</i> , 2019 , 26, 650-660	2.9	4
49	Machine Learning for Large-Scale Quality Control of 3D Shape Models in Neuroimaging. <i>Lecture Notes in Computer Science</i> , 2017 , 10541, 371-378	0.9	4
48	Connectome-Based Predictive Modeling of Individual Anxiety. <i>Cerebral Cortex</i> , 2021 , 31, 3006-3020	5.1	4
47	Rigidity in Motor Behavior and Brain Functioning in Patients With Schizophrenia and High Levels of Apathy. <i>Schizophrenia Bulletin</i> , 2019 , 45, 542-551	1.3	3
46	Cortisol levels in childhood and psychosis risk in late adolescence. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2009 , 48, 765-766	7.2	3
45	Interindividual variability of electric fields during transcranial temporal interference stimulation (tTIS). <i>Scientific Reports</i> , 2021 , 11, 20357	4.9	3
44	Amygdala-prefrontal connectivity modulates loss aversion bias in anxious individuals. <i>NeuroImage</i> , 2020 , 218, 116957	7.9	3
43	Alpha Power and Functional Connectivity in Cognitive Decline: A Systematic Review and Meta-Analysis. <i>Journal of Alzheimers Disease</i> , 2020 , 78, 1047-1088	4.3	3
42	Neurocognitive working mechanisms of the prevention of relapse in remitted recurrent depression (NEWPRIDE): protocol of a randomized controlled neuroimaging trial of preventive cognitive therapy. <i>BMC Psychiatry</i> , 2019 , 19, 409	4.2	3
41	Widespread white matter aberration is associated with the severity of apathy in amnesic Mild Cognitive Impairment: Tract-based spatial statistics analysis. <i>NeuroImage: Clinical</i> , 2021 , 29, 102567	5.3	3

40	Neurobiological substrates of the positive formal thought disorder in schizophrenia revealed by seed connectome-based predictive modeling. <i>NeuroImage: Clinical</i> , 2021 , 30, 102666	5.3	3
39	BEATVIC, a body-oriented resilience therapy using kickboxing exercises for people with a psychotic disorder: a feasibility study. <i>BMC Psychiatry</i> , 2018 , 18, 384	4.2	3
38	Childhood theory of mind does not predict psychotic experiences and social functioning in a general population sample of adolescents. <i>PLoS ONE</i> , 2019 , 14, e0213165	3.7	2
37	The development, validity, and reliability of the auditory vocal hallucination rating scale questionnaire (AVHRS-Q). <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019 , 54, 927-935	4.5	2
36	Dissecting the cognitive and neural basis of emotional abnormalities. <i>Cognitive Neuropsychiatry</i> , 2006 , 11, 193-7	2	2
35	T162. THICKER PREFRONTAL CORTEX IS ASSOCIATED WITH SUBCLINICAL NEGATIVE SYMPTOMS IN SCHIZOTYPY - AN ENIGMA CONSORTIUM META-ANALYSIS. <i>Schizophrenia Bulletin</i> , 2020 , 46, S292-S293 ^{1,3}	1.3	2
34	Foreign Language Learning as Cognitive Training to Prevent Old Age Disorders? Protocol of a Randomized Controlled Trial of Language Training vs. Musical Training and Social Interaction in Elderly With Subjective Cognitive Decline. <i>Frontiers in Aging Neuroscience</i> , 2021 , 13, 550180	5.3	2
33	Prefrontal cortex activation during a cognitive reappraisal task is associated with real-life negative affect reactivity. <i>PLoS ONE</i> , 2018 , 13, e0202888	3.7	2
32	Social-Specific Impairment of Negative Emotion Perception in Alexithymia. <i>Social Cognitive and Affective Neuroscience</i> , 2021 ,	4	2
31	Psychometric Properties of the Chinese Bermond-Vorst Alexithymia Questionnaire: An Exploratory Structural Equation Modeling Study. <i>Journal of Pacific Rim Psychology</i> , 2021 , 15, 183449092199142	1.2	2
30	O11.8. RELATIONSHIP BETWEEN SCHIZOTYPY AND SUBCORTICAL BRAIN VOLUMES IN 1084 INDIVIDUALS VIA THE ENIGMA CONSORTIUM. <i>Schizophrenia Bulletin</i> , 2019 , 45, S196-S197	1.3	1
29	Neural correlates of victimization in psychosis: differences in brain response to angry faces. <i>NPJ Schizophrenia</i> , 2019 , 5, 14	5.5	1
28	Thinking fast or slow? Functional magnetic resonance imaging reveals stronger connectivity when experienced neurologists diagnose ambiguous cases. <i>Brain Communications</i> , 2020 , 2, fcaa023	4.5	1
27	"Please tell me what happened": A descriptive study on prevalence, disclosure and characteristics of victimization in people with a psychotic disorder. <i>PLoS ONE</i> , 2019 , 14, e0219056	3.7	1
26	Planning in amnesic mild cognitive impairment: an fMRI study.. <i>Experimental Gerontology</i> , 2021 , 159, 111673	4.5	1
25	Cortical and subcortical neuroanatomical signatures of schizotypy in 3004 individuals assessed in a worldwide ENIGMA study. <i>Molecular Psychiatry</i> , 2021 ,	15.1	1
24	Similar EEG Activity Patterns During Experimentally-Induced Auditory Illusions and Veridical Perceptions. <i>Frontiers in Neuroscience</i> , 2021 , 15, 602437	5.1	1
23	The Longitudinal Association Between Preadolescent Facial Emotion Identification and Family Factors, and Psychotic Experiences in Adolescence (The TRAILS Study). <i>Child Psychiatry and Human Development</i> , 2020 , 51, 187-199	3.3	1

22	Insight does not come at random: Individual gray matter networks relate to clinical and cognitive insight in schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021 , 109, 110251	5.5	1
21	Power and functional connectivity of alpha oscillations in mild cognitive impairment: A systematic review and meta-analysis. <i>Alzheimers and Dementia</i> , 2020 , 16, e040792	1.2	0
20	Training the attentional blink: subclinical depression decreases learning potential. <i>Psychological Research</i> , 2021 , 1	2.5	0
19	Relationship between social cognition, general cognition, and risk for suicide in individuals with a psychotic disorder. <i>Schizophrenia Research</i> , 2021 , 231, 227-236	3.6	0
18	Neural basis of positive and negative emotion regulation in remitted depression.. <i>NeuroImage: Clinical</i> , 2022 , 34, 102988	5.3	0
17	Causal connectivity from right DLPFC to IPL in schizophrenia patients: a pilot study.. <i>NPJ Schizophrenia</i> , 2022 , 8, 16	5.5	0
16	Dissociative identity state-dependent working memory in dissociative identity disorder: a controlled functional magnetic resonance imaging study.. <i>BJPsych Open</i> , 2022 , 8, e82	5	0
15	Apathy and white matter integrity in amnesic mild cognitive impairment: A whole brain analysis with tract-based spatial statistics. <i>Alzheimers and Dementia</i> , 2020 , 16, e040838	1.2	
14	Difference between Okinawan and Dutch elderly in working memory-related brain activation. <i>Alzheimers and Dementia</i> , 2020 , 16, e042608	1.2	
13	Effects of acute exercise on functional connectivity in young and older adults. <i>Alzheimers and Dementia</i> , 2020 , 16, e044104	1.2	
12	A newly developed amnesic subjective cognitive decline questionnaire shows high internal consistency and inter-rater reliability. <i>Alzheimers and Dementia</i> , 2020 , 16, e044315	1.2	
11	The FNAME yields equivalent results differentiating amnesic mild cognitive impairment from subjective cognitive decline and healthy controls in Mexico and the Netherlands. <i>Alzheimers and Dementia</i> , 2020 , 16, e044333	1.2	
10	[P3B07]: RESTING STATE CONNECTIVITY RELATED TO APATHY IN MILD COGNITIVE IMPAIRMENT 2017 , 13, P1064-P1064		
9	[P4008]: QUALITY ASPECTS OF A NOVEL COGNITIVE-FUNCTIONAL COMPOSITE FOR THE MEASUREMENT OF DISEASE PROGRESSION IN ALZHEIMER'S DISEASE: FEASIBILITY, TEST-RETEST RELIABILITY AND PRACTICE EFFECTS 2017 , 13, P1256-P1257		
8	[P4074]: THE ASSOCIATION BETWEEN APATHY AND COGNITIVE FUNCTION IN AMNESTIC MILD COGNITIVE IMPAIRMENT 2017 , 13, P1329-P1330		
7	Diminished Feedback Evaluation and Knowledge Updating Underlying Age-Related Differences in Choice Behavior During Feedback Learning. <i>Frontiers in Human Neuroscience</i> , 2021 , 15, 635996	3.3	
6	P2-300: Capturing Changes in Cognition: The Needs and Wishes of Dementia Researchers and Clinicians 2016 , 12, P748-P748		
5	Neural changes following a body-oriented resilience therapy with elements of kickboxing for individuals with a psychotic disorder: a randomized controlled trial. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021 , 271, 355-366	5.1	

4 P4-113: COMPARING THE COGNITIVE-FUNCTIONAL COMPOSITE WITH TRADITIONAL TESTS OF COGNITION AND FUNCTION: FINDINGS FROM THE CATCH-COG STUDY COHORT **2018**, 14, P1482-P1482

3 P2-247: EEG THETA OSCILLATIONS AS A POTENTIAL BIOMARKER FOR EXECUTIVE DYSFUNCTION IN NEURODEGENERATIVE DISORDERS: A SYSTEMATIC REVIEW WITH META-ANALYSIS **2018**, 14, P768-P768

2 P3-307: THE ASSOCIATION BETWEEN APATHY AND STRUCTURAL BRAIN ALTERATIONS IN AMNESTIC MILD COGNITIVE IMPAIRMENT **2018**, 14, P1199-P1199

1 No antidepressant effects of low intensity transcranial pulsed electromagnetic fields for treatment resistant depression. *Journal of Affective Disorders*, **2021**, 294, 679-685

6.6