
Peng Chiong Tan

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1779407/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Dengue Infection in Pregnancy. Obstetrics and Gynecology, 2008, 111, 1111-1117.	1.2	98
2	Oral nifedipine versus intravenous labetalol for acute blood pressure control in hypertensive emergencies of pregnancy: a randomised trial. BJOG: an International Journal of Obstetrics and Gynaecology, 2012, 119, 78-85.	1.1	86
3	Promethazine Compared With Metoclopramide for Hyperemesis Gravidarum. Obstetrics and Gynecology, 2010, 115, 975-981.	1.2	79
4	Anxiety and depression in hyperemesis gravidarum: prevalence, risk factors and correlation with clinical severity. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2010, 149, 153-158.	0.5	76
5	Transvaginal sonographic measurement of cervical length vs. Bishop score in labor induction at term: tolerability and prediction of Cesarean delivery. Ultrasound in Obstetrics and Gynecology, 2007, 29, 568-573.	0.9	73
6	Ondansetron Compared With Metoclopramide for Hyperemesis Gravidarum. Obstetrics and Gynecology, 2014, 123, 1272-1279.	1.2	68
7	Effect of Coitus at Term on Length of Gestation, Induction of Labor, and Mode of Delivery. Obstetrics and Gynecology, 2006, 108, 134-140.	1.2	47
8	Pregnancy outcome in hyperemesis gravidarum and the effect of laboratory clinical indicators of hyperemesis severity. Journal of Obstetrics and Gynaecology Research, 2007, 33, 457-464.	0.6	46
9	The fetal sex ratio and metabolic, biochemical, haematological and clinical indicators of severity of hyperemesis gravidarum. BJOG: an International Journal of Obstetrics and Gynaecology, 2006, 113, 733-737.	1.1	40
10	Dengue Infection and Miscarriage: A Prospective Case Control Study. PLoS Neglected Tropical Diseases, 2012, 6, e1637.	1.3	38
11	The 50â€g glucose challenge test and pregnancy outcome in a multiethnic Asian population at high risk for gestational diabetes. International Journal of Gynecology and Obstetrics, 2009, 105, 50-55.	1.0	36
12	Contemporary approaches to hyperemesis during pregnancy. Current Opinion in Obstetrics and Gynecology, 2011, 23, 87-93.	0.9	36
13	Dextrose Saline Compared With Normal Saline Rehydration of Hyperemesis Gravidarum. Obstetrics and Gynecology, 2013, 121, 291-298.	1.2	36
14	Depression, Anxiety, Stress and Hyperemesis Gravidarum: Temporal and Case Controlled Correlates. PLoS ONE, 2014, 9, e92036.	1.1	36
15	Membrane Sweeping at Initiation of Formal Labor Induction. Obstetrics and Gynecology, 2006, 107, 569-577.	1.2	34
16	A Placebo-Controlled Trial of Oral Pyridoxine in Hyperemesis Gravidarum. Gynecologic and Obstetric Investigation, 2009, 67, 151-157.	0.7	33
17	Hospital Discharge on the First Compared With the Second Day After a Planned Cesarean Delivery. Obstetrics and Gynecology, 2012, 120, 1273-1282.	1.2	32
18	Continuous glucose monitoring results in lower HbA _{1c} in Malaysian women with insulinâ€ŧreated gestational diabetes: a randomized controlled trial. Diabetic Medicine, 2018, 35, 1118-1129.	1.2	32

#	Article	IF	CITATIONS
19	Effect of high levels of human chorionic gonadotropin and estradiol on the severity of hyperemesis gravidarum. Clinical Chemistry and Laboratory Medicine, 2009, 47, 165-71.	1.4	29
20	Gamma-glutamyltransferase, alanine transaminase and aspartate transaminase levels and the diagnosis of gestational diabetes mellitus. Clinical Biochemistry, 2012, 45, 1192-1196.	0.8	29
21	Molecular defects in the β-globin gene identified in different ethnic groups/populations during prenatal diagnosis for β-thalassemia: a Malaysian experience. Clinical and Experimental Medicine, 2004, 4, 142-147.	1.9	28
22	Screening for gestational diabetes at antenatal booking in a Malaysian university hospital: The role of risk factors and threshold value for the 50-g glucose challenge test. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2007, 47, 191-197.	0.4	27
23	Effect of Coital Activity on Onset of Labor in Women Scheduled for Labor Induction. Obstetrics and Gynecology, 2007, 110, 820-826.	1.2	26
24	Maternal lipids are associated with newborn adiposity, independent of GDM status, obesity and insulin resistance: a prospective observational cohort study. BJOG: an International Journal of Obstetrics and Gynaecology, 2020, 127, 490-499.	1.1	25
25	Absorbable versus nonabsorbable sutures for subcuticular skin closure of a transverse suprapubic incision. International Journal of Gynecology and Obstetrics, 2008, 103, 179-181.	1.0	22
26	Serial Membrane Sweeping at Term in Planned Vaginal Birth After Cesarean. Obstetrics and Gynecology, 2009, 114, 745-751.	1.2	22
27	Readmission risk and metabolic, biochemical, haematological and clinical indicators of severity in hyperemesis gravidarum. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2006, 46, 446-450.	0.4	21
28	Oral nifepidine versus subcutaneous terbutaline tocolysis for external cephalic version: a doubleâ€blind randomised trial. BJOC: an International Journal of Obstetrics and Gynaecology, 2009, 116, 74-81.	1.1	20
29	Carbetocin compared to oxytocin in emergency cesarean section: a randomized trial. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2016, 198, 35-39.	0.5	20
30	Single dose 17 alpha-hydroxyprogesterone caproate in preterm labor: a randomized trial. Archives of Gynecology and Obstetrics, 2012, 285, 585-590.	0.8	19
31	Immediate Compared With Delayed Oxytocin After Amniotomy Labor Induction in Parous Women. Obstetrics and Gynecology, 2013, 121, 253-259.	1.2	19
32	Serum Glucose-Dependent Insulinotropic Polypeptide (GIP) and Glucagon-Like Peptide-1 (GLP-1) in association with the Risk of Gestational Diabetes: A Prospective Case-Control Study. Journal of Diabetes Research, 2020, 2020, 1-7.	1.0	19
33	Concurrent Dinoprostone and Oxytocin for Labor Induction in Term Premature Rupture of Membranes. Obstetrics and Gynecology, 2009, 113, 1059-1065.	1.2	18
34	Indicators of prolonged hospital stay in hyperemesis gravidarum. International Journal of Gynecology and Obstetrics, 2006, 93, 246-247.	1.0	17
35	Labour and perinatal outcome in women at term with one previous lower-segment Caesarean: A review of 1000 consecutive cases. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2007, 47, 31-36.	0.4	17
36	Oral celecoxib versus oral diclofenac for postâ€perineal repair analgesia after spontaneous vaginal birth: A randomised trial. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2008, 48, 71-77.	0.4	17

#	Article	IF	CITATIONS
37	Gammaâ€glutamyltransferase level in pregnancy is an independent risk factor for gestational diabetes mellitus. Journal of Obstetrics and Gynaecology Research, 2008, 34, 512-517.	0.6	17
38	The Impact of Self-Reported Sleep on Caesarean Delivery in Women Undergoing Induction of Labour: A Prospective Study. Scientific Reports, 2017, 7, 12339.	1.6	17
39	Speculum versus digital insertion of Foley catheter for induction of labor in Nulliparas with unripe cervix: a randomized controlled trial. BMC Pregnancy and Childbirth, 2020, 20, 330.	0.9	17
40	Leptin and soluble leptin receptor in association with gestational diabetes: a prospective case–control study. Archives of Gynecology and Obstetrics, 2018, 297, 797-803.	0.8	14
41	Concurrent oxytocin with dinoprostone pessary versus dinoprostone pessary in labour induction of nulliparas with an unfavourable cervix: a randomised placebo-controlled trial. BJOG: an International Journal of Obstetrics and Gynaecology, 2007, 114, 824-832.	1.1	13
42	Intravenous salbutamol for external cephalic version. International Journal of Gynecology and Obstetrics, 2009, 104, 28-31.	1.0	13
43	Coitus to expedite the onset of labour: a randomised trial. BJOG: an International Journal of Obstetrics and Gynaecology, 2013, 120, 338-345.	1.1	13
44	Ultrasound and clinical predictors for Caesarean delivery after labour induction at term. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2006, 46, 505-509.	0.4	11
45	Taste, smell and food-related nausea and vomiting responses in hyperemesis gravidarum: A case-controlled study. Scientific Reports, 2020, 10, 4445.	1.6	10
46	Transvaginal sonography of cervical length and Bishop score as predictors of successful induction of term labor: the effect of parity. Clinical and Experimental Obstetrics and Gynecology, 2009, 36, 35-9.	0.1	10
47	Alpha-Thalassaemia in Association with Beta-Thalassaemia Patients in Malaysia: A Study on the Co-Inheritance of Both Disorders. Public Health Genomics, 2008, 11, 129-134.	0.6	9
48	Peripheral Intravenous Catheterisation in Obstetric Patients in the Hand or Forearm Vein: A Randomised Trial. Scientific Reports, 2016, 6, 23223.	1.6	9
49	Insulinâ€like growth factor binding protein 1, Bishop score, and sonographic cervical length: tolerability and prediction of vaginal birth and vaginal birth within 24 hours following labour induction in nulliparous women. BJOG: an International Journal of Obstetrics and Gynaecology, 2017, 124, 1274-1283.	1.1	9
50	Outpatient vs inpatient Foley catheter induction of labor in multiparas with unripe cervixes: A randomized trial. Acta Obstetricia Et Gynecologica Scandinavica, 2021, 100, 1977-1985.	1.3	9
51	Immediate compared with onâ€demand maternal full feeding after planned caesarean delivery: a randomised trial. BJOG: an International Journal of Obstetrics and Gynaecology, 2017, 124, 123-131.	1.1	8
52	Induction of labor compared to expectant management in term nulliparas with a latent phase of labor of more than 8 hours: a randomized trial. BMC Pregnancy and Childbirth, 2019, 19, 493.	0.9	8
53	Goserelin versus leuprolide before hysterectomy for uterine fibroids. International Journal of Gynecology and Obstetrics, 2008, 101, 178-183.	1.0	7
54	Non-invasive prenatal diagnosis using fetal DNA in maternal plasma: a preliminary study for identification of paternally-inherited alleles using single nucleotide polymorphisms. BMJ Open, 2015, 5, e007648.	0.8	7

#	Article	IF	CITATIONS
55	Effect of Membrane Sweeping on Cervical Length by Transvaginal Ultrasonography and Impact of Cervical Shortening on Cesarean Delivery. Journal of Ultrasound in Medicine, 2011, 30, 227-233.	0.8	6
56	Twelveâ€hour fasting compared with expedited oral intake in the initial inpatient management of hyperemesis gravidarum: a randomised trial. BJOG: an International Journal of Obstetrics and Gynaecology, 2020, 127, 1430-1437.	1.1	6
57	Oestrogen-soaked vaginal packing for decubitus ulcer in advanced pelvic organ prolapse: a case series. International Urogynecology Journal, 2016, 27, 1057-1062.	0.7	5
58	Vaginal assessment and expedited amniotomy inÂoralÂmisoprostol labor induction in nulliparas: aÂrandomized trial. American Journal of Obstetrics and Gynecology, 2019, 220, 387.e1-387.e12.	0.7	5
59	Glycemic control following two regimens of antenatal corticosteroids in mild gestational diabetes: a randomized controlled trial. Archives of Gynecology and Obstetrics, 2021, 304, 345-353.	0.8	5
60	Combined massage and warm compress to the perineum during active second stage of labor in nulliparas: A randomized trial. International Journal of Gynecology and Obstetrics, 2021, 155, 532-538.	1.0	5
61	Metformin in gestational diabetes mellitus: A doubleâ€blind placeboâ€controlled randomized trial. International Journal of Gynecology and Obstetrics, 2021, , .	1.0	5
62	Coitus and orgasm at term: effect on spontaneous labour and pregnancy outcome. Singapore Medical Journal, 2009, 50, 1062-7.	0.3	5
63	Talcum powder or aqueous gel to aid external cephalic version: a randomised controlled trial. BMC Pregnancy and Childbirth, 2014, 14, 49.	0.9	4
64	Induction of labour from 39 weeks in lowâ€risk multiparas with ripe cervixes: A randomised controlled trial. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2021, 61, 882-890.	0.4	4
65	Digital insertion of Foley catheter <scp>16F</scp> versus <scp>22F</scp> versus <scp>28F</scp> in unripe cervix labor induction: A randomized trial. Journal of Obstetrics and Gynaecology Research, 2022, 48, 694-702.	0.6	4
66	Trial of Labor After One Cesarean: Role of the Order and Number of Prior Vaginal Births on the Risk of Emergency Cesarean Delivery and Neonatal Admission. Taiwanese Journal of Obstetrics and Gynecology, 2008, 47, 305-311.	0.5	3
67	Metoclopramide during pregnancy did not increase risk for major congenital malformations or fetal death. Annals of Internal Medicine, 2014, 160, JC13.	2.0	3
68	A randomised trial of caesarean wound coverage: exposed versus dressed. BJOG: an International Journal of Obstetrics and Gynaecology, 2020, 127, 1250-1258.	1.1	3
69	Prophylactic metformin after antenatal corticosteroids (PROMAC): a double blind randomized controlled trial. BMC Pregnancy and Childbirth, 2021, 21, 138.	0.9	3
70	Foley catheter and controlled release dinoprostone versus foley catheter labor induction in nulliparas: a randomized trial. Archives of Gynecology and Obstetrics, 2022, , 1.	0.8	3
71	Adjunctive membrane sweeping in Foley catheter induction of labor after one previous cesarean delivery: A randomized trial. International Journal of Gynecology and Obstetrics, 2023, 160, 65-73.	1.0	3
72	Screening for urinary tract infection in women with hyperemesis gravidarum. Journal of Obstetrics and Gynaecology Research, 2012, 38, 145-153.	0.6	2

#	Article	IF	CITATIONS
73	Early versus Delayed Amniotomy with Immediate Oxytocin After Foley Catheter Cervical Ripening in Nulliparous Labor Induction: A Randomized Trial. International Journal of Gynecology and Obstetrics, 0, , .	1.0	2
74	Three Days Compared to One Day Per Week of Self-Monitoring of Blood Glucose in Mild Gestational Diabetes: A Randomized Trial. Journal of Clinical Medicine, 2022, 11, 3770.	1.0	2
75	Review: calcium supplementation during pregnancy reduces the risk of pre-eclampsia. Evidence-Based Medicine, 2008, 13, 83-83.	0.6	1
76	Oral Nifedipine Versus Intravenous Labetalol for Acute Blood Pressure Control in Hypertensive Emergencies of Pregnancy. Obstetric Anesthesia Digest, 2013, 33, 45-46.	0.0	1
77	Rating of four different foods in women with hyperemesis gravidarum: a randomised controlled trial. BMJ Open, 2021, 11, e046528.	0.8	1
78	Predictors of newborn admission after labour induction at term: Bishop score, pre-induction ultrasonography and clinical risk factors. Singapore Medical Journal, 2008, 49, 193-8.	0.3	1
79	Effect of Coital Activity on Onset of Labor in Women Scheduled for Labor Induction: A Randomized Controlled Trial. Obstetrical and Gynecological Survey, 2008, 63, 127-128.	0.2	0
80	Early (at 34–35 weeks) external cephalic version reduced the risk of non-cephalic (breech) presentation at birth but has no effect on risk of caesarean section. Evidence-Based Medicine, 2012, 17, 45-46.	0.6	0
81	In Reply. Obstetrics and Gynecology, 2013, 121, 878.	1.2	0
82	In Reply. Obstetrics and Gynecology, 2013, 121, 1360.	1.2	0
83	Predictors for caesarean delivery and neonatal admission after trial of labour in women with one previous lower segment caesarean scar. Singapore Medical Journal, 2008, 49, 188-92.	0.3	0