

Josã Luã-s Alves

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1779791/publications.pdf>

Version: 2024-02-01

111
papers

1,558
citations

331538

21
h-index

360920

35
g-index

113
all docs

113
docs citations

113
times ranked

1089
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Study on the influence of work-hardening modeling in springback prediction. International Journal of Plasticity, 2007, 23, 516-543. | 4.1 | 147 |
| 2 | Influence of process parameters on the deep drawing of stainless steel. Finite Elements in Analysis and Design, 2007, 43, 1062-1067. | 1.7 | 129 |
| 3 | Algorithms and Strategies for Treatment of Large Deformation Frictional Contact in the Numerical Simulation of Deep Drawing Process. Archives of Computational Methods in Engineering, 2008, 15, 113-162. | 6.0 | 113 |
| 4 | Modelling of anisotropic work-hardening behaviour of metallic materials subjected to strain-path changes. Computational Materials Science, 2005, 32, 301-315. | 1.4 | 74 |
| 5 | A New Level-Set-Based Protocol for Accurate Bone Segmentation From CT Imaging. IEEE Access, 2015, 3, 1894-1906. | 2.6 | 69 |
| 6 | Influence of the plastic anisotropy modelling in the reverse deep drawing process simulation. Materials & Design, 2014, 60, 368-379. | 5.1 | 50 |
| 7 | Applying Nagata patches to smooth discretized surfaces used in 3D frictional contact problems. Computer Methods in Applied Mechanics and Engineering, 2014, 271, 296-320. | 3.4 | 39 |
| 8 | Influence of boundary conditions on the prediction of springback and wrinkling in sheet metal forming. International Journal of Mechanical Sciences, 2017, 122, 244-254. | 3.6 | 35 |
| 9 | The feasibility of a custom-made endoprosthesis in mandibular reconstruction: Implant design and finite element analysis. Journal of Cranio-Maxillo-Facial Surgery, 2015, 43, 2116-2128. | 0.7 | 34 |
| 10 | Improvement of a frictional contact algorithm for strongly curved contact problems. International Journal for Numerical Methods in Engineering, 2003, 58, 2083-2101. | 1.5 | 30 |
| 11 | Modeling of tensionâ€compression asymmetry and orthotropy on metallic materials: Numerical implementation and validation. International Journal of Mechanical Sciences, 2016, 114, 217-232. | 3.6 | 30 |
| 12 | Evaluation of strain and stress states in the single point incremental forming process. International Journal of Advanced Manufacturing Technology, 2016, 85, 521-534. | 1.5 | 29 |
| 13 | A new staggered algorithm for thermomechanical coupled problems. International Journal of Solids and Structures, 2017, 122-123, 42-58. | 1.3 | 28 |
| 14 | Unusual plastic deformation and damage features in titanium: Experimental tests and constitutive modeling. Journal of the Mechanics and Physics of Solids, 2016, 88, 100-122. | 2.3 | 27 |
| 15 | Trimming of 3D solid finite element meshes using parametric surfaces: Application to sheet metal forming. Finite Elements in Analysis and Design, 2006, 42, 1053-1060. | 1.7 | 26 |
| 16 | Mechanical characterization and constitutive parameter identification of anisotropic tubular materials for hydroforming applications. International Journal of Mechanical Sciences, 2015, 104, 91-103. | 3.6 | 26 |
| 17 | Numerical simulation and analysis on the deep drawing of LPG bottles. Journal of Materials Processing Technology, 2008, 200, 416-423. | 3.1 | 24 |
| 18 | Low pressure sand casting of ultrasonically degassed AlSi7Mg0.3 alloy: Modelling and experimental validation of mould filling. Materials and Design, 2016, 94, 384-391. | 3.3 | 24 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Numerical analysis of different heating systems for warm sheet metal forming. International Journal of Advanced Manufacturing Technology, 2016, 83, 897-909. | 1.5 | 24 |
| 20 | Blank design for deep drawn parts using parametric NURBS surfaces. Journal of Materials Processing Technology, 2009, 209, 2402-2411. | 3.1 | 23 |
| 21 | Numerical study of springback using the split-ring test for an AA5754 aluminum alloy. Finite Elements in Analysis and Design, 2010, 46, 751-759. | 1.7 | 23 |
| 22 | Long-Term Creep Behavior of the Intervertebral Disk: Comparison between Bioreactor Data and Numerical Results. Frontiers in Bioengineering and Biotechnology, 2014, 2, 56. | 2.0 | 23 |
| 23 | Nagata patch interpolation using surface normal vectors evaluated from the IGES file. Finite Elements in Analysis and Design, 2013, 72, 35-46. | 1.7 | 22 |
| 24 | Numerical and experimental analysis of wrinkling during the cup drawing of an AA5042 aluminium alloy. International Journal of Material Forming, 2017, 10, 125-138. | 0.9 | 22 |
| 25 | Intervertebral disc creep behavior assessment through an open source finite element solver. Journal of Biomechanics, 2014, 47, 297-301. | 0.9 | 21 |
| 26 | Numerical Study on the Formability of Metallic Bipolar Plates for Proton Exchange Membrane (PEM) Fuel Cells. Metals, 2019, 9, 810. | 1.0 | 20 |
| 27 | Improving Nagata patch interpolation applied for tool surface description in sheet metal forming simulation. CAD Computer Aided Design, 2013, 45, 639-656. | 1.4 | 19 |
| 28 | Numerical analysis on the elastic deformation of the tools in sheet metal forming processes. International Journal of Solids and Structures, 2016, 100-101, 270-285. | 1.3 | 19 |
| 29 | Improving Computational Performance through HPC Techniques: case study using DD3IMP in-house code., 2011, , . | | 18 |
| 30 | A deformation based blank design method for formed parts. International Journal of Mechanics and Materials in Design, 2009, 5, 303-314. | 1.7 | 17 |
| 31 | Numerical study on the influence of initial anisotropy on optimal blank shape. Finite Elements in Analysis and Design, 2009, 45, 71-80. | 1.7 | 17 |
| 32 | Influence of the characteristics of the experimental data set used to identify anisotropy parameters. Simulation Modelling Practice and Theory, 2015, 53, 15-44. | 2.2 | 17 |
| 33 | A contact smoothing method for arbitrary surface meshes using Nagata patches. Computer Methods in Applied Mechanics and Engineering, 2016, 299, 283-315. | 3.4 | 17 |
| 34 | A benchmark for validation of numerical results in sheet metal forming. Journal of Materials Processing Technology, 2004, 155-156, 1980-1985. | 3.1 | 15 |
| 35 | Study on springback in deep drawn tailor welded blanks. International Journal of Material Forming, 2009, 2, 829-832. | 0.9 | 15 |
| 36 | Importance of the coupling between the sign of the mean stress and the third invariant on the rate of void growth and collapse in porous solids with a von Mises matrix. Modelling and Simulation in Materials Science and Engineering, 2014, 22, 025005. | 0.8 | 15 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Thermo-mechanical finite element analysis of the AA5086 alloy under warm forming conditions. <i>International Journal of Solids and Structures</i> , 2018, 151, 99-117. | 1.3 | 14 |
| 38 | Experimental and numerical analysis of the heat generated by plastic deformation in quasi-static uniaxial tensile tests. <i>Mechanics of Materials</i> , 2020, 146, 103398. | 1.7 | 14 |
| 39 | Sensitivity study on some parameters in blank design. <i>Materials & Design</i> , 2009, 30, 1223-1230. | 5.1 | 13 |
| 40 | Numerical implementation of an osmo-poro-visco-hyperelastic finite element solver: application to the intervertebral disc. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2021, 24, 538-550. | 0.9 | 13 |
| 41 | Numerical modeling of the thermal contact in metal forming processes. <i>International Journal of Advanced Manufacturing Technology</i> , 2016, 87, 1797-1811. | 1.5 | 12 |
| 42 | Work Hardening Models and the Numerical Simulation of the Deep Drawing Process. <i>Materials Science Forum</i> , 2004, 455-456, 717-722. | 0.3 | 11 |
| 43 | Constitutive parameter identification of CB2001 yield function and its experimental verification using tube hydroforming tests. <i>International Journal of Mechanical Sciences</i> , 2020, 185, 105868. | 3.6 | 11 |
| 44 | Comparing faceted and smoothed tool surface descriptions in sheet metal forming simulation. <i>International Journal of Material Forming</i> , 2015, 8, 549-565. | 0.9 | 10 |
| 45 | Stochastic analysis of a deep drawing process using finite element simulations. <i>International Journal of Material Forming</i> , 2009, 2, 347-350. | 0.9 | 9 |
| 46 | Study on the effect of tension-compression asymmetry on the cylindrical cup forming of an AA2090-T3 alloy. <i>International Journal of Solids and Structures</i> , 2018, 151, 135-144. | 1.3 | 9 |
| 47 | Study on the Influence of the Refinement of a 3-D Finite Element Mesh in Springback Evaluation of Plane-Strain Channel Sections. <i>AIP Conference Proceedings</i> , 2007, , . | 0.3 | 8 |
| 48 | Importance of the consideration of the specificities of local plastic deformation on the response of porous solids with Tresca matrix. <i>European Journal of Mechanics, A/Solids</i> , 2014, 47, 194-205. | 2.1 | 8 |
| 49 | Numerical study of springback using the split-ring test: influence of the clearance between the die and the punch. <i>International Journal of Material Forming</i> , 2018, 11, 325-337. | 0.9 | 7 |
| 50 | Drawbeads: to Be or Not to Be. <i>AIP Conference Proceedings</i> , 2005, , . | 0.3 | 6 |
| 51 | Micromechanical study of the dilatational response of porous solids with pressure-insensitive matrix displaying tension-compression asymmetry. <i>European Journal of Mechanics, A/Solids</i> , 2015, 51, 44-54. | 2.1 | 6 |
| 52 | DD3MAT - a code for yield criteria anisotropy parameters identification.. <i>Journal of Physics: Conference Series</i> , 2016, 734, 032053. | 0.3 | 6 |
| 53 | Finite element analysis of stent expansion: Influence of stent geometry on performance parameters. , 2017, , . | | 6 |
| 54 | Springback Evaluation with Several Phenomenological Yield Criteria. <i>Materials Science Forum</i> , 2004, 455-456, 732-736. | 0.3 | 5 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Application of the Incremental Volumetric Remapping Method in the Simulation of Multi-Step Deep Drawing Processes. AIP Conference Proceedings, 2005, , . | 0.3 | 5 |
| 56 | Optimization of the Phenomenological Constitutive Models Parameters Using Genetic Algorithms. , 2007, , 35-54. | | 5 |
| 57 | Cazacu and Barlat Criterion Identification Using the Cylindrical Cup Deep Drawing Test and the Coupled Artificial Neural Networks " Genetic Algorithm Method. Key Engineering Materials, 2012, 504-506, 637-642. | 0.4 | 5 |
| 58 | Earing Prediction in Drawing and Ironing Processes Using an Advanced Yield Criterion. Key Engineering Materials, 0, 554-557, 2266-2276. | 0.4 | 5 |
| 59 | Effect of tendon stiffness on the generated force at the Achilles tendon - 3D finite element simulation of a human triceps surae muscle during isometric contraction. Journal of Biomechanical Science and Engineering, 2014, 9, 13-00294-13-00294. | 0.1 | 5 |
| 60 | Trimming of 3D solid finite element meshes: sheet metal forming tests and applications. Engineering With Computers, 2015, 31, 237-257. | 3.5 | 5 |
| 61 | Hybrix: Experimental characterization of a micro-sandwich sheet. Journal of Materials Processing Technology, 2016, 234, 84-94. | 3.1 | 5 |
| 62 | Semi-implicit finite strain constitutive integration and mixed strain/stress control based on intermediate configurations. Engineering Structures, 2016, 124, 344-360. | 2.6 | 5 |
| 63 | Investigating the plastic anisotropy and hardening behavior of a commercial Zn"Cu"Ti alloy: Experimental & modeling approach. Mechanics of Materials, 2022, 164, 104103. | 1.7 | 5 |
| 64 | Local Interpolation for Tools Surface Description. , 2010, , . | | 4 |
| 65 | 3D reconstruction of a spinal motion segment from 2D medical images: Objective quantification of the geometric accuracy of the FE mesh generation procedure. , 2013, , . | | 4 |
| 66 | Sensitivity Analysis of Process Parameters in the Drawing and Ironing Processes. Key Engineering Materials, 0, 554-557, 2256-2265. | 0.4 | 4 |
| 67 | Constitutive modelling of the annulus fibrosus: Numerical implementation and numerical analysis. , 2013, , . | | 4 |
| 68 | Correlation between strength differential effects in the plastic flow of the matrix and the rate of damage growth in porous polycrystals. Comptes Rendus - Mecanique, 2015, 343, 107-120. | 2.1 | 4 |
| 69 | A 3D finite element model to predict the arcade-like collagen structure in a layered PCL scaffold for cartilage tissue engineering. Computer Methods in Biomechanics and Biomedical Engineering, 2017, 20, S47-S48. | 0.9 | 4 |
| 70 | An advanced constitutive model in the sheet metal forming simulation: the Teodosiu microstructural model and the Cazacu Barlat yield criterion. AIP Conference Proceedings, 2004, , . | 0.3 | 3 |
| 71 | Validation of an Open Source Finite Element Biphase Poroelastic Model. Application to the Intervertebral Disc Biomechanics. , 2013, , . | | 3 |
| 72 | Prediction of wrinkling and springback in sheet metal forming. MATEC Web of Conferences, 2016, 80, 03005. | 0.1 | 3 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | The role of tension-compression asymmetry of the plastic flow on ductility and damage accumulation of porous polycrystals. <i>Ciência & Tecnologia Dos Materiais</i> , 2017, 29, e234-e238. | 0.5 | 3 |
| 74 | Comparison of Experimental and Simulated Results for a Mild Steel and a Dual-Phase Steel Deformed under Tension and Deep-Drawing. <i>Key Engineering Materials</i> , 2002, 230-232, 549-554. | 0.4 | 2 |
| 75 | Local bifurcation and instability theory applied to formability analysis. <i>International Journal of Material Forming</i> , 2011, 4, 347-356. | 0.9 | 2 |
| 76 | Finite Element Analysis of the Amontons-Coulomb's Model using Local and Global Friction Tests. <i>AIP Conference Proceedings</i> , 2011, , . | 0.3 | 2 |
| 77 | Study on the influence of orthotropy and tension-compression asymmetry of metal sheets in springback and formability predictions. <i>Journal of Physics: Conference Series</i> , 2018, 1063, 012053. | 0.3 | 2 |
| 78 | Thermomechanical analysis of the draw bead test. <i>Advances in Materials and Processing Technologies</i> , 2019, 5, 401-417. | 0.8 | 2 |
| 79 | FEA OF FRICTIONAL CONTACT PROBLEMS USING NAGATA PATCHES FOR SURFACES DESCRIPTION. , 0, , . | | 2 |
| 80 | Numerical Analysis on the Effects of the Friction Coefficient on the Deep Drawing of a Rail. <i>Materials Science Forum</i> , 2004, 455-456, 737-741. | 0.3 | 1 |
| 81 | Study on the Influence of the Work Hardening Models Constitutive Parameters Identification in the Springback Prediction. <i>AIP Conference Proceedings</i> , 2005, , . | 0.3 | 1 |
| 82 | Kinematic Hardening: Characterization, Modeling and Impact on Springback Prediction. <i>AIP Conference Proceedings</i> , 2007, , . | 0.3 | 1 |
| 83 | Incremental Volumetric Remapping Method: Analysis and Error Evaluation. <i>AIP Conference Proceedings</i> , 2007, , . | 0.3 | 1 |
| 84 | Local Bifurcation and Instability Theory Applied to Formability Analysis. , 2010, , . | | 1 |
| 85 | Finite Element Analysis on the Influence of Material Mechanical Properties in Local Contact Conditions. <i>International Journal of Material Forming</i> , 2010, 3, 139-142. | 0.9 | 1 |
| 86 | Pre-strain effect on springback of 2D draw bending. <i>International Journal of Materials Engineering Innovation</i> , 2013, 4, 187. | 0.2 | 1 |
| 87 | Applying Nagata Patches in the Description of Smooth Tool Surfaces Used in Sheet Metal Forming Simulations. <i>Key Engineering Materials</i> , 0, 554-557, 2277-2284. | 0.4 | 1 |
| 88 | New Analytical Criterion for Porous Solids with Tresca Matrix. , 2014, 3, 1412-1417. | | 1 |
| 89 | A staggered coupling strategy for the finite element analysis of warm deep drawing process. <i>Journal of Physics: Conference Series</i> , 2016, 734, 032033. | 0.3 | 1 |
| 90 | Remapping algorithms: application to trimming operations in sheet metal forming. <i>Journal of Physics: Conference Series</i> , 2016, 734, 032046. | 0.3 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Incremental volumetric and Dual Kriging remapping methods. Finite Elements in Analysis and Design, 2018, 139, 35-48. | 1.7 | 1 |
| 92 | Temperature analysis during the drawing of an aluminum cylindrical cup. Journal of Physics: Conference Series, 2018, 1063, 012137. | 0.3 | 1 |
| 93 | Influence of the characteristics of the 3D FE mesh on the evolution of variables used to characterize the stress state. AIP Conference Proceedings, 2019, , . | 0.3 | 1 |
| 94 | Optimizing the Description of Forming Tools with Bézier Surfaces in the Numerical Simulation of the Deep Drawing Process. , 2006, , 332-332. | | 1 |
| 95 | Numerical Simulation of the Deep Drawing Process: Modelling the Blank Holder. AIP Conference Proceedings, 2004, , . | 0.3 | 0 |
| 96 | Evolutional Friction Law in the Numerical Simulation of the Deep Drawing of a Rail. Materials Science Forum, 2006, 514-516, 1443-1447. | 0.3 | 0 |
| 97 | Influence of Anisotropy Properties in Finite Element Optimization of Blank Shape Using NURBS Surfaces. AIP Conference Proceedings, 2007, , . | 0.3 | 0 |
| 98 | Influence of Drawbeads in Deep-Drawing of Plane-Strain Channel Sections: Experimental and FE Analysis. AIP Conference Proceedings, 2007, , . | 0.3 | 0 |
| 99 | Strategy of Material Parameters Identification for Non Linear Mechanical Behavior: Sensitivity of FE Computation. AIP Conference Proceedings, 2007, , . | 0.3 | 0 |
| 100 | Mechanical Modeling and Finite Element Analysis of Porous Cast Products. Journal of the Japan Society for Precision Engineering, 2008, 74, 1273-1277. | 0.0 | 0 |
| 101 | Finite element analysis of the influence of the restraining force in the draw bend test. International Journal of Material Forming, 2010, 3, 143-146. | 0.9 | 0 |
| 102 | The Role of Evolutive Elastic Properties in the Performance of a Sheet Formed Spring Applied in Multimedia Car Industry. MATEC Web of Conferences, 2016, 80, 15009. | 0.1 | 0 |
| 103 | Automatic correction of the time step in implicit simulations of thermomechanical problems. MATEC Web of Conferences, 2016, 80, 07002. | 0.1 | 0 |
| 104 | The Role of Evolutive Elastic Properties in the Performance of a Sheet Formed Spring Applied in Multimedia Car Industry. Journal of Physics: Conference Series, 2016, 734, 032093. | 0.3 | 0 |
| 105 | On the impact of modelling tension-compression asymmetry on earing and thickness predictions. Advances in Materials and Processing Technologies, 2019, 5, 445-460. | 0.8 | 0 |
| 106 | The role of viscoelasticity in the mechanical modelling of rubbers. AIP Conference Proceedings, 2019, , . | 0.3 | 0 |
| 107 | Heat generation when forming AHSS: experimental and numerical analysis of tensile and draw-bead tests. IOP Conference Series: Materials Science and Engineering, 2020, 967, 012086. | 0.3 | 0 |
| 108 | Study on the influence of the strain rate sensitivity on the springback of the AA5086 alloy under warm forming conditions. IOP Conference Series: Materials Science and Engineering, 2021, 1157, 012043. | 0.3 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Influence of the orthotropic behaviour on defects prediction in cup drawing, reverse redrawing and expansion. IOP Conference Series: Materials Science and Engineering, 2021, 1157, 012072. | 0.3 | 0 |
| 110 | On the Computational Biomechanics of the Intervertebral Disc. Lecture Notes in Computational Vision and Biomechanics, 2020, , 223-240. | 0.5 | 0 |
| 111 | Evaluating the influence of the deformation of the forming tools in the thickness distribution along the wall of a cylindrical cup. IOP Conference Series: Materials Science and Engineering, 2022, 1238, 012079. | 0.3 | 0 |