

Chung-Jen Yen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/178046/publications.pdf>

Version: 2024-02-01

59
papers

2,770
citations

279778

23
h-index

175241

52
g-index

59
all docs

59
docs citations

59
times ranked

4341
citing authors

#	ARTICLE	IF	CITATIONS
1	Immediate knowledge improvement and long-term teaching confidence after general medicine faculty training program. <i>Journal of the Formosan Medical Association</i> , 2020, 119, 538-543.	1.7	0
2	Old age is a positive modifier of renal outcome in Taiwanese patients with stages 3–5 chronic kidney disease. <i>Aging Clinical and Experimental Research</i> , 2019, 31, 1651-1659.	2.9	5
3	Diabetes mellitus, superoxide dismutase and peroxisome proliferator activated receptor gamma polymorphisms modify the outcome of end-stage renal disease patients of Han Chinese origin. <i>Nephrology</i> , 2018, 23, 117-125.	1.6	6
4	10-Year Renal Function Trajectories in Community-Dwelling Older Adults: Exploring the Risk Factors for Different Patterns. <i>Journal of Clinical Medicine</i> , 2018, 7, 373.	2.4	3
5	Effect of Kidney Dysfunction on Cerebral Cortical Thinning in Elderly Population. <i>Scientific Reports</i> , 2017, 7, 2337.	3.3	7
6	[P344]: EFFECT OF KIDNEY DYSFUNCTION ON CEREBRAL CORTICAL THINNING IN AN ELDERLY POPULATION. <i>Alzheimer's and Dementia</i> , 2017, 13, P1086.	0.8	0
7	Interplay between Superoxide Dismutase, Glutathione Peroxidase, and Peroxisome Proliferator Activated Receptor Gamma Polymorphisms on the Risk of End-Stage Renal Disease among Han Chinese Patients. <i>Oxidative Medicine and Cellular Longevity</i> , 2016, 2016, 1-7.	4.0	12
8	Antihypertensive agents and the risk of breast cancer in women aged 55 years and older. <i>Journal of Hypertension</i> , 2016, 34, 558-566.	0.5	20
9	Acute kidney injury as a risk factor for diagnostic discrepancy among geriatric patients: a pilot study. <i>Scientific Reports</i> , 2016, 6, 38549.	3.3	1
10	Visceral fat area is associated with HbA1c but not dialysate-related glucose load in nondiabetic PD patients. <i>Scientific Reports</i> , 2015, 5, 12811.	3.3	13
11	Genome-Wide Association Study for Autism Spectrum Disorder in Taiwanese Han Population. <i>PLoS ONE</i> , 2015, 10, e0138695.	2.5	34
12	Intradialytic Hypotension and Cardiac Remodeling: A Vicious Cycle. <i>BioMed Research International</i> , 2015, 2015, 1-7.	1.9	37
13	Sequence Variants of Peroxisome Proliferator-Activated Receptor-Gamma Gene and the Clinical Courses of Patients with End-Stage Renal Disease. <i>Disease Markers</i> , 2015, 2015, 1-7.	1.3	8
14	Pre-surgical Geriatric Syndromes, Frailty, and Risks for Postoperative Delirium in Older Patients Undergoing Gastrointestinal Surgery: Prevalence and Red Flags. <i>Journal of Gastrointestinal Surgery</i> , 2015, 19, 927-934.	1.7	17
15	Ferritin heavy chain mediates the protective effect of heme oxygenase-1 against oxidative stress. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2015, 1850, 2506-2517.	2.4	47
16	Viridans Streptococci in Peritoneal Dialysis Peritonitis: Clinical Courses and Long-Term Outcomes. <i>Peritoneal Dialysis International</i> , 2015, 35, 333-341.	2.3	24
17	Serum free 1,25-dihydroxy-vitamin D is more closely associated with fibroblast growth factor 23 than other vitamin D forms in chronic dialysis patients. <i>Clinica Chimica Acta</i> , 2015, 439, 122-127.	1.1	3
18	Acinetobacter Peritoneal Dialysis Peritonitis: A Changing Landscape over Time. <i>PLoS ONE</i> , 2014, 9, e110315.	2.5	17

#	ARTICLE	IF	CITATIONS
19	Serum vitamin D levels are positively associated with varicella zoster immunity in chronic dialysis patients. <i>Scientific Reports</i> , 2014, 4, 7371.	3.3	20
20	Effect of age on febrile response in patients with healthcare-associated bloodstream infection. <i>Geriatric Nursing</i> , 2013, 34, 366-372.	1.9	3
21	Peritoneal dialysis peritonitis by anaerobic pathogens: a retrospective case series. <i>BMC Nephrology</i> , 2013, 14, 111.	1.8	14
22	<i>Citrobacter</i> Peritoneal Dialysis Peritonitis: Rare Occurrence with Poor Outcomes. <i>International Journal of Medical Sciences</i> , 2013, 10, 1092-1098.	2.5	20
23	Glycosylated Hemoglobin and Albumin-Corrected Fructosamine Are Good Indicators for Glycemic Control in Peritoneal Dialysis Patients. <i>PLoS ONE</i> , 2013, 8, e57762.	2.5	27
24	High Peritoneal KT/V and Peritonitis Rates Are Associated with Peritoneal Calcification. <i>PLoS ONE</i> , 2013, 8, e71636.	2.5	6
25	Lean Body Mass Predicts Long-Term Survival in Chinese Patients on Peritoneal Dialysis. <i>PLoS ONE</i> , 2013, 8, e54976.	2.5	29
26	Metabolic Syndrome and Insulin Resistance as Risk Factors for Development of Chronic Kidney Disease and Rapid Decline in Renal Function in Elderly. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, 1268-1276.	3.6	111
27	Fibrin-Induced Epithelial-to-Mesenchymal Transition of Peritoneal Mesothelial Cells as a Mechanism of Peritoneal Fibrosis: Effects of Pentoxifylline. <i>PLoS ONE</i> , 2012, 7, e44765.	2.5	24
28	Modified Hospital Elder Life Program: Effects on Abdominal Surgery Patients. <i>Journal of the American College of Surgeons</i> , 2011, 213, 245-252.	0.5	127
29	Prevalence of geriatric conditions: A hospital-wide survey of 455 geriatric inpatients in a tertiary medical center. <i>Archives of Gerontology and Geriatrics</i> , 2011, 53, 46-50.	3.0	17
30	Tamoxifen Downregulates Connective Tissue Growth Factor to Ameliorate Peritoneal Fibrosis. <i>Blood Purification</i> , 2011, 31, 252-258.	1.8	23
31	Shared Risk Factors for Distinct Geriatric Syndromes in Older Taiwanese Inpatients. <i>Nursing Research</i> , 2010, 59, 340-347.	1.7	15
32	Metabolic risks, white matter hyperintensities, and arterial stiffness in high-functioning healthy adults. <i>International Journal of Cardiology</i> , 2010, 143, 184-191.	1.7	53
33	Benefits of Sevelamer on Markers of Bone Turnover in Taiwanese Hemodialysis Patients. <i>Journal of the Formosan Medical Association</i> , 2010, 109, 663-672.	1.7	11
34	The effects of measurement site and ambient temperature on body temperature values in healthy older adults: A cross-sectional comparative study. <i>International Journal of Nursing Studies</i> , 2009, 46, 1415-1422.	5.6	9
35	Hyperuricemia Associated With Rapid Renal Function Decline in Elderly Taiwanese Subjects. <i>Journal of the Formosan Medical Association</i> , 2009, 108, 921-928.	1.7	19
36	Relationship of Homocysteine Levels to Quadriceps Strength, Gait Speed, and Late-Life Disability in Older Adults. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2007, 62, 434-439.	3.6	73

#	ARTICLE	IF	CITATIONS
37	Association between Abnormal Liver Function and Risk Factors for Metabolic Syndrome among Freshmen. <i>Journal of Adolescent Health</i> , 2007, 41, 132-137.	2.5	17
38	Association of cardiorespiratory fitness and levels of C-reactive protein: Data from the National Health and Nutrition Examination Survey 1999-2002. <i>International Journal of Cardiology</i> , 2007, 114, 28-33.	1.7	46
39	Seroprevalence of Hepatitis B Viral Markers Among Freshmen 20 Years After Mass Hepatitis B Vaccination Program in Taiwan. <i>Journal of the Formosan Medical Association</i> , 2007, 106, 513-519.	1.7	21
40	Two Decades of Universal Hepatitis B Vaccination in Taiwan: Impact and Implication for Future Strategies. <i>Gastroenterology</i> , 2007, 132, 1287-1293.	1.3	314
41	Linking C-Reactive Protein to Late-Life Disability in the National Health and Nutrition Examination Survey (NHANES) 1999-2002. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2006, 61, 380-387.	3.6	93
42	Exploring How Peak Leg Power and Usual Gait Speed Are Linked to Late-Life Disability. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2006, 85, 650-658.	1.4	81
43	Diltiazem suppresses collagen synthesis and IL-1 β -induced TGF- β 1 production on human peritoneal mesothelial cells. <i>Nephrology Dialysis Transplantation</i> , 2006, 21, 1340-1347.	0.7	19
44	Relation of C-reactive protein to stroke, cognitive disorders, and depression in the general population: systematic review and meta-analysis. <i>Lancet Neurology</i> , The, 2005, 4, 371-380.	10.2	330
45	Adiponectin in peritoneal dialysis patients: a comparison with hemodialysis patients and subjects with normal renal function. <i>American Journal of Kidney Diseases</i> , 2004, 43, 1047-1055.	1.9	95
46	Antibiotics induce apoptosis of human peritoneal mesothelial cells. <i>Nephrology</i> , 2003, 8, 142-149.	1.6	15
47	Dexamethasone inhibits human peritoneal mesothelial cell proliferation and collagen synthesis. <i>Juntendol., Igaku</i> , 2003, 49, 176-184.	0.1	0
48	Association between serum aspartate transaminase and homocysteine levels in hemodialysis patients. <i>American Journal of Kidney Diseases</i> , 2002, 40, 1195-1201.	1.9	16
49	Systemic Lupus Erythematosus and Peritoneal Dialysis: Outcomes and Infectious Complications. <i>Peritoneal Dialysis International</i> , 2001, 21, 143-148.	2.3	35
50	A case of congenital generalized lipodystrophy: metabolic effects of four dietary regimens. Lack of association of CGL with polymorphism in the lamin A/C Gene. <i>Clinical Endocrinology</i> , 2001, 54, 412-414.	2.4	6
51	Dipyridamole inhibits PDGF-stimulated human peritoneal mesothelial cell proliferation. <i>Kidney International</i> , 2001, 60, 872-881.	5.2	24
52	Pentoxifylline inhibits human peritoneal mesothelial cell growth and collagen synthesis: Effects on TGF- β 2. <i>Kidney International</i> , 2000, 57, 2626-2633.	5.2	44
53	Age-associated changes in interferon- γ and interleukin-4 secretion by purified human CD4+ and CD8+ T cells. <i>Journal of Biomedical Science</i> , 2000, 7, 317-321.	7.0	31
54	Effects of Age and Diabetes on Blood Flow Rate and Primary Outcome of Newly Created Hemodialysis Arteriovenous Fistulas. <i>American Journal of Nephrology</i> , 1998, 18, 96-100.	3.1	116

#	ARTICLE	IF	CITATIONS
55	Extracellular Matrix Proteins Modulate Human Peritoneal Mesothelial Cell Behavior. <i>Nephron</i> , 1997, 75, 188-195.	0.6	13
56	Chromosomal Localization and Partial Genomic Structure of the Human Peroxisome Proliferator Activated Receptor-Gamma (hPPAR γ) Gene. <i>Biochemical and Biophysical Research Communications</i> , 1997, 233, 756-759.	2.1	85
57	Molecular Scanning of the Human Peroxisome Proliferator Activated Receptor γ (hPPAR γ) Gene in Diabetic Caucasians: Identification of a Pro12Ala PPAR γ 2 Missense Mutation. <i>Biochemical and Biophysical Research Communications</i> , 1997, 241, 270-274.	2.1	480
58	Effects of Intraperitoneal Antibiotics on Human Peritoneal Mesothelial Cell Growth. <i>Nephron</i> , 1996, 74, 694-700.	0.6	13
59	Effect of Intraperitoneally Administered Agents on Human Peritoneal Mesothelial Cell Growth. <i>Nephron</i> , 1995, 71, 23-28.	1.8	21