

Volker Lohmann

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1782313/volker-lohmann-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

119
papers

13,802
citations

60
h-index

117
g-index

129
ext. papers

14,865
ext. citations

7.6
avg. IF

6.23
L-index

#	Paper	IF	Citations
119	Interferon lambda 4 impairs hepatitis C viral antigen presentation and attenuates T cell responses. <i>Nature Communications</i> , 2021 , 12, 4882	17.4	2
118	Convergent use of phosphatidic acid for hepatitis C virus and SARS-CoV-2 replication organelle formation.. <i>Nature Communications</i> , 2021 , 12, 7276	17.4	1
117	Evidence for Internal Initiation of RNA Synthesis by the Hepatitis C Virus RNA-Dependent RNA Polymerase NS5B. <i>Journal of Virology</i> , 2019 , 93,	6.6	2
116	The Hepatitis C Virus Replicon System and Its Role in Drug Development. <i>Topics in Medicinal Chemistry</i> , 2019 , 69-96	0.4	1
115	SEC14L2, a lipid-binding protein, regulates HCV replication in culture with inter- and intra-genotype variations. <i>Journal of Hepatology</i> , 2019 , 70, 603-614	13.4	1
114	Inhibition of Hepatitis C Replication by Targeting the Molecular Chaperone Hsp90: Synthesis and Biological Evaluation of 4,5,6,7-Tetrahydrobenzo[1,2-d]thiazole Derivatives. <i>ChemMedChem</i> , 2019 , 14, 334-342	3.7	2
113	Hepatitis C virus cell culture models: an encomium on basic research paving the road to therapy development. <i>Medical Microbiology and Immunology</i> , 2019 , 208, 3-24	4	11
112	Critical challenges and emerging opportunities in hepatitis C virus research in an era of potent antiviral therapy: Considerations for scientists and funding agencies. <i>Virus Research</i> , 2018 , 248, 53-62	6.4	95
111	Secretion of Hepatitis C Virus Replication Intermediates Reduces Activation of Toll-Like Receptor 3 in Hepatocytes. <i>Gastroenterology</i> , 2018 , 154, 2237-2251.e16	13.3	36
110	Hepatitis C Virus Replication Depends on Endosomal Cholesterol Homeostasis. <i>Journal of Virology</i> , 2018 , 92,	6.6	52
109	microRNA-122 amplifies hepatitis C virus translation by shaping the structure of the internal ribosomal entry site. <i>Nature Communications</i> , 2018 , 9, 2613	17.4	50
108	Hepatitis C virus-induced natural killer cell proliferation involves monocyte-derived cells and the OX40/OX40L axis. <i>Journal of Hepatology</i> , 2018 , 68, 421-430	13.4	11
107	Characterization of a Threonine-Rich Cluster in Hepatitis C Virus Nonstructural Protein 5A and Its Contribution to Hyperphosphorylation. <i>Journal of Virology</i> , 2018 , 92,	6.6	5
106	PI4KIII inhibitor enviroxime impedes the replication of the hepatitis C virus by inhibiting PI3 kinases. <i>Journal of Antimicrobial Chemotherapy</i> , 2018 , 73, 3375-3384	5.1	3
105	Phosphorylation-Dependent Feedback Inhibition of RIG-I by DAPK1 Identified by Kinome-wide siRNA Screening. <i>Molecular Cell</i> , 2017 , 65, 403-415.e8	17.6	25
104	Flavivirus Infection Uncouples Translation Suppression from Cellular Stress Responses. <i>MBio</i> , 2017 , 8,	7.8	60
103	Hepatitis C Virus-Specific T Cell Receptor mRNA-Engineered Human T Cells: Impact of Antigen Specificity on Functional Properties. <i>Journal of Virology</i> , 2017 , 91,	6.6	10

102	Overall Structural Model of NS5A Protein from Hepatitis C Virus and Modulation by Mutations Confering Resistance of Virus Replication to Cyclosporin A. <i>Biochemistry</i> , 2017 , 56, 3029-3048	3.2	22
101	Interaction and Mutual Activation of Different Innate Immune Cells Is Necessary to Kill and Clear Hepatitis C Virus-Infected Cells. <i>Frontiers in Immunology</i> , 2017 , 8, 1238	8.4	4
100	Membrane alterations induced by nonstructural proteins of human norovirus. <i>PLoS Pathogens</i> , 2017 , 13, e1006705	7.6	40
99	Tuning a cellular lipid kinase activity adapts hepatitis C virus to replication in cell culture. <i>Nature Microbiology</i> , 2016 , 2, 16247	26.6	39
98	Type I and type II interferon responses in two human liver cell lines (Huh-7 and HuH6). <i>Genomics Data</i> , 2016 , 7, 166-70		6
97	The HCV Replicase Complex and Viral RNA Synthesis 2016 , 149-196		1
96	Foot-and-mouth disease virus replicates independently of phosphatidylinositol 4-phosphate and type III phosphatidylinositol 4-kinases. <i>Journal of General Virology</i> , 2016 , 97, 1841-1852	4.9	10
95	Mutations in Encephalomyocarditis Virus 3A Protein Uncouple the Dependency of Genome Replication on Host Factors Phosphatidylinositol 4-Kinase III and Oxysterol-Binding Protein. <i>MSphere</i> , 2016 , 1,	5	16
94	The cyclophilin-inhibitor alisporivir stimulates antigen presentation thereby promoting antigen-specific CD8(+) T cell activation. <i>Journal of Hepatology</i> , 2016 , 64, 1305-14	13.4	3
93	Tyrphostin AG1478 Inhibits Encephalomyocarditis Virus and Hepatitis C Virus by Targeting Phosphatidylinositol 4-Kinase III. <i>Antimicrobial Agents and Chemotherapy</i> , 2016 , 60, 6402-6	5.9	9
92	Ultrastructure of the replication sites of positive-strand RNA viruses. <i>Virology</i> , 2015 , 479-480, 418-33	3.6	98
91	Identification of HNRNPK as regulator of hepatitis C virus particle production. <i>PLoS Pathogens</i> , 2015 , 11, e1004573	7.6	41
90	Novel perspectives for hepatitis A virus therapy revealed by comparative analysis of hepatitis C virus and hepatitis A virus RNA replication. <i>Hepatology</i> , 2015 , 62, 397-408	11.2	26
89	Control of temporal activation of hepatitis C virus-induced interferon response by domain 2 of nonstructural protein 5A. <i>Journal of Hepatology</i> , 2015 , 63, 829-37	13.4	40
88	DDX60L Is an Interferon-Stimulated Gene Product Restricting Hepatitis C Virus Replication in Cell Culture. <i>Journal of Virology</i> , 2015 , 89, 10548-68	6.6	35
87	NS5A Domain 1 and Polyprotein Cleavage Kinetics Are Critical for Induction of Double-Membrane Vesicles Associated with Hepatitis C Virus Replication. <i>MBio</i> , 2015 , 6, e00759	7.8	60
86	Modulation of the Host Lipid Landscape to Promote RNA Virus Replication: The Picornavirus Encephalomyocarditis Virus Converges on the Pathway Used by Hepatitis C Virus. <i>PLoS Pathogens</i> , 2015 , 11, e1005185	7.6	70
85	On the history of hepatitis C virus cell culture systems. <i>Journal of Medicinal Chemistry</i> , 2014 , 57, 1627-428.3		67

84	Inhibition of HCV replication by cyclophilin antagonists is linked to replication fitness and occurs by inhibition of membranous web formation. <i>Gastroenterology</i> , 2014 , 146, 1361-72.e1-9	13.3	58
83	Daclatasvir-like inhibitors of NS5A block early biogenesis of hepatitis C virus-induced membranous replication factories, independent of RNA replication. <i>Gastroenterology</i> , 2014 , 147, 1094-105.e25	13.3	122
82	Cyclosporin A inhibits hepatitis B and hepatitis D virus entry by cyclophilin-independent interference with the NTCP receptor. <i>Journal of Hepatology</i> , 2014 , 60, 723-31	13.4	172
81	Mapping of functional domains of the lipid kinase phosphatidylinositol 4-kinase type III alpha involved in enzymatic activity and hepatitis C virus replication. <i>Journal of Virology</i> , 2014 , 88, 9909-26	6.6	28
80	Monocytes activate natural killer cells via inflammasome-induced interleukin 18 in response to hepatitis C virus replication. <i>Gastroenterology</i> , 2014 , 147, 209-220.e3	13.3	65
79	Restoration of HCV-specific CD8+ T cell function by interferon-free therapy. <i>Journal of Hepatology</i> , 2014 , 61, 538-43	13.4	181
78	Matrix conditions and KLF2-dependent induction of heme oxygenase-1 modulate inhibition of HCV replication by fluvastatin. <i>PLoS ONE</i> , 2014 , 9, e96533	3.7	12
77	In Vitro Replication Models 2013 , 325-340		
76	Factors that determine the antiviral efficacy of HCV-specific CD8(+) T cells ex vivo. <i>Gastroenterology</i> , 2013 , 144, 426-436	13.3	34
75	Hepatitis C virus RNA replication. <i>Current Topics in Microbiology and Immunology</i> , 2013 , 369, 167-98	3.3	102
74	The molecular and structural basis of advanced antiviral therapy for hepatitis C virus infection. <i>Nature Reviews Microbiology</i> , 2013 , 11, 482-96	22.2	290
73	The lipid kinase phosphatidylinositol-4 kinase III alpha regulates the phosphorylation status of hepatitis C virus NS5A. <i>PLoS Pathogens</i> , 2013 , 9, e1003359	7.6	99
72	Replication vesicles are load- and choke-points in the hepatitis C virus lifecycle. <i>PLoS Pathogens</i> , 2013 , 9, e1003561	7.6	63
71	Analysis of hepatitis C virus resistance to silibinin in vitro and in vivo points to a novel mechanism involving nonstructural protein 4B. <i>Hepatology</i> , 2013 , 57, 953-63	11.2	36
70	Dynamic oscillation of translation and stress granule formation mark the cellular response to virus infection. <i>Cell Host and Microbe</i> , 2012 , 12, 71-85	23.4	131
69	Identification of type I and type II interferon-induced effectors controlling hepatitis C virus replication. <i>Hepatology</i> , 2012 , 56, 2082-93	11.2	111
68	TCR-redirected human T cells inhibit hepatitis C virus replication: hepatotoxic potential is linked to antigen specificity and functional avidity. <i>Journal of Immunology</i> , 2012 , 189, 4510-9	5.3	19
67	Low perforin expression of early differentiated HCV-specific CD8+ T cells limits their hepatotoxic potential. <i>Journal of Hepatology</i> , 2012 , 57, 9-16	13.4	10

66	Rapid antigen processing and presentation of a protective and immunodominant HLA-B*27-restricted hepatitis C virus-specific CD8+ T-cell epitope. <i>PLoS Pathogens</i> , 2012 , 8, e1003042	7.6	21
65	Differing and isoform-specific roles for the formin DIAPH3 in plasma membrane blebbing and filopodia formation. <i>Cell Research</i> , 2012 , 22, 728-45	24.7	17
64	Bile acids specifically increase hepatitis C virus RNA-replication. <i>PLoS ONE</i> , 2012 , 7, e36029	3.7	20
63	Generation of T-cell receptors targeting a genetically stable and immunodominant cytotoxic T-lymphocyte epitope within hepatitis C virus non-structural protein 3. <i>Journal of General Virology</i> , 2012 , 93, 247-258	4.9	9
62	Mouse hepatic cells support assembly of infectious hepatitis C virus particles. <i>Gastroenterology</i> , 2011 , 141, 1057-66	13.3	93
61	Recruitment and activation of a lipid kinase by hepatitis C virus NS5A is essential for integrity of the membranous replication compartment. <i>Cell Host and Microbe</i> , 2011 , 9, 32-45	23.4	385
60	Assembly of infectious hepatitis C virus particles. <i>Trends in Microbiology</i> , 2011 , 19, 95-103	12.4	347
59	An integrated transcriptomic and meta-analysis of hepatoma cells reveals factors that influence susceptibility to HCV infection. <i>PLoS ONE</i> , 2011 , 6, e25584	3.7	15
58	Human leukocyte antigen B27 selects for rare escape mutations that significantly impair hepatitis C virus replication and require compensatory mutations. <i>Hepatology</i> , 2011 , 54, 1157-66	11.2	41
57	Annexin A2 as a differential diagnostic marker of hepatocellular tumors. <i>Pathology Research and Practice</i> , 2011 , 207, 8-14	3.4	27
56	A comprehensive structure-function comparison of hepatitis C virus strain JFH1 and J6 polymerases reveals a key residue stimulating replication in cell culture across genotypes. <i>Journal of Virology</i> , 2011 , 85, 2565-81	6.6	53
55	Molecular mechanism of signal perception and integration by the innate immune sensor retinoic acid-inducible gene-I (RIG-I). <i>Journal of Biological Chemistry</i> , 2011 , 286, 27278-87	5.4	92
54	Immunodominance of HLA-A2-restricted hepatitis C virus-specific CD8+ T cell responses is linked to naive-precursor frequency. <i>Journal of Virology</i> , 2011 , 85, 5232-6	6.6	47
53	Experimental models to study the immunobiology of hepatitis C virus. <i>Journal of General Virology</i> , 2011 , 92, 477-93	4.9	17
52	Role of annexin A2 in the production of infectious hepatitis C virus particles. <i>Journal of Virology</i> , 2010 , 84, 5775-89	6.6	101
51	Identification of hepatoprotective flavonolignans from silymarin. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 5995-9	11.5	201
50	Hepatitis C virus replication cycle. <i>Journal of Hepatology</i> , 2010 , 53, 583-5	13.4	84
49	Protective effect of human leukocyte antigen B27 in hepatitis C virus infection requires the presence of a genotype-specific immunodominant CD8+ T-cell epitope. <i>Hepatology</i> , 2010 , 51, 54-62	11.2	42

48	The heme oxygenase 1 product biliverdin interferes with hepatitis C virus replication by increasing antiviral interferon response. <i>Hepatology</i> , 2010 , 51, 398-404	11.2	94
47	Multiple effects of silymarin on the hepatitis C virus lifecycle. <i>Hepatology</i> , 2010 , 51, 1912-21	11.2	159
46	Essential role of cyclophilin A for hepatitis C virus replication and virus production and possible link to polyprotein cleavage kinetics. <i>PLoS Pathogens</i> , 2009 , 5, e1000546	7.6	216
45	Production of infectious genotype 1b virus particles in cell culture and impairment by replication enhancing mutations. <i>PLoS Pathogens</i> , 2009 , 5, e1000475	7.6	105
44	Structural and functional analysis of hepatitis C virus strain JFH1 polymerase. <i>Journal of Virology</i> , 2009 , 83, 11926-39	6.6	65
43	Hepatitis C virus replicons: dinosaurs still in business?. <i>Journal of Viral Hepatitis</i> , 2009 , 16, 1-9	3.4	11
42	In vitro replicative properties of replicons constructed using sequence variants of the hepatitis C virus strain AD78 that caused a single-source outbreak of hepatitis C. <i>Virus Research</i> , 2009 , 142, 1-9	6.4	4
41	HCV replicons: overview and basic protocols. <i>Methods in Molecular Biology</i> , 2009 , 510, 145-63	1.4	21
40	The accelerating pace of HCV research: a summary of the 15th International Symposium on Hepatitis C Virus And Related Viruses. <i>Gastroenterology</i> , 2009 , 136, 9-16	13.3	10
39	Analysis of CD8+ T-cell-mediated inhibition of hepatitis C virus replication using a novel immunological model. <i>Gastroenterology</i> , 2009 , 136, 1391-401	13.3	95
38	Mutagenic effect of ribavirin on hepatitis C nonstructural 5B quasispecies in vitro and during antiviral therapy. <i>Gastroenterology</i> , 2007 , 132, 921-30	13.3	73
37	Hepatitis C virus escape from the interferon regulatory factor 3 pathway by a passive and active evasion strategy. <i>Hepatology</i> , 2007 , 46, 1365-74	11.2	92
36	Analysis of hepatitis C virus superinfection exclusion by using novel fluorochrome gene-tagged viral genomes. <i>Journal of Virology</i> , 2007 , 81, 4591-603	6.6	174
35	Identification of determinants involved in initiation of hepatitis C virus RNA synthesis by using intergenotypic replicase chimeras. <i>Journal of Virology</i> , 2007 , 81, 5270-83	6.6	86
34	Analysis of Hepatitis C Virus Superinfection Exclusion by Using Novel Fluorochrome Gene-Tagged Viral Genomes. <i>Journal of Virology</i> , 2007 , 81, 7327-7327	6.6	0
33	A target on the move: innate and adaptive immune escape strategies of hepatitis C virus. <i>Antiviral Research</i> , 2006 , 69, 129-41	10.8	102
32	Relationships between hepatitis C virus replication and CXCL-8 production in vitro. <i>Journal of Virology</i> , 2006 , 80, 7885-93	6.6	32
31	Characterization of the early steps of hepatitis C virus infection by using luciferase reporter viruses. <i>Journal of Virology</i> , 2006 , 80, 5308-20	6.6	343

30	Hepatitis C virus-replicating hepatocytes induce fibrogenic activation of hepatic stellate cells. <i>Gastroenterology</i> , 2005 , 129, 246-58	13.3	118
29	The Replicon System as an Efficient Tool to Study HCV RNA Replication 2005 , 25, 81-95		
28	Nonstructural protein 5A does not contribute to the resistance of hepatitis C virus replication to interferon alpha in cell culture. <i>Virology</i> , 2005 , 336, 131-6	3.6	15
27	Hepatitis C virus NS2/3 processing is required for NS3 stability and viral RNA replication. <i>Journal of Biological Chemistry</i> , 2005 , 280, 29604-11	5.4	52
26	Quantitative analysis of the hepatitis C virus replication complex. <i>Journal of Virology</i> , 2005 , 79, 13594-6056	6.6	235
25	Dissecting the interferon-induced inhibition of hepatitis C virus replication by using a novel host cell line. <i>Journal of Virology</i> , 2005 , 79, 13778-93	6.6	77
24	Membrane association of the RNA-dependent RNA polymerase is essential for hepatitis C virus RNA replication. <i>Journal of Virology</i> , 2004 , 78, 13278-84	6.6	110
23	Hepatitis C Virus Replication in Cell Culture 2004 , 108-122		
22	A replicon-based bioassay for the measurement of interferons in patients with chronic hepatitis C. <i>Journal of Virological Methods</i> , 2003 , 110, 201-9	2.6	152
21	Viral and cellular determinants of hepatitis C virus RNA replication in cell culture. <i>Journal of Virology</i> , 2003 , 77, 3007-19	6.6	337
20	Identification of the hepatitis C virus RNA replication complex in Huh-7 cells harboring subgenomic replicons. <i>Journal of Virology</i> , 2003 , 77, 5487-92	6.6	511
19	Hepatitis C virus RNA replication is resistant to tumour necrosis factor-alpha. <i>Journal of General Virology</i> , 2003 , 84, 1253-1259	4.9	72
18	Interferon-gamma inhibits replication of subgenomic and genomic hepatitis C virus RNAs. <i>Hepatology</i> , 2002 , 35, 694-703	11.2	259
17	The hepatitis C virus RNA-dependent RNA polymerase membrane insertion sequence is a transmembrane segment. <i>Journal of Virology</i> , 2002 , 76, 13088-93	6.6	77
16	Persistent and transient replication of full-length hepatitis C virus genomes in cell culture. <i>Journal of Virology</i> , 2002 , 76, 4008-21	6.6	306
15	Mutations that permit efficient replication of hepatitis C virus RNA in Huh-7 cells prevent productive replication in chimpanzees. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 14416-21	11.5	214
14	Novel cell culture systems for the hepatitis C virus. <i>Antiviral Research</i> , 2001 , 52, 1-17	10.8	157
13	Characterization of cell lines carrying self-replicating hepatitis C virus RNAs. <i>Journal of Virology</i> , 2001 , 75, 1252-64	6.6	312

12	Enhancement of hepatitis C virus RNA replication by cell culture-adaptive mutations. <i>Journal of Virology</i> , 2001 , 75, 4614-24	6.6	453
11	Sequences in the 5' nontranslated region of hepatitis C virus required for RNA replication. <i>Journal of Virology</i> , 2001 , 75, 12047-57	6.6	267
10	Mutations in hepatitis C virus RNAs conferring cell culture adaptation. <i>Journal of Virology</i> , 2001 , 75, 1437-49	6.4	397
9	Biochemical and structural analysis of the NS5B RNA-dependent RNA polymerase of the hepatitis C virus. <i>Journal of Viral Hepatitis</i> , 2000 , 7, 167-74	3.4	62
8	Replication of the hepatitis C virus. <i>Baillieres Best Practice and Research in Clinical Gastroenterology</i> , 2000 , 14, 241-54	2.5	42
7	Replication of hepatitis C virus. <i>Microbiology (United Kingdom)</i> , 2000 , 81, 1631-48	2.9	486
6	Selective stimulation of hepatitis C virus and pestivirus NS5B RNA polymerase activity by GTP. <i>Journal of Biological Chemistry</i> , 1999 , 274, 10807-15	5.4	77
5	Replication of subgenomic hepatitis C virus RNAs in a hepatoma cell line. <i>Science</i> , 1999 , 285, 110-3	33.3	2397
4	Biochemical and kinetic analyses of NS5B RNA-dependent RNA polymerase of the hepatitis C virus. <i>Virology</i> , 1998 , 249, 108-18	3.6	132
3	Biochemical properties of hepatitis C virus NS5B RNA-dependent RNA polymerase and identification of amino acid sequence motifs essential for enzymatic activity. <i>Journal of Virology</i> , 1997 , 71, 8416-28	6.6	426
2	In vitro studies on the activation of the hepatitis C virus NS3 proteinase by the NS4A cofactor. <i>Virology</i> , 1996 , 221, 54-66	3.6	61
1	Complex formation between the NS3 serine-type proteinase of the hepatitis C virus and NS4A and its importance for polyprotein maturation. <i>Journal of Virology</i> , 1995 , 69, 7519-28	6.6	175