Allan House

List of Publications by Citations

Source: https://exaly.com/author-pdf/1783279/allan-house-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

 284
papers
 12,953
citations
 60
h-index
 108
g-index

 316
ext. papers
 14,516
ext. citations
 5
avg, IF
 6.36
L-index

#	Paper	IF	Citations
284	Fatal and non-fatal repetition of self-harm. Systematic review. <i>British Journal of Psychiatry</i> , 2002 , 181, 193-9	5.4	866
283	Occurrence and outcome of delirium in medical in-patients: a systematic literature review. <i>Age and Ageing</i> , 2006 , 35, 350-64	3	769
282	Depression after stroke and lesion location: a systematic review. <i>Lancet, The</i> , 2000 , 356, 122-6	40	482
281	Anxiety disorders in cancer patients: their nature, associations, and relation to quality of life. <i>Journal of Clinical Oncology</i> , 2002 , 20, 3137-48	2.2	348
280	Mortality at 12 and 24 months after stroke may be associated with depressive symptoms at 1 month. <i>Stroke</i> , 2001 , 32, 696-701	6.7	316
279	Screening and case-finding instruments for depression: a meta-analysis. <i>Cmaj</i> , 2008 , 178, 997-1003	3.5	312
278	Selective serotonin reuptake inhibitors: meta-analysis of efficacy and acceptability. <i>BMJ: British Medical Journal</i> , 1993 , 306, 683-7		275
277	Deliberate self harm: systematic review of efficacy of psychosocial and pharmacological treatments in preventing repetition. <i>BMJ: British Medical Journal</i> , 1998 , 317, 441-7		273
276	Self-harm in England: a tale of three cities. Multicentre study of self-harm. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007 , 42, 513-21	4.5	262
275	Developing a framework for transferring knowledge into action: a thematic analysis of the literature. <i>Journal of Health Services Research and Policy</i> , 2009 , 14, 156-64	2.4	249
274	Knowledge Brokering: The missing link in the evidence to action chain?. Evidence and Policy, 2009, 5, 26	7 <u>-27</u> 9	245
273	Anxiety in cancer patients. British Journal of Cancer, 2000, 83, 1261-7	8.7	237
272	Mood disorders in the year after first stroke. <i>British Journal of Psychiatry</i> , 1991 , 158, 83-92	5.4	237
271	The Hospital Anxiety and Depression Scale: a diagnostic meta-analysis of case-finding ability. <i>Journal of Psychosomatic Research</i> , 2010 , 69, 371-8	4.1	223
270	Mood disorders after stroke and their relation to lesion location. A CT scan study. <i>Brain</i> , 1990 , 113 (Pt 4), 1113-29	11.2	197
269	Attendance at the accident and emergency department in the year before suicide: retrospective study. <i>British Journal of Psychiatry</i> , 2003 , 183, 28-33	5.4	180
268	Emotionalism after stroke. <i>BMJ: British Medical Journal</i> , 1989 , 298, 991-4		177

(2000-2000)

267	Psychiatric illness predicts poor outcome after surgery for hip fracture: a prospective cohort study. <i>Psychological Medicine</i> , 2000 , 30, 921-9	6.9	176
266	Major depression in outpatients attending a regional cancer centre: screening and unmet treatment needs. <i>British Journal of Cancer</i> , 2004 , 90, 314-20	8.7	172
265	Illness perceptions and outcome in mild head injury: a longitudinal study. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2007 , 78, 644-6	5.5	160
264	The efficacy of problem-solving treatments after deliberate self-harm: meta-analysis of randomized controlled trials with respect to depression, hopelessness and improvement in problems. <i>Psychological Medicine</i> , 2001 , 31, 979-88	6.9	158
263	Effects of fluoxetine on functional outcomes after acute stroke (FOCUS): a pragmatic, double-blind, randomised, controlled trial. <i>Lancet, The</i> , 2019 , 393, 265-274	40	145
262	Exploring knowledge exchange: a useful framework for practice and policy. <i>Social Science and Medicine</i> , 2012 , 74, 297-304	5.1	137
261	Interventions for treating depression after stroke. The Cochrane Library, 2008, CD003437	5.2	136
260	ImpactIn the proposals for the UK's Research Excellence Framework: Shifting the boundaries of academic autonomy. <i>Research Policy</i> , 2011 , 40, 1369-1379	7.5	132
259	Depression and anxiety impair health-related quality of life and are associated with increased costs in general medical inpatients. <i>Psychosomatics</i> , 2002 , 43, 302-9	2.6	132
258	Acceptability and effectiveness of a strategy for the communication of the diagnosis of psychogenic nonepileptic seizures. <i>Epilepsia</i> , 2010 , 51, 70-8	6.4	129
257	Somatization, dissociation and general psychopathology in patients with psychogenic non-epileptic seizures. <i>Epilepsy Research</i> , 2003 , 57, 159-67	3	119
256	Psychiatric illness and mortality after hip fracture. <i>Lancet, The</i> , 2001 , 357, 1264-5	40	118
255	Management of deliberate self poisoning in adults in four teaching hospitals: descriptive study. BMJ: British Medical Journal, 1998 , 316, 831-2		117
254	Mood disorders in long-term survivors of stroke: associations with brain lesion location and volume. <i>Psychological Medicine</i> , 1990 , 20, 815-28	6.9	117
253	Non-suicidal reasons for self-harm: A systematic review of self-reported accounts. <i>Journal of Affective Disorders</i> , 2016 , 191, 109-17	6.6	109
252	Information provision for stroke patients and their caregivers. <i>The Cochrane Library</i> , 2012 , 11, CD0019	19 _{5.2}	98
251	Hospital care and repetition following self-harm: multicentre comparison of self-poisoning and self-injury. <i>British Journal of Psychiatry</i> , 2008 , 192, 440-5	5.4	97
250	Psychiatric illness in hip fracture. <i>Age and Ageing</i> , 2000 , 29, 537-46	3	94

249	Cognitive behavioural therapy for the treatment of depression in people with multiple sclerosis: a systematic review and meta-analysis. <i>BMC Psychiatry</i> , 2014 , 14, 5	4.2	93
248	A survey of job satisfaction, sources of stress and psychological symptoms among general practitioners in Leeds. <i>British Journal of General Practice</i> , 1998 , 48, 1059-63	1.6	90
247	Depressive disorders in long-term survivors of stroke. Associations with demographic and social factors, functional status, and brain lesion volume. <i>British Journal of Psychiatry</i> , 1994 , 164, 380-6	5.4	89
246	Somatoform disorders: severe psychiatric illnesses neglected by psychiatrists. <i>British Journal of Psychiatry</i> , 2001 , 179, 11-4	5.4	83
245	Life events, difficulties and dilemmas in the onset of chronic fatigue syndrome: a case-control study. <i>Psychological Medicine</i> , 2003 , 33, 1185-92	6.9	82
244	Are hospital services for self-harm getting better? An observational study examining management, service provision and temporal trends in England. <i>BMJ Open</i> , 2013 , 3, e003444	3	80
243	The epidemiology and management of self-harm amongst adults in England. <i>Journal of Public Health</i> , 2005 , 27, 67-73	3.5	79
242	Learning more from exploratory trials of complex interventions: exploiting the complexity of complex interventions to empirically optimise the content and delivery of intervention packages for evaluation in a confirmatory trial. <i>Trials</i> , 2015 , 16,	2.8	78
241	Psychosocial versus pharmacological treatments for deliberate self harm. <i>Cochrane Database of Systematic Reviews</i> , 2000 , CD001764		78
240	A systematic review of patient reported factors associated with uptake and completion of cardiovascular lifestyle behaviour change. <i>BMC Cardiovascular Disorders</i> , 2012 , 12, 120	2.3	77
239	Interventions for preventing depression after stroke. <i>The Cochrane Library</i> , 2008 , CD003689	5.2	77
238	Routine administration of Health Related Quality of Life (HRQoL) and needs assessment instruments to improve psychological outcomea systematic review. <i>Psychological Medicine</i> , 2002 , 32, 1345-56	6.9	77
237	Mood disorders after stroke: A review of the evidence. <i>International Journal of Geriatric Psychiatry</i> , 1987 , 2, 211-221	3.9	77
236	Prescribing selective serotonin reuptake inhibitors as strategy for prevention of suicide. <i>BMJ: British Medical Journal</i> , 1994 , 309, 249-53		75
235	Self-injury attendances in the accident and emergency department: Clinical database study. <i>British Journal of Psychiatry</i> , 2003 , 183, 34-9	5.4	74
234	Variations in the hospital management of self harm in adults in England: observational study. <i>BMJ, The</i> , 2004 , 328, 1108-9	5.9	74
233	Outcomes research in mental health. Systematic review. British Journal of Psychiatry, 2002, 181, 8-16	5.4	74
232	The co-occurrence of aggression and self-harm: systematic literature review. <i>Journal of Affective Disorders</i> , 2015 , 175, 325-50	6.6	72

(2013-2010)

231	Non-pharmacological approaches for dementia that informal carers might try or access: a systematic review. <i>International Journal of Geriatric Psychiatry</i> , 2010 , 25, 756-63	3.9	70	
230	The relationship between intellectual impairment and mood disorder in the first year after stroke. <i>Psychological Medicine</i> , 1990 , 20, 805-14	6.9	70	
229	Methods of identifying mood disorders in stroke patients: experience in the Oxfordshire Community Stroke Project. <i>Age and Ageing</i> , 1989 , 18, 371-9	3	67	
228	Psychological associations with emotionalism after stroke. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1998 , 65, 928-9	5.5	66	
227	Validating automated screening for psychological distress by means of computer touchscreens for use in routine oncology practice. <i>British Journal of Cancer</i> , 2001 , 85, 1842-9	8.7	65	
226	Prevalence, duration and indications for prescribing of antidepressants in primary care. <i>Age and Ageing</i> , 2006 , 35, 523-6	3	60	
225	Life events and difficulties preceding stroke. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1990 , 53, 1024-8	5.5	60	
224	Factors associated with the non-assessment of self-harm patients attending an Accident and Emergency Department: results of a national study. <i>Journal of Affective Disorders</i> , 2005 , 89, 91-7	6.6	59	
223	Emergency department management and outcome for self-poisoning: a cohort study. <i>General Hospital Psychiatry</i> , 2004 , 26, 36-41	5.6	54	
222	Mood disorders in the physically illproblems of definition and measurement. <i>Journal of Psychosomatic Research</i> , 1988 , 32, 345-53	4.1	54	
221	Prescribed opioids in primary care: cross-sectional and longitudinal analyses of influence of patient and practice characteristics. <i>BMJ Open</i> , 2016 , 6, e010276	3	54	
220	Short-term outcome of psychogenic non-epileptic seizures after communication of the diagnosis. <i>Epilepsy and Behavior</i> , 2012 , 25, 676-81	3.2	53	
219	Information provision for stroke patients and their caregivers. <i>Cochrane Database of Systematic Reviews</i> , 2008 , CD001919		53	
218	The psychiatric and social characteristics of patients with functional dysphonia. <i>Journal of Psychosomatic Research</i> , 1987 , 31, 483-90	4.1	50	
217	Effectiveness of systemic family therapy versus treatment as usual for young people after self-harm: a pragmatic, phase 3, multicentre, randomised controlled trial. <i>Lancet Psychiatry,the</i> , 2018 , 5, 203-216	23.3	49	
216	Stop Delirium! A complex intervention to prevent delirium in care homes: a mixed-methods feasibility study. <i>Age and Ageing</i> , 2011 , 40, 90-8	3	49	
215	Effect of general hospital management on repeat episodes of deliberate self poisoning: cohort study. <i>BMJ, The</i> , 2002 , 325, 866-7	5.9	49	
214	A qualitative synthesis of factors influencing maintenance of lifestyle behaviour change in individuals with high cardiovascular risk. <i>BMC Cardiovascular Disorders</i> , 2013 , 13, 48	2.3	48	

213	Information provision for stroke patients and their caregivers. <i>Cochrane Database of Systematic Reviews</i> , 2001 , CD001919		46
212	Treating patients with psychogenic non-epileptic seizures. Current Opinion in Neurology, 2002, 15, 207-	1 1 7.1	46
211	Depressive syndromes in the year following onset of a first schizophrenic illness*. <i>British Journal of Psychiatry</i> , 1987 , 151, 773-9	5.4	46
210	Psychological disorders after stroke are an important influence on functional outcomes: a prospective cohort study. <i>Stroke</i> , 2010 , 41, 1723-7	6.7	45
209	Non-drug strategies to resolve psycho-social difficulties after stroke. <i>Age and Ageing</i> , 2000 , 29, 23-30	3	44
208	Meta-review of high-quality systematic reviews of interventions in key areas of liaison psychiatry. British Journal of Psychiatry, 2005 , 187, 109-20	5.4	43
207	Anxiety in medical patients. BMJ, The, 2002, 325, 207-9	5.9	43
206	Management of major depression in outpatients attending a cancer centre: a preliminary evaluation of a multicomponent cancer nurse-delivered intervention. <i>British Journal of Cancer</i> , 2004 , 90, 310-3	8.7	41
205	Reassurance and the anxious cancer patient. British Journal of Cancer, 2004, 91, 893-9	8.7	39
204	Understanding long-term opioid prescribing for non-cancer pain in primary care: a qualitative study. <i>BMC Family Practice</i> , 2015 , 16, 121	2.6	38
203	General hospital services for deliberate self-poisoning: an expensive road to nowhere?. <i>Postgraduate Medical Journal</i> , 1999 , 75, 599-602	2	37
202	Motivation and glycemic control in diabetes mellitus. <i>Journal of Psychosomatic Research</i> , 1997 , 43, 307-	154.1	34
201	A feasibility study of a brief psycho-educational intervention for psychogenic nonepileptic seizures. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2013 , 22, 760-5	3.2	33
200	How patients understand depression associated with chronic physical diseasea systematic review. BMC Family Practice, 2012 , 13, 41	2.6	32
199	Persistent denial of handicap after infarction of the right basal ganglia: a case study. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1988 , 51, 112-5	5.5	32
198	Long-term prescribing of antidepressants in the older population: a qualitative study. <i>British Journal of General Practice</i> , 2010 , 60, e144-55	1.6	31
197	Interventions for treating depression in Muslim Patients: a systematic review. <i>Journal of Affective Disorders</i> , 2013 , 145, 11-20	6.6	30
196	Service provision and outcome for deliberate self-poisoning in adultsresults from a six centre descriptive study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2003 , 38, 390-5	4.5	30

195	The early repetition of deliberate self harm. <i>Journal of the Royal College of Physicians of London</i> , 1997 , 31, 171-2		30
194	The association between discrepancy in illness representations on distress in stroke patients and carers. <i>Journal of Psychosomatic Research</i> , 2012 , 72, 220-5	4.1	29
193	Planning for knowledge translation: a researcher's guide. Evidence and Policy, 2010, 6, 527-541	2.1	29
192	The effects of financial incentives for case finding for depression in patients with diabetes and coronary heart disease: interrupted time series analysis. <i>BMJ Open</i> , 2014 , 4, e005178	3	28
191	Pharmaceutical interventions for emotionalism after stroke. <i>The Cochrane Library</i> , 2010 , CD003690	5.2	28
190	Depression associated with stroke. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 1996 , 8, 453-7	2.7	28
189	Psycho-social intervention following attempted suicide: is there a case for better services?. <i>International Review of Psychiatry</i> , 1992 , 4, 15-22	3.6	28
188	Adapted behavioural activation for the treatment of depression in Muslims. <i>Journal of Affective Disorders</i> , 2015 , 180, 190-9	6.6	27
187	Incentivised case finding for depression in patients with chronic heart disease and diabetes in primary care: an ethnographic study. <i>BMJ Open</i> , 2014 , 4, e005146	3	27
186	Self-poisoning and self-injury in adults. <i>Clinical Medicine</i> , 2002 , 2, 509-12	1.9	27
185	General hospital services for deliberate self-harm. Haphazard clinical provision, little research, no central strategy. <i>Journal of the Royal College of Physicians of London</i> , 1994 , 28, 370-1		27
184	Psychosocial and pharmacological treatment of patients following deliberate self-harm: the methodological issues involved in evaluating effectiveness. <i>Suicide and Life-Threatening Behavior</i> , 2001 , 31, 169-80	3.9	26
183	Hypochondriasis and related disorders. Assessment and management of patients referred for a psychiatric opinion. <i>General Hospital Psychiatry</i> , 1989 , 11, 156-65	5.6	26
182	Psychosocial problems of patients on the renal unit and their relation to treatment outcome. Journal of Psychosomatic Research, 1987 , 31, 441-52	4.1	26
181	Validation of the longer-term unmet needs after stroke (LUNS) monitoring tool: a multicentre study. <i>Clinical Rehabilitation</i> , 2013 , 27, 1020-8	3.3	25
180	Individual influences on lifestyle change to reduce vascular risk: a qualitative literature review. <i>British Journal of General Practice</i> , 2012 , 62, e403-10	1.6	25
179	Supporting young people who repeatedly self-harm. <i>Perspectives in Public Health</i> , 2005 , 125, 71-5		25

177	Co-occurrence of self-reported disordered eating and self-harm in UK university students. <i>British Journal of Clinical Psychology</i> , 2009 , 48, 397-410	3.6	23
176	"Abnormal" illness behaviour in chronic fatigue syndrome and multiple sclerosis. <i>BMJ: British Medical Journal</i> , 1995 , 311, 15-8		23
175	Organisation and delivery of liaison psychiatry services in general hospitals in England: results of a national survey. <i>BMJ Open</i> , 2018 , 8, e023091	3	22
174	Women's experiences of routine care during labour and childbirth and the influence of medicalisation: A qualitative study from Iran. <i>Midwifery</i> , 2017 , 53, 63-70	2.8	21
173	Age-related differences in self-harm presentations and subsequent management of adolescents and young adults at the emergency department. <i>Journal of Affective Disorders</i> , 2017 , 208, 399-405	6.6	21
172	Deliberate self poisoning with antidepressant drugs: a comparison of the relative hospital costs of cases of overdose of tricyclics with those of selective-serotonin re-uptake inhibitors. <i>Journal of Affective Disorders</i> , 2000 , 60, 97-100	6.6	21
171	Good practice or positive action? Using Q methodology to identify competing views on improving gender equality in academic medicine. <i>BMJ Open</i> , 2017 , 7, e015973	3	20
170	Self-Harm Intervention: Family Therapy (SHIFT), a study protocol for a randomised controlled trial of family therapy versus treatment as usual for young people seen after a second or subsequent episode of self-harm. <i>Trials</i> , 2015 , 16, 501	2.8	20
169	Self-harm and social media: thematic analysis of images posted on three social media sites. <i>BMJ Open</i> , 2019 , 9, e027006	3	19
168	Working patterns and the quality of training of medical house officers: evaluating the effect of the 'new deal'. <i>Medical Education</i> , 1998 , 32, 432-8	3.7	19
167	Using Q-methodology to guide the implementation of new healthcare policies. <i>BMJ Quality and Safety</i> , 2018 , 27, 737-742	5.4	18
166	Associations between nonauditory hallucinations, dissociation, and childhood adversity in first-episode psychosis. <i>Journal of Trauma and Dissociation</i> , 2016 , 17, 545-560	2.8	18
165	The factor structure of the GHQ-12: the interaction between item phrasing, variance and levels of distress. <i>Quality of Life Research</i> , 2013 , 22, 145-52	3.7	18
164	Supported self-management for adults with type 2 diabetes and a learning disability (OK-Diabetes): study protocol for a randomised controlled feasibility trial. <i>Trials</i> , 2015 , 16, 342	2.8	17
163	Measurement of adherence in a randomised controlled trial of a complex intervention: supported self-management for adults with learning disability and type 2 diabetes. <i>BMC Medical Research Methodology</i> , 2016 , 16, 132	4.7	17
162	Stroke survivors who score below threshold on standard depression measures may still have negative cognitions of concern. <i>Stroke</i> , 2010 , 41, 478-81	6.7	17
161	The timing of acts of deliberate self-harm: is there any relation with suicidal intent, mental disorder or psychiatric management?. <i>Journal of Psychosomatic Research</i> , 2000 , 49, 3-6	4.1	17
160	Combination of self-harm methods and fatal and non-fatal repetition: A cohort study. <i>Journal of Affective Disorders</i> , 2017 , 218, 188-194	6.6	16

(2016-2020)

159	Pharmacological, psychological, and non-invasive brain stimulation interventions for treating depression after stroke. <i>The Cochrane Library</i> , 2020 , 1, CD003437	5.2	16
158	Measuring patient-perceived continuity of care for patients with long-term conditions in primary care. <i>BMC Family Practice</i> , 2014 , 15, 191	2.6	16
157	Maternal mental health and its association with infant growth at 6 months in ethnic groups: results from the Born-in-Bradford birth cohort study. <i>PLoS ONE</i> , 2012 , 7, e30707	3.7	16
156	The ACCESS study: Zelen randomised controlled trial of a package of care for people presenting to hospital after self-harm. <i>British Journal of Psychiatry</i> , 2015 , 206, 229-36	5.4	15
155	An evaluation of the quality of care for women with low risk pregnanacy: The use of evidence-based practice during labour and childbirth in four public hospitals in Tehran. <i>Midwifery</i> , 2015 , 31, 1045-53	2.8	15
154	Variations in the hospital management of self-harm and patient outcome: a multi-site observational study in England. <i>Journal of Affective Disorders</i> , 2015 , 174, 101-5	6.6	15
153	Chronic Fatigue Syndrome: A Way Forward. British Journal of Occupational Therapy, 1994, 57, 381-383	1	15
152	Fluoxetine vs placebo for depressive symptoms after stroke: failed randomised controlled trial. <i>International Journal of Geriatric Psychiatry</i> , 2007 , 22, 963-5	3.9	14
151	Can oncology nurses treat depression? A pilot project. <i>Journal of Advanced Nursing</i> , 2004 , 46, 542-8	3.1	14
150	Assessment and management of self-harm in older adults attending accident and emergency: a comparative cross-sectional study. <i>International Journal of Geriatric Psychiatry</i> , 2003 , 18, 645-52	3.9	14
149	Delirium: an update on diagnosis, treatment and prevention. Clinical Medicine, 2006, 6, 540-3	1.9	13
148	Psychological adjustment and self reported coping in stroke survivors with and without emotionalism. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1999 , 67, 125-6	5.5	13
147	Economics of treatment of depression. British Journal of Psychiatry, 1995, 166, 397-9	5.4	13
146	Job satisfaction and psychological morbidity in medical house officers. <i>Journal of the Royal College of Physicians of London</i> , 1997 , 31, 162-7		13
145	Differences in the perceived role of the healthcare provider in delivering vascular health checks: a Q methodology study. <i>BMC Family Practice</i> , 2013 , 14, 172	2.6	12
144	The lure of 'patient choice'. British Journal of General Practice, 2007, 57, 822-6	1.6	12
143	Life adversity in depressed and non-depressed older adults: A cross-sectional comparison of the brief LTE-Q questionnaire and life events and difficulties interview as part of the CASPER study. Journal of Affective Disorders, 2016 , 193, 31-8	6.6	12
142	Unrecognised bipolar disorder among UK primary care patients prescribed antidepressants: an observational study. <i>British Journal of General Practice</i> , 2016 , 66, e71-7	1.6	11

141	Health Promotion and Wellness Initiatives Targeting Chronic Disease Prevention and Management for Adults with Intellectual and Developmental Disabilities: Recent Advancements in Type 2 Diabetes. <i>Current Developmental Disorders Reports</i> , 2018 , 5, 132-142	1.9	11
140	Identifying people with a learning disability: an advanced search for general practice. <i>British Journal of General Practice</i> , 2017 , 67, e842-e850	1.6	11
139	A standard liaison psychiatry service structure?: A study of the liaison psychiatry services within six strategic health authorities. <i>Psychiatric Bulletin</i> , 2003 , 27, 457-460		11
138	Affective prosody in the reading voice of stroke patients. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1987 , 50, 910-2	5.5	11
137	The role of informal networks in creating knowledge among health-care managers: a prospective case study. <i>Health Services and Delivery Research</i> , 2014 , 2, 1-132	1.5	11
136	Prevention of mood disorder after stroke: a randomised controlled trial of problem solving therapy versus volunteer support. <i>BMC Neurology</i> , 2019 , 19, 128	3.1	10
135	Pharmaceutical interventions for emotionalism after stroke. <i>Cochrane Database of Systematic Reviews</i> , 2004 , CD003690		10
134	ABC of mental health. Common mental health problems in hospital. <i>BMJ: British Medical Journal</i> , 1997 , 314, 1679-81		10
133	Management and costs of deliberate self-poisoning in the general hospital: A multi-centre study. Journal of Mental Health, 2002 , 11, 223-230	2.7	9
132	Randomized controlled feasibility trial of supported self-management in adults with Type 2 diabetes mellitus and an intellectual disability: OK Diabetes. <i>Diabetic Medicine</i> , 2018 , 35, 776-788	3.5	8
131	MIDSHIPS: multicentre intervention designed for self-harm using interpersonal problem-solving: protocol for a randomised controlled feasibility study. <i>Trials</i> , 2014 , 15, 163	2.8	8
130	New models of care: a liaison psychiatry service for medically unexplained symptoms and frequent attenders in primary care. <i>BJPsych Bulletin</i> , 2017 , 41, 340-344	1.2	8
129	Moving the ambulance to the top of the cliff: reducing the burden of depressive symptoms after stroke. <i>International Journal of Stroke</i> , 2009 , 4, 180-2	6.3	8
128	Pharmaceutical interventions for emotionalism after stroke. <i>Stroke</i> , 2004 , 35, 2610-1	6.7	8
127	Research by trainees: A strategy to improve standards of education and supervision. <i>Psychiatric Bulletin</i> , 1995 , 19, 337-339		8
126	Diagnostic value of the apex beat. <i>Lancet, The</i> , 1989 , 2, 499	40	8
125	Managing with Learning Disability and Diabetes: OK-Diabetes - a case-finding study and feasibility randomised controlled trial. <i>Health Technology Assessment</i> , 2018 , 22, 1-328	4.4	8
124	Pharmaceutical interventions for emotionalism after stroke. <i>The Cochrane Library</i> , 2019 , 3, CD003690	5.2	8

123	A programme theory for liaison mental health services in England. <i>BMC Health Services Research</i> , 2018 , 18, 742	2.9	8
122	2011,		8
121	Integrated liaison psychiatry services in England: a qualitative study of the views of liaison practitioners and acute hospital staffs from four distinctly different kinds of liaison service. <i>BMC Health Services Research</i> , 2019 , 19, 522	2.9	7
120	Deliberate self harm. Quality and Safety in Health Care, 1999, 8, 137-43		7
119	Development and evaluation of tools and an intervention to improve patient- and carer-centred outcomes in Longer-Term Stroke care and exploration of adjustment post stroke: the LoTS care research programme. <i>Programme Grants for Applied Research</i> , 2014 , 2, 1-224	1.5	7
118	Mentoring as an intervention to promote gender equality in academic medicine: a systematic review. <i>BMJ Open</i> , 2021 , 11, e040355	3	7
117	Patients' responses to the communication of vascular risk in primary care: a qualitative study. Primary Health Care Research and Development, 2015 , 16, 61-70	1.6	6
116	Deliberate self-harm and substance dependence: the management of patients seen in the general hospital. <i>Journal of Mental Health Administration</i> , 1996 , 23, 246-52		6
115	Psychiatric referrals from a renal unit: a study of clinical practice in a British hospital. <i>Journal of Psychosomatic Research</i> , 1989 , 33, 363-72	4.1	6
114	Prescribing antidepressants in general practice 1997 , 314, 826-826		6
113	A standard liaison psychiatry service structure?: A study of the liaison psychiatry services within six strategic health authorities. <i>Psychiatric Bulletin</i> , 2003 , 27, 457-460		6
112	Costs of antidepressant overdose: a preliminary study. British Journal of General Practice, 1999 , 49, 733-	- 4 1.6	6
111	Fluoxetine to improve functional outcomes in patients after acute stroke: the FOCUS RCT. <i>Health Technology Assessment</i> , 2020 , 24, 1-94	4.4	6
110	Problem-solving training: assessing the feasibility and acceptability of delivering and evaluating a problem-solving training model for front-line prison staff and prisoners who self-harm. <i>BMJ Open</i> , 2019 , 9, e026095	3	6
109	The effect of a hospital liaison psychiatry service on inpatient lengths of stay: interrupted time series analysis using routinely collected NHS hospital episode statistics. <i>BMC Psychiatry</i> , 2020 , 20, 27	4.2	5
108	Longer-term effectiveness of systemic family therapy compared with treatment as usual for young people after self-harm: An extended follow up of pragmatic randomised controlled trial. <i>EClinicalMedicine</i> , 2020 , 18, 100246	11.3	5
107	Characterizing adults with Type 2 diabetes mellitus and intellectual disability: outcomes of a case-finding study. <i>Diabetic Medicine</i> , 2018 , 35, 352-359	3.5	5
106	Life events and difficulties and their association with antenatal distress in White and South Asian women in the UK. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013 , 48, 725-34	4.5	5

105	Analgesia and other causes of amnesia that mimic post-traumatic amnesia (PTA): a cohort study. Journal of Neuropsychology, 2010 , 4, 231-6	2.6	5
104	Psychiatric morbidity following endometrial ablation and its association with genuine menorrhagia. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2003 , 110, 358-363	3.7	5
103	Dyskinesia in Creutzfeldt-Jakob disease precipitated by antidepressant therapy. <i>Movement Disorders</i> , 1992 , 7, 86-7	7	5
102	Against a high-risk strategy in the prevention of suicide. <i>Psychiatric Bulletin</i> , 1998 , 22, 534-536		5
101	Psychometric evaluation of a newly developed measure of emotionalism after stroke (TEARS-Q). <i>Clinical Rehabilitation</i> , 2021 , 35, 894-903	3.3	5
100	Thinking about suicidal thinking. <i>Lancet Psychiatry,the</i> , 2020 , 7, 997-1000	23.3	5
99	The nature and activity of liaison mental services in acute hospital settings: a multi-site cross sectional study. <i>BMC Health Services Research</i> , 2020 , 20, 308	2.9	5
98	Pharmacological, psychological and non-invasive brain stimulation interventions for preventing depression after stroke. <i>The Cochrane Library</i> , 2020 , 5, CD003689	5.2	4
97	General hospital services in the UK for adults presenting after self-harm: little evidence of progress in the past 25 years. <i>British Journal of Psychiatry</i> , 2020 , 217, 661-662	5.4	4
96	A Randomized Feasibility Trial of a New Lifestyle Referral Assessment Versus Usual Assessment in an Acute Cardiology Setting. <i>Journal of Cardiovascular Nursing</i> , 2016 , 31, 507-516	2.1	4
95	An intervention to support stroke survivors and their carers in the longer term (LoTS2Care): study protocol for a cluster randomised controlled feasibility trial. <i>Trials</i> , 2018 , 19, 317	2.8	4
94	Cognitive behaviour therapy for health anxiety. <i>Lancet, The</i> , 2014 , 383, 190-1	40	4
93	Understanding depression associated with chronic physical illness: a Q-methodology study in primary care. <i>British Journal of General Practice</i> , 2015 , 65, e401-8	1.6	4
92	The ACCESS study a Zelen randomised controlled trial of a treatment package including problem solving therapy compared to treatment as usual in people who present to hospital after self-harm: study protocol for a randomised controlled trial. <i>Trials</i> , 2011 , 12, 135	2.8	4
91	Evidence-based treatments in liaison psychiatry. <i>Psychiatry (Abingdon, England)</i> , 2006 , 5, 102-106		4
90	Hospital management and costs of antidepressant overdose: multicentre comparison of tricyclic antidepressants and selective serotonin reuptake inhibitors. <i>Journal of Medical Economics</i> , 2001 , 4, 193	3- 191	4
89	Heavy general hospital case notes: a simple case-finding method for psychiatric problems. <i>Irish Journal of Psychological Medicine</i> , 1999 , 16, 123-126	3	4
88	Assessment of deliberate self-harm in adults. <i>Advances in Psychiatric Treatment</i> , 1995 , 1, 124-130		4


(2001-1999)

87	In-patient liaison psychiatry in the UK: A neglected option for improving the psychiatric care of medical patients. <i>Psychiatric Bulletin</i> , 1999 , 23, 525-527		4
86	Liaison psychiatry-measurement and evaluation of service types, referral patterns and outcomes (LP-MAESTRO): a protocol. <i>BMJ Open</i> , 2019 , 9, e032179	3	4
85	The effect of a peer-led problem-support mentor intervention on self-harm and violence in prison: An interrupted time series analysis using routinely collected prison data. <i>EClinicalMedicine</i> , 2021 , 32, 100702	11.3	4
84	Self-harm among in-school and street-connected adolescents in Ghana: a cross-sectional survey in the Greater Accra region. <i>BMJ Open</i> , 2021 , 11, e041609	3	4
83	Fluoxetine and Fractures After Stroke: Exploratory Analyses From the FOCUS Trial. <i>Stroke</i> , 2019 , 50, 3280-3282	6.7	3
82	Pharmaceutical Interventions for Emotionalism After Stroke. Stroke, 2010 , 41,	6.7	3
81	Establishing a clinical database for hospital attendances because of self-harm. <i>Psychiatric Bulletin</i> , 2004 , 28, 137-139		3
80	Reducing the costs of chronic somatisation. <i>Irish Journal of Psychological Medicine</i> , 1994 , 11, 79-82	3	3
79	Increased response of serum prolactin to metoclopramide in senile dementia of Alzheimer type. <i>International Journal of Geriatric Psychiatry</i> , 1989 , 4, 279-282	3.9	3
78	Prison suicides. <i>British Journal of Psychiatry</i> , 1990 , 156, 586-7	5.4	3
77	Selective serotonin reuptake inhibitors Drugs related to tricyclic antidepressants are a mixed bag 1994 , 309, 1082-1082		3
76	Misleading meta-analysis. Subject to many potential biases. <i>BMJ: British Medical Journal</i> , 1995 , 311, 130	3-4	3
75	Pharmacological, Psychological, and Noninvasive Brain Stimulation Interventions for Treating Depression After Stroke. <i>Stroke</i> , 2020 , 51, e259-e260	6.7	3
74	A policy of universal screening for depression: caution needed. <i>BMJ, The</i> , 2016 , 353, i2174	5.9	3
73	Measuring outcomes in self-harm trials: what is important and what is achievable?. <i>BJPsych Open</i> , 2020 , 6, e23	5	2
72	An intervention to support stroke survivors and their carers in the longer term (LoTS2Care): study protocol for the process evaluation of a cluster randomised controlled feasibility trial. <i>Trials</i> , 2018 , 19, 368	2.8	2
71	A Contingent Valuation Survey Of User Financial Incentives For Health Behaviour Change. <i>Value in Health</i> , 2013 , 16, A11	3.3	2
70	Authors should be accurate when describing study design. <i>Stroke</i> , 2001 , 32, 1048-9	6.7	2

69	Is clinical service development simply applied evidence-based medicine? A focus group study. <i>Psychiatric Bulletin</i> , 2005 , 29, 259-261		2
68	Online Resources for People Who Self-Harm and Those Involved in Their Informal and Formal Care: Observational Study with Content Analysis. <i>International Journal of Environmental Research and</i> <i>Public Health</i> , 2020 , 17,	4.6	2
67	Problem-solving therapy rather than treatment as usual for adults after self-harm: a pragmatic, feasibility, randomised controlled trial (the MIDSHIPS trial). <i>Pilot and Feasibility Studies</i> , 2020 , 6, 119	1.9	2
66	Creating and implementing local health and wellbeing policy: networks, interactions and collective knowledge creation amongst public sector managers. <i>Evidence and Policy</i> , 2018 , 14, 477-498	2.1	2
65	Social media, self-harm and suicide. <i>BJPsych Bulletin</i> , 2020 , 44, 131-133	1.2	1
64	Development of a supported self-management intervention for adults with type 2 diabetes and a learning disability. <i>Pilot and Feasibility Studies</i> , 2018 , 4, 106	1.9	1
63	Emotional disorders in neurological rehabilitation. <i>Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn</i> , 2013 , 110, 389-98	3	1
62	Older adults at risk of a cardiovascular event: a preliminary investigation of their experiences of an active lifestyle scheme in England. <i>Ageing and Society</i> , 2015 , 35, 2141-2155	1.7	1
61	Selecting Samples for Qualitative Research 2011 , 56-60		1
60	Assessing mental health needs after a major disaster: experience from the Pakistan earthquake, 2005. <i>International Journal of Disaster Medicine</i> , 2006 , 4, 177-182		1
59	Brief psychodynamic interpersonal therapy after deliberate self poisoning reduced suicidal ideation and deliberate self harm. <i>Evidence-Based Mental Health</i> , 2002 , 5, 14	11.1	1
58	Examining the effectiveness of treatments for depression in general practice. <i>Journal of Mental Health</i> , 1993 , 2, 141-156	2.7	1
57	Effective and acceptable treatment for depression: Authors' reply 1993 , 306, 1126-1127		1
56	Antidepressants and suicide. Study is based on unproved assumptions. <i>BMJ: British Medical Journal</i> , 1995 , 311, 55; author reply 57		1
55	Recognition of depression and anxiety in primary care. General practitioners in study seemed to agree with commentary writer. <i>BMJ: British Medical Journal</i> , 1999 , 319, 254-5		1
54	Practical guidance on use of TEARS-Q to diagnose post-stroke emotionalism. <i>Clinical Rehabilitation</i> , 2021 , 35, 1768-1772	3.3	1
53	Self-harm and suicide in adults: will safety plans keep people safe after self-harm?. <i>BJPsych Bulletin</i> , 2021 , 1-3	1.2	1
52	Selecting Samples for Quantitative Research47-55		1

(2011-2003)

51	Psychiatric morbidity following endometrial ablation and its association with genuine menorrhagia. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2003 , 110, 358-63	3.7	1
50	Study protocol for POSITIF, a randomised multicentre feasibility trial of a brief cognitive-behavioural intervention plus information versus information alone for the treatment of post-stroke fatigue. <i>Pilot and Feasibility Studies</i> , 2020 , 6, 84	1.9	O
49	Declarations of interest. British Journal of Psychiatry, 2001, 179, 175	5.4	О
48	Self-harm and suicidal content online, harmful or helpful? A systematic review of the recent evidence. <i>Journal of Public Mental Health</i> , 2022 , 21, 57-69	0.7	O
47	Experiences of people seen in an acute hospital setting by a liaison mental health service: responses from an online survey. <i>BMC Health Services Research</i> , 2021 , 21, 1050	2.9	O
46	Understanding the functions of repeated self-harm: A Q methodology approach. <i>Social Science and Medicine</i> , 2021 , 268, 113527	5.1	O
45	Longer-term health and social care strategies for stroke survivors and their carers: the LoTS2Care research programme including cluster feasibility RCT. <i>Programme Grants for Applied Research</i> , 2021 , 9, 1-268	1.5	0
44	Serenity Integrated Monitoring and the High Intensity Network: a scheme that raises serious questions for practice and governance in UK psychiatry <i>BJPsych Bulletin</i> , 2022 , 1-4	1.2	O
43	Self-harm and suicide in men: assessment and management. <i>Trends in Urology & Mends Health</i> , 2020 , 11, 22-25	0.3	
42	Some evidence of efficacy but CBT not the answer to mental health needs in general hospitals. <i>Evidence-Based Mental Health</i> , 2014 , 17, 119	11.1	
41	What's the problem with sharing research committee's discussions?. BMJ, The, 2013, 347, f5740	5.9	
40	Escitalopram may improve some cognitive functions after stroke in non-depressed patients. <i>Evidence-Based Mental Health</i> , 2010 , 13, 81	11.1	
39	Taking a Preliminary Look at What has Already been done 2011 , 9-17		
38	Deciding what Information to Collect 2011 , 61-67		
38 37			
	Deciding what Information to Collect 2011 , 61-67		
37	Deciding what Information to Collect 2011 , 61-67 Tackling Confounders 2011 , 68-75		



15	Response to Letter by Chen et al. <i>Stroke</i> , 2006 , 37, 1367-1367	6.7
14	Depression after Stroke425-426	
13	Defining, Recognizing and Managing Depression in Neurological Practice. <i>Practical Neurology</i> , 2003 , 3, 196-203	2.4
12	Response to: Does COVID-19 pose a challenge to the diagnoses of anxiety and depression? A psychologist's view <i>BJPsych Bulletin</i> , 2022 , 46, 68-69	1.2
11	Points of style. <i>British Journal of Psychiatry</i> , 1994 , 164, 697-697	5-4
10	Depression after Stroke 2010 , 515-517	
9	Experiences of people seen in an acute hospital setting by liaison mental health services: responses from an online survey. <i>BJPsych Open</i> , 2021 , 7, S346-S346	5
8	Diabetes care in an acute psychiatric inpatient setting: a logic model for service delivery. <i>BJPsych Open</i> , 2021 , 7, S322-S322	5
7	Trial of an intervention to reduce suicidal ideation and behaviour. <i>British Journal of Psychiatry</i> , 2016 , 209, 350-351	5.4
6	Management of patients presenting with self-harm. <i>British Journal of Hospital Medicine (London, England: 2005)</i> , 2016 , 77, C144-7	0.8
5	Suicide and the psychiatrist. BJPsych Bulletin, 2019, 43, 242-244	1.2
4	Conflicts of interest among the UK government's covid-19 advisers: what has the configuration of SAGE got to do with it?. <i>BMJ, The</i> , 2021 , 372, n105	5.9
3	Nurses who killsdamned if you do. <i>Nursing Times</i> , 1997 , 93, 38-9	
2	Life events and functional neurological disorders Psychological Medicine, 2022, 1-2	6.9
1	Safety planning-type interventions for suicide prevention: meta-analysis <i>British Journal of Psychiatry</i> , 2022 , 220, 246	5.4