

Allan House

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1783279/allan-house-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

284
papers

12,953
citations

60
h-index

108
g-index

316
ext. papers

14,516
ext. citations

5
avg, IF

6.36
L-index

#	Paper	IF	Citations
284	Response to: Does COVID-19 pose a challenge to the diagnoses of anxiety and depression? A psychologist's view.. <i>BJPsych Bulletin</i> , 2022 , 46, 68-69	1.2	0
283	Self-harm and suicidal content online, harmful or helpful? A systematic review of the recent evidence. <i>Journal of Public Mental Health</i> , 2022 , 21, 57-69	0.7	0
282	Serenity Integrated Monitoring and the High Intensity Network: a scheme that raises serious questions for practice and governance in UK psychiatry.. <i>BJPsych Bulletin</i> , 2022 , 1-4	1.2	0
281	Life events and functional neurological disorders.. <i>Psychological Medicine</i> , 2022 , 1-2	6.9	0
280	Safety planning-type interventions for suicide prevention: meta-analysis.. <i>British Journal of Psychiatry</i> , 2022 , 220, 246	5.4	0
279	Experiences of people seen in an acute hospital setting by a liaison mental health service: responses from an online survey. <i>BMC Health Services Research</i> , 2021 , 21, 1050	2.9	0
278	Psychometric evaluation of a newly developed measure of emotionalism after stroke (TEARS-Q). <i>Clinical Rehabilitation</i> , 2021 , 35, 894-903	3.3	5
277	Practical guidance on use of TEARS-Q to diagnose post-stroke emotionalism. <i>Clinical Rehabilitation</i> , 2021 , 35, 1768-1772	3.3	1
276	Experiences of people seen in an acute hospital setting by liaison mental health services: responses from an online survey. <i>BJPsych Open</i> , 2021 , 7, S346-S346	5	0
275	Diabetes care in an acute psychiatric inpatient setting: a logic model for service delivery. <i>BJPsych Open</i> , 2021 , 7, S322-S322	5	0
274	Understanding the functions of repeated self-harm: A Q methodology approach. <i>Social Science and Medicine</i> , 2021 , 268, 113527	5.1	0
273	Conflicts of interest among the UK government's covid-19 advisers: what has the configuration of SAGE got to do with it?. <i>BMJ, The</i> , 2021 , 372, n105	5.9	0
272	Mentoring as an intervention to promote gender equality in academic medicine: a systematic review. <i>BMJ Open</i> , 2021 , 11, e040355	3	7
271	The effect of a peer-led problem-support mentor intervention on self-harm and violence in prison: An interrupted time series analysis using routinely collected prison data. <i>EClinicalMedicine</i> , 2021 , 32, 100702	11.3	4
270	Longer-term health and social care strategies for stroke survivors and their carers: the LoTS2Care research programme including cluster feasibility RCT. <i>Programme Grants for Applied Research</i> , 2021 , 9, 1-268	1.5	0
269	Self-harm and suicide in adults: will safety plans keep people safe after self-harm?. <i>BJPsych Bulletin</i> , 2021 , 1-3	1.2	1
268	Self-harm among in-school and street-connected adolescents in Ghana: a cross-sectional survey in the Greater Accra region. <i>BMJ Open</i> , 2021 , 11, e041609	3	4

267	Pharmacological, psychological and non-invasive brain stimulation interventions for preventing depression after stroke. <i>The Cochrane Library</i> , 2020 , 5, CD003689	5.2	4
266	General hospital services in the UK for adults presenting after self-harm: little evidence of progress in the past 25 years. <i>British Journal of Psychiatry</i> , 2020 , 217, 661-662	5.4	4
265	Self-harm and suicide in men: assessment and management. <i>Trends in Urology & Men's Health</i> , 2020 , 11, 22-25	0.3	
264	Study protocol for POSITIF, a randomised multicentre feasibility trial of a brief cognitive-behavioural intervention plus information versus information alone for the treatment of post-stroke fatigue. <i>Pilot and Feasibility Studies</i> , 2020 , 6, 84	1.9	0
263	The effect of a hospital liaison psychiatry service on inpatient lengths of stay: interrupted time series analysis using routinely collected NHS hospital episode statistics. <i>BMC Psychiatry</i> , 2020 , 20, 27	4.2	5
262	Measuring outcomes in self-harm trials: what is important and what is achievable?. <i>BJPsych Open</i> , 2020 , 6, e23	5	2
261	Longer-term effectiveness of systemic family therapy compared with treatment as usual for young people after self-harm: An extended follow up of pragmatic randomised controlled trial. <i>EClinicalMedicine</i> , 2020 , 18, 100246	11.3	5
260	Social media, self-harm and suicide. <i>BJPsych Bulletin</i> , 2020 , 44, 131-133	1.2	1
259	Pharmacological, psychological, and non-invasive brain stimulation interventions for treating depression after stroke. <i>The Cochrane Library</i> , 2020 , 1, CD003437	5.2	16
258	Fluoxetine to improve functional outcomes in patients after acute stroke: the FOCUS RCT. <i>Health Technology Assessment</i> , 2020 , 24, 1-94	4.4	6
257	Online Resources for People Who Self-Harm and Those Involved in Their Informal and Formal Care: Observational Study with Content Analysis. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	2
256	Thinking about suicidal thinking. <i>Lancet Psychiatry</i> , 2020 , 7, 997-1000	23.3	5
255	Pharmacological, Psychological, and Noninvasive Brain Stimulation Interventions for Treating Depression After Stroke. <i>Stroke</i> , 2020 , 51, e259-e260	6.7	3
254	Problem-solving therapy rather than treatment as usual for adults after self-harm: a pragmatic, feasibility, randomised controlled trial (the MIDSHIPS trial). <i>Pilot and Feasibility Studies</i> , 2020 , 6, 119	1.9	2
253	The nature and activity of liaison mental services in acute hospital settings: a multi-site cross sectional study. <i>BMC Health Services Research</i> , 2020 , 20, 308	2.9	5
252	Fluoxetine and Fractures After Stroke: Exploratory Analyses From the FOCUS Trial. <i>Stroke</i> , 2019 , 50, 3280-3282	6.7	3
251	Prevention of mood disorder after stroke: a randomised controlled trial of problem solving therapy versus volunteer support. <i>BMC Neurology</i> , 2019 , 19, 128	3.1	10
250	Self-harm and social media: thematic analysis of images posted on three social media sites. <i>BMJ Open</i> , 2019 , 9, e027006	3	19

249	Integrated liaison psychiatry services in England: a qualitative study of the views of liaison practitioners and acute hospital staffs from four distinctly different kinds of liaison service. <i>BMC Health Services Research</i> , 2019 , 19, 522	2.9	7
248	Liaison psychiatry-measurement and evaluation of service types, referral patterns and outcomes (LP-MAESTRO): a protocol. <i>BMJ Open</i> , 2019 , 9, e032179	3	4
247	Problem-solving training: assessing the feasibility and acceptability of delivering and evaluating a problem-solving training model for front-line prison staff and prisoners who self-harm. <i>BMJ Open</i> , 2019 , 9, e026095	3	6
246	Pharmaceutical interventions for emotionalism after stroke. <i>The Cochrane Library</i> , 2019 , 3, CD003690	5.2	8
245	Suicide and the psychiatrist. <i>BJPsych Bulletin</i> , 2019 , 43, 242-244	1.2	
244	Effects of fluoxetine on functional outcomes after acute stroke (FOCUS): a pragmatic, double-blind, randomised, controlled trial. <i>Lancet, The</i> , 2019 , 393, 265-274	4.0	145
243	Effectiveness of systemic family therapy versus treatment as usual for young people after self-harm: a pragmatic, phase 3, multicentre, randomised controlled trial. <i>Lancet Psychiatry, the</i> , 2018 , 5, 203-216	23.3	49
242	Using Q-methodology to guide the implementation of new healthcare policies. <i>BMJ Quality and Safety</i> , 2018 , 27, 737-742	5.4	18
241	Randomized controlled feasibility trial of supported self-management in adults with Type 2 diabetes mellitus and an intellectual disability: OK Diabetes. <i>Diabetic Medicine</i> , 2018 , 35, 776-788	3.5	8
240	Characterizing adults with Type 2 diabetes mellitus and intellectual disability: outcomes of a case-finding study. <i>Diabetic Medicine</i> , 2018 , 35, 352-359	3.5	5
239	An intervention to support stroke survivors and their carers in the longer term (LoTS2Care): study protocol for a cluster randomised controlled feasibility trial. <i>Trials</i> , 2018 , 19, 317	2.8	4
238	An intervention to support stroke survivors and their carers in the longer term (LoTS2Care): study protocol for the process evaluation of a cluster randomised controlled feasibility trial. <i>Trials</i> , 2018 , 19, 368	2.8	2
237	Development of a supported self-management intervention for adults with type 2 diabetes and a learning disability. <i>Pilot and Feasibility Studies</i> , 2018 , 4, 106	1.9	1
236	Health Promotion and Wellness Initiatives Targeting Chronic Disease Prevention and Management for Adults with Intellectual and Developmental Disabilities: Recent Advancements in Type 2 Diabetes. <i>Current Developmental Disorders Reports</i> , 2018 , 5, 132-142	1.9	11
235	Managing with Learning Disability and Diabetes: OK-Diabetes - a case-finding study and feasibility randomised controlled trial. <i>Health Technology Assessment</i> , 2018 , 22, 1-328	4.4	8
234	A programme theory for liaison mental health services in England. <i>BMC Health Services Research</i> , 2018 , 18, 742	2.9	8
233	Creating and implementing local health and wellbeing policy: networks, interactions and collective knowledge creation amongst public sector managers. <i>Evidence and Policy</i> , 2018 , 14, 477-498	2.1	2
232	Organisation and delivery of liaison psychiatry services in general hospitals in England: results of a national survey. <i>BMJ Open</i> , 2018 , 8, e023091	3	22

231	Combination of self-harm methods and fatal and non-fatal repetition: A cohort study. <i>Journal of Affective Disorders</i> , 2017 , 218, 188-194	6.6	16
230	Women's experiences of routine care during labour and childbirth and the influence of medicalisation: A qualitative study from Iran. <i>Midwifery</i> , 2017 , 53, 63-70	2.8	21
229	Identifying people with a learning disability: an advanced search for general practice. <i>British Journal of General Practice</i> , 2017 , 67, e842-e850	1.6	11
228	Age-related differences in self-harm presentations and subsequent management of adolescents and young adults at the emergency department. <i>Journal of Affective Disorders</i> , 2017 , 208, 399-405	6.6	21
227	New models of care: a liaison psychiatry service for medically unexplained symptoms and frequent attenders in primary care. <i>BJPsych Bulletin</i> , 2017 , 41, 340-344	1.2	8
226	Good practice or positive action? Using Q methodology to identify competing views on improving gender equality in academic medicine. <i>BMJ Open</i> , 2017 , 7, e015973	3	20
225	Measurement of adherence in a randomised controlled trial of a complex intervention: supported self-management for adults with learning disability and type 2 diabetes. <i>BMC Medical Research Methodology</i> , 2016 , 16, 132	4.7	17
224	A Randomized Feasibility Trial of a New Lifestyle Referral Assessment Versus Usual Assessment in an Acute Cardiology Setting. <i>Journal of Cardiovascular Nursing</i> , 2016 , 31, 507-516	2.1	4
223	Non-suicidal reasons for self-harm: A systematic review of self-reported accounts. <i>Journal of Affective Disorders</i> , 2016 , 191, 109-17	6.6	109
222	Unrecognised bipolar disorder among UK primary care patients prescribed antidepressants: an observational study. <i>British Journal of General Practice</i> , 2016 , 66, e71-7	1.6	11
221	Associations between nonauditory hallucinations, dissociation, and childhood adversity in first-episode psychosis. <i>Journal of Trauma and Dissociation</i> , 2016 , 17, 545-560	2.8	18
220	Prescribed opioids in primary care: cross-sectional and longitudinal analyses of influence of patient and practice characteristics. <i>BMJ Open</i> , 2016 , 6, e010276	3	54
219	Trial of an intervention to reduce suicidal ideation and behaviour. <i>British Journal of Psychiatry</i> , 2016 , 209, 350-351	5.4	
218	Life adversity in depressed and non-depressed older adults: A cross-sectional comparison of the brief LTE-Q questionnaire and life events and difficulties interview as part of the CASPER study. <i>Journal of Affective Disorders</i> , 2016 , 193, 31-8	6.6	12
217	A policy of universal screening for depression: caution needed. <i>BMJ, The</i> , 2016 , 353, i2174	5.9	3
216	Management of patients presenting with self-harm. <i>British Journal of Hospital Medicine (London, England: 2005)</i> , 2016 , 77, C144-7	0.8	
215	The co-occurrence of aggression and self-harm: systematic literature review. <i>Journal of Affective Disorders</i> , 2015 , 175, 325-50	6.6	72
214	Adapted behavioural activation for the treatment of depression in Muslims. <i>Journal of Affective Disorders</i> , 2015 , 180, 190-9	6.6	27

213	Supported self-management for adults with type 2 diabetes and a learning disability (OK-Diabetes): study protocol for a randomised controlled feasibility trial. <i>Trials</i> , 2015 , 16, 342	2.8	17
212	The ACCESS study: Zelen randomised controlled trial of a package of care for people presenting to hospital after self-harm. <i>British Journal of Psychiatry</i> , 2015 , 206, 229-36	5.4	15
211	An evaluation of the quality of care for women with low risk pregnancy: The use of evidence-based practice during labour and childbirth in four public hospitals in Tehran. <i>Midwifery</i> , 2015 , 31, 1045-53	2.8	15
210	Variations in the hospital management of self-harm and patient outcome: a multi-site observational study in England. <i>Journal of Affective Disorders</i> , 2015 , 174, 101-5	6.6	15
209	Older adults at risk of a cardiovascular event: a preliminary investigation of their experiences of an active lifestyle scheme in England. <i>Ageing and Society</i> , 2015 , 35, 2141-2155	1.7	1
208	Understanding depression associated with chronic physical illness: a Q-methodology study in primary care. <i>British Journal of General Practice</i> , 2015 , 65, e401-8	1.6	4
207	Understanding long-term opioid prescribing for non-cancer pain in primary care: a qualitative study. <i>BMC Family Practice</i> , 2015 , 16, 121	2.6	38
206	Self-Harm Intervention: Family Therapy (SHIFT), a study protocol for a randomised controlled trial of family therapy versus treatment as usual for young people seen after a second or subsequent episode of self-harm. <i>Trials</i> , 2015 , 16, 501	2.8	20
205	Learning more from exploratory trials of complex interventions: exploiting the complexity of complex interventions to empirically optimise the content and delivery of intervention packages for evaluation in a confirmatory trial. <i>Trials</i> , 2015 , 16,	2.8	78
204	Patients' responses to the communication of vascular risk in primary care: a qualitative study. <i>Primary Health Care Research and Development</i> , 2015 , 16, 61-70	1.6	6
203	MIDSHIPS: multicentre intervention designed for self-harm using interpersonal problem-solving: protocol for a randomised controlled feasibility study. <i>Trials</i> , 2014 , 15, 163	2.8	8
202	Cognitive behaviour therapy for health anxiety. <i>Lancet, The</i> , 2014 , 383, 190-1	4.0	4
201	Measuring patient-perceived continuity of care for patients with long-term conditions in primary care. <i>BMC Family Practice</i> , 2014 , 15, 191	2.6	16
200	Some evidence of efficacy but CBT not the answer to mental health needs in general hospitals. <i>Evidence-Based Mental Health</i> , 2014 , 17, 119	11.1	
199	Incentivised case finding for depression in patients with chronic heart disease and diabetes in primary care: an ethnographic study. <i>BMJ Open</i> , 2014 , 4, e005146	3	27
198	The effects of financial incentives for case finding for depression in patients with diabetes and coronary heart disease: interrupted time series analysis. <i>BMJ Open</i> , 2014 , 4, e005178	3	28
197	Cognitive behavioural therapy for the treatment of depression in people with multiple sclerosis: a systematic review and meta-analysis. <i>BMC Psychiatry</i> , 2014 , 14, 5	4.2	93
196	The role of informal networks in creating knowledge among health-care managers: a prospective case study. <i>Health Services and Delivery Research</i> , 2014 , 2, 1-132	1.5	11

195	Development and evaluation of tools and an intervention to improve patient- and carer-centred outcomes in Longer-Term Stroke care and exploration of adjustment post stroke: the LoTS care research programme. <i>Programme Grants for Applied Research</i> , 2014 , 2, 1-224	1.5	7
194	Life events and difficulties and their association with antenatal distress in White and South Asian women in the UK. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013 , 48, 725-34	4.5	5
193	A qualitative synthesis of factors influencing maintenance of lifestyle behaviour change in individuals with high cardiovascular risk. <i>BMC Cardiovascular Disorders</i> , 2013 , 13, 48	2.3	48
192	Emotional disorders in neurological rehabilitation. <i>Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn</i> , 2013 , 110, 389-98	3	1
191	Interventions for treating depression in Muslim Patients: a systematic review. <i>Journal of Affective Disorders</i> , 2013 , 145, 11-20	6.6	30
190	Differences in the perceived role of the healthcare provider in delivering vascular health checks: a Q methodology study. <i>BMC Family Practice</i> , 2013 , 14, 172	2.6	12
189	The factor structure of the GHQ-12: the interaction between item phrasing, variance and levels of distress. <i>Quality of Life Research</i> , 2013 , 22, 145-52	3.7	18
188	A feasibility study of a brief psycho-educational intervention for psychogenic nonepileptic seizures. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2013 , 22, 760-5	3.2	33
187	A Contingent Valuation Survey Of User Financial Incentives For Health Behaviour Change. <i>Value in Health</i> , 2013 , 16, A11	3.3	2
186	What's the problem with sharing research committee's discussions?. <i>BMJ, The</i> , 2013 , 347, f5740	5.9	
185	Validation of the longer-term unmet needs after stroke (LUNS) monitoring tool: a multicentre study. <i>Clinical Rehabilitation</i> , 2013 , 27, 1020-8	3.3	25
184	Are hospital services for self-harm getting better? An observational study examining management, service provision and temporal trends in England. <i>BMJ Open</i> , 2013 , 3, e003444	3	80
183	Exploring knowledge exchange: a useful framework for practice and policy. <i>Social Science and Medicine</i> , 2012 , 74, 297-304	5.1	137
182	Information provision for stroke patients and their caregivers. <i>The Cochrane Library</i> , 2012 , 11, CD001919	5.2	98
181	Short-term outcome of psychogenic non-epileptic seizures after communication of the diagnosis. <i>Epilepsy and Behavior</i> , 2012 , 25, 676-81	3.2	53
180	Understanding patient perceptions following a psycho-educational intervention for psychogenic non-epileptic seizures. <i>Epilepsy and Behavior</i> , 2012 , 23, 487-93	3.2	24
179	The association between discrepancy in illness representations on distress in stroke patients and carers. <i>Journal of Psychosomatic Research</i> , 2012 , 72, 220-5	4.1	29
178	A systematic review of patient reported factors associated with uptake and completion of cardiovascular lifestyle behaviour change. <i>BMC Cardiovascular Disorders</i> , 2012 , 12, 120	2.3	77

177	How patients understand depression associated with chronic physical disease--a systematic review. <i>BMC Family Practice</i> , 2012 , 13, 41	2.6	32
176	Individual influences on lifestyle change to reduce vascular risk: a qualitative literature review. <i>British Journal of General Practice</i> , 2012 , 62, e403-10	1.6	25
175	Maternal mental health and its association with infant growth at 6 months in ethnic groups: results from the Born-in-Bradford birth cohort study. <i>PLoS ONE</i> , 2012 , 7, e30707	3.7	16
174	Impact in the proposals for the UK's Research Excellence Framework: Shifting the boundaries of academic autonomy. <i>Research Policy</i> , 2011 , 40, 1369-1379	7.5	132
173	The ACCESS study a Zelen randomised controlled trial of a treatment package including problem solving therapy compared to treatment as usual in people who present to hospital after self-harm: study protocol for a randomised controlled trial. <i>Trials</i> , 2011 , 12, 135	2.8	4
172	Taking a Preliminary Look at What has Already been done 2011 , 9-17		
171	Selecting Samples for Qualitative Research 2011 , 56-60		1
170	Deciding what Information to Collect 2011 , 61-67		
169	Tackling Confounders 2011 , 68-75		
168	How Many People to Study? 2011 , 76-81		
167	Getting Ready for a Qualitative Analysis 2011 , 82-84		
166	Getting Ready for a Quantitative Analysis 2011 , 85-88		
165	Writing your Final Protocol 2011 , 89-93		
164	Arranging Funding 2011 , 94-99		
163	Recruiting the Participants 2011 , 111-118		
162	Collecting and Recording the Data 2011 , 119-126		
161	Living with (and without) the Data 2011 , 127-132		
160	Making Sense of your Results □The Quantitative Case 2011 , 136-143		

159 Making Sense of your Results □The Qualitative Case **2011**, 144-147

158 Writing a Research Paper **2011**, 149-155

157 Setting Out your Findings **2011**, 156-163

156 Writing your Discussion **2011**, 164-167

155 Writing a Thesis or other Report **2011**, 168-170

154 Choosing the Best Study Design **2011**, 41-46

153 Building a Team **2011**, 34-39

152 Turning your General Aim into a Specific Question **2011**, 1-8

151 Getting Permission to go Ahead **2011**, 100-109

150 Coming up with an Initial Plan of Action **2011**, 19-25

149 Dealing with Journals **2011**, 171-173

148 Carrying out a Systematic Search **2011**, 26-33

147 Stop Delirium! A complex intervention to prevent delirium in care homes: a mixed-methods feasibility study. *Age and Ageing*, **2011**, 40, 90-8 3 49

146 **2011**, 8

145 Long-term prescribing of antidepressants in the older population: a qualitative study. *British Journal of General Practice*, **2010**, 60, e144-55 1.6 31

144 Escitalopram may improve some cognitive functions after stroke in non-depressed patients. *Evidence-Based Mental Health*, **2010**, 13, 81 11.1

143 Stroke survivors who score below threshold on standard depression measures may still have negative cognitions of concern. *Stroke*, **2010**, 41, 478-81 6.7 17

142 Psychological disorders after stroke are an important influence on functional outcomes: a prospective cohort study. *Stroke*, **2010**, 41, 1723-7 6.7 45

141	The Hospital Anxiety and Depression Scale: a diagnostic meta-analysis of case-finding ability. <i>Journal of Psychosomatic Research</i> , 2010 , 69, 371-8	4.1	223
140	Non-pharmacological approaches for dementia that informal carers might try or access: a systematic review. <i>International Journal of Geriatric Psychiatry</i> , 2010 , 25, 756-63	3.9	70
139	Planning for knowledge translation: a researcher's guide. <i>Evidence and Policy</i> , 2010 , 6, 527-541	2.1	29
138	Pharmaceutical Interventions for Emotionalism After Stroke. <i>Stroke</i> , 2010 , 41,	6.7	3
137	Pharmaceutical interventions for emotionalism after stroke. <i>The Cochrane Library</i> , 2010 , CD003690	5.2	28
136	Analgesia and other causes of amnesia that mimic post-traumatic amnesia (PTA): a cohort study. <i>Journal of Neuropsychology</i> , 2010 , 4, 231-6	2.6	5
135	Acceptability and effectiveness of a strategy for the communication of the diagnosis of psychogenic nonepileptic seizures. <i>Epilepsia</i> , 2010 , 51, 70-8	6.4	129
134	Depression after Stroke 2010 , 515-517		
133	Moving the ambulance to the top of the cliff: reducing the burden of depressive symptoms after stroke. <i>International Journal of Stroke</i> , 2009 , 4, 180-2	6.3	8
132	Co-occurrence of self-reported disordered eating and self-harm in UK university students. <i>British Journal of Clinical Psychology</i> , 2009 , 48, 397-410	3.6	23
131	Developing a framework for transferring knowledge into action: a thematic analysis of the literature. <i>Journal of Health Services Research and Policy</i> , 2009 , 14, 156-64	2.4	249
130	Knowledge Brokering: The missing link in the evidence to action chain?. <i>Evidence and Policy</i> , 2009 , 5, 267-279		245
129	Interventions for treating depression after stroke. <i>The Cochrane Library</i> , 2008 , CD003437	5.2	136
128	Screening and case-finding instruments for depression: a meta-analysis. <i>Cmaj</i> , 2008 , 178, 997-1003	3.5	312
127	Interventions for preventing depression after stroke. <i>The Cochrane Library</i> , 2008 , CD003689	5.2	77
126	Hospital care and repetition following self-harm: multicentre comparison of self-poisoning and self-injury. <i>British Journal of Psychiatry</i> , 2008 , 192, 440-5	5.4	97
125	Information provision for stroke patients and their caregivers. <i>Cochrane Database of Systematic Reviews</i> , 2008 , CD001919		53
124	Fluoxetine vs placebo for depressive symptoms after stroke: failed randomised controlled trial. <i>International Journal of Geriatric Psychiatry</i> , 2007 , 22, 963-5	3.9	14

123	Self-harm in England: a tale of three cities. Multicentre study of self-harm. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007 , 42, 513-21	4.5	262
122	Illness perceptions and outcome in mild head injury: a longitudinal study. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2007 , 78, 644-6	5.5	160
121	The lure of 'patient choice'. <i>British Journal of General Practice</i> , 2007 , 57, 822-6	1.6	12
120	Evidence-based treatments in liaison psychiatry. <i>Psychiatry (Abingdon, England)</i> , 2006 , 5, 102-106		4
119	Prevalence, duration and indications for prescribing of antidepressants in primary care. <i>Age and Ageing</i> , 2006 , 35, 523-6	3	60
118	Occurrence and outcome of delirium in medical in-patients: a systematic literature review. <i>Age and Ageing</i> , 2006 , 35, 350-64	3	769
117	Assessing mental health needs after a major disaster: experience from the Pakistan earthquake, 2005. <i>International Journal of Disaster Medicine</i> , 2006 , 4, 177-182		1
116	Delirium: an update on diagnosis, treatment and prevention. <i>Clinical Medicine</i> , 2006 , 6, 540-3	1.9	13
115	Response to Letter by Chen et al. <i>Stroke</i> , 2006 , 37, 1367-1367	6.7	
114	Supporting young people who repeatedly self-harm. <i>Perspectives in Public Health</i> , 2005 , 125, 71-5		25
113	Factors associated with the non-assessment of self-harm patients attending an Accident and Emergency Department: results of a national study. <i>Journal of Affective Disorders</i> , 2005 , 89, 91-7	6.6	59
112	Meta-review of high-quality systematic reviews of interventions in key areas of liaison psychiatry. <i>British Journal of Psychiatry</i> , 2005 , 187, 109-20	5.4	43
111	The epidemiology and management of self-harm amongst adults in England. <i>Journal of Public Health</i> , 2005 , 27, 67-73	3.5	79
110	Is clinical service development simply applied evidence-based medicine? A focus group study. <i>Psychiatric Bulletin</i> , 2005 , 29, 259-261		2
109	Pharmaceutical interventions for emotionalism after stroke. <i>Cochrane Database of Systematic Reviews</i> , 2004 , CD003690		10
108	Establishing a clinical database for hospital attendances because of self-harm. <i>Psychiatric Bulletin</i> , 2004 , 28, 137-139		3
107	Variations in the hospital management of self harm in adults in England: observational study. <i>BMJ, The</i> , 2004 , 328, 1108-9	5.9	74
106	Pharmaceutical interventions for emotionalism after stroke. <i>Stroke</i> , 2004 , 35, 2610-1	6.7	8

105	Reassurance and the anxious cancer patient. <i>British Journal of Cancer</i> , 2004 , 91, 893-9	8.7	39
104	Management of major depression in outpatients attending a cancer centre: a preliminary evaluation of a multicomponent cancer nurse-delivered intervention. <i>British Journal of Cancer</i> , 2004 , 90, 310-3	8.7	41
103	Major depression in outpatients attending a regional cancer centre: screening and unmet treatment needs. <i>British Journal of Cancer</i> , 2004 , 90, 314-20	8.7	172
102	Can oncology nurses treat depression? A pilot project. <i>Journal of Advanced Nursing</i> , 2004 , 46, 542-8	3.1	14
101	Emergency department management and outcome for self-poisoning: a cohort study. <i>General Hospital Psychiatry</i> , 2004 , 26, 36-41	5.6	54
100	Life events, difficulties and dilemmas in the onset of chronic fatigue syndrome: a case-control study. <i>Psychological Medicine</i> , 2003 , 33, 1185-92	6.9	82
99	Attendance at the accident and emergency department in the year before suicide: retrospective study. <i>British Journal of Psychiatry</i> , 2003 , 183, 28-33	5.4	180
98	A standard liaison psychiatry service structure?: A study of the liaison psychiatry services within six strategic health authorities. <i>Psychiatric Bulletin</i> , 2003 , 27, 457-460		11
97	Self-injury attendances in the accident and emergency department: Clinical database study. <i>British Journal of Psychiatry</i> , 2003 , 183, 34-9	5.4	74
96	Service provision and outcome for deliberate self-poisoning in adults--results from a six centre descriptive study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2003 , 38, 390-5	4.5	30
95	Assessment and management of self-harm in older adults attending accident and emergency: a comparative cross-sectional study. <i>International Journal of Geriatric Psychiatry</i> , 2003 , 18, 645-52	3.9	14
94	Somatization, dissociation and general psychopathology in patients with psychogenic non-epileptic seizures. <i>Epilepsy Research</i> , 2003 , 57, 159-67	3	119
93	Defining, Recognizing and Managing Depression in Neurological Practice. <i>Practical Neurology</i> , 2003 , 3, 196-203	2.4	
92	Psychiatric morbidity following endometrial ablation and its association with genuine menorrhagia. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2003 , 110, 358-363	3.7	5
91	A standard liaison psychiatry service structure?: A study of the liaison psychiatry services within six strategic health authorities. <i>Psychiatric Bulletin</i> , 2003 , 27, 457-460		6
90	Psychiatric morbidity following endometrial ablation and its association with genuine menorrhagia. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2003 , 110, 358-63	3.7	1
89	Brief psychodynamic interpersonal therapy after deliberate self poisoning reduced suicidal ideation and deliberate self harm. <i>Evidence-Based Mental Health</i> , 2002 , 5, 14	11.1	1
88	Anxiety disorders in cancer patients: their nature, associations, and relation to quality of life. <i>Journal of Clinical Oncology</i> , 2002 , 20, 3137-48	2.2	348

87	Treating patients with psychogenic non-epileptic seizures. <i>Current Opinion in Neurology</i> , 2002 , 15, 207-11	17.1	46
86	Self-poisoning and self-injury in adults. <i>Clinical Medicine</i> , 2002 , 2, 509-12	1.9	27
85	Anxiety in medical patients. <i>BMJ, The</i> , 2002 , 325, 207-9	5.9	43
84	Routine administration of Health Related Quality of Life (HRQoL) and needs assessment instruments to improve psychological outcome--a systematic review. <i>Psychological Medicine</i> , 2002 , 32, 1345-56	6.9	77
83	Effect of general hospital management on repeat episodes of deliberate self poisoning: cohort study. <i>BMJ, The</i> , 2002 , 325, 866-7	5.9	49
82	Outcomes research in mental health. Systematic review. <i>British Journal of Psychiatry</i> , 2002 , 181, 8-16	5.4	74
81	Depression and anxiety impair health-related quality of life and are associated with increased costs in general medical inpatients. <i>Psychosomatics</i> , 2002 , 43, 302-9	2.6	132
80	Fatal and non-fatal repetition of self-harm. Systematic review. <i>British Journal of Psychiatry</i> , 2002 , 181, 193-9	5.4	866
79	Management and costs of deliberate self-poisoning in the general hospital: A multi-centre study. <i>Journal of Mental Health</i> , 2002 , 11, 223-230	2.7	9
78	Information provision for stroke patients and their caregivers. <i>Cochrane Database of Systematic Reviews</i> , 2001 , CD001919		46
77	Authors should be accurate when describing study design. <i>Stroke</i> , 2001 , 32, 1048-9	6.7	2
76	Somatoform disorders: severe psychiatric illnesses neglected by psychiatrists. <i>British Journal of Psychiatry</i> , 2001 , 179, 11-4	5.4	83
75	Psychosocial and pharmacological treatment of patients following deliberate self-harm: the methodological issues involved in evaluating effectiveness. <i>Suicide and Life-Threatening Behavior</i> , 2001 , 31, 169-80	3.9	26
74	Validating automated screening for psychological distress by means of computer touchscreens for use in routine oncology practice. <i>British Journal of Cancer</i> , 2001 , 85, 1842-9	8.7	65
73	The efficacy of problem-solving treatments after deliberate self-harm: meta-analysis of randomized controlled trials with respect to depression, hopelessness and improvement in problems. <i>Psychological Medicine</i> , 2001 , 31, 979-88	6.9	158
72	Hospital management and costs of antidepressant overdose: multicentre comparison of tricyclic antidepressants and selective serotonin reuptake inhibitors. <i>Journal of Medical Economics</i> , 2001 , 4, 193-197	2.4	4
71	Mortality at 12 and 24 months after stroke may be associated with depressive symptoms at 1 month. <i>Stroke</i> , 2001 , 32, 696-701	6.7	316
70	Psychiatric illness and mortality after hip fracture. <i>Lancet, The</i> , 2001 , 357, 1264-5	40	118

69	Declarations of interest. <i>British Journal of Psychiatry</i> , 2001 , 179, 175	5.4	0
68	Psychiatric illness predicts poor outcome after surgery for hip fracture: a prospective cohort study. <i>Psychological Medicine</i> , 2000 , 30, 921-9	6.9	176
67	Deliberate self poisoning with antidepressant drugs: a comparison of the relative hospital costs of cases of overdose of tricyclics with those of selective-serotonin re-uptake inhibitors. <i>Journal of Affective Disorders</i> , 2000 , 60, 97-100	6.6	21
66	Anxiety in cancer patients. <i>British Journal of Cancer</i> , 2000 , 83, 1261-7	8.7	237
65	Non-drug strategies to resolve psycho-social difficulties after stroke. <i>Age and Ageing</i> , 2000 , 29, 23-30	3	44
64	Psychiatric illness in hip fracture. <i>Age and Ageing</i> , 2000 , 29, 537-46	3	94
63	The timing of acts of deliberate self-harm: is there any relation with suicidal intent, mental disorder or psychiatric management?. <i>Journal of Psychosomatic Research</i> , 2000 , 49, 3-6	4.1	17
62	Depression after stroke and lesion location: a systematic review. <i>Lancet, The</i> , 2000 , 356, 122-6	40	482
61	Psychosocial versus pharmacological treatments for deliberate self harm. <i>Cochrane Database of Systematic Reviews</i> , 2000 , CD001764		78
60	Deliberate self harm. <i>Quality and Safety in Health Care</i> , 1999 , 8, 137-43		7
59	Psychological adjustment and self reported coping in stroke survivors with and without emotionalism. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1999 , 67, 125-6	5.5	13
58	General hospital services for deliberate self-poisoning: an expensive road to nowhere?. <i>Postgraduate Medical Journal</i> , 1999 , 75, 599-602	2	37
57	Heavy general hospital case notes: a simple case-finding method for psychiatric problems. <i>Irish Journal of Psychological Medicine</i> , 1999 , 16, 123-126	3	4
56	Recognition of depression and anxiety in primary care. General practitioners in study seemed to agree with commentary writer. <i>BMJ: British Medical Journal</i> , 1999 , 319, 254-5		1
55	In-patient liaison psychiatry in the UK: A neglected option for improving the psychiatric care of medical patients. <i>Psychiatric Bulletin</i> , 1999 , 23, 525-527		4
54	Costs of antidepressant overdose: a preliminary study. <i>British Journal of General Practice</i> , 1999 , 49, 733-4.6		6
53	Working patterns and the quality of training of medical house officers: evaluating the effect of the 'new deal'. <i>Medical Education</i> , 1998 , 32, 432-8	3.7	19
52	Deliberate self harm: systematic review of efficacy of psychosocial and pharmacological treatments in preventing repetition. <i>BMJ: British Medical Journal</i> , 1998 , 317, 441-7		273

51	Psychological associations with emotionalism after stroke. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1998 , 65, 928-9	5.5	66
50	Management of deliberate self poisoning in adults in four teaching hospitals: descriptive study. <i>BMJ: British Medical Journal</i> , 1998 , 316, 831-2		117
49	Against a high-risk strategy in the prevention of suicide. <i>Psychiatric Bulletin</i> , 1998 , 22, 534-536		5
48	A survey of job satisfaction, sources of stress and psychological symptoms among general practitioners in Leeds. <i>British Journal of General Practice</i> , 1998 , 48, 1059-63	1.6	90
47	Motivation and glycemc control in diabetes mellitus. <i>Journal of Psychosomatic Research</i> , 1997 , 43, 307-11	4.1	34
46	Prescribing antidepressants in general practice 1997 , 314, 826-826		6
45	ABC of mental health. Common mental health problems in hospital. <i>BMJ: British Medical Journal</i> , 1997 , 314, 1679-81		10
44	The early repetition of deliberate self harm. <i>Journal of the Royal College of Physicians of London</i> , 1997 , 31, 171-2		30
43	Job satisfaction and psychological morbidity in medical house officers. <i>Journal of the Royal College of Physicians of London</i> , 1997 , 31, 162-7		13
42	Nurses who kills--damned if you do. <i>Nursing Times</i> , 1997 , 93, 38-9		
41	Depression associated with stroke. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 1996 , 8, 453-7	2.7	28
40	Deliberate self-harm and substance dependence: the management of patients seen in the general hospital. <i>Journal of Mental Health Administration</i> , 1996 , 23, 246-52		6
39	Economics of treatment of depression. <i>British Journal of Psychiatry</i> , 1995 , 166, 397-9	5.4	13
38	Research by trainees: A strategy to improve standards of education and supervision. <i>Psychiatric Bulletin</i> , 1995 , 19, 337-339		8
37	Assessment of deliberate self-harm in adults. <i>Advances in Psychiatric Treatment</i> , 1995 , 1, 124-130		4
36	"Abnormal" illness behaviour in chronic fatigue syndrome and multiple sclerosis. <i>BMJ: British Medical Journal</i> , 1995 , 311, 15-8		23
35	Antidepressants and suicide. Study is based on unproved assumptions. <i>BMJ: British Medical Journal</i> , 1995 , 311, 55; author reply 57		1
34	Misleading meta-analysis. Subject to many potential biases. <i>BMJ: British Medical Journal</i> , 1995 , 311, 1303-4		3

33	Chronic Fatigue Syndrome: A Way Forward. <i>British Journal of Occupational Therapy</i> , 1994 , 57, 381-383	1	15
32	Reducing the costs of chronic somatisation. <i>Irish Journal of Psychological Medicine</i> , 1994 , 11, 79-82	3	3
31	Depressive disorders in long-term survivors of stroke. Associations with demographic and social factors, functional status, and brain lesion volume. <i>British Journal of Psychiatry</i> , 1994 , 164, 380-6	5.4	89
30	Prescribing selective serotonin reuptake inhibitors as strategy for prevention of suicide. <i>BMJ: British Medical Journal</i> , 1994 , 309, 249-53		75
29	Selective serotonin reuptake inhibitors Drugs related to tricyclic antidepressants are a mixed bag 1994 , 309, 1082-1082		3
28	General hospital services for deliberate self-harm. Haphazard clinical provision, little research, no central strategy. <i>Journal of the Royal College of Physicians of London</i> , 1994 , 28, 370-1		27
27	Points of style. <i>British Journal of Psychiatry</i> , 1994 , 164, 697-697	5.4	
26	Examining the effectiveness of treatments for depression in general practice. <i>Journal of Mental Health</i> , 1993 , 2, 141-156	2.7	1
25	Selective serotonin reuptake inhibitors: meta-analysis of efficacy and acceptability. <i>BMJ: British Medical Journal</i> , 1993 , 306, 683-7		275
24	Effective and acceptable treatment for depression: Authors' reply 1993 , 306, 1126-1127		1
23	Psycho-social intervention following attempted suicide: is there a case for better services?. <i>International Review of Psychiatry</i> , 1992 , 4, 15-22	3.6	28
22	Dyskinesia in Creutzfeldt-Jakob disease precipitated by antidepressant therapy. <i>Movement Disorders</i> , 1992 , 7, 86-7	7	5
21	Mood disorders in the year after first stroke. <i>British Journal of Psychiatry</i> , 1991 , 158, 83-92	5.4	237
20	Prison suicides. <i>British Journal of Psychiatry</i> , 1990 , 156, 586-7	5.4	3
19	The relationship between intellectual impairment and mood disorder in the first year after stroke. <i>Psychological Medicine</i> , 1990 , 20, 805-14	6.9	70
18	Mood disorders after stroke and their relation to lesion location. A CT scan study. <i>Brain</i> , 1990 , 113 (Pt 4), 1113-29	11.2	197
17	Mood disorders in long-term survivors of stroke: associations with brain lesion location and volume. <i>Psychological Medicine</i> , 1990 , 20, 815-28	6.9	117
16	Life events and difficulties preceding stroke. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1990 , 53, 1024-8	5.5	60

15	Methods of identifying mood disorders in stroke patients: experience in the Oxfordshire Community Stroke Project. <i>Age and Ageing</i> , 1989 , 18, 371-9	3	67
14	Increased response of serum prolactin to metoclopramide in senile dementia of Alzheimer type. <i>International Journal of Geriatric Psychiatry</i> , 1989 , 4, 279-282	3.9	3
13	Diagnostic value of the apex beat. <i>Lancet, The</i> , 1989 , 2, 499	4.0	8
12	Psychiatric referrals from a renal unit: a study of clinical practice in a British hospital. <i>Journal of Psychosomatic Research</i> , 1989 , 33, 363-72	4.1	6
11	Hypochondriasis and related disorders. Assessment and management of patients referred for a psychiatric opinion. <i>General Hospital Psychiatry</i> , 1989 , 11, 156-65	5.6	26
10	Emotionalism after stroke. <i>BMJ: British Medical Journal</i> , 1989 , 298, 991-4		177
9	Mood disorders in the physically ill--problems of definition and measurement. <i>Journal of Psychosomatic Research</i> , 1988 , 32, 345-53	4.1	54
8	Persistent denial of handicap after infarction of the right basal ganglia: a case study. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1988 , 51, 112-5	5.5	32
7	Affective prosody in the reading voice of stroke patients. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1987 , 50, 910-2	5.5	11
6	Depressive syndromes in the year following onset of a first schizophrenic illness*. <i>British Journal of Psychiatry</i> , 1987 , 151, 773-9	5.4	46
5	Psychosocial problems of patients on the renal unit and their relation to treatment outcome. <i>Journal of Psychosomatic Research</i> , 1987 , 31, 441-52	4.1	26
4	The psychiatric and social characteristics of patients with functional dysphonia. <i>Journal of Psychosomatic Research</i> , 1987 , 31, 483-90	4.1	50
3	Mood disorders after stroke: A review of the evidence. <i>International Journal of Geriatric Psychiatry</i> , 1987 , 2, 211-221	3.9	77
2	Depression after Stroke425-426		
1	Selecting Samples for Quantitative Research47-55		1