

Teunis Jansen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1783570/publications.pdf>

Version: 2024-02-01

39
papers

1,055
citations

393982

19
h-index

433756

31
g-index

39
all docs

39
docs citations

39
times ranked

1102
citing authors

#	ARTICLE	IF	CITATIONS
1	Lifetime residency of capelin (<i>Mallotus villosus</i>) in West Greenland revealed by temporal patterns in otolith microchemistry. <i>Fisheries Research</i> , 2022, 247, 106172.	0.9	0
2	Subpolar gyre and temperature drive boreal fish abundance in Greenland waters. <i>Fish and Fisheries</i> , 2021, 22, 161-174.	2.7	14
3	Atlantic bluefin tuna (<i>Thunnus thynnus</i>) in Greenland " mixed-stock origin, diet, hydrographic conditions, and repeated catches in this new fringe area. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2021, 78, 400-408.	0.7	10
4	Larval drift dynamics, thermal conditions and the shift in juvenile capelin distribution and recruitment success around Iceland and East Greenland. <i>Fisheries Research</i> , 2021, 236, 105845.	0.9	8
5	Marine chemistry variation along Greenland's coastline indicated by chemical fingerprints in capelin (<i>Mallotus villosus</i>) otoliths. <i>Fisheries Research</i> , 2021, 236, 105839.	0.9	2
6	Bioenergetics of egg production in Northeast Atlantic mackerel changes the perception of fecundity type and annual trends in spawning stock biomass. <i>Progress in Oceanography</i> , 2021, 198, 102658.	1.5	11
7	Blue whiting <i>Micromesistius poutassou</i> diel feeding behaviour in the Irminger Sea. <i>Marine Ecology - Progress Series</i> , 2021, 678, 1-16.	0.9	0
8	Changing winter diet of Thick-billed Murres (<i>Uria lomvia</i>) in southwest Greenland, 1990s versus 2010s. <i>Canadian Journal of Zoology</i> , 2021, 99, 1080-1088.	0.4	1
9	Shared ancestral polymorphisms and chromosomal rearrangements as potential drivers of local adaptation in a marine fish. <i>Molecular Ecology</i> , 2020, 29, 2379-2398.	2.0	48
10	The genetic composition of feeding aggregations of the Atlantic mackerel (<i>Scomber scombrus</i>) in the central north Atlantic: a microsatellite loci approach. <i>ICES Journal of Marine Science</i> , 2020, 77, 604-612.	1.2	6
11	Geographical expansion of Northeast Atlantic mackerel (<i>Scomber scombrus</i>) in the Nordic Seas from 2007 to 2016 was primarily driven by stock size and constrained by low temperatures. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2019, 159, 152-168.	0.6	56
12	Drivers of the summer-distribution of Northeast Atlantic mackerel (<i>Scomber scombrus</i>) in the Nordic Seas from 2011 to 2017; a Bayesian hierarchical modelling approach. <i>ICES Journal of Marine Science</i> , 2019, 76, 530-548.	1.2	26
13	Blue whiting distribution and migration in Greenland waters. <i>Fisheries Research</i> , 2019, 212, 123-135.	0.9	8
14	Diel vertical feeding behaviour of Atlantic mackerel (<i>Scomber scombrus</i>) in the Irminger current. <i>Fisheries Research</i> , 2019, 214, 25-34.	0.9	15
15	Intercalibration of survey methods using paired fishing operations and log-Gaussian Cox processes. <i>ICES Journal of Marine Science</i> , 2019, 76, 1189-1199.	1.2	5
16	Length measurement methods of Atlantic mackerel (<i>Scomber scombrus</i>) and Atlantic horse mackerel (<i>Trachurus trachurus</i>) " current practice, conversion keys and recommendations. <i>Fisheries Research</i> , 2018, 205, 57-64.	0.9	7
17	Population abundance and seasonal migration patterns indicated by commercial catch-per-unit-effort of hakes (<i>Merluccius capensis</i> and <i>M. paradoxus</i>) in the northern Benguela Current Large Marine Ecosystem. <i>African Journal of Marine Science</i> , 2018, 40, 197-209.	0.4	5
18	Bioenergetics modeling of the annual consumption of zooplankton by pelagic fish feeding in the Northeast Atlantic. <i>PLoS ONE</i> , 2018, 13, e0190345.	1.1	25

#	ARTICLE	IF	CITATIONS
19	Geostatistical modelling of the spatial life history of post-larval deepwater hake (<i>Merluccius paradoxus</i>) in the Benguela Current Large Marine Ecosystem. African Journal of Marine Science, 2017, 39, 349-361.	0.4	9
20	62 years of population dynamics of European perch (<i>Perca fluviatilis</i>) in a mesotrophic lake tracked using angler diaries: The role of commercial fishing, predation and temperature. Fisheries Research, 2017, 195, 71-79.	0.9	12
21	When in life does density dependence occur in fish populations?. Fish and Fisheries, 2017, 18, 656-667.	2.7	54
22	Ocean warming expands habitat of a rich natural resource and benefits a national economy. Ecological Applications, 2016, 26, 2021-2032.	1.8	56
23	First-year survival of North East Atlantic mackerel (<i>Scomber scombrus</i>) from 1998 to 2012 appears to be driven by availability of <i>Calanus</i> , a preferred copepod prey. Fisheries Oceanography, 2016, 25, 457-469.	0.9	30
24	Quantifying changes in abundance, biomass, and spatial distribution of Northeast Atlantic mackerel (<i>Scomber scombrus</i>) in the Nordic seas from 2007 to 2014. ICES Journal of Marine Science, 2016, 73, 359-373.	1.2	83
25	Migration, distribution and population (stock) structure of shallow-water hake (<i>Merluccius</i>) model. Fisheries Research, 2016, 179, 156-167.	0.9	19
26	Density dependent growth changes through juvenile and early adult life of North East Atlantic Mackerel (<i>Scomber scombrus</i>). Fisheries Research, 2015, 169, 37-44.	0.9	23
27	The impact of environmental variability on Atlantic mackerel <i>Scomber scombrus</i> larval abundance to the west of the British Isles. Continental Shelf Research, 2015, 99, 26-34.	0.9	5
28	Spawning patterns of shallow-water hake (<i>Merluccius capensis</i>) and deep-water hake (<i>M. paradoxus</i>) in the Benguela Current Large Marine Ecosystem inferred from gonadosomatic indices. Fisheries Research, 2015, 172, 168-180.	0.9	26
29	Nursery areas and recruitment variation of Northeast Atlantic mackerel (<i>Scomber scombrus</i>). ICES Journal of Marine Science, 2015, 72, 1779-1789.	1.2	23
30	Cormorant predation on PIT-tagged lake fish. Journal of Limnology, 2014, 73, .	0.3	36
31	Pseudocollapse and rebuilding of North Sea mackerel (<i>Scomber scombrus</i>). ICES Journal of Marine Science, 2014, 71, 299-307.	1.2	20
32	Comparative ecology of widely distributed pelagic fish species in the North Atlantic: Implications for modelling climate and fisheries impacts. Progress in Oceanography, 2014, 129, 219-243.	1.5	97
33	Voluntary angler logbooks reveal long-term changes in a lentic pike, <i>Esox lucius</i> , population. Fisheries Management and Ecology, 2013, 20, 125-136.	1.0	28
34	Spatial Segregation within the Spawning Migration of North Eastern Atlantic Mackerel (<i>Scomber</i>)	1.1	17
35	Population Structure of Atlantic Mackerel (<i>Scomber scombrus</i>). PLoS ONE, 2013, 8, e64744.	1.1	48
36	Long-Term Retrospective Analysis of Mackerel Spawning in the North Sea: A New Time Series and Modeling Approach to CPR Data. PLoS ONE, 2012, 7, e38758.	1.1	28

#	ARTICLE	IF	CITATIONS
37	Migration and Fisheries of North East Atlantic Mackerel (<i>Scomber scombrus</i>) in Autumn and Winter. PLoS ONE, 2012, 7, e51541.	1.1	48
38	Bottom-up effects of climate on fish populations: data from the Continuous Plankton Recorder. Marine Ecology - Progress Series, 2012, 456, 169-186.	0.9	52
39	Temperature affects the timing of spawning and migration of North Sea mackerel. Continental Shelf Research, 2011, 31, 64-72.	0.9	94