

Maria Saveria Gilardini Montani

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1783714/maria-saveria-gilardini-montani-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

58
papers

1,145
citations

19
h-index

32
g-index

62
ext. papers

1,459
ext. citations

6
avg, IF

4.41
L-index

#	Paper	IF	Citations
58	Zinc Supplementation Enhances the Pro-Death Function of UPR in Lymphoma Cells Exposed to Radiation.. <i>Biology</i> , 2022 , 11,	4.9	2
57	DNA damage triggers an interplay between wtp53 and c-Myc affecting lymphoma cell proliferation and Kaposi sarcoma herpesvirus replication. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2022 , 1869, 119168	4.9	5
56	VPA and TSA Interrupt the Interplay between mutp53 and HSP70, Leading to CHK1 and RAD51 Down-Regulation and Sensitizing Pancreatic Cancer Cells to AZD2461 PARP Inhibitor.. <i>International Journal of Molecular Sciences</i> , 2022 , 23,	6.3	2
55	Targeting c-Myc Unbalances UPR towards Cell Death and Impairs DDR in Lymphoma and Multiple Myeloma Cells.. <i>Biomedicines</i> , 2022 , 10,	4.8	2
54	The dysregulation of autophagy and ER stress induced by HHV-6A infection activates pro-inflammatory pathways and promotes the release of inflammatory cytokines and cathepsin S by CNS cells.. <i>Virus Research</i> , 2022 , 198726	6.4	1
53	The impairment of DDR reduces XBP1s, further increasing DNA damage, and triggers autophagy via PERK/eIF2alpha in MM and IRE1alpha/JNK1/2 in PEL cells.. <i>Biochemical and Biophysical Research Communications</i> , 2022 , 613, 19-25	3.4	1
52	p62/SQSTM1 promotes mitophagy and activates the NRF2-mediated anti-oxidant and anti-inflammatory response restraining EBV-driven B lymphocyte proliferation.. <i>Carcinogenesis</i> , 2021 ,	4.6	1
51	New Insights into Curcumin- and Resveratrol-Mediated Anti-Cancer Effects. <i>Pharmaceuticals</i> , 2021 , 14,	5.2	5
50	Anticancer effect of AZD2461 PARP inhibitor against colon cancer cells carrying wt or dysfunctional p53. <i>Experimental Cell Research</i> , 2021 , 408, 112879	4.2	4
49	Lovastatin reduces PEL cell survival by phosphorylating ERK1/2 that blocks the autophagic flux and engages a cross-talk with p53 to activate p21. <i>IUBMB Life</i> , 2021 , 73, 968-977	4.7	3
48	IRE1 Alpha/XBP1 Axis Sustains Primary Effusion Lymphoma Cell Survival by Promoting Cytokine Release and STAT3 Activation. <i>Biomedicines</i> , 2021 , 9,	4.8	8
47	The cross-talk between STAT1/STAT3 and ROS up-regulates PD-L1 and promotes the release of pro-inflammatory/immune suppressive cytokines in primary monocytes infected by HHV-6B. <i>Virus Research</i> , 2021 , 292, 198231	6.4	8
46	p53-R273H Sustains ROS, Pro-Inflammatory Cytokine Release and mTOR Activation While Reducing Autophagy, Mitophagy and UCP2 Expression, Effects Prevented by wtp53. <i>Biomolecules</i> , 2021 , 11,	5.9	2
45	PGE2 Released by Pancreatic Cancer Cells Undergoing ER Stress Transfers the Stress to DCs Impairing Their Immune Function. <i>Molecular Cancer Therapeutics</i> , 2021 , 20, 934-945	6.1	5
44	P62/SQSTM1/Keap1/NRF2 Axis Reduces Cancer Cells Death-Sensitivity in Response to Zn(II)-Curcumin Complex. <i>Biomolecules</i> , 2021 , 11,	5.9	5
43	Role of UPR Sensor Activation in Cell Death-Survival Decision of Colon Cancer Cells Stressed by DPE Treatment. <i>Biomedicines</i> , 2021 , 9,	4.8	2
42	Viral Infection and Autophagy Dysregulation: The Case of HHV-6, EBV and KSHV. <i>Cells</i> , 2020 , 9,	7.9	4

41	KSHV infection skews macrophage polarisation towards M2-like/TAM and activates Ire1 XBP1 axis up-regulating pro-tumorigenic cytokine release and PD-L1 expression. <i>British Journal of Cancer</i> , 2020 , 123, 298-306	8.7	8
40	KSHV dysregulates bulk macroautophagy, mitophagy and UPR to promote endothelial to mesenchymal transition and CCL2 release, key events in viral-driven sarcomagenesis. <i>International Journal of Cancer</i> , 2020 , 147, 3500-3510	7.5	9
39	Interplay between Endoplasmic Reticulum (ER) Stress and Autophagy Induces Mutant p53H273 Degradation. <i>Biomolecules</i> , 2020 , 10,	5.9	4
38	A ruthenium(II)-curcumin compound modulates NRF2 expression balancing the cancer cell death/survival outcome according to p53 status. <i>Journal of Experimental and Clinical Cancer Research</i> , 2020 , 39, 122	12.8	7
37	STAT3 and mutp53 Engage a Positive Feedback Loop Involving HSP90 and the Mevalonate Pathway. <i>Frontiers in Oncology</i> , 2020 , 10, 1102	5.3	11
36	PBA Preferentially Impairs Cell Survival of Glioblastomas Carrying mutp53 by Reducing Its Expression Level, Stabilizing wtp53, Downregulating the Mevalonate Kinase and Dysregulating UPR. <i>Biomolecules</i> , 2020 , 10,	5.9	3
35	HHV-6A infection dysregulates autophagy/UPR interplay increasing beta amyloid production and tau phosphorylation in astrocytoma cells as well as in primary neurons, possible molecular mechanisms linking viral infection to Alzheimer's disease. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2020 , 1866, 165647	6.9	13
34	Quercetin Interrupts the Positive Feedback Loop Between STAT3 and IL-6, Promotes Autophagy, and Reduces ROS, Preventing EBV-Driven B Cell Immortalization. <i>Biomolecules</i> , 2019 , 9,	5.9	14
33	HHV-6B reduces autophagy and induces ER stress in primary monocytes impairing their survival and differentiation into dendritic cells. <i>Virus Research</i> , 2019 , 273, 197757	6.4	8
32	Mutant p53, Stabilized by Its Interplay with HSP90, Activates a Positive Feed-Back Loop Between NRF2 and p62 that Induces Chemo-Resistance to Apigenin in Pancreatic Cancer Cells. <i>Cancers</i> , 2019 , 11,	6.6	32
31	Kaposi Sarcoma Herpes Virus (KSHV) infection inhibits macrophage formation and survival by counteracting Macrophage Colony-Stimulating Factor (M-CSF)-induced increase of Reactive Oxygen Species (ROS), c-Jun N-terminal kinase (JNK) phosphorylation and autophagy. <i>International Journal of Biochemistry and Cell Biology</i> , 2019 , 114, 105560	5.6	3
30	Autophagy manipulation as a strategy for efficient anticancer therapies: possible consequences. <i>Journal of Experimental and Clinical Cancer Research</i> , 2019 , 38, 262	12.8	36
29	Reduced chemotherapeutic sensitivity in high glucose condition: implication of antioxidant response. <i>Oncotarget</i> , 2019 , 10, 4691-4702	3.3	5
28	Impact of HHV-6A and HHV-6B lytic infection on autophagy and endoplasmic reticulum stress. <i>Journal of General Virology</i> , 2019 , 100, 89-98	4.9	19
27	EBV reduces autophagy, intracellular ROS and mitochondria to impair monocyte survival and differentiation. <i>Autophagy</i> , 2019 , 15, 652-667	10.2	43
26	EBV up-regulates PD-L1 on the surface of primary monocytes by increasing ROS and activating TLR signaling and STAT3. <i>Journal of Leukocyte Biology</i> , 2018 , 104, 821-832	6.5	26
25	Cytotoxic Drugs Activate KSHV Lytic Cycle in Latently Infected PEL Cells by Inducing a Moderate ROS Increase Controlled by HSF1, NRF2 and p62/SQSTM1. <i>Viruses</i> , 2018 , 11,	6.2	4
24	Histone deacetylase inhibitors VPA and TSA induce apoptosis and autophagy in pancreatic cancer cells. <i>Cellular Oncology (Dordrecht)</i> , 2017 , 40, 167-180	7.2	51

23	Quercetin induces apoptosis and autophagy in primary effusion lymphoma cells by inhibiting PI3K/AKT/mTOR and STAT3 signaling pathways. <i>Journal of Nutritional Biochemistry</i> , 2017 , 41, 124-136	6.3	124
22	Metformin triggers apoptosis in PEL cells and alters bortezomib-induced Unfolded Protein Response increasing its cytotoxicity and inhibiting KSHV lytic cycle activation. <i>Cellular Signalling</i> , 2017 , 40, 239-247	4.9	17
21	Bortezomib promotes KHSV and EBV lytic cycle by activating JNK and autophagy. <i>Scientific Reports</i> , 2017 , 7, 13052	4.9	18
20	Apigenin, by activating p53 and inhibiting STAT3, modulates the balance between pro-apoptotic and pro-survival pathways to induce PEL cell death. <i>Journal of Experimental and Clinical Cancer Research</i> , 2017 , 36, 167	12.8	42
19	Oxidant species are involved in T/B-mediated ERK1/2 phosphorylation that activates p53-p21 axis to promote KSHV lytic cycle in PEL cells. <i>Free Radical Biology and Medicine</i> , 2017 , 112, 327-335	7.8	15
18	High glucose and hyperglycemic sera from type 2 diabetic patients impair DC differentiation by inducing ROS and activating Wnt/ β -catenin and p38 MAPK. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2016 , 1862, 805-813	6.9	31
17	KSHV reduces autophagy in THP-1 cells and in differentiating monocytes by decreasing CAST/calpastatin and ATG5 expression. <i>Autophagy</i> , 2016 , 12, 2311-2325	10.2	29
16	Hydroxytyrosol-Derived Compounds: A Basis for the Creation of New Pharmacological Agents for Cancer Prevention and Therapy. <i>Journal of Medicinal Chemistry</i> , 2015 , 58, 9089-107	8.3	65
15	Capsaicin-mediated apoptosis of human bladder cancer cells activates dendritic cells via CD91. <i>Nutrition</i> , 2015 , 31, 578-81	4.8	27
14	Capsaicin triggers immunogenic PEL cell death, stimulates DCs and reverts PEL-induced immune suppression. <i>Oncotarget</i> , 2015 , 6, 29543-54	3.3	23
13	ATM-depletion in breast cancer cells confers sensitivity to PARP inhibition. <i>Journal of Experimental and Clinical Cancer Research</i> , 2013 , 32, 95	12.8	68
12	Identification of a 35-Kilodalton Mycobacterium tuberculosis Protein Containing B- and T-Cell Epitopes. <i>Infection and Immunity</i> , 2006 , 74, 2504-2504	3.7	78
11	Sodium butyrate sensitises human pancreatic cancer cells to both the intrinsic and the extrinsic apoptotic pathways. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2005 , 1745, 318-29	4.9	57
10	Engagement of CD4 before TCR triggering regulates both Bax- and Fas (CD95)-mediated apoptosis. <i>Journal of Immunology</i> , 2000 , 164, 5078-87	5.3	27
9	Induction of apoptosis following antigen presentation by T cells: anergy and apoptosis are two separate phenomena. <i>Transplantation Proceedings</i> , 1997 , 29, 1102-4	1.1	12
8	Differential susceptibility to monomeric HIV gp120-mediated apoptosis in antigen-activated CD4+ T cell populations. <i>European Journal of Immunology</i> , 1995 , 25, 2907-16	6.1	25
7	Analysis of susceptibility of mature human T lymphocytes to dexamethasone-induced apoptosis. <i>European Journal of Immunology</i> , 1994 , 24, 1061-5	6.1	91
6	A new tripeptide, Pol 509, influences biochemical events associated with antigen presentation efficiency of PPD-specific EBV-B cells. <i>Immunopharmacology</i> , 1993 , 25, 51-63		4

5	The combined treatment of human peripheral blood mononuclear cells with thymolymphotropin and interleukin 2 increases PPD-driven T-cell proliferation and IL-2 induced cellular cytotoxicity against HIV-infected cells. <i>International Journal of Immunopharmacology</i> , 1991 , 13, 1157-65		2
4	Increased autoreactive T cell frequency in tuberculous patients. <i>International Archives of Allergy and Immunology</i> , 1990 , 91, 36-42	3-7	8
3	Regulation of self-major histocompatibility complex reactive human T-cell clones. <i>International Journal of Immunopharmacology</i> , 1990 , 12, 255-60		1
2	Limiting dilution analysis of T cell unresponsiveness to mycobacteria in advanced disseminated tuberculosis. <i>Medical Microbiology and Immunology</i> , 1989 , 178, 235-44	4	4
1	Beta-endorphin receptors on cultured and freshly isolated lymphocytes from normal subjects. <i>Biochemical and Biophysical Research Communications</i> , 1989 , 163, 642-8	3-4	15