Alessandro Rossi

List of Publications by Citations

Source: https://exaly.com/author-pdf/1784202/alessandro-rossi-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

228 papers

8,175 citations

46 h-index

83 g-index

246 ext. papers

9,435 ext. citations

4.8 avg, IF

5.81 L-index

#	Paper	IF	Citations
228	Anti-inflammatory cyclopentenone prostaglandins are direct inhibitors of IkappaB kinase. <i>Nature</i> , 2000 , 403, 103-8	50.4	1225
227	COVID-19 Pandemic and Lockdown Measures Impact on Mental Health Among the General Population in Italy. <i>Frontiers in Psychiatry</i> , 2020 , 11, 790	5	544
226	Mental Health Outcomes Among Frontline and Second-Line Health Care Workers During the Coronavirus Disease 2019 (COVID-19) Pandemic in Italy. <i>JAMA Network Open</i> , 2020 , 3, e2010185	10.4	373
225	The influence of illness-related variables, personal resources and context-related factors on real-life functioning of people with schizophrenia. <i>World Psychiatry</i> , 2014 , 13, 275-87	14.4	258
224	Inhibition of nuclear factor kappa B by prostaglandin A1: an effect associated with heat shock transcription factor activation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997 , 94, 746-50	11.5	178
223	Neurological soft signs in schizophrenia. British Journal of Psychiatry, 1990, 157, 735-9	5.4	145
222	Categorical and dimensional approaches to negative symptoms of schizophrenia: focus on long-term stability and functional outcome. <i>Schizophrenia Research</i> , 2013 , 147, 157-162	3.6	115
221	Interplay Among Psychopathologic Variables, Personal Resources, Context-Related Factors, and Real-life Functioning in Individuals With Schizophrenia: A Network Analysis. <i>JAMA Psychiatry</i> , 2018 , 75, 396-404	14.5	114
220	Full and partial PTSD among young adult survivors 10 months after the L'Aquila 2009 earthquake: gender differences. <i>Journal of Affective Disorders</i> , 2011 , 131, 79-83	6.6	113
219	Historical, psychopathological, neurological, and neuropsychological aspects of deficit schizophrenia: a multicenter study. <i>American Journal of Psychiatry</i> , 2002 , 159, 983-90	11.9	112
218	Schizotypal dimensions in normals and schizophrenic patients: a comparison with other clinical samples. <i>Schizophrenia Research</i> , 2002 , 54, 67-75	3.6	111
217	Prevalence, chronicity, burden and borders of bipolar disorder. <i>Journal of Affective Disorders</i> , 2013 , 148, 161-9	6.6	105
216	Risperidone, negative symptoms and cognitive deficit in schizophrenia: an open study. <i>Acta Psychiatrica Scandinavica</i> , 1997 , 95, 40-3	6.5	99
215	Magnetic resonance imaging findings of amygdala-anterior hippocampus shrinkage in male patients with schizophrenia. <i>Psychiatry Research</i> , 1994 , 52, 43-53	9.9	84
214	COVID-19 pandemic and lockdown measures impact on mental health among the general population in Italy. An N=18147 web-based survey		81
213	Planum temporale asymmetry and thought disorder in schizophrenia. <i>Schizophrenia Research</i> , 1994 , 12, 1-7	3.6	77
212	Computer-aided neurocognitive remediation as an enhancing strategy for schizophrenia rehabilitation. <i>Psychiatry Research</i> , 2009 , 169, 191-6	9.9	74

(1998-2008)

211	Patterns of structural MRI abnormalities in deficit and nondeficit schizophrenia. <i>Schizophrenia Bulletin</i> , 2008 , 34, 393-401	1.3	73
21 0	Reduced temporal lobe areas in schizophrenia: preliminary evidences from a controlled multiplanar magnetic resonance imaging study. <i>Biological Psychiatry</i> , 1990 , 27, 61-8	7.9	72
209	The Brief Negative Symptom Scale (BNSS): Independent validation in a large sample of Italian patients with schizophrenia. <i>European Psychiatry</i> , 2015 , 30, 641-7	6	71
208	Think twice: Impulsivity and decision making in obsessive-compulsive disorder. <i>Journal of Behavioral Addictions</i> , 2015 , 4, 263-72	6.3	70
207	Cross-cultural Validation of the 5-Factor Structure of Negative Symptoms in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2019 , 45, 305-314	1.3	70
206	Quantification of corpus callosum and ventricles in schizophrenia with nuclear magnetic resonance imaging: a pilot study. <i>American Journal of Psychiatry</i> , 1989 , 146, 99-101	11.9	68
205	Planum temporale in schizophrenia: a magnetic resonance study. <i>Schizophrenia Research</i> , 1992 , 7, 19-22	2 3.6	67
204	Personality disorders in bipolar and depressive disorders. <i>Journal of Affective Disorders</i> , 2001 , 65, 3-8	6.6	65
203	Processing of context information in schizophrenia: relation to clinical symptoms and WCST performance. <i>Schizophrenia Research</i> , 2000 , 44, 57-67	3.6	64
202	Post-traumatic stress disorder in DSM-5: estimates of prevalence and criteria comparison versus DSM-IV-TR in a non-clinical sample of earthquake survivors. <i>Journal of Affective Disorders</i> , 2013 , 151, 843-8	6.6	63
201	A placebo-controlled study of the antidepressant activity of moclobemide, a new MAO-A inhibitor. <i>Pharmacopsychiatry</i> , 1984 , 17, 122-5	2	63
2 00	Gender differences in DSM-5 versus DSM-IV-TR PTSD prevalence and criteria comparison among 512 survivors to the L'Aquila earthquake. <i>Journal of Affective Disorders</i> , 2014 , 160, 55-61	6.6	62
199	Impact of traumatic loss on post-traumatic spectrum symptoms in high school students after the L'Aquila 2009 earthquake in Italy. <i>Journal of Affective Disorders</i> , 2011 , 134, 59-64	6.6	61
198	Network Analysis Reveals the Latent Structure of Negative Symptoms in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2019 , 45, 1033-1041	1.3	61
197	Cognitive function in euthymic bipolar patients, stabilized schizophrenic patients, and healthy controls. <i>Journal of Psychiatric Research</i> , 2000 , 34, 333-9	5.2	60
196	Activation of the heat shock factor 1 by serine protease inhibitors. An effect associated with nuclear factor-kappaB inhibition. <i>Journal of Biological Chemistry</i> , 1998 , 273, 16446-52	5.4	60
195	Age, gender and epicenter proximity effects on post-traumatic stress symptoms in L'Aquila 2009 earthquake survivors. <i>Journal of Affective Disorders</i> , 2013 , 146, 174-80	6.6	59
194	Schizophrenic deficits in the processing of context. <i>Archives of General Psychiatry</i> , 1998 , 55, 186-8		58

193	Resilience in adolescence: Gender differences two years after the earthquake of LAquila. <i>Personality and Individual Differences</i> , 2013 , 54, 327-331	3.3	56
192	Insight and neuropsychological function in patients with schizophrenia and bipolar disorder with psychotic features. <i>Canadian Journal of Psychiatry</i> , 2003 , 48, 338-41	4.8	55
191	Awareness of illness and subjective experience of cognitive complaints in patients with bipolar I and bipolar II disorder. <i>American Journal of Psychiatry</i> , 1999 , 156, 1094-6	11.9	54
190	Hemispheric asymmetries and schizophrenia: a preliminary magnetic resonance imaging study. <i>Biological Psychiatry</i> , 1989 , 25, 275-84	7.9	53
189	Cerebellar vermal size in schizophrenia: a male effect. <i>Biological Psychiatry</i> , 1993 , 33, 354-7	7.9	50
188	The contribution of temperament and character to schizotypy multidimensionality. <i>Comprehensive Psychiatry</i> , 2005 , 46, 50-5	7.3	48
187	Tower of Hanoi and WCST performance in schizophrenia: problem-solving capacity and clinical correlates. <i>Journal of Psychiatric Research</i> , 1999 , 33, 285-90	5.2	48
186	Startle reflex habituation in functional psychoses: a controlled study. <i>Neuroscience Letters</i> , 1992 , 145, 126-8	3.3	48
185	Patterns of comorbidity among DSM-III-R personality disorders. <i>Psychopathology</i> , 2000 , 33, 69-74	3.4	47
184	Pathways to functional outcome in subjects with schizophrenia living in the community and their unaffected first-degree relatives. <i>Schizophrenia Research</i> , 2016 , 175, 154-160	3.6	46
183	Catechol-O-methyltransferase Val158Met polymorphism in schizophrenia: associations with cognitive and motor impairment. <i>Neuropsychobiology</i> , 2005 , 52, 83-9	4	46
182	Resilience and coping in trauma spectrum symptoms prediction: A structural equation modeling approach. <i>Personality and Individual Differences</i> , 2015 , 77, 55-61	3.3	44
181	No deficit in Wisconsin Card Sorting Test performance of schizophrenic patients' first-degree relatives. <i>Schizophrenia Research</i> , 1997 , 26, 147-51	3.6	44
180	Information processing strategy to remediate Wisconsin Card Sorting Test performance in schizophrenia: a pilot study. <i>American Journal of Psychiatry</i> , 1994 , 151, 915-8	11.9	44
179	Brain morphology in schizophrenia by magnetic resonance imaging (MRI). <i>Acta Psychiatrica Scandinavica</i> , 1988 , 77, 741-5	6.5	44
178	Association between striatal reduction and poor Wisconsin card sorting test performance in patients with schizophrenia. <i>Biological Psychiatry</i> , 1997 , 42, 816-20	7.9	43
177	Behavioral neurodevelopment abnormalities and schizophrenic disorder: a retrospective evaluation with the Childhood Behavior Checklist (CBCL). <i>Schizophrenia Research</i> , 2000 , 44, 121-8	3.6	43
176	Schizotypal Personality Questionnaire and Wisconsin Card Sorting Test in a population of DSM-III-R schizophrenic patients and control subjects. <i>Comprehensive Psychiatry</i> , 1998 , 39, 143-8	7.3	42

175	PANSS factors and scores in schizophrenic and bipolar disorders during an index acute episode: a further analysis of the cognitive component. <i>Schizophrenia Research</i> , 2002 , 56, 129-36	3.6	42	
174	Social cognition in people with schizophrenia: a cluster-analytic approach. <i>Psychological Medicine</i> , 2016 , 46, 2717-29	6.9	42	
173	New DSM-5 PTSD guilt and shame symptoms among Italian earthquake survivors: Impact on maladaptive behaviors. <i>Psychiatry Research</i> , 2017 , 251, 142-147	9.9	41	
172	COMT Val(158)Met and BDNF C(270)T polymorphisms in schizophrenia: a case-control study. <i>Schizophrenia Research</i> , 2005 , 73, 27-30	3.6	40	
171	Cortical and subcortical computed tomographic study in schizophrenia. <i>Journal of Psychiatric Research</i> , 1988 , 22, 99-105	5.2	39	
170	Impact of DSM-5 PTSD and gender on impaired eating behaviors in 512 Italian earthquake survivors. <i>Psychiatry Research</i> , 2015 , 225, 64-69	9.9	38	
169	A multi-element psychosocial intervention for early psychosis (GET UP PIANO TRIAL) conducted in a catchment area of 10 million inhabitants: study protocol for a pragmatic cluster randomized controlled trial. <i>Trials</i> , 2012 , 13, 73	2.8	38	
168	Induction by prostaglandin A1 of haem oxygenase in myoblastic cells: an effect independent of expression of the 70 kDa heat shock protein. <i>Biochemical Journal</i> , 1995 , 308 (Pt 2), 455-63	3.8	38	
167	Lifetime mania is related to post-traumatic stress symptoms in high school students exposed to the 2009 L'Aquila earthquake. <i>Comprehensive Psychiatry</i> , 2014 , 55, 357-62	7.3	37	
166	Decision making, impulsivity, and personality traits in alcohol-dependent subjects. <i>American Journal on Addictions</i> , 2012 , 21, 263-7	3.7	37	
165	The interplay among psychopathology, personal resources, context-related factors and real-life functioning in schizophrenia: stability in relationships after 4 years and differences in network structure between recovered and non-recovered patients. <i>World Psychiatry</i> , 2020 , 19, 81-91	14.4	37	
164	Suicidal intention and negative spiritual coping one year after the earthquake of L'Aquila (Italy). <i>Journal of Affective Disorders</i> , 2012 , 136, 1227-31	6.6	35	
163	Is Wisconsin Card Sorting Test performance related to 'working memory' capacity?. <i>Schizophrenia Research</i> , 1997 , 27, 11-9	3.6	35	
162	Disorganization and real-world functioning in schizophrenia: Results from the multicenter study of the Italian Network for Research on Psychoses. <i>Schizophrenia Research</i> , 2018 , 201, 105-112	3.6	34	
161	Personal resources and depression in schizophrenia: The role of self-esteem, resilience and internalized stigma. <i>Psychiatry Research</i> , 2017 , 256, 359-364	9.9	34	
160	MR imaging of white matter lesions in uncomplicated chronic alcoholism. <i>Journal of Computer Assisted Tomography</i> , 1989 , 13, 395-8	2.2	34	
159	Nitric oxide inhibits cornified envelope formation in human keratinocytes by inactivating transglutaminases and activating protein 1. <i>Journal of Investigative Dermatology</i> , 2000 , 115, 731-9	4.3	33	
158	New DSM-5 maladaptive symptoms in PTSD: gender differences and correlations with mood spectrum symptoms in a sample of high school students following survival of an earthquake. <i>Annals of General Psychiatry</i> , 2014 , 13, 28	3.4	32	

157	A factor analysis of signs and symptoms of the manic episode with Bech-Rafaelsen Mania and Melancholia Scales. <i>Journal of Affective Disorders</i> , 2001 , 64, 267-70	6.6	32
156	Temporal lobe structure by magnetic resonance in bipolar affective disorders and schizophrenia. <i>Journal of Affective Disorders</i> , 1991 , 21, 19-22	6.6	32
155	Gender Differences in the Relationship between Maladaptive Behaviors and Post-Traumatic Stress Disorder. A Study on 900 L' Aquila 2009 Earthquake Survivors. <i>Frontiers in Psychiatry</i> , 2012 , 3, 111	5	31
154	The emergence of social phobia during clozapine treatment and its response to fluoxetine augmentation. <i>Journal of Clinical Psychiatry</i> , 1999 , 60, 819-23	4.6	30
153	The complex relationship between self-reported 'personal recovery' and clinical recovery in schizophrenia. <i>Schizophrenia Research</i> , 2018 , 192, 108-112	3.6	28
152	The adolescent emotional coping after an earthquake: a risk factor for suicidal ideation. <i>Journal of Adolescence</i> , 2014 , 37, 605-11	3.4	28
151	Premorbid academic and social functioning in patients with schizophrenia and its associations with negative symptoms and cognition. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 138, 253-266	6.5	27
150	Spirituality and religiosity in the aftermath of a natural catastrophe in Italy. <i>Journal of Religion and Health</i> , 2013 , 52, 1029-37	2.6	27
149	The relationships of personal resources with symptom severity and psychosocial functioning in persons with schizophrenia: results from the Italian Network for Research on Psychoses study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2017 , 267, 285-294	5.1	27
148	Remission in schizophrenia: one-year Italian prospective study of risperidone long-acting injectable (RLAI) in patients with schizophrenia or schizoaffective disorder. <i>Human Psychopharmacology</i> , 2009 , 24, 574-83	2.3	27
147	Exploration of irony appreciation in schizophrenia: a replication study on an Italian sample. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2007 , 257, 337-9	5.1	27
146	Validity and reliability of the Italian version of the Quality of Life, Enjoyment and Satisfaction Questionnaire. <i>Quality of Life Research</i> , 2005 , 14, 2323-8	3.7	27
145	Factors Associated With Real-Life Functioning in Persons With Schizophrenia in a 4-Year Follow-up Study of the Italian Network for Research on Psychoses. <i>JAMA Psychiatry</i> , 2021 , 78, 550-559	14.5	27
144	Remediation of Wisconsin Card Sorting Test performance in schizophrenia. A controlled study. <i>Psychopathology</i> , 1997 , 30, 59-66	3.4	26
143	Educational level and age influence spatial working memory and Wisconsin Card Sorting Test performance differently: a controlled study in schizophrenic patients. <i>Psychiatry Research</i> , 2001 , 102, 39-48	9.9	26
142	Assessment of clinical and metabolic status, and subjective well-being, in schizophrenic patients switched from typical and atypical antipsychotics to ziprasidone. <i>International Clinical Psychopharmacology</i> , 2008 , 23, 216-22	2.2	25
141	Neuromorphological abnormalities in schizophrenic patients with good and poor outcome. <i>Acta Psychiatrica Scandinavica</i> , 2000 , 101, 161-6	6.5	24
140	Decision-making impairment in schizophrenia: relationships with positive symptomatology. Neuroscience Letters, 2011 , 502, 80-3	3.3	23

139	A quantitative analysis of antidepressant and antipsychotic prescriptions following an earthquake in Italy. <i>Journal of Traumatic Stress</i> , 2011 , 24, 129-32	3.8	22	
138	NRG1 and BDNF genes in schizophrenia: an association study in an Italian case-control sample. <i>Psychiatry Research</i> , 2010 , 176, 82-4	9.9	22	
137	A computerised tomographic study in DSM-III affective disorders. <i>Journal of Affective Disorders</i> , 1987 , 12, 259-62	6.6	20	
136	Dimensional, non-taxonic latent structure of psychotic symptoms in a student sample. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009 , 44, 911-6	4.5	19	
135	Wisconsin card sorting test and Stroop test performance in schizophrenia: a shared construct. <i>Neuroscience Letters</i> , 1997 , 226, 87-90	3.3	19	
134	Thyrotropin-releasing hormone test in recently abstinent alcoholics. <i>Psychiatry Research</i> , 1985 , 16, 249-	- 5j .9	19	
133	Familial aggregation of MATRICS Consensus Cognitive Battery scores in a large sample of outpatients with schizophrenia and their unaffected relatives. <i>Psychological Medicine</i> , 2018 , 48, 1359-13	366	18	
132	Characterization of premorbid functioning during childhood in patients with deficit vs. non-deficit schizophrenia and in their healthy siblings. <i>Schizophrenia Research</i> , 2016 , 174, 172-176	3.6	18	
131	Country differences in patient characteristics and treatment in schizophrenia: data from a physician-based survey in Europea. <i>European Psychiatry</i> , 2011 , 26, 17-28	6	18	
130	Treatment of erectile dysfunction reduces psychological distress. <i>Journal of Developmental and Physical Disabilities</i> , 2009 , 32, 74-80		18	
129	Mental health outcomes among front and second line health workers associated with the COVID-19 pandemic in Italy		18	
128	Consequences of the COVID-19 pandemic on admissions to general hospital psychiatric wards in Italy: Reduced psychiatric hospitalizations and increased suicidality. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021 , 110, 110304	5.5	18	
127	Metacognitive ability and social functioning are related in persons with schizophrenic disorder. <i>Schizophrenia Research</i> , 2009 , 108, 301-2	3.6	17	
126	Relationship of good and poor Wisconsin Card Sorting Test performance to illness duration in schizophrenia: a cross-sectional analysis. <i>Psychiatry Research</i> , 2004 , 121, 219-27	9.9	17	
125	Qualitative MRI findings in patients with schizophrenia: a controlled study. <i>Psychiatry Research - Neuroimaging</i> , 2000 , 98, 117-26	2.9	17	
124	Mating Strategies and Sexual Functioning in Personality Disorders: AlComprehensive Review of Literature. <i>Sexual Medicine Reviews</i> , 2017 , 5, 414-428	5.6	16	
123	A VALIDATION STUDY OF THE ITALIAN VERSION OF THE RESILIENCE SCALE FOR ADOLESCENTS (READ). <i>Journal of Community Psychology</i> , 2012 , 40, 479-485	2.2	16	
122	Individualizing antipsychotic treatment selection in schizophrenia: characteristics of empirically derived patient subgroups. <i>European Psychiatry</i> , 2011 , 26, 3-16	6	16	

121	Aripiprazole in acute mania and long-term treatment of bipolar disorder: a critical review by an Italian working group. <i>Clinical Drug Investigation</i> , 2010 , 30, 827-841	3.2	16
120	Reduced temporal lobe area in schizophrenia by magnetic resonance imaging: preliminary evidence. <i>Psychiatry Research</i> , 1989 , 29, 261-3	9.9	16
119	Visuospatial impairment in depression: a controlled ECT study. <i>Acta Psychiatrica Scandinavica</i> , 1990 , 81, 245-9	6.5	16
118	Clinical correlates of plasma brain-derived neurotrophic factor in post-traumatic stress disorder spectrum after a natural disaster. <i>Psychiatry Research</i> , 2016 , 244, 165-70	9.9	16
117	Strategies for successful clinical management of schizophrenia with ziprasidone. <i>Expert Opinion on Pharmacotherapy</i> , 2010 , 11, 2199-220	4	15
116	Psychological and Brain Connectivity Changes Following Trauma-Focused CBT and EMDR Treatment in Single-Episode PTSD Patients. <i>Frontiers in Psychology</i> , 2019 , 10, 129	3.4	14
115	Humiliation and interpersonal sensitivity in depression. <i>Journal of Affective Disorders</i> , 2014 , 167, 224-7	6.6	14
114	Temperament and Character Inventory-R (TCI-R) and Big Five Questionnaire (BFQ): convergence and divergence. <i>Psychological Reports</i> , 2012 , 110, 1002-6	1.6	14
113	Subjective experience and subjective response to neuroleptics in schizophrenia. <i>Comprehensive Psychiatry</i> , 2000 , 41, 446-9	7.3	14
112	Schizophrenic patients use context-independent reasoning more often than context-dependent reasoning as measured by the cognitive bias task (CBT): a controlled study. <i>Schizophrenia Research</i> , 1999 , 37, 45-51	3.6	14
111	Increase in mortality rate in patients with dementia treated with atypical antipsychotics: a cohort study in outpatients in Central Italy. <i>Rivista Di Psichiatria</i> , 2014 , 49, 34-40	3.1	14
110	Alterations of cerebral white matter structure in psychosis and their clinical correlations: a systematic review of Diffusion Tensor Imaging studies. <i>Rivista Di Psichiatria</i> , 2017 , 52, 49-66	3.1	14
109	Different roles of resilience in depressive patients with history of suicide attempt and no history of suicide attempt. <i>Revista Brasileira De Psiquiatria</i> , 2017 , 39, 216-219	2.6	13
108	Magnetic resonance imaging and magnetic resonance spectroscopy in a young male patient with anti-N-methyl-D-aspartate receptor encephalitis and uncommon cerebellar involvement: A case report with review of the literature. <i>Neuroradiology Journal</i> , 2016 , 29, 30-5	2	13
107	Changes in severity of depressive symptoms and mortality: the Italian Longitudinal Study on Aging. <i>Psychological Medicine</i> , 2012 , 42, 2619-29	6.9	13
106	Neuropsychological and clinical correlates of temporal lobe anatomy in schizophrenia. <i>Acta Psychiatrica Scandinavica</i> , 1992 , 85, 484-8	6.5	13
105	Frontal and callosal neuropsychological performances in schizophrenia. Further evidence of possible attention and mnesic dysfunctions. <i>Schizophrenia Research</i> , 1991 , 5, 115-21	3.6	13
104	Standardized magnetic resonance image intensity study in schizophrenia. <i>Psychiatry Research</i> , 1988 , 25, 223-31	9.9	13

(2021-2014)

103	Towards a framework for treatment effectiveness in schizophrenia. <i>Neuropsychiatric Disease and Treatment</i> , 2014 , 10, 1867-78	3.1	12	
102	Clinical features and therapeutic management of patients admitted to Italian acute hospital psychiatric units: the PERSEO (psychiatric emergency study and epidemiology) survey. <i>Annals of General Psychiatry</i> , 2007 , 6, 29	3.4	12	
101	The effect of verbalization strategy on Wisconsin Card Sorting Test performance in schizophrenic patients receiving classical or atypical antipsychotics. <i>BMC Psychiatry</i> , 2006 , 6, 3	4.2	12	
100	Awareness of illness and outcome in schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2000 , 250, 73-5	5.1	12	
99	Three-dimensional in vivo planum temporale reconstruction. <i>Brain and Language</i> , 1994 , 47, 89-95	2.9	12	
98	Quantitative computed tomographic study in schizophrenia: cerebral density and ventricle measures. <i>Psychological Medicine</i> , 1989 , 19, 337-42	6.9	12	
97	The metabolic syndrome in an Italian psychiatric sample: a retrospective chart review of inpatients treated with antipsychotics. <i>Rivista Di Psichiatria</i> , 2016 , 51, 37-42	3.1	12	
96	Emotional reactivity in bipolar depressed patients. <i>Journal of Clinical Psychology</i> , 2014 , 70, 860-5	2.8	11	
95	An economic evaluation of aripiprazole vs olanzapine adapted to the Italian setting using outcomes of metabolic syndrome and risk for diabetes in patients with schizophrenia. <i>Neuropsychiatric Disease and Treatment</i> , 2008 , 4, 967-76	3.1	11	
94	Attitudes toward medication and the clinical variables in schizophrenia: Structural equation models. <i>Patient Preference and Adherence</i> , 2009 , 3, 305-9	2.4	11	
93	No evidence of linkage between schizophrenia and D2 dopamine receptor gene locus in Italian pedigrees. <i>Neuroscience Letters</i> , 1996 , 206, 196-8	3.3	11	
92	Mental health in L'Aquila after the earthquake. Annali Dellristituto Superiore Di Sanita, 2012 , 48, 132-7	1.6	11	
91	Psychiatrists' perceptions of the clinical importance, assessment and management of patient functioning in schizophrenia in Europe, the Middle East and Africa. <i>Annals of General Psychiatry</i> , 2013 , 12, 8	3.4	10	
90	Switching among antipsychotics in everyday clinical practice: focus on ziprasidone. <i>Postgraduate Medicine</i> , 2011 , 123, 135-59	3.7	10	
89	Spatial working memory assessment by a visual-manual delayed response task: a controlled study in schizophrenia. <i>Neuroscience Letters</i> , 1999 , 275, 9-12	3.3	10	
88	Suicide in the aftermath of the L'Aquila (Italy) earthquake. <i>Crisis</i> , 2013 , 34, 142-4	2.8	10	
87	The association between insight and depressive symptoms in schizophrenia: Undirected and Bayesian network analyses. <i>European Psychiatry</i> , 2020 , 63, 1-21	6	10	
86	Trauma-spectrum symptoms among the Italian general population in the time of the COVID-19 outbreak <i>H</i> gre <i>Utbildning</i> , 2021 , 12, 1855888	5	10	

85	Effects of L'Aquila earthquake on the prescribing pattern of antidepressant and antipsychotic drugs. <i>International Journal of Clinical Pharmacy</i> , 2013 , 35, 1053-62	2.3	9
84	Subjective adjustment of individuals with psychiatric disorders in the aftermath of the L'Aquila earthquake. <i>American Journal of Psychiatry</i> , 2010 , 167, 352-3	11.9	9
83	Validity and reliability of the Quality of Life, Enjoyment and Satisfaction Questionnaire, Short Form. <i>Epidemiologia E Psichiatria Sociale</i> , 2007 , 16, 82-87		9
82	Subjective experiences in schizophrenia and bipolar disorders. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2002 , 252, 24-7	5.1	9
81	Pattern of comorbidity among anxious and odd personality disorders: the case of obsessive-compulsive personality disorder. <i>CNS Spectrums</i> , 2000 , 5, 23-6	1.8	9
80	A double-blind, placebo-controlled study of alpidem, a novel anxiolytic of imidazopyridine structure, in chronically anxious patients. <i>Acta Psychiatrica Scandinavica</i> , 1989 , 80, 137-41	6.5	9
79	Age and duration of illness as predictors of ventricular brain ratio (VBR) size in chronic schizophrenic patients. A stepwise regression analysis study. <i>Acta Psychiatrica Scandinavica</i> , 1987 , 76, 256-60	6.5	9
78	Defence mechanisms and attachment styles in paranoid ideation evaluated in a sample of non-clinical young adults. <i>Rivista Di Psichiatria</i> , 2017 , 52, 162-167	3.1	9
77	Assessment of de novo copy-number variations in Italian patients with schizophrenia: Detection of putative mutations involving regulatory enhancer elements. <i>World Journal of Biological Psychiatry</i> , 2019 , 20, 126-136	3.8	9
76	Resilience as a Mediator Between Interpersonal Risk Factors and Hopelessness in Depression. <i>Frontiers in Psychiatry</i> , 2020 , 11, 10	5	8
75	A Comparison of Humiliation Measurement in a Depressive Versus Non-clinical Sample: A Possible Clinical Utility. <i>Journal of Clinical Psychology</i> , 2015 , 71, 1218-24	2.8	8
74	Construct and concurrent validity of the Italian version of the Brief Multidimensional Measure of Religiousness/Spirituality. <i>Psychology of Religion and Spirituality</i> , 2013 , 5, 316-324	2.5	8
73	Deconstructing theory of mind in schizophrenia. <i>Psychiatry Research</i> , 2011 , 190, 32-6	9.9	8
72	Quetiapine as adjunctive treatment of a case of rapid-cycling bipolar disorder with comorbidity. <i>Human Psychopharmacology</i> , 2003 , 18, 559-60	2.3	8
71	A comparison of moclobemide and imipramine in treatment of depression. <i>Pharmacopsychiatry</i> , 1989 , 22, 152-5	2	8
70	Mental Health Outcomes Among Italian Health Care Workers During the COVID-19 Pandemic. JAMA Network Open, 2021 , 4, e2136143	10.4	8
69	The influence of autistic symptoms on social and non-social cognition and on real-life functioning in people with schizophrenia: Evidence from the Italian Network for Research on Psychoses multicenter study. <i>European Psychiatry</i> , 2020 , 63, e98	6	8
68	Affective temperaments and residual symptoms in patients with mood and anxiety disorders. <i>International Journal of Psychiatry in Clinical Practice</i> , 2009 , 13, 31-5	2.4	7

(1992-2008)

67	Quality of life and clinical characteristics of patients with generalized and performance-focused social anxiety disorder: An Italian study. <i>International Journal of Psychiatry in Clinical Practice</i> , 2008 , 12, 256-60	2.4	7
66	Case of mania induced by withdrawal of interferon-alpha in a patient affected by bipolar disorder. <i>Psychiatry and Clinical Neurosciences</i> , 2002 , 56, 647-8	6.2	7
65	Executive function assessment of patients with schizophrenic disorder residual type in olanzapine treatment: an open study. <i>Human Psychopharmacology</i> , 2005 , 20, 401-8	2.3	7
64	Cognitive symptoms of mania in pure and mixed episodes evaluated with the Positive and Negative Syndrome Scale. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2000 , 250, 254-6	5.1	7
63	Dementia in Schizophrenia Magnetic Resonance and Clinical Correlates. <i>Journal of Nervous and Mental Disease</i> , 1990 , 178, 521-524	1.8	7
62	Impact of Mood Spectrum Spirituality and Mysticism Symptoms on Suicidality in Earthquake Survivors with PTSD. <i>Journal of Religion and Health</i> , 2016 , 55, 641-9	2.6	6
61	Plasma brain-derived neurotrophic factor in earthquake survivors with full and partial post-traumatic stress disorder. <i>Psychiatry and Clinical Neurosciences</i> , 2013 , 67, 363-4	6.2	6
60	Prevalence of antipsychotic-induced extrapyramidal symptoms and their association with neurocognition and social cognition in outpatients with schizophrenia in the "real-life". <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021 , 109, 110250	5.5	6
59	How much stress is needed to increase vulnerability to psychosis? A community assessment of psychic experiences (CAPE) evaluation 10 months after an earthquake in L'Aquila (Italy). <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012 , 262, 265-8	5.1	5
58	Changes in prescription of psychotropics after an earthquake in Italy. <i>Psychiatric Services</i> , 2010 , 61, 845-	6 .3	5
57	Premorbid intelligence of inpatients with different psychiatric diagnoses does not differ. <i>Neuropsychiatric Disease and Treatment</i> , 2008 , 4, 1241-4	3.1	5
56	Bisexuality among a cohort of university students: prevalence and psychological distress. <i>International Journal of Impotence Research</i> , 2018 , 30, 79-84	2.3	5
55	Interpersonal violence: identification of associated features in a clinical sample. <i>Child Abuse and Neglect</i> , 2018 , 86, 349-357	4.3	5
54	Misreporting of suicide after the L'Aquila earthquake. <i>BMJ, The</i> , 2013 , 346, f3179	5.9	4
53	Temperament and Character Inventory IRevised (TCIR) 1year after the earthquake of LAquila (Italy). <i>Personality and Individual Differences</i> , 2011 , 51, 545-548	3.3	4
52	Psychological features in men with erectile dysfunction with or without preclinical atherosclerosis. <i>International Journal of Impotence Research</i> , 2007 , 19, 597-601	2.3	4
51	Wisconsin Card-Sorting Test performance does not discriminate different patterns of premorbid behavioral abnormalities in schizophrenic patients. <i>Psychiatry and Clinical Neurosciences</i> , 2002 , 56, 403-7	,6.2	4
50	Soft neurological dysfunction and gender in schizophrenia. <i>British Journal of Psychiatry</i> , 1992 , 160, 423-4	1 5.4	4

49	Lateral ventricular size, educational level and patient subtypes in schizophrenia. <i>British Journal of Psychiatry</i> , 1991 , 159, 443-4	5.4	4
48	Accuracy of self-assessment of real-life functioning in schizophrenia. NPJ Schizophrenia, 2021, 7, 11	5.5	4
47	ResilienCity: Resilience and Psychotic-Like Experiences 10 Years After L'Aquila Earthquake. <i>Frontiers in Psychiatry</i> , 2020 , 11, 77	5	3
46	Different roles of resilience in a non clinical sample evaluated for family stress and psychiatric symptoms. <i>Personality and Individual Differences</i> , 2016 , 100, 12-15	3.3	3
45	Does premorbid IQ have a pathoplastic effect on symptom presentation in schizophrenic and bipolar disorders?. <i>LrEncephale</i> , 2007 , 33, 733-7	2.9	3
44	Induction of a 32-kDa stress protein by prostaglandin A1 in cultured murine cells. <i>Annals of the New York Academy of Sciences</i> , 1994 , 744, 326-9	6.5	3
43	Minimal brain damage and seasonality of birth in schizophrenic disorders. <i>European Psychiatry</i> , 1992 , 7, 91-92	6	3
42	Corpus callosum in schizophrenia. <i>Biological Psychiatry</i> , 1987 , 22, 1043-4	7.9	3
41	Register-based cumulative prevalence of Autism Spectrum Disorders during childhood and adolescence in Central Italy 2022 , 16,		3
40	Attitudes of Italian Psychiatrists Toward the Evaluation of Physical Comorbidities and Sexual Dysfunction in Patients With Schizophrenia. Implications for Clinical Practice. <i>Frontiers in Psychiatry</i> , 2019 , 10, 842	5	3
39	From Basic Human Values to Interpersonal Violence: A Mental Illness Sample. <i>Journal of Aggression, Maltreatment and Trauma</i> , 2020 , 29, 259-271	1.6	3
38	Disrupted Rhythmicity and Vegetative Functions Relate to PTSD and Gender in Earthquake Survivors. <i>Frontiers in Psychiatry</i> , 2020 , 11, 492006	5	2
37	Cues for different diagnostic patterns of interpersonal violence in a psychiatric sample: an observational study. <i>BMC Psychiatry</i> , 2020 , 20, 196	4.2	2
36	Short-term remission in schizophrenia as a combination of several outcome measures. <i>Psychiatry Research</i> , 2013 , 209, 401-5	9.9	2
35	Trauma-spectrum symptoms among the Italian general population in the time of the COVID-19 outbred	ak	2
34	Response to Cognitive impulsivity and the behavioral addiction model of obsessive-compulsive disorder: Abramovitch and McKay (2016). <i>Journal of Behavioral Addictions</i> , 2016 , 5, 398-400	6.3	2
33	Further Exploration of Personal and Social Functioning: The Role of Interpersonal Violence, Service Engagement, and Social Network. <i>Journal of Nervous and Mental Disease</i> , 2019 , 207, 832-837	1.8	2
32	Community mental health service utilization after the L'Aquila earthquake. <i>Community Mental Health Journal</i> , 2015 , 51, 504-8	2.1	1

31	Resilience in people with schizophrenia. Results from the Italian Network for Research on Psychoses. <i>European Journal of Public Health</i> , 2017 , 27,	2.1	1
30	P-963 - Relationships between post-traumatic spectrum symptoms and age, gender and degree of exposure to the laquila 2009 earthquake. <i>European Psychiatry</i> , 2012 , 27, 1	6	1
29	Cognitive Functions, Impulsivity and Personality Traits in Alcohol Dependent Subjects. <i>European Psychiatry</i> , 2009 , 24, 1-1	6	1
28	Phasic asymmetries in phasic affective disorders. <i>Biological Psychiatry</i> , 1995 , 38, 132-3	7.9	1
27	Social disability and clinical symptomatology in schizophrenia: their impact on compulsory admission. <i>Psychopathology</i> , 1989 , 22, 177-81	3.4	1
26	How to improve the physical health of people with severe mental illness? A multicentric randomized controlled trial on the efficacy of a lifestyle group intervention. <i>European Psychiatry</i> , 2021 , 64, e72	6	1
25	Predictors of social cognition in patients with schizophrenia. <i>Neuropsychiatric Disease and Treatment</i> , 2006 , 2, 571-6	3.1	1
24	Could the severity of symptoms of schizophrenia affect ability of self-appraisal of cognitive deficits in patients with schizophrenia? Lack of insight as a mediator between the two domains. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020 , 270, 723-728	5.1	1
23	On the Implementation of Computerized Adaptive Observations for Psychological Assessment. <i>Assessment</i> , 2020 , 1073191120960215	3.7	1
22	Genome-wide association study detected novel susceptibility genes for social cognition impairment in people with schizophrenia. <i>World Journal of Biological Psychiatry</i> , 2021 , 1-9	3.8	1
21	Personality disorders (PD) and interpersonal violence (IV) during COVID-19 pandemic: a systematic review <i>Annals of General Psychiatry</i> , 2022 , 21, 11	3.4	1
20	Source monitoring task in a sample of in-patients with verbal auditory hallucinations compared to control sample. <i>Rivista Di Psichiatria</i> , 2019 , 54, 91-94	3.1	1
19	Subjective Scale to Investigate Cognition in Schizophrenia (SSTICS): a validation study in Italian population. <i>Rivista Di Psichiatria</i> , 2020 , 55, 98-105	3.1	1
18	Personal Recovery in Schizophrenia: A Narrative Review. <i>Comprehensive Approach To Psychiatry</i> , 2022 , 45-56	0.7	1
17	A Case of Comorbid PTSD and Posttraumatic OCD Treated with Sertraline-Aripiprazole Augmentation. <i>Case Reports in Psychiatry</i> , 2020 , 2020, 2616492	0.6	О
16	Antipsychotics and Cognitive Functioning: A Critical Review. Current Psychopharmacology, 2012 , 2, 37-4	16 0.6	O
15	The Cognitive Assessment Interview (CAI): Association with neuropsychological scores and real-life functioning in a large sample of Italian subjects with schizophrenia <i>Schizophrenia Research</i> , 2022 , 241, 161-170	3.6	О
14	Sexual Dysfunctions in Personality Disorders: Is the Personality Connected to the Sexual Dysfunctions?. <i>Trends in Andrology and Sexual Medicine</i> , 2018 , 173-181	0.5	O

13	Personal and contextual components of resilience mediate risky family environment's effect on psychotic-like experiences. <i>Microbial Biotechnology</i> , 2021 , 15, 1677-1685	3.3	О
12	Multiple natural disaster exposure effects on stress adjustment and resilience in clinical samples. <i>Current Psychology</i> ,1	1.4	O
11	Academic and social functioning in early life epochs in schizophrenia patients and first-degree unaffected relatives. <i>European Neuropsychopharmacology</i> , 2019 , 29, S336	1.2	
10	Emotional reactivity and neuropsychological assessment in ten cases of ablated temporal lobe tumors. <i>Neurology Psychiatry and Brain Research</i> , 2019 , 34, 22-27	2.1	
9	P.8.b.014 Relationship between spirituality/mysticism/psychoticism, PTSD and suicidality among 475 earthquake survivors. <i>European Neuropsychopharmacology</i> , 2013 , 23, S627	1.2	
8	Practical guidance for prescribing ziprasidone in acute manic or mixed episodes of bipolar I disorder. <i>Expert Opinion on Pharmacotherapy</i> , 2011 , 12, 2245-63	4	
7	Brain Imaging as a Tool to Investigate Heterogeneity of Schizophrenia: a Magnetic Resonance Study. <i>Annals of Clinical Psychiatry</i> , 1990 , 2, 199-204	1.4	
6	Brain morphology in schizophrenia by magnetic resonance imaging 1990 , 13-19		
5	Cerebral Asymmetries in Schizophrenia: Further Evidence for a Lateralization Hypothesis 1995 , 71-77		
4	Basic symptoms in schizophrenia: A comparison between self-report questionnaires and clinical interviews. <i>Psychiatry Research</i> , 2020 , 284, 112755	9.9	
3	Negative symptoms domains: pathways to functional outcome in schizophrenia. <i>European Neuropsychopharmacology</i> , 2016 , 26, S123	1.2	
2	Questionnaire on Attitude towards Research and Care (QuARC): a survey of patients with psychosis. <i>Journal of Mental Health</i> , 2020 , 29, 590-596	2.7	
1	Hypersexuality as a tip of the iceberg of a primary psychopathology: a joined position statement of the Italian Society of Andrology and Sexual Medicine (SIAMS) and of the Italian Society of Psychopathology (SOPSI) <i>Journal of Endocrinological Investigation</i> , 2022 , 1	5.2	