## Kwang Suk Park

## List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1784905/kwang-suk-park-publications-by-year.pdf

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

106
papers

2,397
citations

29
h-index

3.8
ext. papers

29
citations

3.8
avg, IF

L-index

#	Paper	IF	Citations
106	Weak closed-loop vibrational stimulation improves the depth of slow-wave sleep and declarative memory consolidation. <i>Sleep</i> , <b>2021</b> , 44,	1.1	1
105	Association of heart rate variability with REM sleep without atonia in idiopathic REM sleep behavior disorder. <i>Journal of Clinical Sleep Medicine</i> , <b>2021</b> , 17, 461-469	3.1	1
104	Changes in physiological network connectivity of body system in narcolepsy during REM sleep. <i>Computers in Biology and Medicine</i> , <b>2021</b> , 136, 104762	7	O
103	Hybrid CNN-LSTM Network for Real-Time Apnea-Hypopnea Event Detection Based on IR-UWB Radar. <i>IEEE Access</i> , <b>2021</b> , 1-1	3.5	3
102	Long Short-Term Memory Networks for Unconstrained Sleep Stage Classification Using Polyvinylidene Fluoride Film Sensor. <i>IEEE Journal of Biomedical and Health Informatics</i> , <b>2020</b> , 24, 3606-3	6 <sup>7</sup> 1 <sup>2</sup> 5	4
101	The association between obstructive sleep apnea during REM sleep and autonomic dysfunction as measured by heart rate variability. <i>Sleep and Breathing</i> , <b>2019</b> , 23, 865-871	3.1	7
100	Multivariate Time <b>E</b> requency Analysis of Electrohysterogram for Classification of Term and Preterm Labor. <i>Journal of Electrical Engineering and Technology</i> , <b>2019</b> , 14, 897-916	1.4	5
99	Enhancing the Usability of Brain-Computer Interface Systems. <i>Computational Intelligence and Neuroscience</i> , <b>2019</b> , 2019, 5427154	3	16
98	Effect of Closed-Loop Vibration Stimulation on Heart Rhythm during Naps. <i>Sensors</i> , <b>2019</b> , 19,	3.8	4
97	Comparison between Subjective Scoring and Computer-Based Asymmetry Assessment in Facial Nerve Palsy. <i>Journal of Audiology and Otology</i> , <b>2019</b> , 23, 53-58	1.3	2
96	Human Heart Rhythms Synchronize While Co-sleeping. Frontiers in Physiology, <b>2019</b> , 10, 190	4.6	5
95	Electrocardiogram authentication method robust to dynamic morphological conditions. <i>IET Biometrics</i> , <b>2019</b> , 8, 401-410	2.9	3
94	Validation of non-invasive brain temperature estimation models during swine therapeutic hypothermia. <i>Physiological Measurement</i> , <b>2019</b> , 40, 025004	2.9	O
93	Heart rate variability changes in major depressive disorder during sleep: Fractal index correlates with BDI score during REM sleep. <i>Psychiatry Research</i> , <b>2019</b> , 271, 291-298	9.9	7
92	Smart technologies toward sleep monitoring at home. <i>Biomedical Engineering Letters</i> , <b>2019</b> , 9, 73-85	3.6	27
91	Sleep-Dependent Directional Coupling of Cardiorespiratory System in Patients With Obstructive Sleep Apnea. <i>IEEE Transactions on Biomedical Engineering</i> , <b>2018</b> , 65, 2847-2854	5	7
90	Intelligent system for drowsiness recognition based on ear canal electroencephalography with photoplethysmography and electrocardiography. <i>Information Sciences</i> , <b>2018</b> , 453, 302-322	7.7	17

## (2016-2018)

89	Wakefulness evaluation during sleep for healthy subjects and OSA patients using a patch-type device. <i>Computer Methods and Programs in Biomedicine</i> , <b>2018</b> , 155, 127-138	6.9	9
88	Slow-Wave Sleep Estimation for Healthy Subjects and OSA Patients Using R-R Intervals. <i>IEEE Journal of Biomedical and Health Informatics</i> , <b>2018</b> , 22, 119-128	7.2	21
87	Real-Time Automatic Apneic Event Detection Using Nocturnal Pulse Oximetry. <i>IEEE Transactions on Biomedical Engineering</i> , <b>2018</b> , 65, 706-712	5	23
86	Ballistocardiography <b>2018</b> , 127-155		1
85	Unobtrusive Photoplethysmographic Monitoring Under the Foot Sole while in a Standing Posture. <i>Sensors</i> , <b>2018</b> , 18,	3.8	2
84	Real-time apnea-hypopnea event detection during sleep by convolutional neural networks. <i>Computers in Biology and Medicine</i> , <b>2018</b> , 100, 123-131	7	36
83	Sleep Period Time Estimation Based on Electrodermal Activity. <i>IEEE Journal of Biomedical and Health Informatics</i> , <b>2017</b> , 21, 115-122	7.2	13
82	Apnea-Hypopnea Index Prediction Using Electrocardiogram Acquired During the Sleep-Onset Period. <i>IEEE Transactions on Biomedical Engineering</i> , <b>2017</b> , 64, 295-301	5	19
81	REM sleep estimation based on autonomic dynamics using R-R intervals. <i>Physiological Measurement</i> , <b>2017</b> , 38, 631-651	2.9	22
80	Music and natural sounds in an auditory steady-state response based brain-computer interface to increase user acceptance. <i>Computers in Biology and Medicine</i> , <b>2017</b> , 84, 45-52	7	10
79	New predictors of sleep efficiency. Chronobiology International, 2017, 34, 93-104	3.6	13
78	Apnea-hypopnea index prediction through an assessment of autonomic influence on heart rate in wakefulness. <i>Physiology and Behavior</i> , <b>2017</b> , 169, 9-15	3.5	2
77	Reconstruction of 12-lead ECG Using a Single-patch Device. <i>Methods of Information in Medicine</i> , <b>2017</b> , 56, 319-327	1.5	9
76	A Novel Wearable Forehead EOG Measurement System for Human Computer Interfaces. <i>Sensors</i> , <b>2017</b> , 17,	3.8	41
75	Automatic Classification of Tremor Severity in Parkinson MD Disease Using a Wearable Device. Sensors, <b>2017</b> , 17,	3.8	62
74	Proposition of novel classification approach and features for improved real-time arrhythmia monitoring. <i>Computers in Biology and Medicine</i> , <b>2016</b> , 75, 190-202	7	12
73	Smart ECG Monitoring Patch with Built-in R-Peak Detection for Long-Term HRV Analysis. <i>Annals of Biomedical Engineering</i> , <b>2016</b> , 44, 2292-301	4.7	20
72	Tremor frequency characteristics in Parkinson disease under resting-state and stress-state conditions. <i>Journal of the Neurological Sciences</i> , <b>2016</b> , 362, 272-7	3.2	35

71	Eliciting dual-frequency SSVEP using a hybrid SSVEP-P300 BCI. <i>Journal of Neuroscience Methods</i> , <b>2016</b> , 258, 104-13	3	48
70	Unconstrained Sleep Stage Estimation Based on Respiratory Dynamics and Body Movement. <i>Methods of Information in Medicine</i> , <b>2016</b> , 55, 545-555	1.5	9
69	Physiological Signal Monitoring Bed for Infants Based on Load-Cell Sensors. Sensors, 2016, 16,	3.8	20
68	Estimation of Thermal Sensation Based on Wrist Skin Temperatures. <i>Sensors</i> , <b>2016</b> , 16, 420	3.8	52
67	Use of finite element analysis to optimize probe design for double sensor method-based thermometer. <i>Journal of Thermal Biology</i> , <b>2015</b> , 52, 67-74	2.9	1
66	Heart Rate Variability Monitoring during Sleep Based on Capacitively Coupled Textile Electrodes on a Bed. <i>Sensors</i> , <b>2015</b> , 15, 11295-311	3.8	38
65	Non-contact blink detection glasses utilising transparent conductive film for binary communication. <i>Electronics Letters</i> , <b>2015</b> , 51, 382-384	1.1	5
64	Polyvinylidene fluoride sensor-based method for unconstrained snoring detection. <i>Physiological Measurement</i> , <b>2015</b> , 36, 1399-414	2.9	13
63	A smartphone-based automatic diagnosis system for facial nerve palsy. <i>Sensors</i> , <b>2015</b> , 15, 26756-68	3.8	30
62	CliniciansWendencies to Under-Rate Parkinsonian Tremors in the Less Affected Hand. <i>PLoS ONE</i> , <b>2015</b> , 10, e0131703	3.7	5
61	Reverse-curve-arch-shaped dry EEG electrode for increased skin@lectrode contact area on hairy scalps. <i>Electronics Letters</i> , <b>2015</b> , 51, 1643-1645	1.1	13
60	Unconstrained sleep apnea monitoring using polyvinylidene fluoride film-based sensor. <i>IEEE Transactions on Biomedical Engineering</i> , <b>2014</b> , 61, 2125-34	5	42
59	Capacitive measurement of ECG for ubiquitous healthcare. <i>Annals of Biomedical Engineering</i> , <b>2014</b> , 42, 2218-27	4.7	21
58	CNT/PDMS-based canal-typed ear electrodes for inconspicuous EEG recording. <i>Journal of Neural Engineering</i> , <b>2014</b> , 11, 046014	5	42
57	Nocturnal awakening and sleep efficiency estimation using unobtrusively measured ballistocardiogram. <i>IEEE Transactions on Biomedical Engineering</i> , <b>2014</b> , 61, 131-8	5	49
56	Flexible capacitive electrodes for minimizing motion artifacts in ambulatory electrocardiograms. <i>Sensors</i> , <b>2014</b> , 14, 14732-43	3.8	72
55	Photoplethysmographic signals to predict the success of lumbar sympathetic blockade for lower extremity pain. <i>Journal of International Medical Research</i> , <b>2014</b> , 42, 938-48	1.4	3
54	An amplitude-modulated visual stimulation for reducing eye fatigue in SSVEP-based brain-computer interfaces. <i>Clinical Neurophysiology</i> , <b>2014</b> , 125, 1380-91	4.3	50

## (2009-2014)

53	The effect of short-term bed-rest on radial pulse in healthy subjects. <i>JAMS Journal of Acupuncture and Meridian Studies</i> , <b>2014</b> , 7, 133-9	1.2	7
52	A capacitive, biocompatible and adhesive electrode for long-term and cap-free monitoring of EEG signals. <i>Journal of Neural Engineering</i> , <b>2013</b> , 10, 036006	5	27
51	Brain-computer interfaces using capacitive measurement of visual or auditory steady-state responses. <i>Journal of Neural Engineering</i> , <b>2013</b> , 10, 024001	5	19
50	Estimation of sleep onset latency based on the blood pressure regulatory reflex mechanism. <i>IEEE Journal of Biomedical and Health Informatics</i> , <b>2013</b> , 17, 534-44	7.2	9
49	Comparison of pre-amplifier topologies for use in brain-computer interface with capacitively-coupled EEG electrodes. <i>Biomedical Engineering Letters</i> , <b>2013</b> , 3, 158-169	3.6	10
48	A study on the reproducibility of biometric authentication based on electroencephalogram (EEG) <b>2013</b> ,		20
47	A smart health monitoring chair for nonintrusive measurement of biological signals. <i>IEEE Transactions on Information Technology in Biomedicine</i> , <b>2012</b> , 16, 150-8		127
46	Heart sounds measurement using PVDF film sensor and their comparison with RR intervals of ECG signals <b>2012</b> ,		2
45	Measuring skin conductance over clothes. <i>Medical and Biological Engineering and Computing</i> , <b>2012</b> , 50, 1155-61	3.1	1
44	Conductive polymer foam surface improves the performance of a capacitive EEG electrode. <i>IEEE Transactions on Biomedical Engineering</i> , <b>2012</b> , 59, 3422-31	5	29
43	Monitoring physiological signals using nonintrusive sensors installed in daily life equipment. <i>Biomedical Engineering Letters</i> , <b>2011</b> , 1, 11-20	3.6	52
42	Heart rate variability analysis using a ballistocardiogram during Valsalva manoeuvre and post exercise. <i>Physiological Measurement</i> , <b>2011</b> , 32, 1239-64	2.9	29
41	Validation of heart rate extraction through an iPhone accelerometer. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , <b>2011</b> , 2011, 5260-3	0.9	13
40	Thin and flexible active electrodes with shield for capacitive electrocardiogram measurement. <i>Medical and Biological Engineering and Computing</i> , <b>2010</b> , 48, 447-57	3.1	39
39	Nonconstrained sleep monitoring system and algorithms using air-mattress with balancing tube method. <i>IEEE Transactions on Information Technology in Biomedicine</i> , <b>2010</b> , 14, 147-56		67
38	Nonintrusive measurement of biological signals for ubiquitous healthcare. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , <b>2009</b> , 2009, 6573-5	0.9	
37	Nonintrusive biological signal monitoring in a car to evaluate a driver\stress and health state. <i>Telemedicine Journal and E-Health</i> , <b>2009</b> , 15, 182-9	5.9	56
36	The effect of missing RR-interval data on heart rate variability analysis in the frequency domain. <i>Physiological Measurement</i> , <b>2009</b> , 30, 1039-50	2.9	46

35	Non-constrained monitoring of systolic blood pressure on a weighing scale. <i>Physiological Measurement</i> , <b>2009</b> , 30, 679-93	2.9	64
34	Photoplethysmogram measurement without direct skin-to-sensor contact using an adaptive light source intensity control. <i>IEEE Transactions on Information Technology in Biomedicine</i> , <b>2009</b> , 13, 1085-8		16
33	Effectiveness of thigh-to-thigh current path for the measurement of abdominal fat in bioelectrical impedance analysis. <i>Medical and Biological Engineering and Computing</i> , <b>2009</b> , 47, 1265-71	3.1	5
32	REM sleep estimation only using respiratory dynamics. <i>Physiological Measurement</i> , <b>2009</b> , 30, 1327-40	2.9	20
31	A new approach of unconstrained sleep monitoring and pulse arrival time extraction using PPG pillow and CC-ECG electrode system <b>2009</b> ,		2
30	Slow-wave sleep estimation on a load-cell-installed bed: a non-constrained method. <i>Physiological Measurement</i> , <b>2009</b> , 30, 1163-70	2.9	54
29	Detection of apneic events from single channel nasal airflow using 2nd derivative method. <i>Computer Methods and Programs in Biomedicine</i> , <b>2008</b> , 91, 199-207	6.9	34
28	An Investigation Into the Use of Geiger-Mode Solid-State Photomultipliers for Simultaneous PET and MRI Acquisition. <i>IEEE Transactions on Nuclear Science</i> , <b>2008</b> , 55, 882-888	1.7	49
27	The Application of Biosignal Feedback for Reducing Cybersickness from Exposure to a Virtual Environment. <i>Presence: Teleoperators and Virtual Environments</i> , <b>2008</b> , 17, 1-16	2.9	27
26	Effect of confounding factors on blood pressure estimation using pulse arrival time. <i>Physiological Measurement</i> , <b>2008</b> , 29, 615-24	2.9	34
25	Concept Verification of Three-Layer DOI Detectors for Small Animal PET. <i>IEEE Transactions on Nuclear Science</i> , <b>2008</b> , 55, 912-917	1.7	26
24	Capacitive-Coupled ECG Measurement and Its Applications for Ubiquitous Healthcare 2007,		3
23	ECG recording on a bed during sleep without direct skin-contact. <i>IEEE Transactions on Biomedical Engineering</i> , <b>2007</b> , 54, 718-25	5	161
22	Non-constraining sleep/wake monitoring system using bed actigraphy. <i>Medical and Biological Engineering and Computing</i> , <b>2007</b> , 45, 107-14	3.1	37
21	Unconstrained Heart Rate Estimation System in Bed 2007,		3
20	REM Sleep Classification with Respiration Rates 2007,		7
19	The relationship between HRV parameters and stressful driving situation in the real road 2007,		17
18	Second Derivative of Photoplethysmography for Estimating Vascular Aging <b>2007</b> ,		21

17	Indoor Activity Monitoring System Using an Accelerometer and Zigbee 2007,		2
16	ECG, EOG detection from helmet based system <b>2007</b> ,		4
15	ECG measurement on a chair without conductive contact. <i>IEEE Transactions on Biomedical Engineering</i> , <b>2006</b> , 53, 956-9	5	153
14	A new approach for non-intrusive monitoring of blood pressure on a toilet seat. <i>Physiological Measurement</i> , <b>2006</b> , 27, 203-11	2.9	54
13	Mechanocardiogram Measured at the Back of Subjects Sitting in a Chair as a Non-intrusive Pre-ejection Period Measurement <b>2006</b> ,		2
12	Common mode noise cancellation for electrically non-contact ECG measurement system on a chair. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society</i> , <b>2005</b> , 2005, 588	1-3	11
11	Segmentation by evolution for visualization of the lower extremity of the Visible Man. <i>Journal of Digital Imaging</i> , <b>2001</b> , 14, 211-3	5.3	
10	Localization of epileptogenic zones in F-18 FDG brain PET of patients with temporal lobe epilepsy using artificial neural network. <i>IEEE Transactions on Medical Imaging</i> , <b>2000</b> , 19, 347-55	11.7	23
9	Automatic Sleep stage Scoring Using Hybrid Neural Network and Rule-based Expert Reasoning. Journal of Korean Society of Medical Informatics, <b>2000</b> , 6, 79		0
8	Training Simulator Using Virtual Reality For Postural Balance Rehabilitation. <i>Journal of Korean Society of Medical Informatics</i> , <b>1998</b> , 4, 123		
7	Segmentation of sperms using the strategic Hough transform. <i>Annals of Biomedical Engineering</i> , <b>1997</b> , 25, 294-302	4.7	13
6	A Study on the Non-gaussian Properties of Sleep EEG. <i>Journal of Korean Society of Medical Informatics</i> , <b>1997</b> , 3, 215		
5	Development of Home Health Monitoring System using Digital Telemetry. <i>Journal of Korean Society of Medical Informatics</i> , <b>1997</b> , 3, 125		
4	A home-based bedside monitoring system of ECG via bluetooth protocol		3
3	Gait analysis for freezing detection in patients with movement disorder using three dimensional acceleration system		8
2	Development of remote diagnosis system integrating digital telemetry for medicine		1
1	A neural network classifier for the automatic interpretation of epileptogenic zones in F-18FDG brain PET		1