

Paul Karplus

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1785062/paul-karplus-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

91
papers

13,069
citations

52
h-index

92
g-index

92
ext. papers

13,936
ext. citations

8.1
avg, IF

6.5
L-index

#	Paper	IF	Citations
91	Linking crystallographic model and data quality. <i>Science</i> , 2012 , 336, 1030-3	33.3	1329
90	Peroxiredoxin evolution and the regulation of hydrogen peroxide signaling. <i>Science</i> , 2003 , 300, 650-3	33.3	1132
89	Atomic structures of the human immunophilin FKBP-12 complexes with FK506 and rapamycin. <i>Journal of Molecular Biology</i> , 1993 , 229, 105-24	6.5	1079
88	Improved R-factors for diffraction data analysis in macromolecular crystallography. <i>Nature Structural Biology</i> , 1997 , 4, 269-75		720
87	Atomic structure of FKBP-FK506, an immunophilin-immunosuppressant complex. <i>Science</i> , 1991 , 252, 839-42	33.3	582
86	Protein sulfenic acids in redox signaling. <i>Annual Review of Pharmacology and Toxicology</i> , 2004 , 44, 325-47	17.9	511
85	Structure of the ERM protein moesin reveals the FERM domain fold masked by an extended actin binding tail domain. <i>Cell</i> , 2000 , 101, 259-70	56.2	498
84	Refined structure of glutathione reductase at 1.54 Å resolution. <i>Journal of Molecular Biology</i> , 1987 , 195, 701-29	6.5	442
83	A novel mechanism of chemoprotection by sulforaphane: inhibition of histone deacetylase. <i>Cancer Research</i> , 2004 , 64, 5767-74	10.1	427
82	Typical 2-Cys peroxiredoxins--structures, mechanisms and functions. <i>FEBS Journal</i> , 2009 , 276, 2469-77	5.7	361
81	Structure and mechanism of endo/exocellulase E4 from <i>Thermomonospora fusca</i> . <i>Nature Structural Biology</i> , 1997 , 4, 810-8		309
80	Cysteine-based redox switches in enzymes. <i>Antioxidants and Redox Signaling</i> , 2011 , 14, 1065-77	8.4	272
79	Substrate binding and catalysis by glutathione reductase as derived from refined enzyme: substrate crystal structures at 2 Å resolution. <i>Journal of Molecular Biology</i> , 1989 , 210, 163-80	6.5	272
78	Structure-based insights into the catalytic power and conformational dexterity of peroxiredoxins. <i>Antioxidants and Redox Signaling</i> , 2011 , 15, 795-815	8.4	236
77	Refined structure of porcine cytosolic adenylate kinase at 2.1 Å resolution. <i>Journal of Molecular Biology</i> , 1988 , 199, 359-71	6.5	231
76	Novel fold and putative receptor binding site of granulocyte-macrophage colony-stimulating factor. <i>Science</i> , 1991 , 254, 1779-82	33.3	201
75	Better models by discarding data?. <i>Acta Crystallographica Section D: Biological Crystallography</i> , 2013 , 69, 1215-22		183

74	Refined crystal structure of spinach ferredoxin reductase at 1.7 Å resolution: oxidized, reduced and 2-phospho-5-QAMP bound states. <i>Journal of Molecular Biology</i> , 1995 , 247, 125-45	6.5	177
73	A productive NADP ⁺ binding mode of ferredoxin-NADP ⁺ reductase revealed by protein engineering and crystallographic studies. <i>Nature Structural Biology</i> , 1999 , 6, 847-53		158
72	Structural comparisons among the short-chain helical cytokines. <i>Structure</i> , 1994 , 2, 159-73	5.2	151
71	Enzyme inactivation through sulfhydryl oxidation by physiologic NO-carriers. <i>Nature Structural Biology</i> , 1998 , 5, 267-71		140
70	Structural evidence that peroxiredoxin catalytic power is based on transition-state stabilization. <i>Journal of Molecular Biology</i> , 2010 , 402, 194-209	6.5	136
69	Crystal structure of mammalian cysteine dioxygenase. A novel mononuclear iron center for cysteine thiol oxidation. <i>Journal of Biological Chemistry</i> , 2006 , 281, 18723-33	5.4	131
68	A crystallographic study of the glutathione binding site of glutathione reductase at 0.3-nm resolution. <i>FEBS Journal</i> , 1989 , 178, 693-703		130
67	Substrate specificity and redox potential of AhpC, a bacterial peroxiredoxin. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 8209-14	11.5	126
66	Evolutionary origin of a secondary structure: Helices as cryptic but widespread insertional variations of Helices that enhance protein functionality. <i>Journal of Molecular Biology</i> , 2010 , 404, 232-46	6.5	113
65	Glutathione reductase of the malarial parasite <i>Plasmodium falciparum</i> : crystal structure and inhibitor development. <i>Journal of Molecular Biology</i> , 2003 , 328, 893-907	6.5	108
64	AhpF and other NADH:peroxiredoxin oxidoreductases, homologues of low Mr thioredoxin reductase. <i>FEBS Journal</i> , 2000 , 267, 6126-33		108
63	Structural characterization of zinc-deficient human superoxide dismutase and implications for ALS. <i>Journal of Molecular Biology</i> , 2007 , 373, 877-90	6.5	107
62	On the active site of Old Yellow Enzyme. Role of histidine 191 and asparagine 194. <i>Journal of Biological Chemistry</i> , 1998 , 273, 32753-62	5.4	105
61	Structure-function relations for ferredoxin reductase. <i>Journal of Bioenergetics and Biomembranes</i> , 1994 , 26, 89-99	3.7	104
60	Crystal structure of the antioxidant enzyme glutathione reductase inactivated by peroxynitrite. <i>Journal of Biological Chemistry</i> , 2002 , 277, 2779-84	5.4	102
59	Site-directed mutagenesis improves catalytic efficiency and thermostability of <i>Escherichia coli</i> pH 2.5 acid phosphatase/phytase expressed in <i>Pichia pastoris</i> . <i>Archives of Biochemistry and Biophysics</i> , 2000 , 382, 105-12	4.1	99
58	Self-masking in an intact ERM-merlin protein: an active role for the central alpha-helical domain. <i>Journal of Molecular Biology</i> , 2007 , 365, 1446-59	6.5	89
57	Structure of the active N-terminal domain of Ezrin. Conformational and mobility changes identify keystone interactions. <i>Journal of Biological Chemistry</i> , 2003 , 278, 4949-56	5.4	85

56	Structure of Ptr ToxA: an RGD-containing host-selective toxin from <i>Pyrenophora tritici-repentis</i> . <i>Plant Cell</i> , 2005 , 17, 3190-202	11.6	85
55	Identification and characterization of bacterial cysteine dioxygenases: a new route of cysteine degradation for eubacteria. <i>Journal of Bacteriology</i> , 2006 , 188, 5561-9	3.5	81
54	Crystal structure of a novel <i>Plasmodium falciparum</i> 1-Cys peroxiredoxin. <i>Journal of Molecular Biology</i> , 2005 , 346, 1021-34	6.5	81
53	Conformation dependence of backbone geometry in proteins. <i>Structure</i> , 2009 , 17, 1316-25	5.2	79
52	Thiol dioxygenases: unique families of cupin proteins. <i>Amino Acids</i> , 2011 , 41, 91-102	3.5	76
51	Catalytic cycle of human glutathione reductase near 1 Å resolution. <i>Journal of Molecular Biology</i> , 2008 , 382, 371-84	6.5	76
50	Competition between C-terminal tyrosine and nicotinamide modulates pyridine nucleotide affinity and specificity in plant ferredoxin-NADP(+) reductase. <i>Journal of Biological Chemistry</i> , 2000 , 275, 10472-8	5.4	74
49	Structure and dynamics of LC8 complexes with KXTQT-motif peptides: swallow and dynein intermediate chain compete for a common site. <i>Journal of Molecular Biology</i> , 2007 , 371, 457-68	6.5	70
48	Peroxiredoxins in parasites. <i>Antioxidants and Redox Signaling</i> , 2012 , 17, 608-33	8.4	69
47	The Arg-Gly-Asp-containing, solvent-exposed loop of Ptr ToxA is required for internalization. <i>Molecular Plant-Microbe Interactions</i> , 2008 , 21, 315-25	3.6	65
46	Kinetics and crystallographic analysis of human glutathione reductase in complex with a xanthene inhibitor. <i>Journal of Biological Chemistry</i> , 1996 , 271, 8101-7	5.4	64
45	Charge is the major discriminating factor for glutathione reductase versus trypanothione reductase inhibitors. <i>Bioorganic and Medicinal Chemistry</i> , 1996 , 4, 1247-53	3.4	63
44	Probing the roles of active site residues in D-xylose isomerase. <i>Journal of Biological Chemistry</i> , 1995 , 270, 22895-906	5.4	62
43	Relatedness of baculovirus and gypsy retrotransposon envelope proteins. <i>BMC Evolutionary Biology</i> , 2001 , 1, 1	3	61
42	The EBP50-moesin interaction involves a binding site regulated by direct masking on the FERM domain. <i>Journal of Cell Science</i> , 2004 , 117, 1547-52	5.3	60
41	Multivalency in the assembly of intrinsically disordered Dynein intermediate chain. <i>Journal of Biological Chemistry</i> , 2009 , 284, 33115-21	5.4	57
40	Iron-containing urease in a pathogenic bacterium. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011 , 108, 13095-9	11.5	53
39	Cysteine dioxygenase structures from pH4 to 9: consistent cys-persulfenate formation at intermediate pH and a Cys-bound enzyme at higher pH. <i>Journal of Molecular Biology</i> , 2013 , 425, 3121-36	6.5	52

38	Nonplanar peptide bonds in proteins are common and conserved but not biased toward active sites. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, 449-53	11.5	51
37	Refined crystal structure and mutagenesis of human granulocyte-macrophage colony-stimulating factor. <i>Proteins: Structure, Function and Bioinformatics</i> , 1996 , 26, 304-13	4.2	50
36	Probing the function of the invariant glutamyl residue 312 in spinach ferredoxin-NADP+ reductase. <i>Journal of Biological Chemistry</i> , 1998 , 273, 34008-15	5.4	48
35	Preliminary crystallographic studies of urease from jack bean and from <i>Klebsiella aerogenes</i> . <i>Journal of Molecular Biology</i> , 1992 , 227, 934-7	6.5	47
34	The tumor suppressor merlin controls growth in its open state, and phosphorylation converts it to a less-active more-closed state. <i>Developmental Cell</i> , 2012 , 22, 703-5	10.2	44
33	Structural changes common to catalysis in the Tpx peroxiredoxin subfamily. <i>Journal of Molecular Biology</i> , 2009 , 393, 867-81	6.5	42
32	Oxidized and synchrotron cleaved structures of the disulfide redox center in the N-terminal domain of <i>Salmonella typhimurium</i> AhpF. <i>Protein Science</i> , 2005 , 14, 2414-20	6.3	38
31	The role of glutamine 114 in old yellow enzyme. <i>Journal of Biological Chemistry</i> , 2002 , 277, 2138-45	5.4	38
30	The crystal structure of dynein intermediate chain-light chain roadblock complex gives new insights into dynein assembly. <i>Journal of Biological Chemistry</i> , 2010 , 285, 22566-75	5.4	36
29	Structural Aspects of Plant Ferredoxin : NADP(+) Oxidoreductases. <i>Photosynthesis Research</i> , 2004 , 81, 303-15	3.7	34
28	The interplay of ligand binding and quaternary structure in the diverse interactions of dynein light chain LC8. <i>Journal of Molecular Biology</i> , 2008 , 384, 954-66	6.5	33
27	On the occurrence of linear groups in proteins. <i>Protein Science</i> , 2009 , 18, 1321-5	6.3	32
26	Using a conformation-dependent stereochemical library improves crystallographic refinement of proteins. <i>Acta Crystallographica Section D: Biological Crystallography</i> , 2010 , 66, 834-42		32
25	Characterization of the mononickel metalcenter in H134A mutant urease. <i>Journal of Biological Chemistry</i> , 1996 , 271, 18632-7	5.4	31
24	Structure of the Cdt1 C-terminal domain: conservation of the winged helix fold in replication licensing factors. <i>Protein Science</i> , 2009 , 18, 2252-64	6.3	28
23	Characterization of metal-substituted <i>Klebsiella aerogenes</i> urease. <i>Journal of Biological Inorganic Chemistry</i> , 1999 , 4, 468-77	3.7	28
22	Evaluating peroxiredoxin sensitivity toward inactivation by peroxide substrates. <i>Methods in Enzymology</i> , 2013 , 527, 21-40	1.7	27
21	In-house sulfur SAD phasing: a case study of the effects of data quality and resolution cutoffs. <i>Acta Crystallographica Section D: Biological Crystallography</i> , 2006 , 62, 707-16		25

20	A conformation-dependent stereochemical library improves crystallographic refinement even at atomic resolution. <i>Acta Crystallographica Section D: Biological Crystallography</i> , 2011 , 67, 699-706		22
19	The flavin environment in old yellow enzyme. An evaluation of insights from spectroscopic and artificial flavin studies. <i>Journal of Biological Chemistry</i> , 1999 , 274, 9357-62	5.4	22
18	Low-resolution structure of recombinant human granulocyte-macrophage colony stimulating factor. <i>Journal of Molecular Biology</i> , 1991 , 221, 55-60	6.5	22
17	(β) Motifs: a purely conformation-based fine-grained enumeration of protein parts at the two-residue level. <i>Journal of Molecular Biology</i> , 2012 , 416, 78-93	6.5	19
16	Synthesis and characterization of photolabile o-nitrobenzyl derivatives of urea. <i>Journal of Organic Chemistry</i> , 2002 , 67, 8827-31	4.2	19
15	Peroxiredoxins as molecular triage agents, sacrificing themselves to enhance cell survival during a peroxide attack. <i>Molecular Cell</i> , 2012 , 45, 275-8	17.6	16
14	Symerythrin structures at atomic resolution and the origins of rubrerythrins and the ferritin-like superfamily. <i>Journal of Molecular Biology</i> , 2011 , 413, 177-94	6.5	16
13	Consensus preferred hydration sites in six FKBP12-drug complexes. <i>Proteins: Structure, Function and Bioinformatics</i> , 1995 , 23, 1-11	4.2	16
12	A forward-looking suggestion for resolving the stereochemical restraints debate: ideal geometry functions. <i>Acta Crystallographica Section D: Biological Crystallography</i> , 2008 , 64, 335-6		14
11	A diiron protein autogenerates a valine-phenylalanine cross-link. <i>Science</i> , 2011 , 332, 929	33.3	12
10	Observed octameric assembly of a Plasmodium yoelii peroxiredoxin can be explained by the replacement of native "ball-and-socket" interacting residues by an affinity tag. <i>Protein Science</i> , 2013 , 22, 1445-52	6.3	10
9	Characterization of sulfoxxygenation and structural implications of human flavin-containing monooxygenase isoform 2 (FMO2.1) variants S195L and N413K. <i>Drug Metabolism and Disposition</i> , 2009 , 37, 1785-91	4	9
8	Conformational studies of the robust 2-Cys peroxiredoxin Salmonella typhimurium AhpC by solution phase hydrogen/deuterium (H/D) exchange monitored by electrospray ionization mass spectrometry. <i>International Journal of Mass Spectrometry</i> , 2011 , 302, 93-100	1.9	7
7	C-Terminal truncation of rabbit flavin-containing monooxygenase isoform 2 enhances solubility. <i>Archives of Biochemistry and Biophysics</i> , 2006 , 450, 149-56	4.1	6
6	Crystallization of Old Yellow Enzyme illustrates an effective strategy for increasing protein crystal size. <i>Journal of Molecular Biology</i> , 1993 , 234, 502-7	6.5	6
5	Engineering of fluorescent reporters into redox domains to monitor electron transfers. <i>Methods in Enzymology</i> , 2010 , 474, 1-21	1.7	5
4	Overexpression of Crithidia fasciculata trypanothione reductase and crystallization using a novel geometry. <i>Acta Crystallographica Section D: Biological Crystallography</i> , 1995 , 51, 337-41		2
3	Song: Chymotrypsin (to the tune of "eight days a week," by the beatles)*. <i>Biochemistry and Molecular Biology Education</i> , 2006 , 34, 287	1.3	0

- 2 Song: Enzymes speed reactions (to the tune of "we will rock you," by queen)*S. *Biochemistry and Molecular Biology Education*, **2006**, 34, 286 1.3
- 1 Song: Learn about the buffer (generic rap)*. *Biochemistry and Molecular Biology Education*, **2006**, 34, 285 1.3