

Paolo Pesce

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1785447/paolo-pesce-publications-by-citations.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

64
papers

574
citations

12
h-index

20
g-index

72
ext. papers

905
ext. citations

3
avg, IF

4.31
L-index

| # | Paper | IF | Citations |
|----|---|-----|-----------|
| 64 | Systematic review of some prosthetic risk factors for periimplantitis. <i>Journal of Prosthetic Dentistry</i> , 2015 , 114, 346-50 | 4 | 59 |
| 63 | Immediate versus delayed loading of dental implants in edentulous patientsUmaxillae: a 6-year prospective study. <i>International Journal of Prosthodontics</i> , 2014 , 27, 207-14 | 1.9 | 43 |
| 62 | Peri-implantitis: a systematic review of recently published papers. <i>International Journal of Prosthodontics</i> , 2014 , 27, 15-25 | 1.9 | 43 |
| 61 | Accuracy of multi-unit implant impression: traditional techniques versus a digital procedure. <i>Clinical Oral Investigations</i> , 2018 , 22, 1253-1262 | 4.2 | 42 |
| 60 | Precision and Accuracy of a Digital Impression Scanner in Full-Arch Implant Rehabilitation. <i>International Journal of Prosthodontics</i> , 2018 , 31, 171-175 | 1.9 | 37 |
| 59 | International Brainstorming Meeting on Etiologic and Risk Factors of Peri-implantitis, Montegrotto (Padua, Italy), August 2014. <i>International Journal of Oral and Maxillofacial Implants</i> , 2015 , 30, 1093-104 | 2.8 | 32 |
| 58 | Biological and mechanical characterization of carbon fiber frameworks for dental implant applications. <i>Materials Science and Engineering C</i> , 2017 , 70, 646-655 | 8.3 | 20 |
| 57 | Effect of Framework in an Implant-Supported Full-Arch Fixed Prosthesis: 3D Finite Element Analysis. <i>International Journal of Prosthodontics</i> , 2015 , 28, 627-30 | 1.9 | 15 |
| 56 | Peri-implant Tissue Health and Bone Resorption in Patients with Immediately Loaded, Implant-Supported, Full-Arch Prostheses. <i>International Journal of Prosthodontics</i> , 2018 , 31, 327-333 | 1.9 | 14 |
| 55 | Influence of abutment material and modifications on peri-implant soft-tissue attachment: A systematic review and meta-analysis of histological animal studies. <i>Journal of Prosthetic Dentistry</i> , 2021 , 125, 426-436 | 4 | 13 |
| 54 | Titanium abutment surface modifications and peri-implant tissue behavior: a systematic review and meta-analysis. <i>Clinical Oral Investigations</i> , 2020 , 24, 1113-1124 | 4.2 | 12 |
| 53 | Five-year cohort prospective study on single implants in the esthetic area restored using one-abutment/one-time prosthetic approach. <i>Clinical Implant Dentistry and Related Research</i> , 2018 , 20, 668-673 | 3.9 | 12 |
| 52 | Cleaning, Disinfection, and Sterilization Protocols Employed for Customized Implant Abutments: An International Survey of 100 Universities Worldwide. <i>International Journal of Oral and Maxillofacial Implants</i> , 2017 , 32, 774-778 | 2.8 | 11 |
| 51 | Prediction of Titanium Implant Success by Analysis of microRNA Expression in Peri-Implant Tissue. A 5-Year Follow-Up Study. <i>Journal of Clinical Medicine</i> , 2019 , 8, | 5.1 | 11 |
| 50 | What Are the Effects of Different Abutment Morphologies on Peri-implant Hard and Soft Tissue Behavior? A Systematic Review and Meta-Analysis. <i>International Journal of Prosthodontics</i> , 2020 , 33, 297-306 | 1.9 | 10 |
| 49 | Influence of Modified Titanium Abutment Surface on Peri-implant Soft Tissue Behavior: A Systematic Review of In Vitro Studies. <i>International Journal of Oral and Maxillofacial Implants</i> , 2020 , 35, 503-519 | 2.8 | 10 |
| 48 | Immediate Versus Delayed Loading of Dental Implants Supporting Fixed Full-Arch Maxillary Prostheses: A 10-year Follow-up Report. <i>International Journal of Prosthodontics</i> , 2019 , 32, 27-31 | 1.9 | 10 |

| | | | |
|----|---|-----|----|
| 47 | What is the Impact of Epstein-Barr Virus in Peri-implant Infection?. <i>International Journal of Oral and Maxillofacial Implants</i> , 2018 , 33, 58-63 | 2.8 | 10 |
| 46 | The Use of Antibiotics in Implant Therapy: A Systematic Review and Meta-Analysis with Trial Sequential Analysis on Early Implant Failure. <i>International Journal of Oral and Maxillofacial Implants</i> , 2020 , 35, 485-494 | 2.8 | 9 |
| 45 | Analysis of Different Impression Techniques and Materials on Multiple Implants Through 3-Dimensional Laser Scanner. <i>Implant Dentistry</i> , 2016 , 25, 232-7 | 2.4 | 9 |
| 44 | Marginal soft tissue stability around conical abutments inserted with the one abutment-one time protocol after 5 years of prosthetic loading. <i>Clinical Implant Dentistry and Related Research</i> , 2018 , 20, 976-982 | 3.9 | 9 |
| 43 | Factors affecting the outcome in the immediate loading rehabilitation of the maxilla: a 6-year prospective study. <i>International Journal of Periodontics and Restorative Dentistry</i> , 2014 , 34, 657-65 | 2.1 | 8 |
| 42 | The influence of bone-graft bio-functionalization with plasma of argon on bacterial contamination. <i>Journal of Biomedical Materials Research - Part A</i> , 2019 , 107, 67-70 | 5.4 | 8 |
| 41 | Clinical outcomes of using a prosthetic protocol to rehabilitate tissue-level implants with a convergent collar in the esthetic zone: A 3-year prospective study. <i>Journal of Prosthetic Dentistry</i> , 2020 , 123, 246-251 | 4 | 8 |
| 40 | Adhesive strength of the luting technique for passively fitting screw-retained implant-supported prostheses: an in vitro evaluation. <i>International Journal of Prosthodontics</i> , 2015 , 28, 37-9 | 1.9 | 7 |
| 39 | Carbon fibre versus metal framework in full-arch immediate loading rehabilitations of the maxilla - a cohort clinical study. <i>Journal of Oral Rehabilitation</i> , 2017 , 44, 392-397 | 3.4 | 6 |
| 38 | Mechanical characterisation of multi vs. uni-directional carbon fiber frameworks for dental implant applications. <i>Materials Science and Engineering C</i> , 2019 , 102, 186-191 | 8.3 | 6 |
| 37 | Third molars and dental crowding: different opinions of orthodontists and oral surgeons among Italian practitioners. <i>Progress in Orthodontics</i> , 2014 , 15, 60 | 3.4 | 6 |
| 36 | Trueness of Intraoral Scanners Considering Operator Experience and Three Different Implant Scenarios: A Preliminary Report. <i>International Journal of Prosthodontics</i> , 2021 , 34, 250-253 | 1.9 | 6 |
| 35 | Salivary Micro-RNA and Oral Squamous Cell Carcinoma: A Systematic Review. <i>Journal of Personalized Medicine</i> , 2021 , 11, | 3.6 | 6 |
| 34 | A Luting Technique for Passive Fit of Implant-Supported Fixed Dentures. <i>Journal of Prosthodontics</i> , 2016 , 25, 77-82 | 3.9 | 5 |
| 33 | Brånemark Novum Immediate Loading Rehabilitation of Edentulous Mandibles: Case Series with a 16-Year Follow-up. <i>International Journal of Periodontics and Restorative Dentistry</i> , 2019 , 39, 729-735 | 2.1 | 5 |
| 32 | Surface bio-functionalization using plasma of argon could alter microbiological and topographic surface analysis of dental implants?. <i>Annals of Anatomy</i> , 2020 , 230, 151489 | 2.9 | 5 |
| 31 | Analysis of the Subgingival Microbiota in Implant-Supported Full-Arch Rehabilitations. <i>Dentistry Journal</i> , 2020 , 8, | 3.1 | 5 |
| 30 | Photo and Plasma Activation of Dental Implant Titanium Surfaces. A Systematic Review with Meta-Analysis of Pre-Clinical Studies. <i>Journal of Clinical Medicine</i> , 2020 , 9, | 5.1 | 5 |

| | | | |
|----|--|-----|---|
| 29 | Comparison of biofilm removal using glycine air polishing versus sodium bicarbonate air polishing or hand instrumentation on full-arch fixed implant rehabilitations: a split-mouth study. <i>Quintessence International</i> , 2019 , 50, 722-730 | 2 | 4 |
| 28 | Evaluation of Adhesion Between Carbon Fiber Frameworks and Esthetic Veneering Materials. <i>International Journal of Prosthodontics</i> , 2018 , 31, 453-455 | 1.9 | 4 |
| 27 | Effects of pulsed electromagnetic fields on swelling and pain after implant surgery: a double-blind, randomized study. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2016 , 45, 346-53 | 2.9 | 3 |
| 26 | A prospective case series on surgical treatment of circumferential and semi-circumferential defects due to peri-implantitis. <i>Brazilian Oral Research</i> , 2019 , 33, e072 | 2.6 | 3 |
| 25 | Framework Materials for Full-Arch Implant-Supported Rehabilitations: A Systematic Review of Clinical Studies. <i>Materials</i> , 2021 , 14, | 3.5 | 3 |
| 24 | Survival Rate and Bone Resorption in Immediate Loading of Atrophic Maxillary Arches Using Normal and Long Implants: A Pilot Observational Study. <i>International Journal of Prosthodontics</i> , 2018 , 31, 580-583 | 1.9 | 3 |
| 23 | Influence of modified titanium abutment surface on peri-implant soft tissue behaviour: A systematic review of histological findings. <i>International Journal of Oral Implantology (New Malden, London, England)</i> , 2019 , 12, 419-429 | 2.7 | 3 |
| 22 | Morphological and Chemical Characterization of Titanium and Zirconia Dental Implants with Different Macro- and Micro-Structure. <i>Applied Sciences (Switzerland)</i> , 2020 , 10, 7520 | 2.6 | 2 |
| 21 | Oral Health-Related Quality of Life and Full-Arch Immediate Loading Rehabilitation: An Evaluation of Preoperative, Intermediate, and Posttreatment Assessments of Patients Using a Modification of the OHIP Questionnaire. <i>Journal of Oral Implantology</i> , 2020 , 46, 540-549 | 1.2 | 2 |
| 20 | Angled implant brush for hygienic maintenance of full-arch fixed-implant rehabilitations: a pilot study. <i>Journal of Periodontal and Implant Science</i> , 2020 , 50, 340-354 | 2 | 2 |
| 19 | Radiographic and Histomorphometric Evaluation of Biomaterials Used for Lateral Sinus Augmentation: A Systematic Review on the Effect of Residual Bone Height and Vertical Graft Size on New Bone Formation and Graft Shrinkage. <i>Journal of Clinical Medicine</i> , 2021 , 10, | 5.1 | 2 |
| 18 | MicroRNA in Implant Dentistry: From Basic Science to Clinical Application. <i>MicroRNA (Sharjah, United Arab Emirates)</i> , 2021 , 10, 14-28 | 2.9 | 2 |
| 17 | Soft tissue integration of different abutment surfaces: An experimental study with histological analysis. <i>Clinical Oral Implants Research</i> , 2021 , 32, 928-940 | 4.8 | 2 |
| 16 | Macrophagic Inflammatory Response Next to Dental Implants with Different Macro- and Micro-Structure: An In Vitro Study. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 5324 | 2.6 | 2 |
| 15 | Radiological and Histomorphometric Outcomes of Homologous Bone Graft in Postextractive Implant Sites: A 6-Year Retrospective Analysis. <i>Implant Dentistry</i> , 2019 , 28, 472-477 | 2.4 | 2 |
| 14 | Soft Tissue Contour Impression with Analogic or Digital Work Flow: A Case Report. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15, | 4.6 | 2 |
| 13 | Evaluation of internal and external hexagon connections in immediately loaded full-arch rehabilitations: A within-person randomized split-mouth controlled trial with a 3-year follow-up. <i>Clinical Implant Dentistry and Related Research</i> , 2021 , 23, 562-567 | 3.9 | 2 |
| 12 | Consensus Report by the Italian Academy of Osseointegration on the Use of Antibiotics and Antiseptic Agents in Implant Surgery. <i>International Journal of Oral and Maxillofacial Implants</i> , 2021 , 36, 103-105 | 2.8 | 2 |

| | | | |
|----|---|-----|---|
| 11 | Evaluation of internal and external hexagon connections in immediately loaded full-arch rehabilitations: A within-person randomised split-mouth controlled trial. <i>International Journal of Oral Implantology (New Malden, London, England)</i> , 2019 , 12, 169-179 | 2.7 | 2 |
| 10 | Gastric and masticatory performances in full-arch immediate loading rehabilitated patients. <i>Journal of Oral Rehabilitation</i> , 2015 , 42, 663-9 | 3.4 | 1 |
| 9 | Piezoelectric implant surgery and immediate loading in the aesthetic zone. <i>Minerva Stomatologica: A Journal on Dentistry and Maxillofacial Surgery</i> , 2019 , 68, 217-225 | 1 | 1 |
| 8 | Retrograde peri-implantitis associated with residual cysts: 3 Case reports. <i>Journal of the American Dental Association</i> , 2020 , 151, 956-961 | 1.9 | 1 |
| 7 | Tissue-level versus bone-level single implants in the anterior area rehabilitated with feather-edge crowns on conical implant abutments: An up to 5-year retrospective study. <i>Journal of Prosthetic Dentistry</i> , 2021 , | 4 | 1 |
| 6 | Sealing materials for post-extraction site: a systematic review and network meta-analysis. <i>Clinical Oral Investigations</i> , 2021 , 1 | 4.2 | 0 |
| 5 | Dimensional and histomorphometric evaluation of biomaterials used for alveolar ridge preservation: a systematic review and network meta-analysis. <i>Clinical Oral Investigations</i> , 2021 , 1 | 4.2 | 0 |
| 4 | Peri-Implant Tissue Behaviour Next to Different Titanium Surfaces: 16-Year Post-Trial Follow-Up. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 9625 | 2.6 | 0 |
| 3 | Soft tissue dimensional changes after alveolar ridge preservation using different sealing materials: a systematic review and network meta-analysis. <i>Clinical Oral Investigations</i> , 2021 , 1 | 4.2 | 0 |
| 2 | Culturomic and quantitative real-time-polymerase chain reaction analyses for early contamination of abutments with different surfaces: A randomized clinical trial. <i>Clinical Implant Dentistry and Related Research</i> , 2021 , 23, 568-578 | 3.9 | 0 |
| 1 | Cell-based therapies for the surgical treatment of periodontal intrabony defects: a systematic review. <i>European Review for Medical and Pharmacological Sciences</i> , 2021 , 25, 6592-6602 | 2.9 | |