

Yukiko

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/178579/publications.pdf>

Version: 2024-02-01

61
papers

987
citations

516710

16
h-index

454955

30
g-index

61
all docs

61
docs citations

61
times ranked

1844
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Relationship between hemoglobin A1c level and flow-mediated vasodilation in patients with type 2 diabetes mellitus receiving antidiabetic drugs. <i>Journal of Diabetes Investigation</i> , 2022, 13, 677-686. | 2.4 | 2 |
| 2 | Serum Potassium Levels of 4.5 to Less Than 5.0 mmol/L Are Associated with Better Vascular Function. <i>Journal of Atherosclerosis and Thrombosis</i> , 2022, 29, 1588-1602. | 2.0 | 3 |
| 3 | Association between left atrial appendage fibrosis and thrombus formation: A histological approach. <i>Journal of Cardiovascular Electrophysiology</i> , 2022, 33, 677-687. | 1.7 | 4 |
| 4 | Isolated diastolic hypertension is not associated with endothelial dysfunction. <i>Hypertension Research</i> , 2022, 45, 698-707. | 2.7 | 1 |
| 5 | Treatment Delays in Patients With Acute Myocardial Infarction. <i>Circulation Journal</i> , 2022, 86, 609-610. | 1.6 | 0 |
| 6 | Association of atrial septal defect and Brugada syndrome in a young woman. <i>Cardiology in the Young</i> , 2022, 32, 1344-1346. | 0.8 | 1 |
| 7 | Self-reported total sitting time on a non-working day is associated with blunted flow-mediated vasodilation and blunted nitroglycerine-induced vasodilation. <i>Scientific Reports</i> , 2022, 12, 6366. | 3.3 | 4 |
| 8 | White blood cell count is not associated with flow-mediated vasodilation or nitroglycerine-induced vasodilation. <i>Scientific Reports</i> , 2022, 12, 8201. | 3.3 | 3 |
| 9 | Plasma MicroRNAs as noninvasive diagnostic biomarkers in patients with Brugada syndrome. <i>PLoS ONE</i> , 2022, 17, e0261390. | 2.5 | 2 |
| 10 | Minor Allele of GJA1 Gene Polymorphism Is Associated with Higher Heart Rate During Atrial Fibrillation. <i>Japanese Journal of Electrocardiology</i> , 2022, 42, 63-72. | 0.0 | 0 |
| 11 | Minor allele of GJA1 gene polymorphism is associated with higher heart rate during atrial fibrillation. <i>Scientific Reports</i> , 2021, 11, 2549. | 3.3 | 3 |
| 12 | Periodontitis and the outcome of atrial fibrillation ablation: <i>Porphyromonas gingivalis</i> is related to atrial fibrillation recurrence. <i>Journal of Cardiovascular Electrophysiology</i> , 2021, 32, 1240-1250. | 1.7 | 5 |
| 13 | Associations of frontal QRS-T angle with left ventricular volume and function derived from ECG-gated SPECT in patients with advanced chronic kidney disease. <i>Annals of Nuclear Medicine</i> , 2021, 35, 662-668. | 2.2 | 2 |
| 14 | <i>Porphyromonas gingivalis</i> and left atrial appendage spontaneous echo contrast in atrial fibrillation ablation candidates. <i>Heart and Vessels</i> , 2021, 36, 1721-1729. | 1.2 | 1 |
| 15 | Functionally validated <i>SCN5A</i> variants allow interpretation of pathogenicity and prediction of lethal events in Brugada syndrome. <i>European Heart Journal</i> , 2021, 42, 2854-2863. | 2.2 | 37 |
| 16 | Stair climbing activity and vascular function in patients with hypertension. <i>Hypertension Research</i> , 2021, 44, 1274-1282. | 2.7 | 13 |
| 17 | Upstroke time as a marker of atherosclerosis in patients with diabetes mellitus who have a normal ankle-brachial index. <i>Journal of Diabetes and Its Complications</i> , 2021, 35, 108044. | 2.3 | 3 |
| 18 | Disaster-Related Takotsubo Syndrome – A Lesson From the Great East Japan Earthquake and Tsunami on March 11, 2011. <i>Circulation Journal</i> , 2021, 85, 1840-1841. | 1.6 | 2 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Volume Elastic Modulus, Vascular Function, and Vascular Structure in Patients with Cardiovascular Risk Factors. <i>Journal of Atherosclerosis and Thrombosis</i> , 2021, 28, 963-973. | 2.0 | 1 |
| 20 | Short stature is associated with low flow-mediated vasodilation in Japanese men. <i>Hypertension Research</i> , 2021, , . | 2.7 | 4 |
| 21 | Invariant Feature Extraction for CNN Classifier by using Gradient Reversal Layer. , 2021, , . | | 1 |
| 22 | The International Classification of Functioning, Disabilities, and Health categories rated as necessary for care planning for older patients with heart failure: a survey of care managers in Japan. <i>BMC Geriatrics</i> , 2021, 21, 704. | 2.7 | 2 |
| 23 | Vascular Dysfunction Predicts Future Deterioration of Left Ventricular Ejection Fraction in Patients with Heart Failure with Mildly Reduced Ejection Fraction. <i>Journal of Clinical Medicine</i> , 2021, 10, 5980. | 2.4 | 4 |
| 24 | Successful catheter ablation of persistent atrial fibrillation is associated with improvement in functional tricuspid regurgitation and right heart reverse remodeling. <i>Heart and Vessels</i> , 2020, 35, 842-851. | 1.2 | 23 |
| 25 | Predicting atrial fibrillation using a combination of genetic risk score and clinical risk factors. <i>Heart Rhythm</i> , 2020, 17, 699-705. | 0.7 | 15 |
| 26 | Effect of Saxagliptin on Endothelial Function in Patients with Type 2 Diabetes: A Prospective Multicenter Study. <i>Scientific Reports</i> , 2019, 9, 10206. | 3.3 | 3 |
| 27 | Cardiac electrophysiological characteristics of silent paroxysmal atrial fibrillation: What causes asymptomaticity?. <i>Journal of Cardiovascular Electrophysiology</i> , 2019, 30, 2716-2723. | 1.7 | 1 |
| 28 | Ser96Ala genetic variant of the human histidine-rich calcium-binding protein is a genetic predictor of recurrence after catheter ablation in patients with paroxysmal atrial fibrillation. <i>PLoS ONE</i> , 2019, 14, e0213208. | 2.5 | 5 |
| 29 | HotBalloon ablation of atrial fibrillation in patients with dextrocardia and situs inversus by "mirror image" approach. <i>Journal of Arrhythmia</i> , 2019, 35, 855-857. | 1.2 | 4 |
| 30 | Residual anticoagulation activity in atrial fibrillation patients with temporary interrupted direct oral anticoagulants: Comparisons across 4 drugs. <i>Thrombosis Research</i> , 2019, 183, 119-123. | 1.7 | 9 |
| 31 | Coffee with a high content of chlorogenic acids and low content of hydroxyhydroquinone improves postprandial endothelial dysfunction in patients with borderline and stage 1 hypertension. <i>European Journal of Nutrition</i> , 2019, 58, 989-996. | 3.9 | 32 |
| 32 | <i>HCN4</i> Gene Polymorphisms Are Associated With Occurrence of Tachycardia-Induced Cardiomyopathy in Patients With Atrial Fibrillation. <i>Circulation Genomic and Precision Medicine</i> , 2018, 11, e001980. | 3.6 | 10 |
| 33 | Chromosome 4q25 Variant rs6817105 Bring Sinus Node Dysfunction and Left Atrial Enlargement. <i>Scientific Reports</i> , 2018, 8, 14565. | 3.3 | 4 |
| 34 | Maintenance of low inflammation level by the ZFH3 SNP rs2106261 minor allele contributes to reduced atrial fibrillation recurrence after pulmonary vein isolation. <i>PLoS ONE</i> , 2018, 13, e0203281. | 2.5 | 15 |
| 35 | Genotype-Phenotype Correlation of <i>SCN5A</i> Mutation for the Clinical and Electrocardiographic Characteristics of Proband With Brugada Syndrome. <i>Circulation</i> , 2017, 135, 2255-2270. | 1.6 | 142 |
| 36 | Arrhythmia risk and β -blocker therapy in pregnant women with long QT syndrome. <i>Heart</i> , 2017, 103, 1374-1379. | 2.9 | 45 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Syncope in patients with inherited arrhythmias. <i>Journal of Arrhythmia</i> , 2017, 33, 572-578. | 1.2 | 7 |
| 38 | Radiofrequency catheter ablation is effective for atrial fibrillation patients with hypertrophic cardiomyopathy by decreasing left atrial pressure. <i>Journal of Arrhythmia</i> , 2017, 33, 256-261. | 1.2 | 5 |
| 39 | DNA damage in lymphocytes induced by cardiac CT and comparison with physical exposure parameters. <i>European Radiology</i> , 2017, 27, 1660-1666. | 4.5 | 17 |
| 40 | H558R, a common SCN5A polymorphism, modifies the clinical phenotype of Brugada syndrome by modulating DNA methylation of SCN5A promoters. <i>Journal of Biomedical Science</i> , 2017, 24, 91. | 7.0 | 28 |
| 41 | Variants in the <i>SCN5A</i> Promoter Associated With Various Arrhythmia Phenotypes. <i>Journal of the American Heart Association</i> , 2016, 5, . | 3.7 | 22 |
| 42 | Risk stratification of ventricular fibrillation in Brugada syndrome using noninvasive scoring methods. <i>Heart Rhythm</i> , 2016, 13, 1947-1954. | 0.7 | 41 |
| 43 | Genetics of long-QT syndrome. <i>Journal of Human Genetics</i> , 2016, 61, 51-55. | 2.3 | 128 |
| 44 | Mechanical and substrate abnormalities of the left atrium assessed by 3-dimensional speckle-tracking echocardiography and electroanatomic mapping system in patients with paroxysmal atrial fibrillation. <i>Heart Rhythm</i> , 2015, 12, 490-497. | 0.7 | 37 |
| 45 | Procedural sedation with dexmedetomidine during ablation of atrial fibrillation: a randomized controlled trial. <i>Europace</i> , 2014, 16, 994-999. | 1.7 | 33 |
| 46 | Timeâ€œDomain Tâ€œWave Alternans is Strongly Associated with a History of Ventricular Fibrillation in Patients with Brugada Syndrome. <i>Journal of Cardiovascular Electrophysiology</i> , 2014, 25, 1021-1027. | 1.7 | 33 |
| 47 | Does dabigatran interfere with intraablation heparinization?. <i>Thrombosis Research</i> , 2014, 134, 742-743. | 1.7 | 2 |
| 48 | Don't move during ablation of atrial fibrillation!. <i>International Journal of Cardiology</i> , 2014, 171, 78-81. | 1.7 | 11 |
| 49 | A Nonsynonymous Polymorphism in Semaphorin 3A as a Risk Factor for Human Unexplained Cardiac Arrest with Documented Ventricular Fibrillation. <i>PLoS Genetics</i> , 2013, 9, e1003364. | 3.5 | 32 |
| 50 | Monitoring zoneâ€œassociated implantable cardioverter defibrillator shock: A case report. <i>Journal of Arrhythmia</i> , 2012, 28, 235-238. | 1.2 | 0 |
| 51 | Postural changeâ€œdependent Tâ€œwave oversensing resulting in the administration of inappropriate shocks. <i>Journal of Arrhythmia</i> , 2012, 28, 280-283. | 1.2 | 0 |
| 52 | Use of preprocedural multidetector computed tomography to decrease atrial fibrillation recurrence following extensive encircling circumferential pulmonary vein isolation. <i>Journal of Cardiology</i> , 2012, 60, 236-241. | 1.9 | 9 |
| 53 | Oversensing of a Particular Transient Noise Appearing After the Implantation of an Implantable Cardiac Device. <i>Journal of Arrhythmia</i> , 2011, 27, 68-75. | 1.2 | 0 |
| 54 | Examination of the Effective Utilization of the CARELINK® Remote Monitoring System after its Introduction. <i>Journal of Arrhythmia</i> , 2011, 27, 126-130. | 1.2 | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | A spontaneous Type 1 electrocardiogram pattern in lead V2 is an independent predictor of ventricular fibrillation in Brugada syndrome. <i>Europace</i> , 2010, 12, 410-416. | 1.7 | 12 |
| 56 | Non-SCN5A Related Brugada Syndromes: Verification of Normal Splicing and Trafficking of SCN5A Without Exonic Mutations. <i>Annals of Human Genetics</i> , 2007, 71, 8-17. | 0.8 | 7 |
| 57 | Coronary Sinus Morphology in Patients with Posteroseptal Atrioventricular Accessory Pathways. <i>Journal of Arrhythmia</i> , 2006, 22, 149-154. | 1.2 | 1 |
| 58 | Ablation of Idiopathic Ventricular Tachycardia with a Left Bundle Branch Block Morphology Originating from the Pulmonary Artery. <i>Journal of Arrhythmia</i> , 2006, 22, 180-186. | 1.2 | 0 |
| 59 | Ablation of Ventricular Tachycardia Originating from the Right Ventricle Associated with Scleroderma Cardiomyopathy. <i>Journal of Arrhythmia</i> , 2005, 21, 542-545. | 1.2 | 0 |
| 60 | Matrix metalloproteinase-9 contributes to human atrial remodeling during atrial fibrillation. <i>Journal of the American College of Cardiology</i> , 2004, 43, 818-825. | 2.8 | 133 |
| 61 | A frameshift mutation of β_2 subunit of epithelial sodium channel in a case of isolated Liddle syndrome. <i>Journal of Hypertension</i> , 2002, 20, 2379-2382. | 0.5 | 23 |