

Hong Zheng

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1786426/publications.pdf>

Version: 2024-02-01

61
papers

1,072
citations

393982

19
h-index

414034

32
g-index

61
all docs

61
docs citations

61
times ranked

1216
citing authors

#	ARTICLE	IF	CITATIONS
1	Cardiorenal Syndrome: The Role of Neural Connections Between the Heart and the Kidneys. <i>Circulation Research</i> , 2022, 130, 1601-1617.	2.0	19
2	Rosiglitazone restores nitric oxide synthase-dependent reactivity of cerebral arterioles in rats exposed to prenatal alcohol. <i>Alcoholism: Clinical and Experimental Research</i> , 2021, 45, 1359-1369.	1.4	4
3	Modulation of Sirt1 and FoxO1 on Hypothalamic Leptin-Mediated Sympathetic Activation and Inflammation in Diet-Induced Obese Rats. <i>Journal of the American Heart Association</i> , 2021, 10, e020667.	1.6	15
4	Role of Renal Sympathetic Nerves in GLP-1 (Glucagon-Like Peptide-1) Receptor Agonist Exendin-4-Mediated Diuresis and Natriuresis in Diet-Induced Obese Rats. <i>Journal of the American Heart Association</i> , 2021, 10, e022542.	1.6	5
5	Leptin-Mediated Sympathoexcitation in Obese Rats: Role for Neuron-Astrocyte Crosstalk in the Arcuate Nucleus. <i>Frontiers in Neuroscience</i> , 2019, 13, 1217.	1.4	9
6	Phosphorylation of Cx43 residue Y313 by Src contributes to blocking the interaction with Drebrin and disassembling gap junctions. <i>Journal of Molecular and Cellular Cardiology</i> , 2019, 126, 36-49.	0.9	22
7	Reduced N-Type Ca ²⁺ Channels in Atrioventricular Ganglion Neurons Are Involved in Ventricular Arrhythmogenesis. <i>Journal of the American Heart Association</i> , 2018, 7, .	1.6	7
8	Differences in Excitatory and Inhibitory Balance within the Paraventricular Nucleus Reflects Response Variability to Acute Stress. <i>FASEB Journal</i> , 2018, 32, 737.9.	0.2	0
9	A novel role for miR-133a in centrally mediated activation of the renin-angiotensin system in congestive heart failure. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2017, 312, H968-H979.	1.5	17
10	Integration of renal sensory afferents at the level of the paraventricular nucleus dictating sympathetic outflow. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2017, 204, 57-64.	1.4	35
11	A Hypothalamic Leptin-Glutamate Interaction in the Regulation of Sympathetic Nerve Activity. <i>Neural Plasticity</i> , 2017, 2017, 1-11.	1.0	15
12	Exercise Training Attenuates Upregulation of p47 ^{phox} and p67 ^{phox} in Hearts of Diabetic Rats. <i>Oxidative Medicine and Cellular Longevity</i> , 2016, 2016, 1-11.	1.9	11
13	Renal Denervation Improves Exaggerated Sympathoexcitation in Rats With Heart Failure. <i>Hypertension</i> , 2016, 68, 175-184.	1.3	35
14	Liposome-entrapped GABA modulates the expression of nNOS in NG108-15 cells. <i>Journal of Neuroscience Methods</i> , 2016, 273, 55-63.	1.3	13
15	Urinary Proteolytic Activation of Renal Epithelial Na ⁺ Channels in Chronic Heart Failure. <i>Hypertension</i> , 2016, 67, 197-205.	1.3	32
16	Astrocytes Contribute to Angiotensin II Stimulation of Hypothalamic Neuronal Activity and Sympathetic Outflow. <i>Hypertension</i> , 2016, 68, 1483-1493.	1.3	79
17	Renal denervation improves cardiac function in rats with chronic heart failure: Effects on expression of β_2 -adrenoceptors. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2016, 311, H337-H346.	1.5	23
18	Lack of miR-133a Decreases Contractility of Diabetic Hearts: A Role for Novel Cross Talk Between Tyrosine Aminotransferase and Tyrosine Hydroxylase. <i>Diabetes</i> , 2016, 65, 3075-3090.	0.3	47

#	ARTICLE	IF	CITATIONS
19	Hypoxia-Inducible Factor-1 α Mediates Increased Sympathoexcitation via Glutamatergic N-Methyl-D-Aspartate Receptors in the Paraventricular Nucleus of Rats With Chronic Heart Failure. <i>Circulation: Heart Failure</i> , 2016, 9, .	1.6	28
20	Glutamatergic receptor dysfunction in spinal cord contributes to the exaggerated exercise pressor reflex in heart failure. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2015, 308, H447-H455.	1.5	7
21	Activation of afferent renal nerves modulates RVLM-projecting PVN neurons. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2015, 308, H1103-H1111.	1.5	42
22	Angiotensin II Upregulates CAPON Expression via ERK α -MAPK α -CREB Pathway in the Paraventricular Nucleus of Rats with Chronic Heart Failure. <i>FASEB Journal</i> , 2015, 29, 987.7.	0.2	0
23	Enhanced levels of Proteases in Tubular Fluid Activate ENaC in Chronic Heart Failure: Roles for Renal Nerves and Renal Injury. <i>FASEB Journal</i> , 2015, 29, 829.1.	0.2	0
24	Reduced miR α -133a Results in Upregulation of Angiotensinogen in the Paraventricular Nucleus of Rats with Chronic Heart Failure. <i>FASEB Journal</i> , 2015, 29, 829.2.	0.2	0
25	Abstract 17215: Exercise Training Restores Dimeric nNOS by Regulating PIN Expression in the Paraventricular Nucleus of Chronic Heart Failure Rats. <i>Circulation</i> , 2015, 132, .	1.6	0
26	Attenuated dopaminergic tone in the paraventricular nucleus contributing to sympathoexcitation in rats with Type 2 diabetes. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2014, 306, R138-R148.	0.9	15
27	Abstract 15532: Altered Ubiquitination and Stability of Protein Inhibitor of Neuronal Nitric Oxide Synthase in the Paraventricular Nucleus of Chronic Heart Failure Rats: Role of Angiotensin II. <i>Circulation</i> , 2014, 130, .	1.6	0
28	Centrally Mediated Erectile Dysfunction in Rats with Type 1 Diabetes: Role of Angiotensin II and Superoxide. <i>Journal of Sexual Medicine</i> , 2013, 10, 2165-2176.	0.3	10
29	Enhanced levels of proteases in tubular fluid activate ENaC in chronic heart failure. <i>FASEB Journal</i> , 2013, 27, 698.2.	0.2	0
30	Exercise Training (ExT) Normalizes Subfornical Organ (SFO) α -Mediated Sympathoexcitation in Chronic Heart Failure (HF). <i>FASEB Journal</i> , 2013, 27, 699.14.	0.2	0
31	Exercise training normalizes enhanced sympathetic activation from the paraventricular nucleus in chronic heart failure: role of angiotensin II. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2012, 303, R387-R394.	0.9	42
32	Blunted Responses of Renal Sympathetic Nerve Activity to α -Natriuretic Peptide in the PVN of Rats with Heart Failure. <i>FASEB Journal</i> , 2012, 26, 1091.64.	0.2	0
33	Activated subfornical organ contributes to enhanced sympathoexcitation during chronic heart failure. <i>FASEB Journal</i> , 2012, 26, 703.16.	0.2	0
34	Dendritic release of VP mediates crosstalk between neuroendocrine and presympathetic PVN neurons: Role in osmotically α -driven homeostatic responses. <i>FASEB Journal</i> , 2012, 26, .	0.2	0
35	Central Leptin α -Glutamate Signaling Contributes to the Exaggerated Sympatho α -excitation in Rats with Type 2 Diabetes. <i>FASEB Journal</i> , 2012, 26, 705.2.	0.2	0
36	Contribution of PIN in the regulation of neuronal nitric oxide synthase in the PVN of Rats with chronic heart failure. <i>FASEB Journal</i> , 2012, 26, 703.17.	0.2	0

#	ARTICLE	IF	CITATIONS
37	Exercise Training Improves the Defective Centrally Mediated Erectile Responses in Rats with Type I Diabetes. <i>Journal of Sexual Medicine</i> , 2011, 8, 3086-3097.	0.3	14
38	Gene Transfer of Neuronal Nitric Oxide Synthase to the Paraventricular Nucleus Reduces the Enhanced Glutamatergic Tone in Rats With Chronic Heart Failure. <i>Hypertension</i> , 2011, 58, 966-973.	1.3	45
39	Increased renal ENaC subunits and sodium retention in rats with chronic heart failure. <i>American Journal of Physiology - Renal Physiology</i> , 2011, 300, F641-F649.	1.3	24
40	Angiotensin-converting enzyme 2 overexpression improves central nitric oxide-mediated sympathetic outflow in chronic heart failure. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2011, 301, H2402-H2412.	1.5	36
41	A Role for Dopamine in the Centrally Mediated Sympathetic Response in Rats with Type 2 Diabetes Induced by Streptozotocin and a High-fat Diet. <i>FASEB Journal</i> , 2011, 25, 1028.11.	0.2	1
42	Elevated angiotensin II attenuates activation of voltage-gated sodium channels in heart failure rats: involvement of mitochondria-derived superoxide. <i>FASEB Journal</i> , 2010, 24, 1018.5.	0.2	0
43	Enhanced activation of the median preoptic nucleus contributes to the activation of the paraventricular nucleus in heart failure. <i>FASEB Journal</i> , 2010, 24, 1019.14.	0.2	0
44	Increased expression of CAPON (Carboxy-terminal PDZ ligand of nNOS) within the paraventricular nucleus (PVN) of rats with heart failure (HF). <i>FASEB Journal</i> , 2010, 24, 1019.4.	0.2	0
45	Contribution of the paraventricular nucleus in the heat stress-induced cardiovascular adjustments. <i>FASEB Journal</i> , 2010, 24, 992.3.	0.2	0
46	Enhanced angiotensin-mediated excitation of renal sympathetic nerve activity within the paraventricular nucleus of anesthetized rats with heart failure. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2009, 297, R1364-R1374.	0.9	60
47	Regulation of tonic GABA inhibitory function, presympathetic neuronal activity and sympathetic outflow from the paraventricular nucleus by astroglial GABA transporters. <i>Journal of Physiology</i> , 2009, 587, 4645-4660.	1.3	61
48	Gene transfer of angiotensin converting enzyme 2 to the paraventricular nucleus improves attenuated nitric oxide mechanism in rats with chronic heart failure. <i>FASEB Journal</i> , 2009, 23, 956.2.	0.2	1
49	Enhanced heat loss despite blunted renal sympathoexcitation in diabetic rats during heat stress. <i>FASEB Journal</i> , 2009, 23, 788.3.	0.2	0
50	Exercise training normalizes enhanced glutamate-mediated sympathetic activation from the PVN in heart failure. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2008, 294, R1863-R1872.	0.9	75
51	Contribution of renal epithelial sodium channel in sodium retention during chronic heart failure. <i>FASEB Journal</i> , 2008, 22, 1159.18.	0.2	0
52	Effects of Alcohol on Nitric Oxide (NO) Synthesis and Superoxide Production in Human Brain Vascular Cells. <i>FASEB Journal</i> , 2008, 22, 1151.16.	0.2	0
53	Lack of central nitric oxide triggers erectile dysfunction in diabetes. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2007, 292, R1158-R1164.	0.9	32
54	Chronic AT1 receptor blockade normalizes NR1 expression within the paraventricular nucleus (PVN) in rats with heart failure (HF). <i>FASEB Journal</i> , 2007, 21, A1267.	0.2	1

#	ARTICLE	IF	CITATIONS
55	Gene transfer of neuronal nitric oxide synthase to the paraventricular nucleus improves enhanced NMDA NR1 receptor function in rats with chronic heart failure. <i>FASEB Journal</i> , 2007, 21, A1267.	0.2	2
56	Blunted nitric oxide-mediated inhibition of sympathetic nerve activity within the paraventricular nucleus in diabetic rats. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2006, 290, R992-R1002.	0.9	35
57	Exercise training improves renal excretory responses to acute volume expansion in rats with heart failure. <i>American Journal of Physiology - Renal Physiology</i> , 2006, 291, F1148-F1156.	1.3	35
58	Exercise training normalizes enhanced NMDA-mediated changes in renal sympathetic nerve activity and NR1 expression within the PVN in heart failure rats. <i>FASEB Journal</i> , 2006, 20, A1203.	0.2	0
59	Angiotensin II-mediated sympathoexcitation in diabetes: Role of superoxide. <i>FASEB Journal</i> , 2006, 20, A1208.	0.2	0
60	Exercise training improves endogenous nitric oxide mechanisms within the paraventricular nucleus in rats with heart failure. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2005, 288, H2332-H2341.	1.5	100
61	Neuronal expression of fos protein in the forebrain of diabetic rats. <i>Brain Research</i> , 2002, 956, 268-275.	1.1	18