

Nicole L Pratt

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1787603/publications.pdf>

Version: 2024-02-01

187
papers

5,954
citations

87723

38
h-index

95083

68
g-index

204
all docs

204
docs citations

204
times ranked

7982
citing authors

#	ARTICLE	IF	CITATIONS
1	Observational Health Data Sciences and Informatics (OHDSI): Opportunities for Observational Researchers. <i>Studies in Health Technology and Informatics</i> , 2015, 216, 574-8.	0.2	533
2	Characterizing treatment pathways at scale using the OHDSI network. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 7329-7336.	3.3	256
3	Comprehensive comparative effectiveness and safety of first-line antihypertensive drug classes: a systematic, multinational, large-scale analysis. <i>Lancet</i> , The, 2019, 394, 1816-1826.	6.3	228
4	Natural History and Familial Relationships of Infant Spilling to 9 Years of Age. <i>Pediatrics</i> , 2002, 109, 1061-1067.	1.0	226
5	Trends in attention-deficit hyperactivity disorder medication use: a retrospective observational study using population-based databases. <i>Lancet Psychiatry</i> , the, 2018, 5, 824-835.	3.7	187
6	The Australian Orthopaedic Association National Joint Replacement Registry. <i>Medical Journal of Australia</i> , 2004, 180, S31-4.	0.8	173
7	The validity of the Rx-Risk Comorbidity Index using medicines mapped to the Anatomical Therapeutic Chemical (ATC) Classification System. <i>BMJ Open</i> , 2018, 8, e021122.	0.8	166
8	Risk factors for persistent and new chronic opioid use in patients undergoing total hip arthroplasty: a retrospective cohort study. <i>BMJ Open</i> , 2016, 6, e010664.	0.8	160
9	Increase in Total Joint Arthroplasty Projected from 2014 to 2046 in Australia: A Conservative Local Model With International Implications. <i>Clinical Orthopaedics and Related Research</i> , 2017, 475, 2130-2137.	0.7	142
10	Impact of undergraduate and postgraduate rural training, and medical school entry criteria on rural practice among Australian general practitioners: national study of 2414 doctors. <i>Medical Education</i> , 2003, 37, 809-814.	1.1	136
11	Risk Factors for Revision for Early Dislocation in Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2008, 23, 867-872.	1.5	130
12	The Effectiveness of Collaborative Medicine Reviews in Delaying Time to Next Hospitalization for Patients With Heart Failure in the Practice Setting. <i>Circulation: Heart Failure</i> , 2009, 2, 424-428.	1.6	114
13	Multiple Anticholinergic Medication Use and Risk of Hospital Admission for Confusion or Dementia. <i>Journal of the American Geriatrics Society</i> , 2014, 62, 1916-1922.	1.3	100
14	Comparison of Cardiovascular and Safety Outcomes of Chlorthalidone vs Hydrochlorothiazide to Treat Hypertension. <i>JAMA Internal Medicine</i> , 2020, 180, 542.	2.6	97
15	Renin-angiotensin system blockers and susceptibility to COVID-19: an international, open science, cohort analysis. <i>The Lancet Digital Health</i> , 2021, 3, e98-e114.	5.9	94
16	Cardiovascular safety of methylphenidate among children and young people with attention-deficit/hyperactivity disorder (ADHD): nationwide self controlled case series study. <i>BMJ</i> , The, 2016, 353, i2550.	3.0	89
17	Chronic Use of Opioids Before and After Total Knee Arthroplasty: A Retrospective Cohort Study. <i>Journal of Arthroplasty</i> , 2017, 32, 811-817.e1.	1.5	88
18	Perioperative mortality after hemiarthroplasty related to fixation method. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2011, 82, 275-281.	1.2	76

#	ARTICLE	IF	CITATIONS
19	Preoperative medication use and postoperative delirium: a systematic review. <i>BMC Geriatrics</i> , 2017, 17, 298.	1.1	75
20	Depressive disorders and unprotected casual anal sex among Australian homosexually active men in primary care. <i>HIV Medicine</i> , 2003, 4, 271-275.	1.0	71
21	Risk of Hospitalization for Hip Fracture and Pneumonia Associated with Antipsychotic Prescribing in the Elderly. <i>Drug Safety</i> , 2011, 34, 567-575.	1.4	68
22	Comparative First-Line Effectiveness and Safety of ACE (Angiotensin-Converting Enzyme) Inhibitors and Angiotensin Receptor Blockers: A Multinational Cohort Study. <i>Hypertension</i> , 2021, 78, 591-603.	1.3	63
23	The Asian Pharmacoepidemiology Network (AsPEN): promoting multi-national collaboration for pharmacoepidemiologic research in Asia. <i>Pharmacoepidemiology and Drug Safety</i> , 2013, 22, 700-704.	0.9	61
24	Sequence symmetry analysis in pharmacovigilance and pharmacoepidemiologic studies. <i>European Journal of Epidemiology</i> , 2017, 32, 567-582.	2.5	58
25	The validity of sequence symmetry analysis (SSA) for adverse drug reaction signal detection. <i>Pharmacoepidemiology and Drug Safety</i> , 2013, 22, 496-502.	0.9	57
26	Update of mortality and cancer incidence in the Australian petroleum industry cohort. <i>Occupational and Environmental Medicine</i> , 2006, 63, 476-481.	1.3	56
27	Duration of the Increase in Early Postoperative Mortality After Elective Hip and Knee Replacement. <i>Journal of Bone and Joint Surgery - Series A</i> , 2010, 92, 58-63.	1.4	55
28	Persistent Opioid Use Following Total Knee Arthroplasty: A Signal for Close Surveillance. <i>Journal of Arthroplasty</i> , 2018, 33, 331-336.	1.5	55
29	Collaborative home medicines review delays time to next hospitalization for warfarin associated bleeding in Australian war veterans. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2011, 36, 27-32.	0.7	54
30	Brief Report. <i>Epidemiology</i> , 2015, 26, 815-820.	1.2	51
31	Increased risk of hip fracture in the elderly associated with prochlorperazine: is a prescribing cascade contributing?. <i>Pharmacoepidemiology and Drug Safety</i> , 2010, 19, 977-982.	0.9	48
32	Opioid use after total hip arthroplasty surgery is associated with revision surgery. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 122.	0.8	47
33	Multi-country rapid adverse drug event assessment: the Asian Pharmacoepidemiology Network (AsPEN) antipsychotic and acute hyperglycaemia study. <i>Pharmacoepidemiology and Drug Safety</i> , 2013, 22, 915-924.	0.9	45
34	Prescription sequence symmetry analysis: assessing risk, temporality, and consistency for adverse drug reactions across datasets in five countries. <i>Pharmacoepidemiology and Drug Safety</i> , 2015, 24, 858-864.	0.9	44
35	Use of SGLT2 inhibitors for diabetes and risk of infection: Analysis using general practice records from the NPS MedicineWise MedicineInsight program. <i>Diabetes Research and Clinical Practice</i> , 2017, 130, 180-185.	1.1	44
36	Update of a prospective study of mortality and cancer incidence in the Australian petroleum industry. <i>Occupational and Environmental Medicine</i> , 2004, 61, 150-156.	1.3	43

#	ARTICLE	IF	CITATIONS
37	Stroke risk and NSAIDs: an Australian population-based study. <i>Medical Journal of Australia</i> , 2011, 195, 525-529.	0.8	42
38	Postoperative opioid use as an early indication of total hip arthroplasty failure. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2016, 87, 37-43.	1.2	42
39	Predictive performance of four frailty measures in an older Australian population. <i>Age and Ageing</i> , 2015, 44, 967-972.	0.7	39
40	Choice of observational study design impacts on measurement of antipsychotic risks in the elderly: a systematic review. <i>BMC Medical Research Methodology</i> , 2012, 12, 72.	1.4	37
41	Proton pump inhibitors and risk of <i>Clostridium difficile</i> infection: a multi-country study using sequence symmetry analysis. <i>Expert Opinion on Drug Safety</i> , 2016, 15, 1589-1595.	1.0	36
42	Antipsychotics and the risk of death in the elderly: an instrumental variable analysis using two preference based instruments. <i>Pharmacoepidemiology and Drug Safety</i> , 2010, 19, 699-707.	0.9	35
43	Effect of Changes in Antibiotic Prescribing on Patient Outcomes in a Community Setting: A Natural Experiment in Australia. <i>Clinical Infectious Diseases</i> , 2002, 34, 55-64.	2.9	34
44	Variation in Association Between Thiazolidinediones and Heart Failure Across Ethnic Groups: Retrospective analysis of Large Healthcare Claims Databases in Six Countries. <i>Drug Safety</i> , 2015, 38, 823-831.	1.4	34
45	Data linkage in pharmacoepidemiology: A call for rigorous evaluation and reporting. <i>Pharmacoepidemiology and Drug Safety</i> , 2020, 29, 9-17.	0.9	34
46	Association Between Use of Multiple Psychoactive Medicines and Hospitalization for Falls: Retrospective Analysis of a Large Healthcare Claim Database. <i>Drug Safety</i> , 2014, 37, 529-535.	1.4	33
47	Potential risk factors for prolonged recovery following whiplash injury. <i>European Spine Journal</i> , 2005, 14, 90-94.	1.0	32
48	Risk of Hospitalization for Stroke Associated with Antipsychotic Use in the Elderly. <i>Drugs and Aging</i> , 2010, 27, 885-893.	1.3	32
49	Managing Glaucoma in those with Co-morbidity: Not as Easy as it Seems. <i>Ophthalmic Epidemiology</i> , 2012, 19, 74-82.	0.8	32
50	Bridging evidence-practice gaps: improving use of medicines in elderly Australian veterans. <i>BMC Health Services Research</i> , 2013, 13, 514.	0.9	32
51	Uptake of novel oral anticoagulants in Australia. <i>Medical Journal of Australia</i> , 2016, 204, 104-105.	0.8	32
52	Principles of Large-scale Evidence Generation and Evaluation across a Network of Databases (LEGEND). <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2020, 27, 1331-1337.	2.2	31
53	Use of proton pump inhibitors among older Australians: national quality improvement programmes have led to sustained practice change. <i>International Journal for Quality in Health Care</i> , 2017, 29, 75-82.	0.9	30
54	Evaluation of three co-morbidity measures to predict mortality in patients undergoing total joint arthroplasty. <i>Osteoarthritis and Cartilage</i> , 2016, 24, 1718-1726.	0.6	29

#	ARTICLE	IF	CITATIONS
55	Supervised signal detection for adverse drug reactions in medication dispensing data. <i>Computer Methods and Programs in Biomedicine</i> , 2018, 161, 25-38.	2.6	29
56	Heart failure after conventional metal-on-metal hip replacements. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2017, 88, 2-9.	1.2	28
57	Improving medication safety: influence of a patient-specific prescriber feedback program on rate of medication reviews performed by Australian general medical practitioners. <i>Pharmacoepidemiology and Drug Safety</i> , 2007, 16, 797-803.	0.9	27
58	Proton pump inhibitors and the risk of antibiotic use and hospitalisation for pneumonia. <i>Medical Journal of Australia</i> , 2009, 190, 114-116.	0.8	27
59	The performance of sequence symmetry analysis as a tool for post-market surveillance of newly marketed medicines: a simulation study. <i>BMC Medical Research Methodology</i> , 2014, 14, 66.	1.4	27
60	Hypothesis-free screening of large administrative databases for unsuspected drug-outcome associations. <i>European Journal of Epidemiology</i> , 2018, 33, 545-555.	2.5	27
61	Using the proportion of patients covered and the Kaplan-Meier survival analysis to describe treatment persistence. <i>Pharmacoepidemiology and Drug Safety</i> , 2018, 27, 867-871.	0.9	27
62	Comparing Time to Adverse Drug Reaction Signals in a Spontaneous Reporting Database and a Claims Database: A Case Study of Rofecoxib-Induced Myocardial Infarction and Rosiglitazone-Induced Heart Failure Signals in Australia. <i>Drug Safety</i> , 2014, 37, 53-64.	1.4	26
63	Comparing co-morbidities in total joint arthroplasty patients using the RxRisk-V, Elixhauser, and Charlson Measures: a cross-sectional evaluation. <i>BMC Musculoskeletal Disorders</i> , 2015, 16, 385.	0.8	25
64	The Uncertainty of the Association Between Proton Pump Inhibitor Use and the Risk of Dementia: Prescription Sequence Symmetry Analysis Using a Korean Healthcare Database Between 2002 and 2013. <i>Drug Safety</i> , 2018, 41, 615-624.	1.4	23
65	Prevalence and changes in analgesic medication utilisation 1 year prior to total joint replacement in an older cohort of patients. <i>Osteoarthritis and Cartilage</i> , 2018, 26, 356-362.	0.6	23
66	Persistence with opioids post discharge from hospitalisation for surgery in Australian adults: a retrospective cohort study. <i>BMJ Open</i> , 2019, 9, e023990.	0.8	23
67	Analysis of anticholinergic and sedative medicine effects on physical function, cognitive function, appetite and frailty: a cross-sectional study in Australia. <i>BMJ Open</i> , 2019, 9, e029221.	0.8	23
68	Proton pump inhibitors and the risk of pneumonia: a comparison of cohort and self-controlled case series designs. <i>BMC Medical Research Methodology</i> , 2013, 13, 82.	1.4	22
69	Increased risk of hospital admission for dehydration or heat-related illness after initiation of medicines: a sequence symmetry analysis. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2016, 41, 503-507.	0.7	21
70	Psychoactive medicine use and the risk of hip fracture in older people: a case-crossover study. <i>Pharmacoepidemiology and Drug Safety</i> , 2015, 24, 576-582.	0.9	20
71	Sequence Symmetry Analysis as a Signal Detection Tool for Potential Heart Failure Adverse Events in an Administrative Claims Database. <i>Drug Safety</i> , 2016, 39, 347-354.	1.4	20
72	Understanding 30-day readmission after hospitalisation of older patients for diabetes: identifying those at greatest risk. <i>Medical Journal of Australia</i> , 2017, 206, 170-175.	0.8	20

#	ARTICLE	IF	CITATIONS
73	CRISTAL: protocol for a cluster randomised, crossover, non-inferiority trial of aspirin compared to low molecular weight heparin for venous thromboembolism prophylaxis in hip or knee arthroplasty, a registry nested study. <i>BMJ Open</i> , 2019, 9, e031657.	0.8	20
74	Uncertain Association Between Benzodiazepine Use and the Risk of Dementia: A Cohort Study. <i>Journal of the American Medical Directors Association</i> , 2020, 21, 201-211.e2.	1.2	20
75	Comprehensive Comparative Effectiveness and Safety of First-Line β -Blocker Monotherapy in Hypertensive Patients. <i>Hypertension</i> , 2021, 77, 1528-1538.	1.3	20
76	Large-scale evidence generation and evaluation across a network of databases (LEGEND): assessing validity using hypertension as a case study. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2020, 27, 1268-1277.	2.2	19
77	NSAID Use in Individuals at Risk of Renal Adverse Events. <i>Drug Safety</i> , 2008, 31, 997-1003.	1.4	18
78	Differential Impact of NSAIDs on Rate of Adverse Events that Require Hospitalization in High-Risk and General Veteran Populations. <i>Drugs and Aging</i> , 2010, 27, 63-71.	1.3	18
79	Ranibizumab and Risk of Hospitalisation for Ischaemic Stroke and Myocardial Infarction in Patients with Age-Related Macular Degeneration: A Self-Controlled Case-Series Analysis. <i>Drug Safety</i> , 2014, 37, 1021-1027.	1.4	18
80	Posttraumatic Stress Disorder, Antipsychotic Use and Risk of Dementia in Veterans. <i>Journal of the American Geriatrics Society</i> , 2017, 65, 1521-1526.	1.3	18
81	Risk of Medication-Associated Initiation of Oxybutynin in Elderly Men and Women. <i>Journal of the American Geriatrics Society</i> , 2014, 62, 690-695.	1.3	17
82	Does tablet formulation alone improve adherence and persistence: a comparison of ezetimibe fixed dose combination versus ezetimibe separate pill combination?. <i>British Journal of Clinical Pharmacology</i> , 2017, 83, 202-210.	1.1	16
83	Association between Ophthalmic Timolol and Hospitalisation for Bradycardia. <i>Journal of Ophthalmology</i> , 2015, 2015, 1-6.	0.6	15
84	A Grief Diagnostic Instrument for General Practice. <i>Omega: Journal of Death and Dying</i> , 2006, 52, 169-195.	0.7	14
85	Risk of Hip Fracture in Older People Using Selective Serotonin Reuptake Inhibitors and Other Psychoactive Medicines Concurrently: A Matched Case-Control Study in Australia. <i>Drugs - Real World Outcomes</i> , 2017, 4, 87-96.	0.7	14
86	Safety of meningococcal B vaccine (4CMenB) in adolescents in Australia. <i>Vaccine</i> , 2020, 38, 5914-5922.	1.7	14
87	CONSTRUCT VALIDITY OF FOUR FRAILTY MEASURES IN AN OLDER AUSTRALIAN POPULATION: A RASCH ANALYSIS. <i>Journal of Frailty & Aging</i> , 2016, 5, 1-4.	0.8	14
88	Predicting Infections After Total Joint Arthroplasty Using a Prescription Based Comorbidity Measure. <i>Journal of Arthroplasty</i> , 2015, 30, 1692-1698.	1.5	13
89	Reducing medicine-induced deterioration and adverse reactions (ReMInDAR) trial: study protocol for a randomised controlled trial in residential aged-care facilities assessing frailty as the primary outcome. <i>BMJ Open</i> , 2020, 10, e032851.	0.8	13
90	The Detection of Adverse Events in Randomized Clinical Trials: Can we Really Say New Medicines are Safe?. <i>Current Drug Safety</i> , 2013, 8, 104-113.	0.3	13

#	ARTICLE	IF	CITATIONS
91	Bias, Precision and Timeliness of Historical (Background) Rate Comparison Methods for Vaccine Safety Monitoring: An Empirical Multi-Database Analysis. <i>Frontiers in Pharmacology</i> , 2021, 12, 773875.	1.6	13
92	Seek COVER: using a disease proxy to rapidly develop and validate a personalized risk calculator for COVID-19 outcomes in an international network. <i>BMC Medical Research Methodology</i> , 2022, 22, 35.	1.4	13
93	Prescriber Feedback to Improve Quality Use of Medicines among Older People: the Veterans' MATES Program. <i>Journal of Pharmacy Practice and Research</i> , 2011, 41, 316-319.	0.5	12
94	Commitment questions targeting patients promotes uptake of under-used health services: Findings from a national quality improvement program in Australia. <i>Social Science and Medicine</i> , 2015, 145, 1-6.	1.8	12
95	How common is frailty in older <sc>A</sc>ustralians?. <i>Australasian Journal on Ageing</i> , 2015, 34, 247-251.	0.4	12
96	Detecting signals of detrimental prescribing cascades from social media. <i>Artificial Intelligence in Medicine</i> , 2016, 71, 43-56.	3.8	12
97	Use of Potentially Inappropriate Medications in People With Dementia in Vietnam and Its Associated Factors. <i>American Journal of Alzheimer's Disease and Other Dementias</i> , 2018, 33, 423-432.	0.9	12
98	Rehospitalizations for complications and mortality following pacemaker implantation: A retrospective cohort study in an older population. <i>Clinical Cardiology</i> , 2018, 41, 1480-1486.	0.7	12
99	Authenticity and credibility aware detection of adverse drug events from social media. <i>International Journal of Medical Informatics</i> , 2018, 120, 101-115.	1.6	12
100	Effect of an ongoing pharmacist service to reduce medicine-induced deterioration and adverse reactions in aged-care facilities (nursing homes): a multicentre, randomised controlled trial (the Tj ETQq0 0 0 rgBT Overlock 10 Tf 50 3	1.0	12
101	Using Medications for Prediction of Revision after Total Joint Arthroplasty. <i>Journal of Arthroplasty</i> , 2015, 30, 2061-2070.	1.5	11
102	How Does Mortality Risk Change Over Time After Hip and Knee Arthroplasty?. <i>Clinical Orthopaedics and Related Research</i> , 2019, 477, 1414-1421.	0.7	11
103	Detecting potential signals of adverse drug events from prescription data. <i>Artificial Intelligence in Medicine</i> , 2020, 104, 101839.	3.8	11
104	The Use of Active Comparators in Self-Controlled Designs. <i>American Journal of Epidemiology</i> , 2021, 190, 2181-2187.	1.6	11
105	Generating Real-World Evidence on the Quality Use, Benefits and Safety of Medicines in Australia: History, Challenges and a Roadmap for the Future. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 13345.	1.2	11
106	The Risk of Hip Fracture Due to Mirtazapine Exposure When Switching Antidepressants or Using Other Antidepressants as Add-On Therapy. <i>Drugs - Real World Outcomes</i> , 2017, 4, 247-255.	0.7	10
107	Assessment of Medication Safety Using Only Dispensing Data. <i>Current Epidemiology Reports</i> , 2018, 5, 357-369.	1.1	10
108	Authenticity and credibility aware detection of adverse drug events from social media. <i>International Journal of Medical Informatics</i> , 2018, 120, 157-171.	1.6	10

#	ARTICLE	IF	CITATIONS
109	Prevalence of Psychotropic Medicine Use in Australian Children with Autism Spectrum Disorder: A Drug Utilization Study Based on Children Enrolled in the Longitudinal Study of Australian Children. <i>Journal of Autism and Developmental Disorders</i> , 2019, 49, 227-235.	1.7	10
110	A data-driven method to detect adverse drug events from prescription data. <i>Journal of Biomedical Informatics</i> , 2018, 85, 10-20.	2.5	9
111	Sustaining practice change in health care: the impact of a national quality improvement program on the uptake of collaborative medicines reviews. <i>Journal of Pharmacy Practice and Research</i> , 2018, 48, 222-230.	0.5	9
112	Analysis of Dual Combination Therapies Used in Treatment of Hypertension in a Multinational Cohort. <i>JAMA Network Open</i> , 2022, 5, e223877.	2.8	9
113	Tobacco and alcohol-related mortality in men: estimates from the Australian cohort of petroleum industry workers. <i>Australian and New Zealand Journal of Public Health</i> , 2006, 30, 318-324.	0.8	8
114	Comparative effectiveness and safety of low-strength and high-strength direct oral anticoagulants compared with warfarin: a sequential cohort study. <i>BMJ Open</i> , 2019, 9, e026486.	0.8	8
115	Metabolic events associated with the use of antipsychotics in children, adolescents and young adults: a multinational sequence symmetry study. <i>European Child and Adolescent Psychiatry</i> , 2020, , 1.	2.8	8
116	Detecting Medicine Safety Signals Using Prescription Sequence Symmetry Analysis of a National Prescribing Data Set. <i>Drug Safety</i> , 2020, 43, 787-795.	1.4	8
117	Current Approaches to Vaccine Safety Using Observational Data: A Rationale for the EUMAEUS (Evaluating Use of Methods for Adverse Events Under Surveillance-for Vaccines) Study Design. <i>Frontiers in Pharmacology</i> , 2022, 13, 837632.	1.6	8
118	The development and process evaluation of an information-based intervention for pregnant women aimed at addressing rates of caesarean section. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2005, 112, 1605-1614.	1.1	7
119	Central Nervous System-Acting Medicines and Risk of Hospital Admission for Confusion, Delirium, or Dementia. <i>Journal of the American Medical Directors Association</i> , 2016, 17, 530-534.	1.2	7
120	Patient-specific prescriber feedback can increase the rate of osteoporosis screening and treatment: results from two national interventions. <i>Archives of Osteoporosis</i> , 2017, 12, 17.	1.0	7
121	Do Risk Prediction Models for Postoperative Delirium Consider Patients' Preoperative Medication Use?. <i>Drugs and Aging</i> , 2018, 35, 213-222.	1.3	7
122	Does a fixed-dose combination of amlodipine and atorvastatin improve persistence with therapy in the Australian population?. <i>Current Medical Research and Opinion</i> , 2018, 34, 305-311.	0.9	7
123	Comparative safety of NSAIDs for gastrointestinal events in Asia-Pacific populations: A multi-database, international cohort study. <i>Pharmacoepidemiology and Drug Safety</i> , 2018, 27, 1223-1230.	0.9	7
124	Reducing hypnotic use in insomnia management among Australian veterans: results from repeated national interventions. <i>BMC Health Services Research</i> , 2018, 18, 626.	0.9	7
125	Use of analgesics following rescheduling of codeine in Australia: An interrupted time series analysis in the veteran population. <i>International Journal of Drug Policy</i> , 2020, 81, 102767.	1.6	7
126	What Is the Effect of Using a Competing-risks Estimator when Predicting Survivorship After Joint Arthroplasty: A Comparison of Approaches to Survivorship Estimation in a Large Registry. <i>Clinical Orthopaedics and Related Research</i> , 2021, 479, 392-403.	0.7	7

#	ARTICLE	IF	CITATIONS
127	Trends over 5 years in cardiovascular medicine use in Australian veterans with diabetes. <i>British Journal of Clinical Pharmacology</i> , 2007, 64, 100-104.	1.1	6
128	Antipsychotic polypharmacy in older Australians. <i>International Psychogeriatrics</i> , 2018, 30, 539-546.	0.6	6
129	Sequence symmetry analysis graphic adjustment for prescribing trends. <i>BMC Medical Research Methodology</i> , 2019, 19, 143.	1.4	6
130	Process trumps potential public good: better vaccine safety through linked cross-jurisdictional immunisation data in Australia. <i>Australian and New Zealand Journal of Public Health</i> , 2019, 43, 496-503.	0.8	6
131	Prevalence and Duration of Use of Medicines Recommended for Short-Term Use in Aged Care Facility Residents. <i>Pharmacy (Basel, Switzerland)</i> , 2019, 7, 55.	0.6	6
132	Detecting high-quality signals of adverse drug-drug interactions from spontaneous reporting data. <i>Journal of Biomedical Informatics</i> , 2020, 112, 103603.	2.5	6
133	Cardiovascular risk in patients receiving ranibizumab for exudative age-related macular degeneration: a nationwide self-controlled case-series study. <i>British Journal of Ophthalmology</i> , 2021, 105, 543-548.	2.1	6
134	Proton pump inhibitors may contribute to progression or development of chronic obstructive pulmonary disease—A sequence symmetry analysis approach. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2021, 46, 1687-1694.	0.7	6
135	Asbestos-Related Cancers in Refinery Workers in the Australian Petroleum Industry. <i>Archives of Environmental and Occupational Health</i> , 2006, 61, 11-16.	0.7	5
136	A self-controlled case series to assess the effectiveness of beta blockers for heart failure in reducing hospitalisations in the elderly. <i>BMC Medical Research Methodology</i> , 2011, 11, 106.	1.4	5
137	Medicine Use among Older Australians Before and After Hip Fracture. <i>Journal of Pharmacy Practice and Research</i> , 2013, 43, 265-268.	0.5	5
138	Magnetic Resonance Imaging in People With Cardiac Implantable Electronic Devices: A Population Based Cohort Study. <i>Heart Lung and Circulation</i> , 2018, 27, 748-751.	0.2	5
139	Reduction in Use of Risperidone for Dementia in Australia Following Changed Guidelines. <i>Pharmacy (Basel, Switzerland)</i> , 2019, 7, 100.	0.6	5
140	Using Post-market Utilisation Analysis to Support Medicines Pricing Policy: An Australian Case Study of Aflibercept and Ranibizumab Use. <i>Applied Health Economics and Health Policy</i> , 2019, 17, 411-417.	1.0	5
141	Use of medicines associated with dry mouth and dental visits in an Australian cohort. <i>Australian Dental Journal</i> , 2020, 65, 189-195.	0.6	5
142	An empirical analysis of dealing with patients who are lost to follow-up when developing prognostic models using a cohort design. <i>BMC Medical Informatics and Decision Making</i> , 2021, 21, 43.	1.5	5
143	Suitability of databases in the Asia-Pacific for collaborative monitoring of vaccine safety. <i>Pharmacoepidemiology and Drug Safety</i> , 2021, 30, 843-857.	0.9	5
144	CRISTAL (a cluster-randomised, crossover, non-inferiority trial of aspirin compared to low molecular weight aspirin) in patients with acute coronary syndrome. <i>BMJ</i> , 2021, 373, n1088.	0.7	5

#	ARTICLE	IF	CITATIONS
145	Combination psychotropic medicine use in older adults and risk of hip fracture. Australian Prescriber, 2019, 42, 93-96.	0.5	5
146	Determinants of usefulness in professional behaviour change interventions: observational study of a 15-year national program. BMJ Open, 2020, 10, e038016.	0.8	5
147	Implementation and Evaluation of a Digitally Enabled Precision Public Health Intervention to Reduce Inappropriate Gabapentinoid Prescription: Cluster Randomized Controlled Trial. Journal of Medical Internet Research, 2022, 24, e33873.	2.1	5
148	Factors associated with choice of antipsychotic treatment in elderly veterans: potential confounders for observational studies. Australian and New Zealand Journal of Public Health, 2010, 34, 589-593.	0.8	4
149	Mesh use in urogynaecological procedures between 2005 and 2016: An Australian cohort study. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2019, 59, 105-109.	0.4	4
150	Initiation and continuation of antipsychotic medicines in older people following non-psychiatric hospital admission. International Journal of Clinical Pharmacy, 2019, 41, 1341-1347.	1.0	4
151	A note on sample size calculations for cluster randomised crossover trials with a fixed number of clusters. Statistics in Medicine, 2019, 38, 3342-3345.	0.8	4
152	Use of health and support services by people living with dementia in the community setting. Australasian Journal on Ageing, 2020, 39, 341-349.	0.4	3
153	Application of a Common Data Model (CDM) to rank the paediatric user and prescription prevalence of 15 different drug classes in South Korea, Hong Kong, Taiwan, Japan and Australia: an observational, descriptive study. BMJ Open, 2020, 10, e032426.	0.8	3
154	A novel weighting method to remove bias from within-subject exposure dependency in case-crossover studies. BMC Medical Research Methodology, 2021, 21, 214.	1.4	3
155	The Risk of Preoperative Central Nervous System-Acting Medications on Delirium Following Hip or Knee Surgery: A Matched Case-Control Study. Drug Safety, 2022, 45, 75-82.	1.4	3
156	Privacy considerations in the context of an Australian observational database. Pharmacoepidemiology and Drug Safety, 2001, 10, 587.	0.9	2
157	Hospitalization for drug-induced hepatotoxicity: linking Y-codes with pharmaceutical claims data to identify implicated medicines. Journal of Clinical Pharmacy and Therapeutics, 2015, 40, 213-219.	0.7	2
158	Prior experience with cardiovascular medicines predicted longer persistence in people initiated to combinations of antihypertensive and lipid-lowering therapies: findings from two Australian cohorts. Patient Preference and Adherence, 2018, Volume 12, 835-843.	0.8	2
159	Use of different combination diphtheria-tetanus-acellular pertussis vaccines does not increase risk of 30-day infant mortality. A population-based linkage cohort study using administrative data from the Australian Childhood Immunisation Register and the National Death Index.. Vaccine, 2019, 37, 280-288.	1.7	2
160	A data visualisation method for assessing exposure misclassification in case-crossover studies: the example of tricyclic antidepressants and the risk of hip fracture in older people. BMC Medical Research Methodology, 2021, 21, 43.	1.4	2
161	Medication-related hospital admissions in aged care residents. Australasian Journal on Ageing, 2021, 40, .	0.4	2
162	Does a Prescription-based Comorbidity Index Correlate with the American Society of Anesthesiologists Physical Status Score and Mortality After Joint Arthroplasty? A Registry Study. Clinical Orthopaedics and Related Research, 2021, 479, 2181-2190.	0.7	2

#	ARTICLE	IF	CITATIONS
163	A comparison of survival models for prediction of eight-year revision risk following total knee and hip arthroplasty. BMC Medical Research Methodology, 2022, 22, .	1.4	2
164	Impact on Drug Safety of Variation in Adherence: The Need for Routinely Reporting Measures of Dose Intensity in Medication Safety Studies Using Electronic Health Data. Drug Safety, 2015, 38, 1145-1152.	1.4	1
165	Response to Lertxundi and Colleagues. Journal of the American Geriatrics Society, 2015, 63, 1054-1055.	1.3	1
166	Utilization of targeted disease-modifying anti-rheumatic drugs (DMARDs) for managing rheumatoid arthritis in the last decade: A two-country comparison. International Journal of Clinical Pharmacology and Therapeutics, 2021, 59, 639-644.	0.3	1
167	Risk of chronic opioid use in older persons with pre-existing anxiety. Journal of Opioid Management, 2020, 16, 59-66.	0.2	1
168	Determinants of usefulness in professional behaviour change interventions: observational study of a 15-year national program. BMJ Open, 2020, 10, e038016.	0.8	1
169	The association between exacerbation of chronic obstructive pulmonary disease and timing of paracetamol use: a cohort study in elderly Australians. Respiratory Research, 2022, 23, 80.	1.4	1
170	Parity in female authorship in Australian pharmacoepidemiology research leveraging medicine dispensing data: How well are we doing?. Pharmacoepidemiology and Drug Safety, 2022, 31, 1010-1012.	0.9	1
171	Management of Clinical Data—Issues from a Research Perspective. Drug Information Journal, 2001, 35, 655-663.	0.5	0
172	Re: Multiple Anticholinergic Medication Use and Risk of Hospital Admission for Confusion or Dementia. Journal of Urology, 2015, 194, 1353-1354.	0.2	0
173	Response to Letter to the Editor: Use of preoperative comorbidity scores to predict mortality after total arthroplasty™. Osteoarthritis and Cartilage, 2017, 25, e7.	0.6	0
174	Can We Reduce the Prevalence of Persistent Opioid Use after Surgery by Predicting the Future?. Anaesthesia and Intensive Care, 2017, 45, 658-659.	0.2	0
175	The association between frailty and medicines use over time: an analysis using the Australian Longitudinal Study on Ageing population. Journal of Pharmacy Practice and Research, 2018, 48, 405-415.	0.5	0
176	Characterizing Dual Combination Therapy Use in Treatment Escalation of Hypertension: Real-World Evidence from Multinational Cohorts. SSRN Electronic Journal, 0, , .	0.4	0
177	Responding to the Under-Utilisation of Necessary Health Care in the Time of COVID-19: A Precision Public Health Intervention. , 2021, 36, 6-10.		0
178	Evaluation of Renal Function Testing in Older Australian Veterans Dispensed Medicines that Require Renal Function Monitoring. Drugs and Aging, 2021, 38, 995-1002.	1.3	0
179	Cardiac Implantable Electronic Devices: Reoperations and the Competing Risk of Death. Heart Lung and Circulation, 2022, 31, 537-543.	0.2	0
180	Comorbidities in an Australian sample of chronic and new opioid users. Journal of Opioid Management, 2020, 16, 103-110.	0.2	0

#	ARTICLE	IF	CITATIONS
181	Antibiotic Dispensing Before and After Primary and Revision Total Hip Replacement: An Australian Orthopaedic Association National Joint Replacement Registry Linkage Study. <i>International Journal of Population Data Science</i> , 2020, 5, .	0.1	0
182	Guidelines for Data Linkage in Pharmacoepidemiology: Assessing Feasibility, Evaluating Quality and Transparent Reporting. <i>International Journal of Population Data Science</i> , 2020, 5, .	0.1	0
183	Profile and Trends in Comorbidity for Patients Undergoing Hip and Knee Arthroplasty Using the Rx-Risk Measure with Pharmaceutical Dispensing Records. <i>International Journal of Population Data Science</i> , 2020, 5, .	0.1	0
184	Validating Australian Government Medicare Benefits Schedule Data Against the National Joint Replacement Registry Data. <i>International Journal of Population Data Science</i> , 2020, 5, .	0.1	0
185	Enhancing Joint Replacement Outcomes Through Registry Linkage with National Health Administrative Data in Australia. <i>International Journal of Population Data Science</i> , 2020, 5, .	0.1	0
186	Impact of a patient-specific national programme aimed at increasing the use of emollient moisturisers to reduce the risk of skin tears: a longitudinal cohort study. <i>BMJ Open</i> , 2020, 10, e039579.	0.8	0
187	Impact of a patient-specific national programme aimed at increasing the use of emollient moisturisers to reduce the risk of skin tears: a longitudinal cohort study. <i>BMJ Open</i> , 2020, 10, e039579.	0.8	0