

Nicole L Pratt

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1787603/nicole-l-pratt-publications-by-citations.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

180
papers

4,068
citations

35
h-index

58
g-index

203
ext. papers

5,004
ext. citations

4.1
avg, IF

5.5
L-index

#	Paper	IF	Citations
180	Observational Health Data Sciences and Informatics (OHDSI): Opportunities for Observational Researchers. <i>Studies in Health Technology and Informatics</i> , 2015 , 216, 574-8	0.5	418
179	Natural history and familial relationships of infant spilling to 9 years of age. <i>Pediatrics</i> , 2002 , 109, 1061-77.4		192
178	Characterizing treatment pathways at scale using the OHDSI network. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, 7329-36	11.5	175
177	Comprehensive comparative effectiveness and safety of first-line antihypertensive drug classes: a systematic, multinational, large-scale analysis. <i>Lancet, The</i> , 2019 , 394, 1816-1826	4.0	117
176	The Australian Orthopaedic Association National Joint Replacement Registry. <i>Medical Journal of Australia</i> , 2004 , 180, S31-4	4	116
175	Risk factors for revision for early dislocation in total hip arthroplasty. <i>Journal of Arthroplasty</i> , 2008 , 23, 867-72	4.4	113
174	Risk factors for persistent and new chronic opioid use in patients undergoing total hip arthroplasty: a retrospective cohort study. <i>BMJ Open</i> , 2016 , 6, e010664	3	113
173	Trends in attention-deficit hyperactivity disorder medication use: a retrospective observational study using population-based databases. <i>Lancet Psychiatry, the</i> , 2018 , 5, 824-835	23.3	105
172	Impact of undergraduate and postgraduate rural training, and medical school entry criteria on rural practice among Australian general practitioners: national study of 2414 doctors. <i>Medical Education</i> , 2003 , 37, 809-14	3.7	103
171	The effectiveness of collaborative medicine reviews in delaying time to next hospitalization for patients with heart failure in the practice setting: results of a cohort study. <i>Circulation: Heart Failure</i> , 2009 , 2, 424-8	7.6	97
170	Increase in Total Joint Arthroplasty Projected from 2014 to 2046 in Australia: A Conservative Local Model With International Implications. <i>Clinical Orthopaedics and Related Research</i> , 2017 , 475, 2130-2137 ^{2.2}		89
169	The validity of the Rx-Risk Comorbidity Index using medicines mapped to the Anatomical Therapeutic Chemical (ATC) Classification System. <i>BMJ Open</i> , 2018 , 8, e021122	3	87
168	Multiple anticholinergic medication use and risk of hospital admission for confusion or dementia. <i>Journal of the American Geriatrics Society</i> , 2014 , 62, 1916-22	5.6	76
167	Chronic Use of Opioids Before and After Total Knee Arthroplasty: A Retrospective Cohort Study. <i>Journal of Arthroplasty</i> , 2017 , 32, 811-817.e1	4.4	66
166	Depressive disorders and unprotected casual anal sex among Australian homosexually active men in primary care. <i>HIV Medicine</i> , 2003 , 4, 271-5	2.7	66
165	Cardiovascular safety of methylphenidate among children and young people with attention-deficit/hyperactivity disorder (ADHD): nationwide self controlled case series study. <i>BMJ, The</i> , 2016 , 353, i2550	5.9	65
164	Perioperative mortality after hemiarthroplasty related to fixation method. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2011 , 82, 275-81	4.3	61

163	Risk of hospitalization for hip fracture and pneumonia associated with antipsychotic prescribing in the elderly: a self-controlled case-series analysis in an Australian health care claims database. <i>Drug Safety</i> , 2011 , 34, 567-75	5.1	59
162	Renin-angiotensin system blockers and susceptibility to COVID-19: an international, open science, cohort analysis. <i>The Lancet Digital Health</i> , 2021 , 3, e98-e114	14.4	52
161	The Asian Pharmacoepidemiology Network (AsPEN): promoting multi-national collaboration for pharmacoepidemiologic research in Asia. <i>Pharmacoepidemiology and Drug Safety</i> , 2013 , 22, 700-4	2.6	49
160	The validity of sequence symmetry analysis (SSA) for adverse drug reaction signal detection. <i>Pharmacoepidemiology and Drug Safety</i> , 2013 , 22, 496-502	2.6	47
159	Duration of the increase in early postoperative mortality after elective hip and knee replacement. <i>Journal of Bone and Joint Surgery - Series A</i> , 2010 , 92, 58-63	5.6	46
158	Update of mortality and cancer incidence in the Australian petroleum industry cohort. <i>Occupational and Environmental Medicine</i> , 2006 , 63, 476-81	2.1	45
157	Preoperative medication use and postoperative delirium: a systematic review. <i>BMC Geriatrics</i> , 2017 , 17, 298	4.1	43
156	Multi-country rapid adverse drug event assessment: the Asian Pharmacoepidemiology Network (AsPEN) antipsychotic and acute hyperglycaemia study. <i>Pharmacoepidemiology and Drug Safety</i> , 2013 , 22, 915-24	2.6	42
155	Brief Report: Databases in the Asia-Pacific Region: The Potential for a Distributed Network Approach. <i>Epidemiology</i> , 2015 , 26, 815-20	3.1	41
154	Collaborative home medicines review delays time to next hospitalization for warfarin associated bleeding in Australian war veterans. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2011 , 36, 27-32	2.2	41
153	Comparison of Cardiovascular and Safety Outcomes of Chlorthalidone vs Hydrochlorothiazide to Treat Hypertension. <i>JAMA Internal Medicine</i> , 2020 , 180, 542-551	11.5	40
152	Persistent Opioid Use Following Total Knee Arthroplasty: A Signal for Close Surveillance. <i>Journal of Arthroplasty</i> , 2018 , 33, 331-336	4.4	40
151	Sequence symmetry analysis in pharmacovigilance and pharmacoepidemiologic studies. <i>European Journal of Epidemiology</i> , 2017 , 32, 567-582	12.1	39
150	Increased risk of hip fracture in the elderly associated with prochlorperazine: is a prescribing cascade contributing?. <i>Pharmacoepidemiology and Drug Safety</i> , 2010 , 19, 977-82	2.6	39
149	Update of a prospective study of mortality and cancer incidence in the Australian petroleum industry. <i>Occupational and Environmental Medicine</i> , 2004 , 61, 150-6	2.1	39
148	Stroke risk and NSAIDs: an Australian population-based study. <i>Medical Journal of Australia</i> , 2011 , 195, 525-9	4	37
147	Opioid use after total hip arthroplasty surgery is associated with revision surgery. <i>BMC Musculoskeletal Disorders</i> , 2016 , 17, 122	2.8	36
146	Use of SGLT2 inhibitors for diabetes and risk of infection: Analysis using general practice records from the NPS MedicineWise MedicineInsight program. <i>Diabetes Research and Clinical Practice</i> , 2017 , 130, 180-185	7.4	35

145	Choice of observational study design impacts on measurement of antipsychotic risks in the elderly: a systematic review. <i>BMC Medical Research Methodology</i> , 2012 , 12, 72	4.7	34
144	Prescription sequence symmetry analysis: assessing risk, temporality, and consistency for adverse drug reactions across datasets in five countries. <i>Pharmacoepidemiology and Drug Safety</i> , 2015 , 24, 858-64	2.6	32
143	Effect of changes in antibiotic prescribing on patient outcomes in a community setting: a natural experiment in Australia. <i>Clinical Infectious Diseases</i> , 2002 , 34, 55-64	11.6	31
142	Risk of hospitalization for stroke associated with antipsychotic use in the elderly: a self-controlled case series. <i>Drugs and Aging</i> , 2010 , 27, 885-93	4.7	30
141	Antipsychotics and the risk of death in the elderly: an instrumental variable analysis using two preference based instruments. <i>Pharmacoepidemiology and Drug Safety</i> , 2010 , 19, 699-707	2.6	30
140	Postoperative opioid use as an early indication of total hip arthroplasty failure. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2016 , 87 Suppl 1, 37-43	4.3	29
139	Bridging evidence-practice gaps: improving use of medicines in elderly Australian veterans. <i>BMC Health Services Research</i> , 2013 , 13, 514	2.9	29
138	Potential risk factors for prolonged recovery following whiplash injury. <i>European Spine Journal</i> , 2005 , 14, 90-4	2.7	29
137	Variation in Association Between Thiazolidinediones and Heart Failure Across Ethnic Groups: Retrospective analysis of Large Healthcare Claims Databases in Six Countries. <i>Drug Safety</i> , 2015 , 38, 823-31	5.1	28
136	Proton pump inhibitors and risk of Clostridium difficile infection: a multi-country study using sequence symmetry analysis. <i>Expert Opinion on Drug Safety</i> , 2016 , 15, 1589-1595	4.1	26
135	Managing glaucoma in those with co-morbidity: not as easy as it seems. <i>Ophthalmic Epidemiology</i> , 2012 , 19, 74-82	1.9	26
134	Uptake of novel oral anticoagulants in Australia. <i>Medical Journal of Australia</i> , 2016 , 204, 104-5.e1	4	25
133	Improving medication safety: influence of a patient-specific prescriber feedback program on rate of medication reviews performed by Australian general medical practitioners. <i>Pharmacoepidemiology and Drug Safety</i> , 2007 , 16, 797-803	2.6	24
132	Evaluation of three co-morbidity measures to predict mortality in patients undergoing total joint arthroplasty. <i>Osteoarthritis and Cartilage</i> , 2016 , 24, 1718-1726	6.2	23
131	Association between use of multiple psychoactive medicines and hospitalization for falls: retrospective analysis of a large healthcare claim database. <i>Drug Safety</i> , 2014 , 37, 529-35	5.1	22
130	The performance of sequence symmetry analysis as a tool for post-market surveillance of newly marketed medicines: a simulation study. <i>BMC Medical Research Methodology</i> , 2014 , 14, 66	4.7	22
129	Heart failure after conventional metal-on-metal hip replacements. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2017 , 88, 2-9	4.3	22
128	Comparing time to adverse drug reaction signals in a spontaneous reporting database and a claims database: a case study of rofecoxib-induced myocardial infarction and rosiglitazone-induced heart failure signals in Australia. <i>Drug Safety</i> , 2014 , 37, 53-64	5.1	22

127	Use of proton pump inhibitors among older Australians: national quality improvement programmes have led to sustained practice change. <i>International Journal for Quality in Health Care</i> , 2017 , 29, 75-82	1.9	21
126	Comparing co-morbidities in total joint arthroplasty patients using the RxRisk-V, Elixhauser, and Charlson Measures: a cross-sectional evaluation. <i>BMC Musculoskeletal Disorders</i> , 2015 , 16, 385	2.8	21
125	Proton-pump inhibitors and the risk of antibiotic use and hospitalisation for pneumonia. <i>Medical Journal of Australia</i> , 2009 , 190, 114-6	4	21
124	Proton pump inhibitors and the risk of pneumonia: a comparison of cohort and self-controlled case series designs. <i>BMC Medical Research Methodology</i> , 2013 , 13, 82	4.7	20
123	Predictive performance of four frailty measures in an older Australian population. <i>Age and Ageing</i> , 2015 , 44, 967-72	3	19
122	The Uncertainty of the Association Between Proton Pump Inhibitor Use and the Risk of Dementia: Prescription Sequence Symmetry Analysis Using a Korean Healthcare Database Between 2002 and 2013. <i>Drug Safety</i> , 2018 , 41, 615-624	5.1	16
121	Sequence Symmetry Analysis as a Signal Detection Tool for Potential Heart Failure Adverse Events in an Administrative Claims Database. <i>Drug Safety</i> , 2016 , 39, 347-54	5.1	16
120	Risk of medication-associated initiation of oxybutynin in elderly men and women. <i>Journal of the American Geriatrics Society</i> , 2014 , 62, 690-5	5.6	16
119	Psychoactive medicine use and the risk of hip fracture in older people: a case-crossover study. <i>Pharmacoepidemiology and Drug Safety</i> , 2015 , 24, 576-82	2.6	16
118	Understanding 30-day re-admission after hospitalisation of older patients for diabetes: identifying those at greatest risk. <i>Medical Journal of Australia</i> , 2017 , 206, 170-175	4	15
117	Hypothesis-free screening of large administrative databases for unsuspected drug-outcome associations. <i>European Journal of Epidemiology</i> , 2018 , 33, 545-555	12.1	15
116	Posttraumatic Stress Disorder, Antipsychotic Use and Risk of Dementia in Veterans. <i>Journal of the American Geriatrics Society</i> , 2017 , 65, 1521-1526	5.6	13
115	Supervised signal detection for adverse drug reactions in medication dispensing data. <i>Computer Methods and Programs in Biomedicine</i> , 2018 , 161, 25-38	6.9	13
114	Prevalence and changes in analgesic medication utilisation 1 year prior to total joint replacement in an older cohort of patients. <i>Osteoarthritis and Cartilage</i> , 2018 , 26, 356-362	6.2	13
113	Does tablet formulation alone improve adherence and persistence: a comparison of ezetimibe fixed dose combination versus ezetimibe separate pill combination?. <i>British Journal of Clinical Pharmacology</i> , 2017 , 83, 202-210	3.8	13
112	Ranibizumab and risk of hospitalisation for ischaemic stroke and myocardial infarction in patients with age-related macular degeneration: a self-controlled case-series analysis. <i>Drug Safety</i> , 2014 , 37, 1021-7	5.1	13
111	Differential impact of NSAIDs on rate of adverse events that require hospitalization in high-risk and general veteran populations: a retrospective cohort study. <i>Drugs and Aging</i> , 2010 , 27, 63-71	4.7	13
110	NSAID use in individuals at risk of renal adverse events: an observational study to investigate trends in Australian veterans. <i>Drug Safety</i> , 2008 , 31, 997-1003	5.1	13

109	Increased risk of hospital admission for dehydration or heat-related illness after initiation of medicines: a sequence symmetry analysis. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2016 , 41, 503-7	2.2	13
108	Using the "proportion of patients covered" and the Kaplan-Meier survival analysis to describe treatment persistence. <i>Pharmacoepidemiology and Drug Safety</i> , 2018 , 27, 867-871	2.6	12
107	Association between Ophthalmic Timolol and Hospitalisation for Bradycardia. <i>Journal of Ophthalmology</i> , 2015 , 2015, 567387	2	12
106	A Grief Diagnostic Instrument for General Practice. <i>Omega: Journal of Death and Dying</i> , 2006 , 52, 169-195	5.6	12
105	Seek COVER: Development and validation of a personalized risk calculator for COVID-19 outcomes in an international network		12
104	Principles of Large-scale Evidence Generation and Evaluation across a Network of Databases (LEGEND). <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2020 , 27, 1331-1337	8.6	12
103	Persistence with opioids post discharge from hospitalisation for surgery in Australian adults: a retrospective cohort study. <i>BMJ Open</i> , 2019 , 9, e023990	3	11
102	Risk of Hip Fracture in Older People Using Selective Serotonin Reuptake Inhibitors and Other Psychoactive Medicines Concurrently: A Matched Case-Control Study in Australia. <i>Drugs - Real World Outcomes</i> , 2017 , 4, 87-96	2.2	11
101	Prescriber Feedback to Improve Quality Use of Medicines among Older People: the VeteransR MATES Program. <i>Journal of Pharmacy Practice and Research</i> , 2011 , 41, 316-319	0.7	11
100	Data linkage in pharmacoepidemiology: A call for rigorous evaluation and reporting. <i>Pharmacoepidemiology and Drug Safety</i> , 2020 , 29, 9-17	2.6	11
99	Analysis of anticholinergic and sedative medicine effects on physical function, cognitive function, appetite and frailty: a cross-sectional study in Australia. <i>BMJ Open</i> , 2019 , 9, e029221	3	11
98	Predicting Infections After Total Joint Arthroplasty Using a Prescription Based Comorbidity Measure. <i>Journal of Arthroplasty</i> , 2015 , 30, 1692-8	4.4	10
97	Large-scale evidence generation and evaluation across a network of databases (LEGEND): assessing validity using hypertension as a case study. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2020 , 27, 1268-1277	8.6	10
96	Comparative First-Line Effectiveness and Safety of ACE (Angiotensin-Converting Enzyme) Inhibitors and Angiotensin Receptor Blockers: A Multinational Cohort Study. <i>Hypertension</i> , 2021 , 78, 591-603	8.5	10
95	Commitment questions targeting patients promotes uptake of under-used health services: Findings from a national quality improvement program in Australia. <i>Social Science and Medicine</i> , 2015 , 145, 1-6	5.1	9
94	How common is frailty in older Australians?. <i>Australasian Journal on Ageing</i> , 2015 , 34, 247-51	1.5	9
93	Using Medications for Prediction of Revision after Total Joint Arthroplasty. <i>Journal of Arthroplasty</i> , 2015 , 30, 2061-70	4.4	9
92	Construct Validity of Four Frailty Measures in an Older Australian Population: A Rasch Analysis. <i>Journal of Frailty & Aging, the</i> , 2016 , 5, 78-81	2.6	9

91	The detection of adverse events in randomized clinical trials: can we really say new medicines are safe?. <i>Current Drug Safety</i> , 2013 , 8, 104-13	1.4	9
90	Renin-angiotensin system blockers and susceptibility to COVID-19: a multinational open science cohort study 2020 ,		9
89	Uncertain Association Between Benzodiazepine Use and the Risk of Dementia: A Cohort Study. <i>Journal of the American Medical Directors Association</i> , 2020 , 21, 201-211.e2	5.9	9
88	CRISTAL: protocol for a cluster randomised, crossover, non-inferiority trial of aspirin compared to low molecular weight heparin for venous thromboembolism prophylaxis in hip or knee arthroplasty, a registry nested study. <i>BMJ Open</i> , 2019 , 9, e031657	3	9
87	Detecting signals of detrimental prescribing cascades from social media. <i>Artificial Intelligence in Medicine</i> , 2016 , 71, 43-56	7.4	8
86	The Risk of Hip Fracture Due to Mirtazapine Exposure When Switching Antidepressants or Using Other Antidepressants as Add-On Therapy. <i>Drugs - Real World Outcomes</i> , 2017 , 4, 247-255	2.2	8
85	Rehospitalizations for complications and mortality following pacemaker implantation: A retrospective cohort study in an older population. <i>Clinical Cardiology</i> , 2018 , 41, 1480-1486	3.3	8
84	Authenticity and credibility aware detection of adverse drug events from social media. <i>International Journal of Medical Informatics</i> , 2018 , 120, 101-115	5.3	8
83	Comparative effectiveness and safety of low-strength and high-strength direct oral anticoagulants compared with warfarin: a sequential cohort study. <i>BMJ Open</i> , 2019 , 9, e026486	3	7
82	The development and process evaluation of an information-based intervention for pregnant women aimed at addressing rates of caesarean section. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2005 , 112, 1605-14	3.7	7
81	How Does Mortality Risk Change Over Time After Hip and Knee Arthroplasty?. <i>Clinical Orthopaedics and Related Research</i> , 2019 , 477, 1414-1421	2.2	7
80	Assessment of Medication Safety Using Only Dispensing Data. <i>Current Epidemiology Reports</i> , 2018 , 5, 357-369	2.9	7
79	Patient-specific prescriber feedback can increase the rate of osteoporosis screening and treatment: results from two national interventions. <i>Archives of Osteoporosis</i> , 2017 , 12, 17	2.9	6
78	Sustaining practice change in health care: the impact of a national quality improvement program on the uptake of collaborative medicines reviews. <i>Journal of Pharmacy Practice and Research</i> , 2018 , 48, 222-230	9.7	6
77	Tobacco and alcohol-related mortality in men: estimates from the Australian cohort of petroleum industry workers. <i>Australian and New Zealand Journal of Public Health</i> , 2006 , 30, 318-24	2.3	6
76	Comparative safety of NSAIDs for gastrointestinal events in Asia-Pacific populations: A multi-database, international cohort study. <i>Pharmacoepidemiology and Drug Safety</i> , 2018 , 27, 1223-1230	2.6	6
75	Authenticity and credibility aware detection of adverse drug events from social media. <i>International Journal of Medical Informatics</i> , 2018 , 120, 157-171	5.3	6
74	Use of Potentially Inappropriate Medications in People With Dementia in Vietnam and Its Associated Factors. <i>American Journal of Alzheimer's Disease and Other Dementias</i> , 2018 , 33, 423-432	2.5	5

73	Do Risk Prediction Models for Postoperative Delirium Consider Patients' Preoperative Medication Use?. <i>Drugs and Aging</i> , 2018 , 35, 213-222	4.7	5
72	Does a fixed-dose combination of amlodipine and atorvastatin improve persistence with therapy in the Australian population?. <i>Current Medical Research and Opinion</i> , 2018 , 34, 305-311	2.5	5
71	Reducing hypnotic use in insomnia management among Australian veterans: results from repeated national interventions. <i>BMC Health Services Research</i> , 2018 , 18, 626	2.9	5
70	A self-controlled case series to assess the effectiveness of beta blockers for heart failure in reducing hospitalisations in the elderly. <i>BMC Medical Research Methodology</i> , 2011 , 11, 106	4.7	5
69	Trends over 5 years in cardiovascular medicine use in Australian veterans with diabetes. <i>British Journal of Clinical Pharmacology</i> , 2007 , 64, 100-4	3.8	5
68	Distributed Networks of Databases Analyzed Using Common Protocols and/or Common Data Models 2019 , 617-638		5
67	Use of analgesics following rescheduling of codeine in Australia: An interrupted time series analysis in the veteran population. <i>International Journal of Drug Policy</i> , 2020 , 81, 102767	5.5	4
66	Magnetic Resonance Imaging in People With Cardiac Implantable Electronic Devices: A Population Based Cohort Study. <i>Heart Lung and Circulation</i> , 2018 , 27, 748-751	1.8	4
65	A data-driven method to detect adverse drug events from prescription data. <i>Journal of Biomedical Informatics</i> , 2018 , 85, 10-20	10.2	4
64	Reduction in Use of Risperidone for Dementia in Australia Following Changed Guidelines. <i>Pharmacy (Basel, Switzerland)</i> , 2019 , 7,	2	4
63	Process trumps potential public good: better vaccine safety through linked cross-jurisdictional immunisation data in Australia. <i>Australian and New Zealand Journal of Public Health</i> , 2019 , 43, 496-503	2.3	4
62	Medicine Use among Older Australians Before and After Hip Fracture. <i>Journal of Pharmacy Practice and Research</i> , 2013 , 43, 265-268	0.7	4
61	Factors associated with choice of antipsychotic treatment in elderly veterans: potential confounders for observational studies. <i>Australian and New Zealand Journal of Public Health</i> , 2010 , 34, 589-93	2.3	4
60	Asbestos-related cancers in refinery workers in the Australian petroleum industry. <i>Archives of Environmental and Occupational Health</i> , 2006 , 61, 11-6	2	4
59	Safety of meningococcal B vaccine (4CMenB) in adolescents in Australia. <i>Vaccine</i> , 2020 , 38, 5914-5922	4.1	4
58	Central Nervous System-Acting Medicines and Risk of Hospital Admission for Confusion, Delirium, or Dementia. <i>Journal of the American Medical Directors Association</i> , 2016 , 17, 530-4	5.9	4
57	Prevalence of Psychotropic Medicine Use in Australian Children with Autism Spectrum Disorder: A Drug Utilization Study Based on Children Enrolled in the Longitudinal Study of Australian Children. <i>Journal of Autism and Developmental Disorders</i> , 2019 , 49, 227-235	4.6	4
56	Cardiovascular risk in patients receiving ranibizumab for exudative age-related macular degeneration: a nationwide self-controlled case-series study. <i>British Journal of Ophthalmology</i> , 2021 , 105, 543-548	5.5	4

55	Detecting Medicine Safety Signals Using Prescription Sequence Symmetry Analysis of a National Prescribing Data Set. <i>Drug Safety</i> , 2020 , 43, 787-795	5.1	3
54	Detecting potential signals of adverse drug events from prescription data. <i>Artificial Intelligence in Medicine</i> , 2020 , 104, 101839	7.4	3
53	Sequence symmetry analysis graphic adjustment for prescribing trends. <i>BMC Medical Research Methodology</i> , 2019 , 19, 143	4.7	3
52	Seek COVER: using a disease proxy to rapidly develop and validate a personalized risk calculator for COVID-19 outcomes in an international network.. <i>BMC Medical Research Methodology</i> , 2022 , 22, 35	4.7	3
51	What Is the Effect of Using a Competing-risks Estimator when Predicting Survivorship After Joint Arthroplasty: A Comparison of Approaches to Survivorship Estimation in a Large Registry. <i>Clinical Orthopaedics and Related Research</i> , 2021 , 479, 392-403	2.2	3
50	Metabolic events associated with the use of antipsychotics in children, adolescents and young adults: a multinational sequence symmetry study. <i>European Child and Adolescent Psychiatry</i> , 2020 , 1	5.5	3
49	Reducing medicine-induced deterioration and adverse reactions (ReMInDAR) trial: study protocol for a randomised controlled trial in residential aged-care facilities assessing frailty as the primary outcome. <i>BMJ Open</i> , 2020 , 10, e032851	3	3
48	Comprehensive Comparative Effectiveness and Safety of First-Line β -Blocker Monotherapy in Hypertensive Patients: A Large-Scale Multicenter Observational Study. <i>Hypertension</i> , 2021 , 77, 1528-1538	8.5	3
47	Using Post-market Utilisation Analysis to Support Medicines Pricing Policy: An Australian Case Study of Aflibercept and Ranibizumab Use. <i>Applied Health Economics and Health Policy</i> , 2019 , 17, 411-417	7.4	3
46	Use of different combination diphtheria-tetanus-acellular pertussis vaccines does not increase risk of 30-day infant mortality. A population-based linkage cohort study using administrative data from the Australian Childhood Immunisation Register and the National Death Index. <i>Vaccine</i> , 2019 , 37, 280-288	4.1	2
45	A note on sample size calculations for cluster randomised crossover trials with a fixed number of clusters. <i>Statistics in Medicine</i> , 2019 , 38, 3342-3345	2.3	2
44	Application of a Common Data Model (CDM) to rank the paediatric user and prescription prevalence of 15 different drug classes in South Korea, Hong Kong, Taiwan, Japan and Australia: an observational, descriptive study. <i>BMJ Open</i> , 2020 , 10, e032426	3	2
43	Mesh use in urogynaecological procedures between 2005 and 2016: An Australian cohort study. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2019 , 59, 105-109	1.7	2
42	Privacy considerations in the context of an Australian observational database. <i>Pharmacoepidemiology and Drug Safety</i> , 2001 , 10, 587-94	2.6	2
41	Determinants of usefulness in professional behaviour change interventions: observational study of a 15-year national program. <i>BMJ Open</i> , 2020 , 10, e038016	3	2
40	Combination psychotropic medicine use in older adults and risk of hip fracture. <i>Australian Prescriber</i> , 2019 , 42, 93-96	1.4	2
39	Detecting high-quality signals of adverse drug-drug interactions from spontaneous reporting data. <i>Journal of Biomedical Informatics</i> , 2020 , 112, 103603	10.2	2
38	Suitability of databases in the Asia-Pacific for collaborative monitoring of vaccine safety. <i>Pharmacoepidemiology and Drug Safety</i> , 2021 , 30, 843-857	2.6	2

37	The Use of Active Comparators in Self-Controlled Designs. <i>American Journal of Epidemiology</i> , 2021 , 190, 2181-2187	3.8	2
36	Encounter Databases 2019 , 211-240		2
35	Antipsychotic polypharmacy in older Australians. <i>International Psychogeriatrics</i> , 2018 , 30, 539-546	3.4	2
34	Prior experience with cardiovascular medicines predicted longer persistence in people initiated to combinations of antihypertensive and lipid-lowering therapies: findings from two Australian cohorts. <i>Patient Preference and Adherence</i> , 2018 , 12, 835-843	2.4	2
33	Proton pump inhibitors may contribute to progression or development of chronic obstructive pulmonary disease-A sequence symmetry analysis approach. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2021 , 46, 1687-1694	2.2	2
32	Prevalence and Duration of Use of Medicines Recommended for Short-Term Use in Aged Care Facility Residents. <i>Pharmacy (Basel, Switzerland)</i> , 2019 , 7,	2	1
31	Hospitalization for drug-induced hepatotoxicity: linking Y-codes with pharmaceutical claims data to identify implicated medicines. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2015 , 40, 213-9	2.2	1
30	Use of health and support services by people living with dementia in the community setting. <i>Australasian Journal on Ageing</i> , 2020 , 39, 341-349	1.5	1
29	Use of medicines associated with dry mouth and dental visits in an Australian cohort. <i>Australian Dental Journal</i> , 2020 , 65, 189-195	2.3	1
28	Initiation and continuation of antipsychotic medicines in older people following non-psychiatric hospital admission. <i>International Journal of Clinical Pharmacy</i> , 2019 , 41, 1341-1347	2.3	1
27	Generating Real-World Evidence on the Quality Use, Benefits and Safety of Medicines in Australia: History, Challenges and a Roadmap for the Future.. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	1
26	Determinants of usefulness in professional behaviour change interventions: observational study of a 15-year national program. <i>BMJ Open</i> , 2020 , 10, e038016	3	1
25	Risk of chronic opioid use in older persons with pre-existing anxiety. <i>Journal of Opioid Management</i> , 2019 , 16, 59-66	0.8	1
24	CRISTAL (a cluster-randomised, crossover, non-inferiority trial of aspirin compared to low molecular weight heparin for venous thromboembolism prophylaxis in hip or knee arthroplasty, a registry nested study): statistical analysis plan. <i>Trials</i> , 2021 , 22, 564	2.8	1
23	Analysis of Dual Combination Therapies Used in Treatment of Hypertension in a Multinational Cohort.. <i>JAMA Network Open</i> , 2022 , 5, e223877	10.4	1
22	Implementation and Evaluation of a Digitally Enabled Precision Public Health Intervention to Reduce Inappropriate Gabapentinoid Prescription: Cluster Randomized Controlled Trial.. <i>Journal of Medical Internet Research</i> , 2022 , 24, e33873	7.6	0
21	The Risk of Preoperative Central Nervous System-Acting Medications on Delirium Following Hip or Knee Surgery: A Matched Case-Control Study. <i>Drug Safety</i> , 2021 , 45, 75	5.1	0
20	Bias, Precision and Timeliness of Historical (Background) Rate Comparison Methods for Vaccine Safety Monitoring: An Empirical Multi-Database Analysis.. <i>Frontiers in Pharmacology</i> , 2021 , 12, 773875	5.6	0

19	An empirical analysis of dealing with patients who are lost to follow-up when developing prognostic models using a cohort design. <i>BMC Medical Informatics and Decision Making</i> , 2021 , 21, 43	3.6	o
18	A data visualisation method for assessing exposure misclassification in case-crossover studies: the example of tricyclic antidepressants and the risk of hip fracture in older people. <i>BMC Medical Research Methodology</i> , 2021 , 21, 43	4.7	o
17	Current Approaches to Vaccine Safety Using Observational Data: A Rationale for the EUMAEUS (Evaluating Use of Methods for Adverse Events Under Surveillance-for Vaccines) Study Design.. <i>Frontiers in Pharmacology</i> , 2022 , 13, 837632	5.6	o
16	Response to Lertxundi and colleagues. <i>Journal of the American Geriatrics Society</i> , 2015 , 63, 1054-5	5.6	
15	Response to Letter to the Editor: Use of preoperative comorbidity scores to predict mortality after total arthroplasty. <i>Osteoarthritis and Cartilage</i> , 2017 , 25, e7	6.2	
14	Can we reduce the prevalence of persistent opioid use after surgery by predicting the future?. <i>Anaesthesia and Intensive Care</i> , 2017 , 45, 658-659	1.1	
13	Re: Multiple Anticholinergic Medication Use and Risk of Hospital Admission for Confusion or Dementia. <i>Journal of Urology</i> , 2015 , 194, 1353-1354	2.5	
12	Impact on Drug Safety of Variation in Adherence: The Need for Routinely Reporting Measures of Dose Intensity in Medication Safety Studies Using Electronic Health Data. <i>Drug Safety</i> , 2015 , 38, 1145-52 ^{5.1}		
11	Management of Clinical Data Issues from a Research Perspective. <i>Drug Information Journal</i> , 2001 , 35, 655-663		
10	Impact of a patient-specific national programme aimed at increasing the use of emollient moisturisers to reduce the risk of skin tears: a longitudinal cohort study. <i>BMJ Open</i> , 2020 , 10, e039579	3	
9	Encounter Databases 2021 , 142-173		
8	Impact of a patient-specific national programme aimed at increasing the use of emollient moisturisers to reduce the risk of skin tears: a longitudinal cohort study. <i>BMJ Open</i> , 2020 , 10, e039579	3	
7	A novel weighting method to remove bias from within-subject exposure dependency in case-crossover studies. <i>BMC Medical Research Methodology</i> , 2021 , 21, 214	4.7	
6	Comorbidities in an Australian sample of chronic and new opioid users. <i>Journal of Opioid Management</i> , 2020 , 16, 103-110	0.8	
5	Does a Prescription-based Comorbidity Index Correlate with the American Society of Anesthesiologists Physical Status Score and Mortality After Joint Arthroplasty? A Registry Study. <i>Clinical Orthopaedics and Related Research</i> , 2021 , 479, 2181-2190	2.2	
4	Responding to the Under-Utilisation of Necessary Health Care in the Time of COVID-19: A Precision Public Health intervention 2021 , 36, 6-10		
3	The association between frailty and medicines use over time: an analysis using the Australian Longitudinal Study on Ageing population. <i>Journal of Pharmacy Practice and Research</i> , 2018 , 48, 405-415	0.7	
2	Evaluation of Renal Function Testing in Older Australian Veterans Dispensed Medicines that Require Renal Function Monitoring. <i>Drugs and Aging</i> , 2021 , 38, 995-1002	4.7	

- 1 The association between exacerbation of chronic obstructive pulmonary disease and timing of paracetamol use: a cohort study in elderly Australians.. *Respiratory Research*, **2022**, 23, 80

73