

Gregory W Randolph, Facs, Face

List of Publications by Citations

Source:

<https://exaly.com/author-pdf/178786/gregory-w-randolph-facs-face-publications-by-citations.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

156
papers

12,857
citations

34
h-index

113
g-index

169
ext. papers

15,733
ext. citations

4
avg, IF

6.18
L-index

#	Paper	IF	Citations
156	2015 American Thyroid Association Management Guidelines for Adult Patients with Thyroid Nodules and Differentiated Thyroid Cancer: The American Thyroid Association Guidelines Task Force on Thyroid Nodules and Differentiated Thyroid Cancer. <i>Thyroid</i> , 2016 , 26, 1-133	6.2	6910
155	Nomenclature Revision for Encapsulated Follicular Variant of Papillary Thyroid Carcinoma: A Paradigm Shift to Reduce Overtreatment of Indolent Tumors. <i>JAMA Oncology</i> , 2016 , 2, 1023-9	13.4	895
154	Electrophysiologic recurrent laryngeal nerve monitoring during thyroid and parathyroid surgery: international standards guideline statement. <i>Laryngoscope</i> , 2011 , 121 Suppl 1, S1-16	3.6	636
153	The prognostic significance of nodal metastases from papillary thyroid carcinoma can be stratified based on the size and number of metastatic lymph nodes, as well as the presence of extranodal extension. <i>Thyroid</i> , 2012 , 22, 1144-52	6.2	499
152	Clinical practice guideline: improving voice outcomes after thyroid surgery. <i>Otolaryngology - Head and Neck Surgery</i> , 2013 , 148, S1-37	5.5	365
151	External branch of the superior laryngeal nerve monitoring during thyroid and parathyroid surgery: International Neural Monitoring Study Group standards guideline statement. <i>Laryngoscope</i> , 2013 , 123 Suppl 4, S1-14	3.6	218
150	The importance of preoperative laryngoscopy in patients undergoing thyroidectomy: voice, vocal cord function, and the preoperative detection of invasive thyroid malignancy. <i>Surgery</i> , 2006 , 139, 357-62 ^{3.6}	3.6	165
149	Performance of a Genomic Sequencing Classifier for the Preoperative Diagnosis of Cytologically Indeterminate Thyroid Nodules. <i>JAMA Surgery</i> , 2018 , 153, 817-824	5.4	151
148	Recurrent laryngeal nerve identification and assessment during thyroid surgery: laryngeal palpation. <i>World Journal of Surgery</i> , 2004 , 28, 755-60	3.3	150
147	Continuous vagal IONM prevents recurrent laryngeal nerve paralysis by revealing initial EMG changes of impending neuropraxic injury: a prospective, multicenter study. <i>Laryngoscope</i> , 2014 , 124, 1498-505	3.6	137
146	Association of Surgeon Volume With Outcomes and Cost Savings Following Thyroidectomy: A National Forecast. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2016 , 142, 32-9	3.9	120
145	An evidence-based review of poorly differentiated thyroid cancer. <i>World Journal of Surgery</i> , 2007 , 31, 934-45	3.3	118
144	International neural monitoring study group guideline 2018 part I: Staging bilateral thyroid surgery with monitoring loss of signal. <i>Laryngoscope</i> , 2018 , 128 Suppl 3, S1-S17	3.6	108
143	Papillary thyroid carcinoma nodal surgery directed by a preoperative radiographic map utilizing CT scan and ultrasound in all primary and reoperative patients. <i>Head and Neck</i> , 2014 , 36, 191-202	4.2	98
142	Noninvasive follicular thyroid neoplasm with papillary-like nuclear features (NIFTP): A changing paradigm in thyroid surgical pathology and implications for thyroid cytopathology. <i>Cancer Cytopathology</i> , 2016 , 124, 616-20	3.9	91
141	Physician experience with an optical image guidance system for sinus surgery. <i>Laryngoscope</i> , 2000 , 110, 972-6	3.6	75
140	International neuromonitoring study group guidelines 2018: Part II: Optimal recurrent laryngeal nerve management for invasive thyroid cancer-incorporation of surgical, laryngeal, and neural electrophysiologic data. <i>Laryngoscope</i> , 2018 , 128 Suppl 3, S18-S27	3.6	74

139	Normative intra-operative electrophysiologic waveform analysis of superior laryngeal nerve external branch and recurrent laryngeal nerve in patients undergoing thyroid surgery. <i>World Journal of Surgery</i> , 2013 , 37, 2336-42	3.3	62
138	Radioactive iodine lobe ablation as an alternative to completion thyroidectomy for follicular carcinoma of the thyroid. <i>Thyroid</i> , 2002 , 12, 989-96	6.2	60
137	Intraoperative electrophysiologic monitoring of the recurrent laryngeal nerve during thyroid and parathyroid surgery: Experience with 1,381 nerves at risk. <i>Laryngoscope</i> , 2017 , 127, 280-286	3.6	58
136	The nonrecurrent laryngeal nerve: anatomic and electrophysiologic algorithm for reliable identification. <i>Laryngoscope</i> , 2015 , 125, 503-8	3.6	56
135	Laryngeal examination in thyroid and parathyroid surgery: An American Head and Neck Society consensus statement: AHNS Consensus Statement. <i>Head and Neck</i> , 2016 , 38, 811-9	4.2	53
134	Electrophysiologic monitoring correlates of recurrent laryngeal nerve heat thermal injury in a porcine model. <i>Laryngoscope</i> , 2015 , 125, E283-90	3.6	47
133	The surgical management of goiter: Part II. Surgical treatment and results. <i>Laryngoscope</i> , 2011 , 121, 68-76	4.7	47
132	International survey on the identification and neural monitoring of the EBSLN during thyroidectomy. <i>Laryngoscope</i> , 2016 , 126, 285-91	3.6	46
131	Pediatric thyroidectomy in a high volume thyroid surgery center: Risk factors for postoperative hypocalcemia. <i>Journal of Pediatric Surgery</i> , 2015 , 50, 1316-9	2.6	42
130	Intraoperative monitoring: normative range associated with normal postoperative glottic function. <i>Laryngoscope</i> , 2013 , 123, 3026-31	3.6	40
129	Indications and extent of central neck dissection for papillary thyroid cancer: An American Head and Neck Society Consensus Statement. <i>Head and Neck</i> , 2017 , 39, 1269-1279	4.2	39
128	Recurrent laryngeal nerve safety parameters of the Harmonic Focus during thyroid surgery: Porcine model using continuous monitoring. <i>Laryngoscope</i> , 2015 , 125, 2838-45	3.6	39
127	The vagus nerve, recurrent laryngeal nerve, and external branch of the superior laryngeal nerve have unique latencies allowing for intraoperative documentation of intact neural function during thyroid surgery. <i>Laryngoscope</i> , 2015 , 125, E84-9	3.6	37
126	Safety of neural monitoring in thyroid surgery. <i>International Journal of Surgery</i> , 2013 , 11 Suppl 1, S120-67.5	3.7	37
125	Comparison of EMG signals recorded by surface electrodes on endotracheal tube and thyroid cartilage during monitored thyroidectomy. <i>Kaohsiung Journal of Medical Sciences</i> , 2017 , 33, 503-509	2.4	37
124	Surgical management of the recurrent laryngeal nerve in thyroidectomy: American Head and Neck Society Consensus Statement. <i>Head and Neck</i> , 2018 , 40, 663-675	4.2	36
123	Does intraoperative nerve monitoring reliably aid in staging of total thyroidectomies?. <i>Laryngoscope</i> , 2015 , 125, 2232-5	3.6	36
122	Electrophysiologic monitoring characteristics of the recurrent laryngeal nerve preoperatively paralyzed or invaded with malignancy. <i>Otolaryngology - Head and Neck Surgery</i> , 2013 , 149, 682-8	5.5	33

121	Prospective validation study of Cernea classification for predicting EMG alterations of the external branch of the superior laryngeal nerve. <i>Surgery Today</i> , 2016 , 46, 785-91	3	31
120	Percutaneous ethanol injection vs reoperation for locally recurrent papillary thyroid cancer: a systematic review and pooled analysis. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2015 , 141, 512-8	3.9	31
119	The surgical management of goiter: Part I. Preoperative evaluation. <i>Laryngoscope</i> , 2011 , 121, 60-7	3.6	31
118	Opportunities and challenges of intermittent and continuous intraoperative neural monitoring in thyroid surgery. <i>Gland Surgery</i> , 2017 , 6, 537-545	2.2	30
117	Anterior laryngeal electrodes for recurrent laryngeal nerve monitoring during thyroid and parathyroid surgery: New expanded options for neural monitoring. <i>Laryngoscope</i> , 2018 , 128, 2910-2915	3.6	29
116	AHNS Series: Do you know your guidelines? AHNS Endocrine Section Consensus Statement: State-of-the-art thyroid surgical recommendations in the era of noninvasive follicular thyroid neoplasm with papillary-like nuclear features. <i>Head and Neck</i> , 2018 , 40, 1881-1888	4.2	29
115	Continuous vagal monitoring value in prevention of vocal cord paralysis following thyroid surgery. <i>Laryngoscope</i> , 2018 , 128, 2429-2432	3.6	28
114	Transcutaneous Recording During Intraoperative Neuromonitoring in Thyroid Surgery. <i>Thyroid</i> , 2018 , 28, 1500-1507	6.2	27
113	Intraoperative neural monitoring in thyroid cancer surgery. <i>Langenbeck's Archives of Surgery</i> , 2014 , 399, 199-207	3.4	27
112	Changes in electromyographic amplitudes but not latencies occur with endotracheal tube malpositioning during intraoperative monitoring for thyroid surgery: Implications for guidelines. <i>Laryngoscope</i> , 2017 , 127, 2182-2188	3.6	27
111	Minimal extrathyroidal extension does not affect survival of well-differentiated thyroid cancer. <i>Endocrine-Related Cancer</i> , 2017 , 24, 221-226	5.7	25
110	Papillary Thyroid Cancer-Aggressive Variants and Impact on Management: A Narrative Review. <i>Advances in Therapy</i> , 2020 , 37, 3112-3128	4.1	25
109	Optical coherence tomography imaging during thyroid and parathyroid surgery: a novel system of tissue identification and differentiation to obviate tissue resection and frozen section. <i>Head and Neck</i> , 2014 , 36, 1329-34	4.2	25
108	Parathyroid cancer: An update. <i>Cancer Treatment Reviews</i> , 2020 , 86, 102012	14.4	24
107	Reversal of rocuronium-induced neuromuscular blockade by sugammadex allows for optimization of neural monitoring of the recurrent laryngeal nerve. <i>Laryngoscope</i> , 2016 , 126, 1014-9	3.6	24
106	Facial nerve electrodiagnostics for patients with facial palsy: a clinical practice guideline. <i>European Archives of Oto-Rhino-Laryngology</i> , 2020 , 277, 1855-1874	3.5	23
105	Optimal stimulation during monitored thyroid surgery: EMG response characteristics in a porcine model. <i>Laryngoscope</i> , 2017 , 127, 998-1005	3.6	23
104	Safety of energy based devices for hemostasis in thyroid surgery. <i>Gland Surgery</i> , 2016 , 5, 490-494	2.2	23

103	Analysis of Variations in the Use of Intraoperative Nerve Monitoring in Thyroid Surgery. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2016 , 142, 584-9	3.9	23
102	AHNS Series: Do you know your guidelines? Optimizing outcomes in reoperative parathyroid surgery: Definitive multidisciplinary joint consensus guidelines of the American Head and Neck Society and the British Association of Endocrine and Thyroid Surgeons. <i>Head and Neck</i> , 2018 , 40, 1617-1629	4.2	22
101	Increased prevalence of neural monitoring during thyroidectomy: Global surgical survey. <i>Laryngoscope</i> , 2020 , 130, 1097-1104	3.6	22
100	Feasibility of Intraoperative Neuromonitoring During Thyroid Surgery Using Transcartilage Surface Recording Electrodes. <i>Thyroid</i> , 2018 , 28, 1508-1516	6.2	22
99	Safety of LigaSure in recurrent laryngeal nerve dissection-porcine model using continuous monitoring. <i>Laryngoscope</i> , 2017 , 127, 1724-1729	3.6	21
98	Outcomes in endocrine cancer surgery are affected by racial, economic, and healthcare system demographics. <i>Laryngoscope</i> , 2016 , 126, 775-81	3.6	21
97	Safety of Continuous Intraoperative Neuromonitoring (C-IONM) in Thyroid Surgery. <i>World Journal of Surgery</i> , 2016 , 40, 768-9	3.3	19
96	RAI thyroid bed uptake after total thyroidectomy: A novel SPECT-CT anatomic classification system. <i>Laryngoscope</i> , 2015 , 125, 2417-24	3.6	19
95	Decision making for the central compartment in differentiated thyroid cancer. <i>European Journal of Surgical Oncology</i> , 2018 , 44, 1671-1678	3.6	17
94	Successful intraoperative electrophysiologic monitoring of the recurrent laryngeal nerve, a multidisciplinary approach: The Massachusetts Eye and Ear Infirmary monitoring collaborative protocol with experience in over 3000 cases. <i>Head and Neck</i> , 2016 , 38, 1487-94	4.2	17
93	Current state of intraoperative use of near infrared fluorescence for parathyroid identification and preservation. <i>Surgery</i> , 2021 , 169, 868-878	3.6	17
92	Mapping the distribution of nodal metastases in papillary thyroid carcinoma: Where exactly are the nodes?. <i>Laryngoscope</i> , 2017 , 127, 1959-1964	3.6	16
91	Posterior cricoarytenoid muscle electrophysiologic changes are predictive of vocal cord paralysis with recurrent laryngeal nerve compressive injury in a canine model. <i>Laryngoscope</i> , 2016 , 126, 2744-2751	3.6	16
90	Respiratory variation predicts optimal endotracheal tube placement for intra-operative nerve monitoring in thyroid and parathyroid surgery. <i>World Journal of Surgery</i> , 2015 , 39, 393-9	3.3	15
89	Upper neck papillary thyroid cancer (UPTC): A new proposed term for the composite of thyroglossal duct cyst-associated papillary thyroid cancer, pyramidal lobe papillary thyroid cancer, and Delphian node papillary thyroid cancer metastasis. <i>Laryngoscope</i> , 2016 , 126, 1709-14	3.6	15
88	Treatment of thyroid cancer: 2007--a basic review. <i>International Journal of Radiation Oncology Biology Physics</i> , 2007 , 69, S92-7	4	14
87	Vocal cord paralysis predicted by neural monitoring electrophysiologic changes with recurrent laryngeal nerve compressive neuropraxic injury in a canine model. <i>Head and Neck</i> , 2016 , 38 Suppl 1, E1341-50	4.2	14
86	Revision neural monitored surgery for recurrent thyroid cancer: Safety and thyroglobulin response. <i>Laryngoscope</i> , 2016 , 126, 1020-5	3.6	14

85	The Presence of Hürthle Cells Does Not Increase the Risk of Malignancy in Most Bethesda Categories in Thyroid Fine-Needle Aspirates. <i>Thyroid</i> , 2020 , 30, 425-431	6.2	13
84	Outcomes in thyroid surgery are affected by racial, economic, and healthcare system demographics. <i>Laryngoscope</i> , 2016 , 126, 2194-9	3.6	13
83	Staged Surgery for Advanced Thyroid Cancers: Safety and Oncologic Outcomes of Neural Monitored Surgery. <i>Otolaryngology - Head and Neck Surgery</i> , 2017 , 156, 816-821	5.5	12
82	Somatosensory evoked potential: Preventing brachial plexus injury in transaxillary robotic surgery. <i>Laryngoscope</i> , 2019 , 129, 2663-2668	3.6	12
81	Evidence-Based Medicine in Otolaryngology Part 7: Introduction to Shared Decision Making. <i>Otolaryngology - Head and Neck Surgery</i> , 2018 , 158, 586-593	5.5	12
80	Gastric acid secretion and gastrin release during continuous vagal neuromonitoring in thyroid surgery. <i>Langenbeck's Archives of Surgery</i> , 2017 , 402, 265-272	3.4	11
79	A novel thyroid cancer nodal map classification system to facilitate nodal localization and surgical management: The A to D map. <i>Laryngoscope</i> , 2017 , 127, 2429-2436	3.6	11
78	In-Office Ultrasonographic Evaluation of Neck Masses/Thyroid Nodules. <i>Otolaryngologic Clinics of North America</i> , 2019 , 52, 559-575	2	11
77	Monitoring of the posterior cricoarytenoid muscle represents another option for neural monitoring during thyroid surgery: Normative vagal and recurrent laryngeal nerve posterior cricoarytenoid muscle electromyographic data. <i>Laryngoscope</i> , 2018 , 128, 283-289	3.6	11
76	Selective parathyroid venous sampling in primary hyperparathyroidism: A systematic review and meta-analysis. <i>Laryngoscope</i> , 2018 , 128, 2662-2667	3.6	11
75	Is Less More? A Microsimulation Model Comparing Cost-effectiveness of the Revised American Thyroid Association's 2015 to 2009 Guidelines for the Management of Patients With Thyroid Nodules and Differentiated Thyroid Cancer. <i>Annals of Surgery</i> , 2020 , 271, 765-773	7.8	11
74	Intraoperative neural monitoring in thyroid surgery: lessons learned from animal studies. <i>Gland Surgery</i> , 2016 , 5, 473-480	2.2	11
73	Evidence-Based Medicine in Otolaryngology, Part 6: Patient-Reported Outcomes in Clinical Practice. <i>Otolaryngology - Head and Neck Surgery</i> , 2018 , 158, 8-15	5.5	10
72	A Novel Method of Neuromonitoring in Thyroidectomy and Parathyroidectomy Using Transcutaneous Intraoperative Vagal Stimulation. <i>JAMA Surgery</i> , 2016 , 151, 290-2	5.4	10
71	Evidence-Based Medicine in Otolaryngology, Part 5: Patient Decision Aids. <i>Otolaryngology - Head and Neck Surgery</i> , 2015 , 153, 357-63	5.5	10
70	Parathyroid 4D CT: What the Surgeon Wants to Know. <i>Radiographics</i> , 2020 , 40, 1383-1394	5.4	10
69	Update of Radiofrequency Ablation for Treating Benign and Malignant Thyroid Nodules. The Future Is Now. <i>Frontiers in Endocrinology</i> , 2021 , 12, 698689	5.7	10
68	Intra-Operative Neural Monitoring of Thyroid Surgery in a Porcine Model. <i>Journal of Visualized Experiments</i> , 2019 ,	1.6	9

67	Thyroidectomy in the professional singer-neural monitored surgical outcomes. <i>Thyroid</i> , 2015 , 25, 665-716.2	9
66	Radiofrequency ablation and related ultrasound-guided ablation technologies for treatment of benign and malignant thyroid disease: An international multidisciplinary consensus statement of the American Head and Neck Society Endocrine Surgery Section with the Asia Pacific Society of Thyroid Surgery, Associazione Medici Endocrinologi, British Association of Endocrine and Thyroid Surgeons, and the European Thyroid Association. <i>Thyroid</i> , 2019 , 29, 105-119	4.2 9
65	Conventional Thyroidectomy in the Treatment of Primary Thyroid Cancer. <i>Endocrinology and Society Metabolism Clinics of North America</i> , 2019 , 48, 125-141	5.5 8
64	Modern surgery for advanced thyroid cancer: a tailored approach. <i>Gland Surgery</i> , 2020 , 9, S105-S119	2.2 8
63	Electrophysiological identification of nonrecurrent laryngeal nerves. <i>Laryngoscope</i> , 2017 , 127, 2189-2193.6	8
62	Management of the Neck in Well-Differentiated Thyroid Cancer. <i>Current Oncology Reports</i> , 2020 , 23, 1	6.3 8
61	African Head and Neck Society Clinical Practice guidelines for thyroid nodules and cancer in developing countries and limited resource settings. <i>Head and Neck</i> , 2020 , 42, 1746-1756	4.2 7
60	Site-Specific Metastasis and Survival in Papillary Thyroid Cancer: The Importance of Brain and Multi-Organ Disease. <i>Cancers</i> , 2021 , 13,	6.6 7
59	American Association of Clinical Endocrinology And Associazione Medici Endocrinologi Thyroid Nodule Algorithmic Tool. <i>Endocrine Practice</i> , 2021 , 27, 649-660	3.2 7
58	Safety and reliability of a handheld stimulator for neural monitoring during thyroid surgery. <i>Laryngoscope</i> , 2020 , 130, 561-565	3.6 7
57	Limitations of preoperative cytology for medullary thyroid cancer: Proposal for improved preoperative diagnosis for optimal initial medullary thyroid carcinoma specific surgery. <i>Head and Neck</i> , 2021 , 43, 920-927	4.2 7
56	Immediate Intraoperative Repair of the Recurrent Laryngeal Nerve in Thyroid Surgery. <i>Laryngoscope</i> , 2021 , 131, 1429-1435	3.6 7
55	Superior Laryngeal Nerve Signal Attenuation Influences Voice Outcomes in Thyroid Surgery. <i>Laryngoscope</i> , 2021 , 131, 1436-1442	3.6 7
54	In response to Reversal of rocuronium-induced neuromuscular blockade by sugammadex allows for optimization of neural monitoring of the recurrent laryngeal nerve. <i>Laryngoscope</i> , 2017 , 127, E51-E52	3.6 6
53	Effect of energy-based devices on voice quality after total thyroidectomy. <i>European Archives of Oto-Rhino-Laryngology</i> , 2017 , 274, 2295-2302	3.5 6
52	Neuromonitored Thyroid Surgery: Optimal Stimulation Based on Intraoperative EMG Response Features. <i>Laryngoscope</i> , 2020 , 130, E970-E975	3.6 6
51	Safety of high-current stimulation for intermittent intraoperative neural monitoring in thyroid surgery: A porcine model. <i>Laryngoscope</i> , 2018 , 128, 2206-2212	3.6 6
50	Evidence-Based Medicine in Otolaryngology, Part 8: Shared Decision Making-Impact, Incentives, and Instruments. <i>Otolaryngology - Head and Neck Surgery</i> , 2018 , 159, 11-16	5.5 6

49	Varied Recurrent Laryngeal Nerve Course Is Associated with Increased Risk of Nerve Dysfunction During Thyroidectomy: Results of the Surgical Anatomy of the Recurrent Laryngeal Nerve in Thyroid Surgery Study, an International Multicenter Prospective Anatomic and Electrophysiologic Study of 1000 Monitored Nerves at Risk from the International Neural Monitoring Study Group. <i>Modern thyroidectomy and the tailored surgical approach. JAMA Otolaryngology - Head and Neck Surgery</i> , 2013 , 139, 517-8	6.2	6
48	Deciphering the Risk of Developing Second Primary Thyroid Cancer Following a Primary Malignancy-Who Is at the Greatest Risk?. <i>Cancers</i> , 2021 , 13,	3.9	5
47	Training Courses in Laryngeal Nerve Monitoring in Thyroid and Parathyroid Surgery- The INMSG Consensus Statement. <i>Frontiers in Endocrinology</i> , 2021 , 12, 705346	6.6	5
46	Evidence-Based Medicine in Otolaryngology Part XII: Assessing Patient Preferences. <i>Otolaryngology - Head and Neck Surgery</i> , 2021 , 164, 473-481	5.7	5
45	Risk and survival of patients with medullary thyroid cancer: National perspective. <i>Oral Oncology</i> , 2018 , 83, 59-63	5.5	5
44	Case for staged thyroidectomy. <i>Head and Neck</i> , 2020 , 42, 3061-3071	4.4	5
43	Precision Neuromuscular Block Management for Neural Monitoring During Thyroid Surgery. <i>Journal of Investigative Surgery</i> , 2021 , 34, 1389-1396	4.2	4
42	Atrophy of the tongue following complete versus partial hypoglossal nerve transection in a canine model. <i>Laryngoscope</i> , 2016 , 126, 2689-2693	1.2	4
41	Surgical management of the compromised recurrent laryngeal nerve in thyroid cancer. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , 2019 , 33, 101282	3.6	4
40	Laryngeal Reinnervation Using a Split-Hypoglossal Nerve Graft in a Canine Model. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2015 , 141, 620-7	6.5	3
39	Preoperative Imaging for Thyroid Cancer: Beyond Ultrasonography. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2016 , 142, 515-6	3.9	3
38	Immediate and partial neural dysfunction after thyroid and parathyroid surgery: Need for recognition, laryngeal exam, and early treatment. <i>Head and Neck</i> , 2020 , 42, 3779-3794	3.9	3
37	Consensus statement by the American Association of Clinical Endocrinology (AACE) and the American Head and Neck Society Endocrine Surgery Section (AHNS-ES) on Pediatric Benign and Malignant Thyroid Surgery. <i>Head and Neck</i> , 2021 , 43, 1027-1042	4.2	3
36	Arguments for and against attempting to perform a true total thyroidectomy for differentiated thyroid cancer. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2014 , 140, 415-6	4.2	3
35	Tracheal and Cricotracheal Resection With End-to-End Anastomosis for Locally Advanced Thyroid Cancer: A Systematic Review of the Literature on 656 Patients. <i>Frontiers in Endocrinology</i> , 2021 , 12, 779999	3.9	2
34	What Is the Role of Radiofrequency Ablation for Benign Thyroid Nodules?. <i>Laryngoscope</i> , 2021 , 132, 1	5.7	2
33	Consensus Statement by the American Association of Clinical Endocrinology (AACE) and the American Head and Neck Society Endocrine Surgery Section (AHNS) on Pediatric Benign and Malignant Thyroid Surgery. <i>Endocrine Practice</i> , 2021 , 27, 174-184	3.6	2
32		3.2	2

31	Current therapeutic options for low-risk papillary thyroid carcinoma: A scoping evidence review. <i>Head and Neck</i> , 2021 ,	4.2	2
30	Primary hyperparathyroidism: Disease of diverse genetic, symptomatic, and biochemical phenotypes. <i>Head and Neck</i> , 2021 , 43, 3996-4009	4.2	2
29	American Head and Neck Society Endocrine Surgery Section and International Thyroid Oncology Group consensus statement on mutational testing in thyroid cancer: Defining advanced thyroid cancer and its targeted treatment.. <i>Head and Neck</i> , 2022 ,	4.2	2
28	Pediatric Thyroid Cancer-Are My Kids at Increased Risk?. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2019 , 145, 624-625	3.9	1
27	In Response to letter to the editor regarding International Neuromonitoring Study Group Guidelines 2018: Part II: Optimal Recurrent Laryngeal Nerve Management for Invasive Thyroid Cancer-Incorporation of Surgical, Laryngeal, and Neural Electrophysiologic Data. <i>Laryngoscope</i> , 2019 , 129, E306	3.6	1
26	United States-based global otolaryngology surgery: A call to more horizontal sustainable efforts. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2019 , 40, 404-408	2.8	1
25	Cost-effectiveness of fiberoptic laryngoscopy prior to total thyroidectomy for low-risk thyroid cancer patients. <i>Head and Neck</i> , 2020 , 42, 2593-2601	4.2	1
24	An enlarging neck mass. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2014 , 140, 175-6	3.9	1
23	The American Thyroid Association (ATA) integrates molecular testing into its framework for managing patients with anaplastic thyroid carcinoma (ATC): Update on the 2021 ATA ATC guidelines. <i>Cancer Cytopathology</i> , 2021 ,	3.9	1
22	Cost-effectiveness of routine calcitonin screening and fine-needle aspiration biopsy in preoperative diagnosis of medullary thyroid Cancer in the United States. <i>Oral Oncology</i> , 2020 , 110, 104878	4.4	1
21	Perioperative pain management and opioid-reduction in head and neck endocrine surgery: An American Head and Neck Society Endocrine Surgery Section consensus statement. <i>Head and Neck</i> , 2021 , 43, 2281-2294	4.2	1
20	Impact of international classification of diseases, 10th revision, on head and neck surgery. <i>Laryngoscope</i> , 2020 , 130, 398-404	3.6	1
19	Pathologic Features Associated With Molecular Subtypes of Well-Differentiated Thyroid Cancer. <i>Endocrine Practice</i> , 2021 , 27, 206-211	3.2	1
18	Evidence-Based Medicine in Otolaryngology, Part XI: Modeling and Analysis to Support Decisions. <i>Otolaryngology - Head and Neck Surgery</i> , 2021 , 164, 462-472	5.5	1
17	Hirtle Cell Carcinoma of the Thyroid Gland: Systematic Review and Meta-analysis. <i>Advances in Therapy</i> , 2021 , 38, 5144-5164	4.1	1
16	Pediatric intraoperative nerve monitoring during thyroid surgery: A review from the American Head and Neck Society Endocrine Surgery Section and the International Neural Monitoring Study Group.. <i>Head and Neck</i> , 2022 ,	4.2	1
15	Informed Consent for Intraoperative Neural Monitoring in Thyroid and Parathyroid Surgery - Consensus Statement of the International Neural Monitoring Study Group.. <i>Frontiers in Endocrinology</i> , 2021 , 12, 795281	5.7	1
14	Outcomes in Pediatric Thyroidectomy: Results From a Multinational, Multi-institutional Database.. <i>Otolaryngology - Head and Neck Surgery</i> , 2022 , 1945998221076065	5.5	0

13	In-Practice Endocrine Surgery Fellowship: A Novel Training Model. <i>Otolaryngology - Head and Neck Surgery</i> , 2021 , 164, 1166-1171	5.5	o
12	American Association of Clinical Endocrinology And Associazione Medici Endocrinologi Thyroid Nodule Algorithmic Tool.. <i>Endocrine, Metabolic and Immune Disorders - Drug Targets</i> , 2021 , 21, 2104-2115 ^{2.2}	5.2	o
11	Optimal Monitoring Technology for Pediatric Thyroidectomy. <i>Cancers</i> , 2022 , 14, 2586	6.6	o
10	Identifying Intraoperative Nerve Monitoring in Thyroid Surgery Using Administrative Databases-Reply. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2017 , 143, 428	3.9	
9	Re: "Routine Preoperative Laryngoscopy for Thyroid Surgery Is Not Necessary Without Risk Factors" by Maher (Thyroid 2019;29:1646-1652. DOI: 10.1089/thy.2019.0145). <i>Thyroid</i> , 2020 , 30, 785-786 ^{6.2}	6.2	
8	The Recurrent Laryngeal Nerve 2012 , 117-127		
7	Surgical Management of Benign Thyroid Disease 2010 , 77-86		
6	One institution's experience with self-audit of opioid prescribing practices for common cervical procedures. <i>Head and Neck</i> , 2021 , 43, 2385-2394	4.2	
5	Benign Intratracheal Thyroid: A Systematic Review of 43 Cases With Five New Case Reports. <i>Laryngoscope</i> , 2021 , 131, E2609-E2617	3.6	
4	Occlusion of the internal jugular vein in differentiated thyroid carcinoma: Causes and diagnosis. <i>European Journal of Surgical Oncology</i> , 2021 , 47, 1552-1557	3.6	
3	A Gossypiboma From Kazakhstan. <i>Ear, Nose and Throat Journal</i> , 2020 , 99, 117-118	1	
2	Cost-effectiveness of computed tomography nodal scan in patients with papillary thyroid carcinoma. <i>Oral Oncology</i> , 2021 , 118, 105326	4.4	
1	Comparison of Monopolar and Bipolar Stimulator Probes for Intraoperative Nerve Mapping During Thyroidectomy: A Prospective Study. <i>Laryngoscope</i> , 2021 , 131, E2718-E2726	3.6	