

Abdul B Abou-Samra

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1789665/abdul-b-abou-samra-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

79
papers

2,837
citations

31
h-index

52
g-index

83
ext. papers

3,171
ext. citations

4.8
avg. IF

5.22
L-index

#	Paper	IF	Citations
79	SARS-CoV-2 vaccine effectiveness in preventing confirmed infection in pregnant women. <i>Journal of Clinical Investigation</i> , 2021 , 131,	15.9	13
78	Regulation of circulating CTRP-2/CTRP-9 and GDF-8/GDF-15 by intralipids and insulin in healthy control and polycystic ovary syndrome women following chronic exercise training. <i>Lipids in Health and Disease</i> , 2021 , 20, 34	4.4	1
77	Novel Method in Performing PTH Washout for Localizing Parathyroid Adenoma: Case Report & an Institute Experience in Qatar. <i>Journal of the Endocrine Society</i> , 2021 , 5, A265-A266	0.4	78
76	Metabolomic Profiling of Pregnancies With Polycystic Ovary Syndrome Identifies a Unique Metabolic Signature and Potential Predictive Biomarkers of Low Birth Weight. <i>Frontiers in Endocrinology</i> , 2021 , 12, 638727	5.7	2
75	Prediabetes and older age increase the risk of post-transplantation diabetes mellitus: Qatar experience. <i>Clinical Transplantation</i> , 2020 , 34, e13892	3.8	1
74	Kinome Profiling Reveals Abnormal Activity of Kinases in Skeletal Muscle From Adults With Obesity and Insulin Resistance. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	1
73	Effect of intensive lifestyle intervention on bodyweight and glycaemia in early type 2 diabetes (DIADEM-I): an open-label, parallel-group, randomised controlled trial. <i>Lancet Diabetes and Endocrinology</i> , 2020 , 8, 477-489	18.1	62
72	The metabolic footprint of compromised insulin sensitivity under fasting and hyperinsulinemic-euglycemic clamp conditions in an Arab population. <i>Scientific Reports</i> , 2020 , 10, 17164	4.9	0
71	Metabolic profiling of pre-gestational and gestational diabetes mellitus identifies novel predictors of pre-term delivery. <i>Journal of Translational Medicine</i> , 2020 , 18, 366	8.5	6
70	DNAJB3 attenuates metabolic stress and promotes glucose uptake by eliciting Glut4 translocation. <i>Scientific Reports</i> , 2019 , 9, 4772	4.9	7
69	Direct-Acting Antiviral Therapy for HCV Infection Is Associated With a Reduced Risk of Cardiovascular Disease Events. <i>Gastroenterology</i> , 2019 , 156, 987-996.e8	13.3	66
68	Measurement of 1,5-anhydroglucitol in blood and saliva: from non-targeted metabolomics to biochemical assay. <i>Journal of Translational Medicine</i> , 2016 , 14, 140	8.5	17
67	Macrophages inhibit insulin signalling in adipocytes: role of inducible nitric oxide synthase and nitric oxide. <i>Canadian Journal of Diabetes</i> , 2015 , 39, 36-43	2.1	8
66	Beneficial Effects of Implementing Stroke Protocols Require Establishment of a Geographically Distinct Unit. <i>Stroke</i> , 2015 , 46, 3494-501	6.7	18
65	A lipasin/Angptl8 monoclonal antibody lowers mouse serum triglycerides involving increased postprandial activity of the cardiac lipoprotein lipase. <i>Scientific Reports</i> , 2015 , 5, 18502	4.9	57
64	Elevated circulating lipasin/betatrophin in human type 2 diabetes and obesity. <i>Scientific Reports</i> , 2014 , 4, 5013	4.9	148
63	Increased interaction with insulin receptor substrate 1, a novel abnormality in insulin resistance and type 2 diabetes. <i>Diabetes</i> , 2014 , 63, 1933-47	0.9	39

62	A dual role of lipasin (betatrophin) in lipid metabolism and glucose homeostasis: consensus and controversy. <i>Cardiovascular Diabetology</i> , 2014 , 13, 133	8.7	72
61	Lipasin, thermoregulated in brown fat, is a novel but atypical member of the angiotensin-like protein family. <i>Biochemical and Biophysical Research Communications</i> , 2013 , 430, 1126-31	3.4	99
60	Ahsg-fetuin blocks the metabolic arm of insulin action through its interaction with the 95-kD β subunit of the insulin receptor. <i>Cellular Signalling</i> , 2013 , 25, 981-8	4.9	30
59	Emerging roles of Lipasin as a critical lipid regulator. <i>Biochemical and Biophysical Research Communications</i> , 2013 , 432, 401-5	3.4	96
58	MKP1-dependent PTH modulation of bone matrix mineralization in female mice is osteoblast maturation stage specific and involves P-ERK and P-p38 MAPKs. <i>Journal of Endocrinology</i> , 2013 , 216, 315-29	4.7	15
57	Critical role of parathyroid hormone (PTH) receptor-1 phosphorylation in regulating acute responses to PTH. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, 5864-9	11.5	53
56	Altered Responses to Cold Environment in Urocortin 1 and Corticotropin-Releasing Factor Deficient Mice. <i>Physiology Journal</i> , 2013 , 2013, 1-7		2
55	Disruption of parathyroid hormone and parathyroid hormone-related peptide receptor phosphorylation prolongs ERK1/2 MAPK activation and enhances c-fos expression. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2012 , 302, E1363-72	6	3
54	Parathyroid hormone induces bone formation in phosphorylation-deficient PTHR1 knockin mice. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2012 , 302, E1183-8	6	10
53	GnRH increases glucose transporter-1 expression and stimulates glucose uptake in the gonadotroph. <i>Journal of Endocrinology</i> , 2012 , 212, 139-47	4.7	9
52	Nrac, a novel nutritionally-regulated adipose and cardiac-enriched gene. <i>PLoS ONE</i> , 2012 , 7, e46254	3.7	5
51	Effects of 3T3 adipocytes on interleukin-6 expression and insulin signaling in L6 skeletal muscle cells. <i>Biochemical and Biophysical Research Communications</i> , 2011 , 410, 13-8	3.4	15
50	Low urine calcium excretion in African American patients with primary hyperparathyroidism. <i>Endocrine Practice</i> , 2011 , 17, 867-72	3.2	8
49	Glucose control and lipid metabolism in African American patients with type 2 diabetes mellitus and chronic hepatitis C viral infection. <i>Endocrine Practice</i> , 2011 , 17, 363-8	3.2	4
48	The "thrifty" gene encoding Ahsg/Fetuin-A meets the insulin receptor: Insights into the mechanism of insulin resistance. <i>Cellular Signalling</i> , 2011 , 23, 980-90	4.9	61
47	Mitogen-activated protein kinase phosphatase 1 regulates bone mass, osteoblast gene expression, and responsiveness to parathyroid hormone. <i>Journal of Endocrinology</i> , 2011 , 211, 145-56	4.7	23
46	Relationship of vitamin D and parathyroid hormone with obesity and body composition in African Americans. <i>Clinical Endocrinology</i> , 2010 , 72, 595-603	3.4	44
45	Role of PTH1R internalization in osteoblasts and bone mass using a phosphorylation-deficient knock-in mouse model. <i>Journal of Endocrinology</i> , 2010 , 207, 355-65	4.7	18

44	Distinct roles for mitogen-activated protein kinase phosphatase-1 (MKP-1) and ERK-MAPK in PTH1R signaling during osteoblast proliferation and differentiation. <i>Cellular Signalling</i> , 2010 , 22, 457-66	4.9	45
43	Decreased mineralization and lack of cyclin D1 response to Parathyroid Hormone Related Peptide (PTHrP) in primary osteoblasts isolated from MKP-1 knock out mice. <i>FASEB Journal</i> , 2010 , 24, 858.1	0.9	
42	NHERF1 regulates parathyroid hormone receptor desensitization: interference with beta-arrestin binding. <i>Molecular Pharmacology</i> , 2009 , 75, 1189-97	4.3	60
41	PTH and PTHrP signaling in osteoblasts. <i>Cellular Signalling</i> , 2009 , 21, 1245-54	4.9	233
40	Eliminating phosphorylation sites of the parathyroid hormone receptor type 1 differentially affects stimulation of phospholipase C and receptor internalization. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2008 , 295, E665-71	6	11
39	Residue 17 of sauvagine cross-links to the first transmembrane domain of corticotropin-releasing factor receptor 1 (CRFR1). <i>Journal of Biological Chemistry</i> , 2008 , 283, 35644-51	5.4	12
38	Negative regulation of parathyroid hormone (PTH)-activated phospholipase C by PTH/PTH-related peptide receptor phosphorylation and protein kinase A. <i>Endocrinology</i> , 2008 , 149, 4016-23	4.8	12
37	Impaired adaptation to repeated restraint and decreased response to cold in urocortin 1 knockout mice. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2007 , 293, E259-63	6	33
36	Alix (AIP1) is a vasopressin receptor (V2R)-interacting protein that increases lysosomal degradation of the V2R. <i>American Journal of Physiology - Renal Physiology</i> , 2007 , 292, F1303-13	4.3	18
35	Impact of impaired receptor internalization on calcium homeostasis in knock-in mice expressing a phosphorylation-deficient parathyroid hormone (PTH)/PTH-related peptide receptor. <i>Endocrinology</i> , 2006 , 147, 4674-9	4.8	22
34	Important role for the V-type H(+)-ATPase and the Golgi apparatus in the recycling of PTH/PTHrP receptor. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2004 , 286, E704-10	6	26
33	Protein kinase C regulates alpha(2A/D)-adrenoceptor constitutive activity. <i>Pharmacology</i> , 2004 , 71, 80-90.	0.3	4
32	Involvement of thyrotropin-releasing hormone receptor, somatostatin receptor subtype 2 and corticotropin-releasing hormone receptor type 1 in the control of chicken thyrotropin secretion. <i>Molecular and Cellular Endocrinology</i> , 2003 , 203, 33-9	4.4	30
31	Activation-independent parathyroid hormone receptor internalization is regulated by NHERF1 (EBP50). <i>Journal of Biological Chemistry</i> , 2003 , 278, 43787-96	5.4	140
30	Sauvagine cross-links to the second extracellular loop of the corticotropin-releasing factor type 1 receptor. <i>Journal of Biological Chemistry</i> , 2002 , 277, 32558-61	5.4	31
29	Phosphorylation of the receptor for PTH and PTHrP is required for internalization and regulates receptor signaling. <i>Molecular Endocrinology</i> , 2002 , 16, 1-13		65
28	Characterization of three corticotropin-releasing factor receptors in catfish: a novel third receptor is predominantly expressed in pituitary and urophysis. <i>Endocrinology</i> , 2001 , 142, 446-54	4.8	120
27	An oxidation resistant radioligand for corticotropin-releasing factor receptors. <i>Peptides</i> , 2001 , 22, 1055-61	6.8	5

26	Juxtamembrane region of the amino terminus of the corticotropin releasing factor receptor type 1 is important for ligand interaction. <i>Biochemistry</i> , 2001 , 40, 1187-95	3.2	34
25	N-glycosylation of CRF receptor type 1 is important for its ligand-specific interaction. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2001 , 281, E1015-21	6	25
24	Parathyroid hormone receptor internalization is independent of protein kinase A and phospholipase C activation. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2001 , 281, E545-57	6	10
23	The transcription factors SP1 and MAZ regulate expression of the parathyroid hormone/parathyroid hormone-related peptide receptor gene. <i>Journal of Molecular Endocrinology</i> , 2000 , 25, 309-19	4.5	18
22	Role of asparagine-linked oligosaccharides in the function of the rat PTH/PTHrP receptor. <i>Biochemistry</i> , 2000 , 39, 6514-20	3.2	31
21	Characterization of an element within the rat parathyroid hormone/parathyroid hormone-related peptide receptor gene promoter that enhances expression in osteoblastic osteosarcoma 17/2.8 cells. <i>Biochemical and Biophysical Research Communications</i> , 1999 , 258, 336-40	3.4	10
20	Agonist-dependent phosphorylation of the parathyroid hormone/parathyroid hormone-related peptide receptor. <i>Biochemistry</i> , 1998 , 37, 6240-6	3.2	38
19	Epitope tag mapping of the extracellular and cytoplasmic domains of the rat parathyroid hormone (PTH)/PTH-related peptide receptor. <i>Endocrinology</i> , 1998 , 139, 4563-7	4.8	7
18	Parathyroid Hormone and Its Receptors. <i>Advances in Organ Biology</i> , 1998 , 5, 161-185		
17	Mutations in the second cytoplasmic loop of the rat parathyroid hormone (PTH)/PTH-related protein receptor result in selective loss of PTH-stimulated phospholipase C activity. <i>Journal of Biological Chemistry</i> , 1997 , 272, 6882-9	5.4	103
16	Tissue-specific transcription start sites and alternative splicing of the parathyroid hormone (PTH)/PTH-related peptide (PTHrP) receptor gene: a new PTH/PTHrP receptor splice variant that lacks the signal peptide. <i>Endocrinology</i> , 1997 , 138, 1742-9	4.8	75
15	Truncation of the carboxyl-terminal region of the rat parathyroid hormone (PTH)/PTH-related peptide receptor enhances PTH stimulation of adenylyl cyclase but not phospholipase C. <i>Journal of Biological Chemistry</i> , 1995 , 270, 8458-65	5.4	82
14	The alternatively spliced type II corticotropin-releasing factor receptor, stably expressed in LLCPK-1 cells, is not well coupled to the G protein(s). <i>Biochemical and Biophysical Research Communications</i> , 1995 , 212, 1015-21	3.4	38
13	Structure-function studies with recombinant PTH/PTHrP receptors. <i>Journal of Bone and Mineral Metabolism</i> , 1994 , 12, S169-S174	2.9	1
12	Expression pattern of parathyroid hormone/parathyroid hormone related peptide receptor mRNA in mouse postimplantation embryos indicates involvement in multiple developmental processes. <i>Mechanisms of Development</i> , 1994 , 47, 29-42	1.7	73
11	Chromosomal localization of the parathyroid hormone/parathyroid hormone-related protein receptor gene to human chromosome 3p21.1-p24.2. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1994 , 79, 1046-1048	5.6	26
10	In situ localization of PTH/PTHrP receptor mRNA in the bone of fetal and young rats. <i>Bone</i> , 1993 , 14, 341-5	4.7	93
9	Parathyroid hormone-related peptide as an endogenous inducer of parietal endoderm differentiation. <i>Journal of Cell Biology</i> , 1993 , 120, 235-43	7.3	89

8	Solubilization of functional receptors for parathyroid hormone and parathyroid hormone-related peptide from clonal rat osteosarcoma cells, ROS17/2.8. <i>Calcified Tissue International</i> , 1992 , 51, 382-6	3.9	5
7	Preparation and characterization of [N alpha-(4-azido-2-nitrophenyl)Ala ¹ ,Tyr ³⁶]-parathyroid hormone related peptide (1-36)amide: a high-affinity, partial agonist having high cross-linking efficiency with its receptor on ROS 17/2.8 cells. <i>Biochemistry</i> , 1990 , 29, 6941-6	3.2	10
6	Properties of amino-terminal parathyroid hormone-related peptides modified at positions 11-13. <i>Peptides</i> , 1990 , 11, 1139-42	3.8	4
5	Tissue-Specific Transcription Start Sites and Alternative Splicing of the Parathyroid Hormone (PTH)/PTH-Related Peptide (PTHrP) Receptor Gene: A New PTH/PTHrP Receptor Splice Variant that Lacks the Signal Peptide		19
4	Epitope Tag Mapping of the Extracellular and Cytoplasmic Domains of the Rat Parathyroid Hormone (PTH)/PTH-Related Peptide Receptor*This work was supported by the NIDDK, NIH (Grant DK-117942 ¹).		16
3	Characterization of Three Corticotropin-Releasing Factor Receptors in Catfish: A Novel Third Receptor Is Predominantly Expressed in Pituitary and Urophysis*The nucleotide sequences reported in this paper have been submitted to the GenBank database with accession numbers F025-D1, AF222250, F025-D2, AF222250, and F025-D3, AF222251. This work was supported by		50
2	Phosphorylation of the Receptor for PTH and PTHrP Is Required for Internalization and Regulates Receptor Signaling		18
1	Evidence for and level of herd immunity against SARS-CoV-2 infection: the ten-community study		10