

Gianluigi Forloni

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/178997/publications.pdf>

Version: 2024-02-01

409
papers

20,140
citations

10650

74
h-index

21843

118
g-index

443
all docs

443
docs citations

443
times ranked

25899
citing authors

#	ARTICLE	IF	CITATIONS
1	Identifying the Common Genetic Basis of Antidepressant Response. <i>Biological Psychiatry Global Open Science</i> , 2022, 2, 115-126.	1.0	31
2	A meta-analysis of polygenic risk scores for mood disorders, neuroticism, and schizophrenia in antidepressant response. <i>European Neuropsychopharmacology</i> , 2022, 55, 86-95.	0.3	19
3	Social withdrawal as a trans-diagnostic predictor of short-term remission: a meta-analysis of five clinical cohorts. <i>International Clinical Psychopharmacology</i> , 2022, 37, 38-45.	0.9	9
4	Metabolizing status of CYP2C19 in response and side effects to medications for depression: Results from a naturalistic study. <i>European Neuropsychopharmacology</i> , 2022, 56, 100-111.	0.3	5
5	Polygenic risk scores for neuropsychiatric, inflammatory, and cardio-metabolic traits highlight possible genetic overlap with suicide attempt and treatment-emergent suicidal ideation. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2022, 189, 74-85.	1.1	8
6	The development of ADAM10 endocytosis inhibitors for the treatment of Alzheimer's disease. <i>Molecular Therapy</i> , 2022, 30, 2474-2490.	3.7	15
7	Quantitative MRI Harmonization to Maximize Clinical Impact: The RIN-Neuroimaging Network. <i>Frontiers in Neurology</i> , 2022, 13, 855125.	1.1	16
8	Induced pluripotent stem cell-based organ-on-a-chip as personalized drug screening tools: A focus on neurodegenerative disorders. <i>Journal of Tissue Engineering</i> , 2022, 13, 204173142210953.	2.3	14
9	Preventive pharmacological treatment in subjects at risk for fatal familial insomnia: science and public engagement. <i>Prion</i> , 2022, 16, 66-77.	0.9	3
10	Peripheral inflammation exacerbates α -synuclein toxicity and neuropathology in Parkinson's models. <i>Neuropathology and Applied Neurobiology</i> , 2021, 47, 43-60.	1.8	53
11	Drug repositioning for treatment-resistant depression: Hypotheses from a pharmacogenomic study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021, 104, 110050.	2.5	21
12	Intranasal delivery of mesenchymal stem cell secretome repairs the brain of Alzheimer's mice. <i>Cell Death and Differentiation</i> , 2021, 28, 203-218.	5.0	63
13	Cost-effectiveness of genetic and clinical predictors for choosing combined psychotherapy and pharmacotherapy in major depression. <i>Journal of Affective Disorders</i> , 2021, 279, 722-729.	2.0	7
14	Higher polygenic risk scores for schizophrenia may be suggestive of treatment non-response in major depressive disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021, 108, 110170.	2.5	36
15	Functionalized nanogel for treating activated astrocytes in spinal cord injury. <i>Journal of Controlled Release</i> , 2021, 330, 218-228.	4.8	25
16	Inflammation and Parkinson's disease pathogenesis: Mechanisms and therapeutic insight. <i>Progress in Molecular Biology and Translational Science</i> , 2021, 177, 175-202.	0.9	21
17	Defective cyclophilin A induces TDP-43 proteinopathy: implications for amyotrophic lateral sclerosis and frontotemporal dementia. <i>Brain</i> , 2021, 144, 3710-3726.	3.7	13
18	Gene Expression Imputation Across Multiple Tissue Types Provides Insight Into the Genetic Architecture of Frontotemporal Dementia and Its Clinical Subtypes. <i>Biological Psychiatry</i> , 2021, 89, 825-835.	0.7	10

#	ARTICLE	IF	CITATIONS
19	Genome-wide association identifies the first risk loci for psychosis in Alzheimer disease. <i>Molecular Psychiatry</i> , 2021, 26, 5797-5811.	4.1	30
20	Convergent and Discriminant Validity of Default Mode Network and Limbic Network Perfusion in Amnesic Mild Cognitive Impairment Patients. <i>Journal of Alzheimer's Disease</i> , 2021, 82, 1797-1808.	1.2	4
21	Plasmatic Hippuric Acid as a Hallmark of Frailty in an Italian Cohort: The Mediation Effect of Fruit and Vegetable Intake. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021, 76, 2081-2089.	1.7	12
22	Research Domain Criteria (RDoC): A Perspective to Probe the Biological Background behind Treatment Efficacy in Depression. <i>Current Medicinal Chemistry</i> , 2021, 28, 4296-4320.	1.2	1
23	Hippuric acid: Could become a barometer for frailty and geriatric syndromes?. <i>Ageing Research Reviews</i> , 2021, 72, 101466.	5.0	30
24	Deletion of calcineurin from astrocytes reproduces proteome signature of Alzheimer's disease and epilepsy and predisposes to seizures. <i>Cell Calcium</i> , 2021, 100, 102480.	1.1	6
25	A Conformation Variant of p53 Combined with Machine Learning Identifies Alzheimer Disease in Preclinical and Prodromal Stages. <i>Journal of Personalized Medicine</i> , 2021, 11, 14.	1.1	19
26	Repositioning doxycycline for treating Parkinson's disease: Evidence from a preclinical mouse model. <i>Alzheimer's and Dementia</i> , 2021, 17, e056160.	0.4	0
27	Smoking and the risk of dementia in the oldest old: The Monzino 80+ study. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.4	0
28	Alcohol consumption and the risk of dementia in the oldest old: The Monzino 80+ study. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.4	0
29	Flavonoid-Derived Human Phenylacetyl Valerolactone Metabolites Selectively Detoxify Amyloid β Oligomers and Prevent Memory Impairment in a Mouse Model of Alzheimer's Disease. <i>Molecular Nutrition and Food Research</i> , 2020, 64, e1900890.	1.5	24
30	Selective Modulation of A1 Astrocytes by Drug-Loaded Nano-Structured Gel in Spinal Cord Injury. <i>ACS Nano</i> , 2020, 14, 360-371.	7.3	94
31	Neuroprotective Effects of Doxycycline in the R6/2 Mouse Model of Huntington's Disease. <i>Molecular Neurobiology</i> , 2020, 57, 1889-1903.	1.9	38
32	CSF cutoffs for MCI due to AD depend on APOE ϵ 4 carrier status. <i>Neurobiology of Aging</i> , 2020, 89, 55-62.	1.5	11
33	P.179 Polygenic risk scores for multiple psychiatric, inflammatory and cardio-metabolic traits highlight possible genetic overlap with suicide attempt. <i>European Neuropsychopharmacology</i> , 2020, 40, S105-S106.	0.3	0
34	Chronic BACE-1 Inhibitor Administration in TASTPM Mice (APP KM670/671NL and PSEN1 M146V Mutation): An EEG Study. <i>International Journal of Molecular Sciences</i> , 2020, 21, 9072.	1.8	1
35	Alzheimer's disease: from basic science to precision medicine approach. <i>BMJ Neurology Open</i> , 2020, 2, e000079.	0.7	19
36	Mendelian randomization implies no direct causal association between leukocyte telomere length and amyotrophic lateral sclerosis. <i>Scientific Reports</i> , 2020, 10, 12184.	1.6	4

#	ARTICLE	IF	CITATIONS
37	3D brain tissue physiological model with co-cultured primary neurons and glial cells in hydrogels. <i>Journal of Tissue Engineering</i> , 2020, 11, 204173142096398.	2.3	14
38	Ongoing electroencephalographic rhythms related to exploratory movements in transgenic TASTPM mice. <i>Alzheimer's and Dementia</i> , 2020, 16, e039729.	0.4	0
39	Peripheral inflammation influences α -synuclein toxicity and neuropathology in Parkinson's disease models. <i>Alzheimer's and Dementia</i> , 2020, 16, e043358.	0.4	2
40	Anemia and the risk of dementia in the oldest-old: The Monzino 80+ population-based study. <i>Alzheimer's and Dementia</i> , 2020, 16, e044445.	0.4	0
41	Red cell distribution width (RDW) and the risk of dementia in the oldest-old: The Monzino 80+ population-based study. <i>Alzheimer's and Dementia</i> , 2020, 16, e044453.	0.4	0
42	Lifetime brain structural trajectories in TAUPS2APP mouse model of Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2020, 16, e045523.	0.4	0
43	Front Cover: Flavonoid-Derived Human Phenylacetylvalerolactone Metabolites Selectively Detoxify Amyloid β Oligomers and Prevent Memory Impairment in a Mouse Model of Alzheimer's Disease. <i>Molecular Nutrition and Food Research</i> , 2020, 64, 2070011.	1.5	1
44	A polygenic predictor of treatment-resistant depression using whole exome sequencing and genome-wide genotyping. <i>Translational Psychiatry</i> , 2020, 10, 50.	2.4	33
45	COVID-19 mortality in Lombardy: the vulnerability of the oldest old and the resilience of male centenarians. <i>Aging</i> , 2020, 12, 15186-15195.	1.4	46
46	Ongoing Electroencephalographic Rhythms Related to Exploratory Movements in Transgenic TASTPM Mice. <i>Journal of Alzheimer's Disease</i> , 2020, 78, 291-308.	1.2	2
47	Predicting and Tracking Short Term Disease Progression in Amnesic Mild Cognitive Impairment Patients with Prodromal Alzheimer's Disease: Structural Brain Biomarkers. <i>Journal of Alzheimer's Disease</i> , 2019, 69, 3-14.	1.2	18
48	Longitudinal Molecular Magnetic Resonance Imaging of Endothelial Activation after Severe Traumatic Brain Injury. <i>Journal of Clinical Medicine</i> , 2019, 8, 1134.	1.0	5
49	Doxycycline for Alzheimer's Disease: Fighting β -Amyloid Oligomers and Neuroinflammation. <i>Frontiers in Pharmacology</i> , 2019, 10, 738.	1.6	58
50	Genetic variation across RNA metabolism and cell death gene networks is implicated in the semantic variant of primary progressive aphasia. <i>Scientific Reports</i> , 2019, 9, 10854.	1.6	9
51	miR-146a and miR-181a are involved in the progression of mild cognitive impairment to Alzheimer's disease. <i>Neurobiology of Aging</i> , 2019, 82, 102-109.	1.5	76
52	Hydrogel-based delivery of Tat-fused protein Hsp70 protects dopaminergic cells in vitro and in a mouse model of Parkinson's disease. <i>NPG Asia Materials</i> , 2019, 11, .	3.8	28
53	Biophysical and in Vivo Studies Identify a New Natural-Based Polyphenol, Counteracting $A\beta$ Oligomerization in Vitro and $A\beta$ Oligomer-Mediated Memory Impairment and Neuroinflammation in an Acute Mouse Model of Alzheimer's Disease. <i>ACS Chemical Neuroscience</i> , 2019, 10, 4462-4475.	1.7	23
54	Neuroinflammation and the Gut Microbiota: Possible Alternative Therapeutic Targets to Counteract Alzheimer's Disease?. <i>Frontiers in Aging Neuroscience</i> , 2019, 11, 284.	1.7	95

#	ARTICLE	IF	CITATIONS
55	M67 PSYCHIATRIC DISORDERS AND SLC6A4 GENE VARIANTS: POSSIBLE MODULATION OF ALCOHOL DEPENDENCE AND ALZHEIMER'S DISEASE. <i>European Neuropsychopharmacology</i> , 2019, 29, S202-S203.	0.3	0
56	Alzheimer's Disease and Neurotransmission Gene Variants: Focus on Their Effects on Psychiatric Comorbidities and Inflammatory Parameters. <i>Neuropsychobiology</i> , 2019, 78, 79-85.	0.9	9
57	Clinical trials of prion disease therapeutics. <i>Current Opinion in Pharmacology</i> , 2019, 44, 53-60.	1.7	21
58	Stem cell paracrine effect and delivery strategies for spinal cord injury regeneration. <i>Journal of Controlled Release</i> , 2019, 300, 141-153.	4.8	56
59	Biomarker Matrix to Track Short Term Disease Progression in Amnesic Mild Cognitive Impairment Patients with Prodromal Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2019, 69, 49-58.	1.2	8
60	Nanovector-Mediated Drug Delivery in Spinal Cord Injury: A Multitarget Approach. <i>ACS Chemical Neuroscience</i> , 2019, 10, 1173-1182.	1.7	20
61	Plasma A β 242 as a Biomarker of Prodromal Alzheimer's Disease Progression in Patients with Amnesic Mild Cognitive Impairment: Evidence from the PharmaCog/E-ADNI Study. <i>Journal of Alzheimer's Disease</i> , 2019, 69, 37-48.	1.2	23
62	Corrected QT Interval Prolongation in Psychopharmacological Treatment and Its Modulation by Genetic Variation. <i>Neuropsychobiology</i> , 2019, 77, 67-72.	0.9	13
63	Cellular prion protein neither binds to alpha-synuclein oligomers nor mediates their detrimental effects. <i>Brain</i> , 2019, 142, 249-254.	3.7	38
64	Two-Year Longitudinal Monitoring of Amnesic Mild Cognitive Impairment Patients with Prodromal Alzheimer's Disease Using Topographical Biomarkers Derived from Functional Magnetic Resonance Imaging and Electroencephalographic Activity. <i>Journal of Alzheimer's Disease</i> , 2019, 69, 15-35.	1.2	34
65	Plasma and Brain Concentrations of Doxycycline after Single and Repeated Doses in Wild-Type and APP23 Mice. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2019, 368, 32-40.	1.3	46
66	Review: PrP ^{Sc} 25 years after. <i>Neuropathology and Applied Neurobiology</i> , 2019, 45, 430-440.	1.8	19
67	Identification of evolutionarily conserved gene networks mediating neurodegenerative dementia. <i>Nature Medicine</i> , 2019, 25, 152-164.	15.2	111
68	Exploring Alzheimer's disease mouse brain through X-ray phase contrast tomography: From the cell to the organ. <i>NeuroImage</i> , 2019, 184, 490-495.	2.1	56
69	Alpha-synuclein oligomers impair memory through glial cell activation and via Toll-like receptor 2. <i>Brain, Behavior, and Immunity</i> , 2018, 69, 591-602.	2.0	55
70	CXCR4 involvement in neurodegenerative diseases. <i>Translational Psychiatry</i> , 2018, 8, 73.	2.4	66
71	A Rational Structured Epitope Defines a Distinct Subclass of Toxic Amyloid-beta Oligomers. <i>ACS Chemical Neuroscience</i> , 2018, 9, 1591-1606.	1.7	21
72	Mesenchymal stem cells encapsulated into biomimetic hydrogel scaffold gradually release CCL2 chemokine in situ preserving cytoarchitecture and promoting functional recovery in spinal cord injury. <i>Journal of Controlled Release</i> , 2018, 278, 49-56.	4.8	80

#	ARTICLE	IF	CITATIONS
73	Novel targets in Alzheimer's disease: A special focus on microglia. <i>Pharmacological Research</i> , 2018, 130, 402-413.	3.1	46
74	Alzheimer's Disease, Oligomers, and Inflammation. <i>Journal of Alzheimer's Disease</i> , 2018, 62, 1261-1276.	1.2	141
75	Pleiotropic genes in psychiatry: Calcium channels and the stress-related FKBP5 gene in antidepressant resistance. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2018, 81, 203-210.	2.5	31
76	Genetic Variants Within Molecular Targets of Antipsychotic Treatment: Effects on Treatment Response, Schizophrenia Risk, and Psychopathological Features. <i>Journal of Molecular Neuroscience</i> , 2018, 64, 62-74.	1.1	3
77	Antibody-functionalized polymer nanoparticle leading to memory recovery in Alzheimer's disease-like transgenic mouse model. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , 2018, 14, 609-618.	1.7	109
78	Single severe traumatic brain injury produces progressive pathology with ongoing contralateral white matter damage one year after injury. <i>Experimental Neurology</i> , 2018, 300, 167-178.	2.0	86
79	P2 ⁺ : MRI ANALYSIS BY CHEMICAL EXCHANGE SATURATION TRANSFER SHOWS LOW CEREBRAL 2-DEOXY-D-GLUCOSE UPTAKE IN A MODEL OF ALZHEIMER'S DISEASE. <i>Alzheimer's and Dementia</i> , 2018, 14, P703.	0.4	0
80	Asymptomatic Carriers of Presenilin-1 E318G Variant Show no Cerebrospinal Fluid Biochemical Signs Suggestive of Alzheimer's disease in a Family with Late-onset Dementia. <i>Current Alzheimer Research</i> , 2018, 16, 1-7.	0.7	4
81	The serotonin transporter and the activity regulated cytoskeleton-associated protein genes in antidepressant response and resistance: <i>5-HTTLPR</i> and other variants. <i>Human Psychopharmacology</i> , 2018, 33, e2682.	0.7	7
82	A C6orf10/LOC101929163 locus is associated with age of onset in C9orf72 carriers. <i>Brain</i> , 2018, 141, 2895-2907.	3.7	39
83	Exome sequencing in an Italian family with Alzheimer's disease points to a role for seizure-related gene 6 (SEZ6) rare variant R615H. <i>Alzheimer's Research and Therapy</i> , 2018, 10, 106.	3.0	15
84	Chemical exchange saturation transfer MRI shows low cerebral 2-deoxy-D-glucose uptake in a model of Alzheimer's Disease. <i>Scientific Reports</i> , 2018, 8, 9576.	1.6	33
85	Doxycycline counteracts neuroinflammation restoring memory in Alzheimer's disease mouse models. <i>Neurobiology of Aging</i> , 2018, 70, 128-139.	1.5	52
86	Immune-related genetic enrichment in frontotemporal dementia: An analysis of genome-wide association studies. <i>PLoS Medicine</i> , 2018, 15, e1002487.	3.9	111
87	Ongoing Electroencephalographic Activity Associated with Cortical Arousal in Transgenic PDAPP Mice (hAPP V717F). <i>Current Alzheimer Research</i> , 2018, 15, 259-272.	0.7	8
88	Joint meeting: 54th Congress of the Italian Association of Neuropathology and Clinical Neurobiology (AINPeNC) / 44th Congress of the Italian Association for Cerebral Aging Research (AIRIC), Milan, Italy, May 17-19, 2018. <i>Journal of Alzheimer's Disease</i> , 2018, 37, 112-145.		1
89	Genetic architecture of sporadic frontotemporal dementia and overlap with Alzheimer's and Parkinson's diseases. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2017, 88, 152-164.	0.9	107
90	Toll-like receptor 4-dependent glial cell activation mediates the impairment in memory establishment induced by A β -amyloid oligomers in an acute mouse model of Alzheimer's disease. <i>Brain, Behavior, and Immunity</i> , 2017, 60, 188-197.	2.0	123

#	ARTICLE	IF	CITATIONS
91	Neuroplasticity and second messenger pathways in antidepressant efficacy: pharmacogenetic results from a prospective trial investigating treatment resistance. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2017, 267, 723-735.	1.8	21
92	Association between CSF biomarkers, hippocampal volume and cognitive function in patients with amnesic mild cognitive impairment (MCI). <i>Neurobiology of Aging</i> , 2017, 53, 1-10.	1.5	59
93	Multifunctional liposomes delay phenotype progression and prevent memory impairment in a presymptomatic stage mouse model of Alzheimer disease. <i>Journal of Controlled Release</i> , 2017, 258, 121-129.	4.8	40
94	Electrocardiogram Alterations Associated With Psychotropic Drug Use and CACNA1C Gene Variants in Three Independent Samples. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2017, 120, 482-490.	1.2	10
95	Genetic Variants Within Key Nodes of the Cascade of Antipsychotic Mechanisms: Effects on Antipsychotic Response and Schizophrenia Psychopathology in a Naturalistic Treatment Setting in Two Independent Korean and Italian Samples. <i>Advances in Therapy</i> , 2017, 34, 1482-1497.	1.3	3
96	Applicability of [¹¹ C]PIB micro-PET imaging for in vivo follow-up of anti-amyloid treatment effects in APP23 mouse model. <i>Neurobiology of Aging</i> , 2017, 57, 84-94.	1.5	17
97	Detection of prion seeding activity in the olfactory mucosa of patients with Fatal Familial Insomnia. <i>Scientific Reports</i> , 2017, 7, 46269.	1.6	41
98	Secretome released from hydrogel-embedded adipose mesenchymal stem cells protects against the Parkinson's disease related toxin 6-hydroxydopamine. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2017, 121, 113-120.	2.0	50
99	Susceptible genes and disease mechanisms identified in frontotemporal dementia and frontotemporal dementia with Amyotrophic Lateral Sclerosis by DNA-methylation and GWAS. <i>Scientific Reports</i> , 2017, 7, 8899.	1.6	30
100	Current Options for Cell Therapy in Spinal Cord Injury. <i>Trends in Molecular Medicine</i> , 2017, 23, 831-849.	3.5	141
101	Retro-inverso peptide inhibitor nanoparticles as potent inhibitors of aggregation of the Alzheimer's A β peptide. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , 2017, 13, 723-732.	1.7	47
102	On-going electroencephalographic rhythms related to cortical arousal in wild-type mice: the effect of aging. <i>Neurobiology of Aging</i> , 2017, 49, 20-30.	1.5	11
103	[P3 ²¹⁴]: ADFLAG [®] , A DIAGNOSTIC BLOOD TEST FOR PREDEMENTIA STAGES OF ALZHEIMER'S DISEASE. <i>Alzheimer's and Dementia</i> , 2017, 13, P1019.	0.4	0
104	[P4 ¹⁵⁷]: CSF BIOMARKERS AND EFFECT OF APOLIPOPROTEIN E GENOTYPE, AGE AND SEX ON CUT-OFF DERIVATION IN MILD COGNITIVE IMPAIRMENT. <i>Alzheimer's and Dementia</i> , 2017, 13, P1319.	0.4	4
105	[O2 ¹⁵⁰⁵]: ALPHA-SYNUCLEIN OLIGOMERS INDUCE MEMORY IMPAIRMENT INFLUENCED BY RAPID GLIAL CELL ACTIVATION. <i>Alzheimer's and Dementia</i> , 2017, 13, P595.	0.4	0
106	The Anti-Prion Antibody 15B3 Detects Toxic Amyloid- β Oligomers. <i>Journal of Alzheimer's Disease</i> , 2016, 53, 1485-1497.	1.2	12
107	Frontotemporal Lobar Degeneration and MicroRNAs. <i>Frontiers in Aging Neuroscience</i> , 2016, 8, 17.	1.7	22
108	Oligomeropathies and pathogenesis of Alzheimer and Parkinson's diseases. <i>Movement Disorders</i> , 2016, 31, 771-781.	2.2	88

#	ARTICLE	IF	CITATIONS
127	The Prevalence of Mild Cognitive Impairment in Diverse Geographical and Ethnocultural Regions: The COSMIC Collaboration. PLoS ONE, 2015, 10, e0142388.	1.1	225
128	Striatum and entorhinal cortex atrophy in AD mouse models: MRI comprehensive analysis. Neurobiology of Aging, 2015, 36, 776-788.	1.5	25
129	Genetics of psychotropic medication induced side effects in two independent samples of bipolar patients. Journal of Neural Transmission, 2015, 122, 43-58.	1.4	14
130	Influence of socio-demographic features and apolipoprotein E epsilon 4 expression on the prevalence of dementia and cognitive impairment in a population of 70-74-year olds: The InveCe.Ab study. Archives of Gerontology and Geriatrics, 2015, 60, 334-343.	1.4	25
131	The Parkinson's Disease-Related Protein DJ-1 Protects Dopaminergic Neurons in vivo and Cultured Cells from Alpha-Synuclein and 6-Hydroxydopamine Toxicity. Neurodegenerative Diseases, 2015, 15, 13-23.	0.8	32
132	Transgenic Fatal Familial Insomnia Mice Indicate Prion Infectivity-Independent Mechanisms of Pathogenesis and Phenotypic Expression of Disease. PLoS Pathogens, 2015, 11, e1004796.	2.1	61
133	Preventive study in subjects at risk of fatal familial insomnia: Innovative approach to rare diseases. Prion, 2015, 9, 75-79.	0.9	54
134	Neuronal cell adhesion genes and antidepressant response in three independent samples. Pharmacogenomics Journal, 2015, 15, 538-548.	0.9	34
135	The Continuing Failure of Bexarotene in Alzheimer's Disease Mice. Journal of Alzheimer's Disease, 2015, 46, 471-482.	1.2	28
136	On-Going Frontal Alpha Rhythms Are Dominant in Passive State and Desynchronize in Active State in Adult Gray Mouse Lemurs. PLoS ONE, 2015, 10, e0143719.	1.1	5
137	The SIRT1 promoter polymorphic site rs12778366 increases IL-6 related human mortality in the prospective study "Treviso Longeva (TRELONG)". International Journal of Molecular Epidemiology and Genetics, 2015, 6, 20-6.	0.4	4
138	Melatonin and the Charlson Comorbidity Index (CCI): The Treviso Longeva (Trelong) Study. International Journal of Biological Markers, 2014, 29, 253-260.	0.7	7
139	Environmental Enrichment Lessens Cognitive Decline in APP23 Mice Without Affecting Brain Sirtuin Expression. Journal of Alzheimer's Disease, 2014, 42, 851-864.	1.2	30
140	Multifunctional Liposomes Reduce Brain β -Amyloid Burden and Ameliorate Memory Impairment in Alzheimer's Disease Mouse Models. Journal of Neuroscience, 2014, 34, 14022-14031.	1.7	141
141	Stress Impairs Synaptic Plasticity in Triple-Transgenic Alzheimer's Disease Mice: Rescue by Ryanodine. Neurodegenerative Diseases, 2014, 13, 135-138.	0.8	15
142	Modulation of human longevity by SIRT3 single nucleotide polymorphisms in the prospective study "Treviso Longeva (TRELONG)". Age, 2014, 36, 469-478.	3.0	63
143	Synthesis and evaluation of a ^{18}F -curcumin derivate for β -amyloid plaque imaging. Bioorganic and Medicinal Chemistry, 2014, 22, 2753-2762.	1.4	32
144	Doxycycline in Creutzfeldt-Jakob disease: a phase 2, randomised, double-blind, placebo-controlled trial. Lancet Neurology, The, 2014, 13, 150-158.	4.9	157

#	ARTICLE	IF	CITATIONS
145	In vivo PET imaging of beta-amyloid deposition in mouse models of Alzheimer's disease with a high specific activity PET imaging agent [18F]flutemetamol. <i>EJNMMI Research</i> , 2014, 4, 37.	1.1	22
146	Nanovector-mediated drug delivery for spinal cord injury treatment. <i>Wiley Interdisciplinary Reviews: Nanomedicine and Nanobiotechnology</i> , 2014, 6, 506-515.	3.3	24
147	Frontotemporal dementia and its subtypes: a genome-wide association study. <i>Lancet Neurology</i> , The, 2014, 13, 686-699.	4.9	302
148	Polymeric nanoparticle system to target activated microglia/macrophages in spinal cord injury. <i>Journal of Controlled Release</i> , 2014, 174, 15-26.	4.8	100
149	P1-274: MAGNETIC RESONANCE IMAGING AND ALZHEIMER'S DISEASE: A LONGITUDINAL STUDY OF STRUCTURAL CHANGES IN DIFFERENT TRANSGENIC MODELS. , 2014, 10, P410-P410.		0
150	P1-278: METABOLIC ALTERATION IN ALZHEIMER'S DISEASE: A LONGITUDINAL STUDY WITH MAGNETIC RESONANCE SPECTROSCOPY IN DIFFERENT TRANSGENIC MODELS. , 2014, 10, P411-P411.		0
151	In Vivo Application of beta Amyloid Oligomers: A Simple Tool to Evaluate Mechanisms of Action and New Therapeutic Approaches. <i>Current Pharmaceutical Design</i> , 2014, 20, 2491-2505.	0.9	53
152	The neurodegeneration in Alzheimer disease and the prion protein. <i>Prion</i> , 2013, 7, 60-65.	0.9	12
153	Body mass index, lifestyles, physical performance and cognitive decline: The "Treviso Longeva (Trelong)" study. <i>Journal of Nutrition, Health and Aging</i> , 2013, 17, 378-384.	1.5	57
154	Association between Sirtuin 2 gene rs10410544 polymorphism and depression in Alzheimer's disease in two independent European samples. <i>Journal of Neural Transmission</i> , 2013, 120, 1709-1715.	1.4	30
155	A new paradigm for testing AD drugs " neuroimaging biomarkers as surrogate outcomes homologous in animals and humans. <i>Drug Discovery Today: Therapeutic Strategies</i> , 2013, 10, e63-e71.	0.5	0
156	Selective Nanovector Mediated Treatment of Activated Proinflammatory Microglia/Macrophages in Spinal Cord Injury. <i>ACS Nano</i> , 2013, 7, 9881-9895.	7.3	136
157	Brain aging and dementia during the transition from late adulthood to old age: design and methodology of the "Invece.Ab" population-based study. <i>BMC Geriatrics</i> , 2013, 13, 98.	1.1	39
158	Systematic Analysis of Injectable Materials and 3D Rapid Prototyped Magnetic Scaffolds: From CNS Applications to Soft and Hard Tissue Repair/Regeneration. <i>Procedia Engineering</i> , 2013, 59, 233-239.	1.2	60
159	Tunable hydrogel Nanoparticles release system for sustained combination therapies in the spinal cord. <i>Colloids and Surfaces B: Biointerfaces</i> , 2013, 108, 169-177.	2.5	38
160	Current options for drug delivery to the spinal cord. <i>Expert Opinion on Drug Delivery</i> , 2013, 10, 385-396.	2.4	61
161	Pharmacogenomics in Alzheimer's disease: a genome-wide association study of response to cholinesterase inhibitors. <i>Neurobiology of Aging</i> , 2013, 34, 1711.e7-1711.e13.	1.5	43
162	Effects of pharmacological agents, sleep deprivation, hypoxia and transcranial magnetic stimulation on electroencephalographic rhythms in rodents: Towards translational challenge models for drug discovery in Alzheimer's disease. <i>Clinical Neurophysiology</i> , 2013, 124, 437-451.	0.7	21

#	ARTICLE	IF	CITATIONS
163	The <i>SIRT2</i> polymorphism rs10410544 and risk of Alzheimer's disease in two Caucasian case-control cohorts. <i>Alzheimer's and Dementia</i> , 2013, 9, 392-399.	0.4	40
164	A New Face for Old Antibiotics: Tetracyclines in Treatment of Amyloidoses. <i>Journal of Medicinal Chemistry</i> , 2013, 56, 5987-6006.	2.9	76
165	Impact of 5-HTTLPR Polymorphism on Alexithymia in Alcoholic Patients After Detoxification Treatment. <i>Journal of Addiction Medicine</i> , 2013, 7, 372-373.	1.4	4
166	Longitudinal Amyloid Imaging in Mouse Brain with ¹¹ C-PIB: Comparison of APP23, Tg2576, and APP ^{swe} -PS1 ^{dE9} Mouse Models of Alzheimer Disease. <i>Journal of Nuclear Medicine</i> , 2013, 54, 1434-1441.	2.8	71
167	An N-terminal Fragment of the Prion Protein Binds to Amyloid- β^2 Oligomers and Inhibits Their Neurotoxicity in Vivo. <i>Journal of Biological Chemistry</i> , 2013, 288, 7857-7866.	1.6	162
168	Development and Analysis of Semi-Interpenetrating Polymer Networks for Brain Injection in Neurodegenerative Disorders. <i>International Journal of Artificial Organs</i> , 2013, 36, 762-774.	0.7	10
169	C9ORF72 Hexanucleotide Repeat Number in Frontotemporal Lobar Degeneration: A Genotype-Phenotype Correlation Study. <i>Journal of Alzheimer's Disease</i> , 2013, 38, 799-808.	1.2	43
170	Hydrogel-Based Nanocomposites and Mesenchymal Stem Cells: A Promising Synergistic Strategy for Neurodegenerative Disorders Therapy. <i>Scientific World Journal</i> , The, 2013, 2013, 1-9.	0.8	25
171	Therapy in Prion Diseases. <i>Current Topics in Medicinal Chemistry</i> , 2013, 13, 2465-2476.	1.0	41
172	Effects of SORL1 Gene on Alzheimer's Disease. Focus on Gender, Neuropsychiatric Symptoms and Pro-Inflammatory Cytokines. <i>Current Alzheimer Research</i> , 2013, 10, 154-164.	0.7	12
173	Synergism Between Resveratrol and Crocin for Protection of Human Neuroblastoma SHSY-5Y Cells against Oxidative Stress. <i>Planta Medica</i> , 2013, 79, .	0.7	0
174	Association of SORL1 Alleles with Late-Onset Alzheimer's Disease. Findings from the GIGAS_LOAD Study and Mega-Analysis. <i>Current Alzheimer Research</i> , 2012, 9, 491-499.	0.7	13
175	Sporadic human prion diseases: molecular insights and diagnosis. <i>Lancet Neurology</i> , The, 2012, 11, 618-628.	4.9	319
176	Responsible nanotechnology development. <i>Journal of Nanoparticle Research</i> , 2012, 14, 1.	0.8	24
177	Body Mass Index, Cognition, Disability, APOE Genotype, and Mortality: The ϵ Treviso Longeva Study. <i>American Journal of Geriatric Psychiatry</i> , 2012, 20, 594-602.	0.6	23
178	Mutant PrP Suppresses Glutamatergic Neurotransmission in Cerebellar Granule Neurons by Impairing Membrane Delivery of VGCC $\beta_2\gamma_1$ Subunit. <i>Neuron</i> , 2012, 74, 300-313.	3.8	64
179	Sustained Delivery of Chondroitinase ABC from Hydrogel System. <i>Journal of Functional Biomaterials</i> , 2012, 3, 199-208.	1.8	16
180	Neuroprotective Effects of Toll-Like Receptor 4 Antagonism in Spinal Cord Cultures and in a Mouse Model of Motor Neuron Degeneration. <i>Molecular Medicine</i> , 2012, 18, 971-981.	1.9	66

#	ARTICLE	IF	CITATIONS
181	Replication Study to Confirm the Role of CYP2D6 Polymorphism rs1080985 on Donepezil Efficacy in Alzheimer's Disease Patients. <i>Journal of Alzheimer's Disease</i> , 2012, 30, 745-749.	1.2	35
182	Interleukin-1 β , interleukin-1 β and tumor necrosis factor- β genetic variants and risk of dementia in the very old: evidence from the "Monzino 80-plus" prospective study. <i>Age</i> , 2012, 34, 519-526.	3.0	6
183	Multiple drug delivery hydrogel system for spinal cord injury repair strategies. <i>Journal of Controlled Release</i> , 2012, 159, 271-280.	4.8	84
184	Longitudinal Tracking of Human Fetal Cells Labeled with Super Paramagnetic Iron Oxide Nanoparticles in the Brain of Mice with Motor Neuron Disease. <i>PLoS ONE</i> , 2012, 7, e32326.	1.1	28
185	The Toxicity of a Mutant Prion Protein Is Cell-Autonomous, and Can Be Suppressed by Wild-Type Prion Protein on Adjacent Cells. <i>PLoS ONE</i> , 2012, 7, e33472.	1.1	13
186	Pyrrroloquinoxaline hydrazones as fluorescent probes for amyloid fibrils. <i>Organic and Biomolecular Chemistry</i> , 2011, 9, 5137.	1.5	44
187	Hydrogels in Spinal Cord Injury Repair Strategies. <i>ACS Chemical Neuroscience</i> , 2011, 2, 336-345.	1.7	142
188	An APOE Haplotype Associated with Decreased β 4 Expression Increases the Risk of Late Onset Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2011, 24, 235-245.	1.2	58
189	Insulin-like growth factor 1 receptor polymorphism rs2229765 and circulating interleukin-6 level affect male longevity in a population-based prospective study (Treviso Longeva \sim TRELONG). <i>Aging Male</i> , 2011, 14, 257-264.	0.9	14
190	Macroautophagy and the proteasome are differently involved in the degradation of alpha-synuclein wild type and mutated A30P in an in vitro inducible model (PC12/TetOn). <i>Neuroscience</i> , 2011, 195, 128-137.	1.1	26
191	Tetracycline prevents A β oligomer toxicity through an atypical supramolecular interaction. <i>Organic and Biomolecular Chemistry</i> , 2011, 9, 463-472.	1.5	52
192	A Novel Study and Meta-Analysis of the Genetic Variation of the Serotonin Transporter Promoter in the Italian Population Do Not Support a Large Effect on Alzheimer's Disease Risk. <i>International Journal of Alzheimer's Disease</i> , 2011, 2011, 1-7.	1.1	5
193	Nanocomposites for Neurodegenerative Diseases: Hydrogel-Nanoparticle Combinations for a Challenging Drug Delivery. <i>International Journal of Artificial Organs</i> , 2011, 34, 1115-1127.	0.7	52
194	Differential effects of the isomers of fenfluramine and norfenfluramine on rat striatal acetylcholine content. <i>Journal of Pharmacy and Pharmacology</i> , 2011, 31, 706-706.	1.2	8
195	Comparison of the effects of the stereoisomers of fenfluramine on the acetylcholine content of rat striatum, hippocampus and nucleus accumbens. <i>Journal of Pharmacy and Pharmacology</i> , 2011, 32, 201-203.	1.2	16
196	The β -Secretase Modulator CHF5074 Restores Memory and Hippocampal Synaptic Plasticity in Plaque-Free Tg2576 Mice. <i>Journal of Alzheimer's Disease</i> , 2011, 24, 799-816.	1.2	53
197	JNK Plays a Key Role in Tau Hyperphosphorylation in Alzheimer's Disease Models. <i>Journal of Alzheimer's Disease</i> , 2011, 26, 315-329.	1.2	108
198	Disease Tracking Markers for Alzheimer's Disease at the Prodromal (MCI) Stage. <i>Journal of Alzheimer's Disease</i> , 2011, 26, 159-199.	1.2	120

#	ARTICLE	IF	CITATIONS
199	Functionalization of liposomes with ApoE-derived peptides at different density affects cellular uptake and drug transport across a blood-brain barrier model. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , 2011, 7, 551-559.	1.7	149
200	In situ agarose carbomer hydrogel polycondensation: A chemical approach to regenerative medicine. <i>Materials Letters</i> , 2011, 65, 1688-1692.	1.3	21
201	APP Transgenic Mice: Their Use and Limitations. <i>NeuroMolecular Medicine</i> , 2011, 13, 117-137.	1.8	69
202	Rosuvastatin and Thapsigargin Modulate β -Secretase Gene Expression and APP Processing in a Human Neuroglioma Model. <i>Journal of Molecular Neuroscience</i> , 2011, 43, 461-469.	1.1	6
203	Nephrin expression in adult rodent central nervous system and its interaction with glutamate receptors. <i>Journal of Pathology</i> , 2011, 225, 118-128.	2.1	30
204	Factors related to disability: Evidence from the "Treviso Longeva (TRELONG) Study". <i>Archives of Gerontology and Geriatrics</i> , 2011, 52, 309-316.	1.4	17
205	c-Jun N-terminal Kinase Regulates Soluble $A\beta$ Oligomers and Cognitive Impairment in AD Mouse Model. <i>Journal of Biological Chemistry</i> , 2011, 286, 43871-43880.	1.6	74
206	β -amyloid oligomers and prion protein. <i>Prion</i> , 2011, 5, 10-15.	0.9	22
207	<i>TMEM106B</i> regulates progranulin levels and the penetrance of FTL in <i>GRN</i> mutation carriers. <i>Neurology</i> , 2011, 76, 467-474.	1.5	211
208	Expression of Mutant or Cytosolic PrP in Transgenic Mice and Cells Is Not Associated with Endoplasmic Reticulum Stress or Proteasome Dysfunction. <i>PLoS ONE</i> , 2011, 6, e19339.	1.1	32
209	Vitamin B12 Levels in Alzheimer's Disease: Association with Clinical Features and Cytokine Production. <i>Journal of Alzheimer's Disease</i> , 2010, 19, 481-488.	1.2	39
210	Failure to Replicate an Association of rs5984894 SNP in the PCDH11X Gene in a Collection of 1,222 Alzheimer's Disease Affected Patients. <i>Journal of Alzheimer's Disease</i> , 2010, 21, 385-388.	1.2	11
211	Neuroprotective properties of resveratrol in different neurodegenerative disorders. <i>BioFactors</i> , 2010, 36, 370-376.	2.6	153
212	APOE epsilon4 allele and cytokine production in Alzheimer's disease. <i>International Journal of Geriatric Psychiatry</i> , 2010, 25, 338-344.	1.3	33
213	Role of Glycogen Synthase Kinase-3 β in APP Hyperphosphorylation Induced by NMDA Stimulation in Cortical Neurons. <i>Pharmaceuticals</i> , 2010, 3, 42-58.	1.7	6
214	Cell Type-Specific Neuroprotective Activity of Untranslocated Prion Protein. <i>PLoS ONE</i> , 2010, 5, e13725.	1.1	26
215	Cognitive Deficits Associated with Alteration of Synaptic Metaplasticity Precede Plaque Deposition in $A\beta$ PP23 Transgenic Mice. <i>Journal of Alzheimer's Disease</i> , 2010, 21, 1367-1381.	1.2	35
216	Synthetic amyloid- β oligomers impair long-term memory independently of cellular prion protein. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 2295-2300.	3.3	435

#	ARTICLE	IF	CITATIONS
217	Blocking ADAM10 synaptic trafficking generates a model of sporadic Alzheimer's disease. <i>Brain</i> , 2010, 133, 3323-3335.	3.7	71
218	Worldwide distribution of <i>PSEN1</i> Met146Leu mutation. <i>Neurology</i> , 2010, 74, 798-806.	1.5	38
219	Sirtuins as Novel Targets for Alzheimer's Disease and Other Neurodegenerative Disorders: Experimental and Genetic Evidence. <i>Journal of Alzheimer's Disease</i> , 2010, 19, 11-26.	1.2	112
220	A New Fluorogenic Peptide Determines Proteasome Activity in Single Cells. <i>Journal of Medicinal Chemistry</i> , 2010, 53, 7452-7460.	2.9	20
221	The molecular genetics of sirtuins: association with human longevity and age-related diseases. <i>International Journal of Molecular Epidemiology and Genetics</i> , 2010, 1, 214-25.	0.4	22
222	APOE ϵ 2 and ϵ 4 influence the susceptibility for Alzheimer's disease but not other dementias. <i>International Journal of Molecular Epidemiology and Genetics</i> , 2010, 1, 193-200.	0.4	12
223	Rs5848 Variant Influences GRN mRNA Levels in Brain and Peripheral Mononuclear Cells in Patients with Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2009, 18, 603-612.	1.2	59
224	Tetracyclines and Prion Infectivity. <i>Infectious Disorders - Drug Targets</i> , 2009, 9, 23-30.	0.4	48
225	The Serotonin Transporter Promoter Polymorphic Region is not a Risk Factor for Alzheimer's Disease Related Behavioral Disturbances. <i>Journal of Alzheimer's Disease</i> , 2009, 18, 125-130.	1.2	13
226	Epistasis between IL1A, IL1B, TNF, HTR2A, 5-HTTLPR and TPH2 Variations Does Not Impact Alcohol Dependence Disorder Features. <i>International Journal of Environmental Research and Public Health</i> , 2009, 6, 1980-1990.	1.2	10
227	Serotonin Transporter Gene Polymorphic Element <i>5-HTTLPR</i> Increases the Risk of Sporadic Parkinson's Disease in Italy. <i>European Neurology</i> , 2009, 62, 120-123.	0.6	15
228	JNK regulates APP cleavage and degradation in a model of Alzheimer's disease. <i>Neurobiology of Disease</i> , 2009, 33, 518-525.	2.1	134
229	ST1859 reduces prion infectivity and increase survival in experimental scrapie. <i>Archives of Virology</i> , 2009, 154, 1539-1544.	0.9	2
230	Interleukin-6 plasma level increases with age in an Italian elderly population (The Treviso) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 227</i> 155-162.	3.0	28
231	A polymorphic variant of the insulin-like growth factor 1 (IGF-1) receptor correlates with male longevity in the Italian population: a genetic study and evaluation of circulating IGF-1 from the "Treviso Longeva (TRELONG)" study. <i>BMC Geriatrics</i> , 2009, 9, 19.	1.1	28
232	The SIRT1 activator resveratrol protects SK-N-BE cells from oxidative stress and against toxicity caused by α -synuclein or amyloid β (1-42) peptide. <i>Journal of Neurochemistry</i> , 2009, 110, 1445-1456.	2.1	241
233	TPH2 gene variants and anxiety during alcohol detoxification outcome. <i>Psychiatry Research</i> , 2009, 167, 106-114.	1.7	10
234	Lack of Association between Interleukin-1 alpha rs1800587 Polymorphism and Alzheimer's Disease in Two Independent European Samples. <i>Journal of Alzheimer's Disease</i> , 2009, 16, 181-187.	1.2	24

#	ARTICLE	IF	CITATIONS
235	Multidisciplinary Perspectives for Alzheimer's and Parkinson's Diseases: Hydrogels for Protein Delivery and Cell-Based Drug Delivery as Therapeutic Strategies. <i>International Journal of Artificial Organs</i> , 2009, 32, 836-850.	0.7	48
236	The anti-fibrillogenic activity of tetracyclines on PrP 106-126: a 3D-QSAR study. <i>Journal of Molecular Modeling</i> , 2008, 14, 987-994.	0.8	20
237	Association study to evaluate the serotonin transporter and apolipoprotein E genes in frontotemporal lobar degeneration in Italy. <i>Journal of Human Genetics</i> , 2008, 53, 1029-1033.	1.1	8
238	Conformational Plasticity of the Gerstmann-Str�ussler-Scheinker Disease Peptide as Indicated by Its Multiple Aggregation Pathways. <i>Journal of Molecular Biology</i> , 2008, 381, 1349-1361.	2.0	56
239	Role of VEGF gene variability in longevity: A lesson from the Italian population. <i>Neurobiology of Aging</i> , 2008, 29, 1917-1922.	1.5	12
240	Mutant Prion Protein Expression Causes Motor and Memory Deficits and Abnormal Sleep Patterns in a Transgenic Mouse Model. <i>Neuron</i> , 2008, 60, 598-609.	3.8	97
241	Early-Onset Alzheimer Disease in an Italian Family With Presenilin-1 Double Mutation E318G and G394V. <i>Alzheimer Disease and Associated Disorders</i> , 2008, 22, 184-187.	0.6	15
242	DJ-1 Modulates α -Synuclein Aggregation State in a Cellular Model of Oxidative Stress: Relevance for Parkinson's Disease and Involvement of HSP70. <i>PLoS ONE</i> , 2008, 3, e1884.	1.1	116
243	The Efficacy of Tetracyclines in Peripheral and Intracerebral Prion Infection. <i>PLoS ONE</i> , 2008, 3, e1888.	1.1	94
244	Neurotoxic and Gliotrophic Activity of a Synthetic Peptide Homologous to Gerstmann-Straussler-Scheinker Disease Amyloid Protein. <i>Journal of Neuroscience</i> , 2007, 27, 1576-1583.	1.7	35
245	JNK Signalling: A Possible Target to Prevent Neurodegeneration. <i>Current Pharmaceutical Design</i> , 2007, 13, 1875-1886.	0.9	218
246	Presenilin-1 mutation E318G and familial Alzheimer's disease in the Italian population. <i>Neurobiology of Aging</i> , 2007, 28, 1682-1688.	1.5	21
247	Time-course of c-Jun N-terminal kinase activation after cerebral ischemia and effect of D-JNKI1 on c-Jun and caspase-3 activation. <i>Neuroscience</i> , 2007, 150, 40-49.	1.1	79
248	Absence of TREM2 polymorphisms in patients with Alzheimer's disease and Frontotemporal Lobar Degeneration. <i>Neuroscience Letters</i> , 2007, 411, 133-137.	1.0	18
249	A novel PSENEN mutation in a patient with complaints of memory loss and a family history of dementia. , 2007, 3, 235-238.		8
250	The Treviso Longeva (Trelong) study: A biomedical, demographic, economic and social investigation on people 70 years and over in a typical town of North-East of Italy. <i>Archives of Gerontology and Geriatrics</i> , 2007, 44, 173-192.	1.4	22
251	Associations of the plasma interleukin 6 (IL-6) levels with disability and mortality in the elderly in the Treviso Longeva (Trelong) study. <i>Archives of Gerontology and Geriatrics</i> , 2007, 44, 193-198.	1.4	15
252	The TAT-JNK inhibitor peptide interferes with beta amyloid protein stability. <i>Cell Death and Differentiation</i> , 2007, 14, 1845-1848.	5.0	39

#	ARTICLE	IF	CITATIONS
253	The urokinase-type plasminogen activator polymorphism PLAU_1 is a risk factor for APOE- ϵ 4 non-carriers in the Italian Alzheimer's disease population and does not affect the plasma A β (1-42) level. <i>Neurobiology of Disease</i> , 2007, 25, 609-613.	2.1	9
254	Prion Diseases. <i>CNS Drugs</i> , 2006, 20, 15-28.	2.7	26
255	Aggregation/Fibrillogenesis of Recombinant Human Prion Protein and Gerstmann-Strussler-Scheinker Disease Peptides in the Presence of Metal Ions. <i>Biochemistry</i> , 2006, 45, 6724-6732.	1.2	38
256	Candidate gene analysis of IP-10 gene in patients with Alzheimer's disease. <i>Neuroscience Letters</i> , 2006, 404, 217-221.	1.0	17
257	Interleukin-1 alpha and beta, TNF-alpha and HTTLPR gene variants study on alcohol toxicity and detoxification outcome. <i>Neuroscience Letters</i> , 2006, 406, 107-112.	1.0	10
258	Plasma levels of beta-amyloid (1-42) in Alzheimer's disease and mild cognitive impairment. <i>Neurobiology of Aging</i> , 2006, 27, 904-905.	1.5	97
259	Analysis of the cerebellar proteome in a transgenic mouse model of inherited prion disease reveals preclinical alteration of calcineurin activity. <i>Proteomics</i> , 2006, 6, 2823-2834.	1.3	19
260	A positron emission tomography microdosing study with a potential anti-amyloid drug in healthy volunteers and patients with Alzheimer's disease. <i>Clinical Pharmacology and Therapeutics</i> , 2006, 80, 216-227.	2.3	53
261	Glomerular podocytes contain neuron-like functional synaptic vesicles. <i>FASEB Journal</i> , 2006, 20, 976-978.	0.2	100
262	Identification of prion protein gene polymorphisms in goats from Italian scrapie outbreaks. <i>Journal of General Virology</i> , 2006, 87, 1029-1033.	1.3	95
263	Gerstmann-Strussler-Scheinker Disease Amyloid Protein Polymerizes According to the "Dock-and-Lock" Model. <i>Journal of Biological Chemistry</i> , 2006, 281, 843-849.	1.6	33
264	Association of neuronal nitric oxide synthase C276T polymorphism with Alzheimer's disease. <i>Journal of Neurology</i> , 2005, 252, 985-986.	1.8	17
265	PEN2 gene mutation in a familial Alzheimer's disease case. <i>Journal of Neurology</i> , 2005, 252, 1033-1036.	1.8	27
266	Role of Plasminogen in Propagation of Scrapie. <i>Journal of Virology</i> , 2005, 79, 11225-11230.	1.5	18
267	Cytosolic Prion Protein (PrP) Is Not Toxic in N2a Cells and Primary Neurons Expressing Pathogenic PrP Mutations. <i>Journal of Biological Chemistry</i> , 2005, 280, 11320-11328.	1.6	104
268	Genotype-Dependent Activity of Tryptophan Hydroxylase-2 Determines the Response to Citalopram in a Mouse Model of Depression. <i>Journal of Neuroscience</i> , 2005, 25, 8165-8172.	1.7	131
269	Rat nicastrin gene: cDNA isolation, mRNA variants and expression pattern analysis. <i>Molecular Brain Research</i> , 2005, 136, 12-22.	2.5	14
270	The T-786C NOS3 polymorphism in Alzheimer's disease: Association and influence on gene expression. <i>Neuroscience Letters</i> , 2005, 382, 300-303.	1.0	26

#	ARTICLE	IF	CITATIONS
271	The neurotoxicity of prion protein (PrP) peptide 106-126 is independent of the expression level of PrP and is not mediated by abnormal PrP species. <i>Molecular and Cellular Neurosciences</i> , 2005, 28, 165-176.	1.0	55
272	Influence of the Glu298Asp polymorphism of NOS3 on age at onset and homocysteine levels in AD patients. <i>Neurobiology of Aging</i> , 2005, 26, 789-794.	1.5	36
273	Hereditary Prion Protein Amyloidoses. , 2005, , 83-109.		1
274	Protective effect of TATA β -delivered β -synuclein: relevance of the C-terminal domain and involvement of HSP70. <i>FASEB Journal</i> , 2004, 18, 1713-1715.	0.2	77
275	P3-357 Structural properties of gerstmann-StrÅussler-Scheinker disease amyloid protein. <i>Neurobiology of Aging</i> , 2004, 25, S457.	1.5	0
276	P4-415 ST1859 reduces prion infectivity and increase survival in experimental scrapie. <i>Neurobiology of Aging</i> , 2004, 25, S592.	1.5	0
277	The contribution of the immune system to prion diseases. <i>Drug Discovery Today Disease Mechanisms</i> , 2004, 1, 351-356.	0.8	3
278	CCR2-64I polymorphism and CCR5 Δ 32 deletion in patients with Alzheimer's disease. <i>Journal of the Neurological Sciences</i> , 2004, 225, 79-83.	0.3	35
279	MCP-1 in Alzheimer's disease patients: A-2518G polymorphism and serum levels. <i>Neurobiology of Aging</i> , 2004, 25, 1169-1173.	1.5	77
280	Homocysteine, folate, and vitamin B-12 in mild cognitive impairment, Alzheimer disease, and vascular dementia. <i>American Journal of Clinical Nutrition</i> , 2004, 80, 114-22.	2.2	258
281	Cytotoxicity of PrP Peptides. , 2004, , 176-197.		1
282	Quinacrine blocks PrP (106-126)-formed channels. <i>Journal of Neuroscience Research</i> , 2003, 74, 934-941.	1.3	21
283	Proteasome inhibition and aggregation in Parkinson's disease: a comparative study in untransfected and transfected cells. <i>Journal of Neurochemistry</i> , 2003, 88, 545-553.	2.1	67
284	Therapeutic approaches to prion diseases. <i>Clinics in Laboratory Medicine</i> , 2003, 23, 187-208.	0.7	14
285	Nicastrin gene in familial and sporadic Alzheimer's disease. <i>Neuroscience Letters</i> , 2003, 353, 61-65.	1.0	14
286	Tumor necrosis factor β polymorphism C-850T is not associated with Alzheimer's disease and vascular dementia in an Italian population. <i>Neuroscience Letters</i> , 2003, 344, 135-137.	1.0	26
287	Effect of β -amyloid on endothelial cells: lack of direct toxicity, enhancement of MTT-induced cell death and intracellular accumulation. <i>Neurochemistry International</i> , 2003, 43, 251-261.	1.9	23
288	Nicastrin gene in familial and sporadic Alzheimer's disease. <i>Neuroscience Letters</i> , 2003, 353, 61-61.	1.0	1

#	ARTICLE	IF	CITATIONS
289	Evaluation of Quinacrine Treatment for Prion Diseases. <i>Journal of Virology</i> , 2003, 77, 8462-8469.	1.5	190
290	Structural Properties of Gerstmann-Str�ussler-Scheinker Disease Amyloid Protein. <i>Journal of Biological Chemistry</i> , 2003, 278, 48146-48153.	1.6	75
291	Molecular analysis of iatrogenic scrapie in Italy. <i>Journal of General Virology</i> , 2003, 84, 1047-1052.	1.3	15
292	Pure spastic paraparesis associated with a novel presenilin 1 R278K mutation. <i>Neurology</i> , 2003, 60, 150-150.	1.5	35
293	Channels formed with a mutant prion protein PrP(82-146) homologous to a 7-kDa fragment in diseased brain of GSS patients. <i>American Journal of Physiology - Cell Physiology</i> , 2003, 285, C862-C872.	2.1	53
294	Prion Diseases: Time for a Therapy ?. <i>Current Medicinal Chemistry Immunology, Endocrine & Metabolic Agents</i> , 2003, 3, 185-197.	0.2	10
295	Tetracyclines affect prion infectivity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 10849-10854.	3.3	184
296	Synthetic Miniprion PrP106. <i>Journal of Biological Chemistry</i> , 2002, 277, 31327-31334.	1.6	32
297	Anti-amyloidogenic effect of tetracyclines in Prion and Alzheimer disease models. <i>European Neuropsychopharmacology</i> , 2002, 12, 91.	0.3	1
298	Protein misfolding in Alzheimer's and Parkinson's disease: genetics and molecular mechanisms. <i>Neurobiology of Aging</i> , 2002, 23, 957-976.	1.5	124
299	Neuroprotective Effect of Somatostatin on Nonapoptotic NMDA-Induced Neuronal Death: Role of Cyclic GMP. <i>Journal of Neurochemistry</i> , 2002, 68, 319-327.	2.1	49
300	Prion Protein Fragment 106-126 Differentially Induces Heme Oxygenase-1 mRNA in Cultured Neurons and Astroglial Cells. <i>Journal of Neurochemistry</i> , 2002, 68, 715-720.	2.1	30
301	Amidation of β -Amyloid Peptide Strongly Reduced the Amyloidogenic Activity Without Alteration of the Neurotoxicity. <i>Journal of Neurochemistry</i> , 2002, 69, 2048-2054.	2.1	34
302	Anti-amyloidogenic activity of tetracyclines: studies in vitro. <i>FEBS Letters</i> , 2001, 487, 404-407.	1.3	205
303	Studies on peptide fragments of prion proteins. <i>Advances in Protein Chemistry</i> , 2001, 57, 171-201.	4.4	42
304	Evidence for the transmission of scrapie to sheep and goats from a vaccine against <i>Mycoplasma agalactiae</i> . <i>Veterinary Record</i> , 2001, 148, 531-536.	0.2	38
305	New mutation (R42P) of the parkin gene in the ubiquitinlike domain associated with parkinsonism. <i>Neurology</i> , 2001, 56, 463-466.	1.5	55
306	Cholesterol decreases secretion of the secreted form of amyloid precursor protein by interfering with glycosylation in the protein secretory pathway. <i>Biochemical Journal</i> , 2000, 348, 307.	1.7	38

#	ARTICLE	IF	CITATIONS
307	Cholesterol decreases secretion of the secreted form of amyloid precursor protein by interfering with glycosylation in the protein secretory pathway. <i>Biochemical Journal</i> , 2000, 348, 307-313.	1.7	94
308	Apolipoprotein E and Intronic Polymorphism of Presenilin 1 and Alpha-1-Antichymotrypsin in Alzheimer's Disease and Vascular Dementia. <i>Dementia and Geriatric Cognitive Disorders</i> , 2000, 11, 239-244.	0.7	26
309	β -Synuclein and Parkinson's disease: Selective neurodegenerative effect of β -synuclein fragment on dopaminergic neurons in vitro and in vivo. <i>Annals of Neurology</i> , 2000, 47, 632-640.	2.8	79
310	Tetracycline affects abnormal properties of synthetic PrP peptides and PrPSc in vitro. Edited by J. Karn. <i>Journal of Molecular Biology</i> , 2000, 300, 1309-1322.	2.0	155
311	Apoptotic Cell Death and Impairment of L-Type Voltage-Sensitive Calcium Channel Activity in Rat Cerebellar Granule Cells Treated with the Prion Protein Fragment 106-126. <i>Neurobiology of Disease</i> , 2000, 7, 299-309.	2.1	64
312	Calcitonin gene-related peptide receptor expression in the neurons and glia of developing rat cerebellum: an autoradiographic and immunohistochemical analysis. <i>Neuroscience</i> , 2000, 100, 381-391.	1.1	33
313	Full length β -synuclein is present in cerebrospinal fluid from Parkinson's disease and normal subjects. <i>Neuroscience Letters</i> , 2000, 287, 65-67.	1.0	344
314	Caspase-3 activation by β -amyloid and prion protein peptides is independent from their neurotoxic effect. <i>Neuroscience Letters</i> , 2000, 293, 207-210.	1.0	31
315	Intracellular mechanisms mediating the neuronal death and astrogliosis induced by the prion protein fragment 106-126. <i>International Journal of Developmental Neuroscience</i> , 2000, 18, 481-492.	0.7	56
316	Comment on: Neurotoxicity of prion peptide 106-126 not confirmed, by Beat Kunz, Erika Sandmeier, Philipp Christen. <i>FEBS Letters</i> , 2000, 466, 205-206.	1.3	7
317	β -Synuclein and Parkinson's disease: Selective neurodegenerative effect of β -synuclein fragment on dopaminergic neurons in vitro and in vivo. , 2000, 47, 632.		6
318	Cholesterol decreases secretion of the secreted form of amyloid precursor protein by interfering with glycosylation in the protein secretory pathway. <i>Biochemical Journal</i> , 2000, 348 Pt 2, 307-13.	1.7	31
319	Alpha-synuclein and Parkinson's disease: selective neurodegenerative effect of alpha-synuclein fragment on dopaminergic neurons in vitro and in vivo. <i>Annals of Neurology</i> , 2000, 47, 632-40.	2.8	13
320	Determination of solution conformations of PrP106-126, a neurotoxic fragment of prion protein, by 1H NMR and restrained molecular dynamics. <i>FEBS Journal</i> , 1999, 266, 1192-1201.	0.2	32
321	Influence of mutations associated with familial prion-related encephalopathies on biological activity of prion protein peptides. <i>Annals of Neurology</i> , 1999, 45, 489-494.	2.8	20
322	Molecular determinants of the physicochemical properties of a critical prion protein region comprising residues 106-126. <i>Biochemical Journal</i> , 1999, 342, 207.	1.7	36
323	Molecular determinants of the physicochemical properties of a critical prion protein region comprising residues 106-126. <i>Biochemical Journal</i> , 1999, 342, 207-214.	1.7	100
324	Molecular determinants of the physicochemical properties of a critical prion protein region comprising residues 106-126. <i>Biochemical Journal</i> , 1999, 342 (Pt 1), 207-14.	1.7	21

#	ARTICLE	IF	CITATIONS
325	Prion protein fragment 106-126 induces apoptotic cell death and impairment of L-type voltage-sensitive calcium channel activity in the GH3 cell line. , 1998, 54, 341-352.		73
326	Somatostatin expression in TS16 mouse brain cultures. Journal of Molecular Neuroscience, 1998, 10, 99-111.	1.1	2
327	Extracellular Calcium Deprivation in Astrocytes: Regulation of mRNA Expression and Apoptosis. Journal of Neurochemistry, 1998, 70, 1474-1483.	2.1	42
328	PrP Peptides as a Tool to Investigate the Pathogenesis of Prion Protein Amyloidoses. , 1998, , 285-289.		0
329	Interferon- β Potentiates Interleukin (IL)-6 and Tumor Necrosis Factor- α But Not IL-1 β Induced by Endotoxin in the Brain. Endocrinology, 1997, 138, 5220-5226.	1.4	28
330	ANTHRACYCLINES EFFECTIVE AGAINST EXPERIMENTAL SCRAPIE. Journal of Neuropathology and Experimental Neurology, 1997, 56, 595.	0.9	0
331	Effectiveness of Anthracycline Against Experimental Prion Disease in Syrian Hamsters. Science, 1997, 276, 1119-1121.	6.0	168
332	β -AMYLOID FRAGMENT POTENTIATES IL-6 AND TNF- α SECRETION BY LPS IN ASTROCYTES BUT NOT IN MICROGLIA. Cytokine, 1997, 9, 759-762.	1.4	81
333	Densitometric Quantification of Neuronal Viability by Computerized Image Analysis. Experimental Neurology, 1997, 148, 281-287.	2.0	16
334	A Neurotoxic and Gliotrophic Fragment of the Prion Protein Increases Plasma Membrane Microviscosity. Neurobiology of Disease, 1997, 4, 47-57.	2.1	60
335	Influence of cell culture conditions on the protective effect of antioxidants against β -amyloid toxicity: studies with lazaroids. Brain Research, 1997, 764, 293-298.	1.1	19
336	Oxidative stress after acute and chronic application of β -amyloid fragment 25-35 in cortical cultures. Neuroscience Letters, 1996, 203, 61-65.	1.0	38
337	Amyloid in alzheimer's disease and prion-related encephalopathies: Studies with synthetic peptides. Progress in Neurobiology, 1996, 49, 287-315.	2.8	54
338	Intracellular Calcium Rise through L-Type Calcium Channels, as Molecular Mechanism for Prion Protein Fragment 106-126-Induced Astroglial Proliferation. Biochemical and Biophysical Research Communications, 1996, 228, 397-405.	1.0	76
339	Neurotoxicity of β -amyloid and prion peptides. Current Opinion in Neurology, 1996, 9, 492.	1.8	48
340	Activation effects of a prion protein fragment [PrP-(106-126)] on human leucocytes. Biochemical Journal, 1996, 320, 563-570.	1.7	49
341	Apoptosis-mediated neurotoxicity induced by β -amyloid and PRP fragments. Molecular and Chemical Neuropathology, 1996, 28, 163-171.	1.0	90
342	Clusterin (SGP-2) Induction in Rat Astroglial Cells Exposed to Prion Protein Fragment 106-126. European Journal of Neuroscience, 1996, 8, 589-597.	1.2	37

#	ARTICLE	IF	CITATIONS
343	Î²25â€“35 Alters Calcium Homeostasis and Induces Neurotoxicity in Cerebellar Granule Cells. <i>Journal of Neurochemistry</i> , 1996, 66, 1995-2003.	2.1	38
344	A PRION PROTEIN FRAGMENT MODIFIES PLASMA MEMBRANE VISCOSITY AND INTRACELLULAR. CALCIUM LEVEL. <i>Journal of Neuropathology and Experimental Neurology</i> , 1995, 54, 449.	0.9	3
345	Gene Expression and In Vitro Release of Galanin in Rat Hypothalamus During Development. <i>European Journal of Neuroscience</i> , 1995, 7, 944-950.	1.2	10
346	A simple, automatic method for morphometric analysis of the left ventricle in rats with myocardial infarction. <i>Journal of Pharmacological and Toxicological Methods</i> , 1995, 33, 221-229.	0.3	12
347	Central endotoxin induces different patterns of interleukin (IL)-1 beta and IL-6 messenger ribonucleic acid expression and IL-6 secretion in the brain and periphery. <i>Endocrinology</i> , 1995, 136, 897-902.	1.4	98
348	Reciprocal control of inflammatory cytokines, IL-1 and IL-6, and Î²-amyloid production in cultures. <i>Neuroscience Letters</i> , 1995, 188, 70-74.	1.0	195
349	Neuroprotective activity of acetyl-L-carnitine: Studies in vitro. <i>Journal of Neuroscience Research</i> , 1994, 37, 92-96.	1.3	66
350	A Neurotoxic Prion Protein Fragment Induces Rat Astroglial Proliferation and Hypertrophy. <i>European Journal of Neuroscience</i> , 1994, 6, 1415-1422.	1.2	112
351	Nonsteroidal antiinflammatory drug use in Alzheimer's disease. <i>Biological Psychiatry</i> , 1994, 36, 854-856.	0.7	83
352	Neurodegenerative effects induced by Î²-amyloid and PRP peptides: Similarities and differences. <i>Neurobiology of Aging</i> , 1994, 15, S87.	1.5	0
353	Conformational polymorphism of the amyloidogenic and neurotoxic peptide homologous to residues 106-126 of the prion protein. <i>Journal of Biological Chemistry</i> , 1994, 269, 7859-7862.	1.6	173
354	Conformational polymorphism of the amyloidogenic and neurotoxic peptide homologous to residues 106-126 of the prion protein. <i>Journal of Biological Chemistry</i> , 1994, 269, 7859-62.	1.6	145
355	In situ hybridization histochemistry quantification: automatic count on single cell in digital image. <i>Journal of Neuroscience Methods</i> , 1993, 47, 93-103.	1.3	19
356	Neurotoxicity of a prion protein fragment. <i>Nature</i> , 1993, 362, 543-546.	13.7	935
357	Quantitative morphology and shape classification of neurons by computerized image analysis. <i>Computer Methods and Programs in Biomedicine</i> , 1993, 41, 89-99.	2.6	31
358	Nerve growth factor does not influence the expression of Î² amyloid precursor protein mRNA in rat brain: in vivo and in vitro studies. <i>Brain Research</i> , 1993, 620, 292-296.	1.1	26
359	Molecular Characteristics of a Protease-Resistant, Amyloidogenic and Neurotoxic Peptide Homologous to Residues 106-126 of the Prion Protein. <i>Biochemical and Biophysical Research Communications</i> , 1993, 194, 1380-1386.	1.0	212
360	Automatic quantitative evaluation of autoradiographic band films by computerized image analysis. <i>Life Sciences</i> , 1993, 53, PL331-PL336.	2.0	17

#	ARTICLE	IF	CITATIONS
361	Mechanical deafferentation of basal forebrain-cortical pathways and neurotoxic lesions of the nucleus basalis magnocellularis: comparative effect on spatial learning and cortical acetylcholine release in vivo. <i>Behavioural Brain Research</i> , 1993, 54, 145-152.	1.2	24
362	Synthetic peptides homologous to prion protein residues 106-147 form amyloid-like fibrils in vitro.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1993, 90, 9678-9682.	3.3	242
363	IN VITRO NEUROTOXICITY OF A FRAGMENT OF THE PRION PROTEIN. <i>Journal of Neuropathology and Experimental Neurology</i> , 1993, 52, 293.	0.9	0
364	Apoptosis mediated neurotoxicity induced by chronic application of Î² amyloid fragment 25â€“35. <i>NeuroReport</i> , 1993, 4, 523-526.	0.6	355
365	beta-Amyloid neurotoxicity. <i>Functional Neurology</i> , 1993, 8, 211-25.	1.3	26
366	Expression of amyloid precursor protein mRNAs in endothelial, neuronal and glial cells: modulation by interleukin-1. <i>Molecular Brain Research</i> , 1992, 16, 128-134.	2.5	251
367	Culture of dorsal root ganglion neurons from aged rats: Effects of acetyl-L-carnitine and NGF. <i>International Journal of Developmental Neuroscience</i> , 1992, 10, 321-329.	0.7	47
368	Expression of GAL mRNA in rat hypothalamus: effect of frontal deafferentation and colchicine treatment. <i>Molecular Brain Research</i> , 1992, 14, 277-281.	2.5	11
369	Chronic infusion of quinolinic acid in rat striatum: effects on discrete neuronal populations. <i>Journal of the Neurological Sciences</i> , 1992, 108, 129-136.	0.3	21
370	Expression of CGRP Binding Sites in the Developing Rat Cerebellum. <i>Annals of the New York Academy of Sciences</i> , 1992, 657, 423-425.	1.8	7
371	Activation of Olivocerebellar Fibers Induces an Increase in CGRP Cerebellar Binding Sites. <i>Annals of the New York Academy of Sciences</i> , 1992, 657, 432-434.	1.8	1
372	Decreased [3H]hemicholinium binding to high-affinity choline uptake sites in aged rat brain. <i>Brain Research</i> , 1992, 570, 354-357.	1.1	17
373	Chemical and pharmacological characterization of galanthamine, an acetylcholinesterase inhibitor, and its derivatives. A potential application in Alzheimer's disease?. <i>European Journal of Medicinal Chemistry</i> , 1992, 27, 673-687.	2.6	94
374	Functional and histological consequences of quinolinic and kainic acid-induced seizures on hippocampal somatostatin neurons. <i>Neuroscience</i> , 1991, 41, 127-135.	1.1	39
375	Modulation of cortical in vivo acetylcholine release by the basal nuclear complex: role of the pontomesencephalic tegmental area. <i>Brain Research</i> , 1991, 563, 353-356.	1.1	40
376	Neurodegenerative Effects Induced by Chronic Infusion of Quinolinic Acid in Rat Striatum and Hippocampus. <i>European Journal of Neuroscience</i> , 1991, 3, 40-46.	1.2	14
377	Long-term acetyl-L-carnitine treatment in Alzheimer's disease. <i>Neurology</i> , 1991, 41, 1726-1726.	1.5	206
378	Modulation of cerebellar CGRP binding sites induced by climbing fibre activation. <i>NeuroReport</i> , 1990, 1, 215-217.	0.6	5

#	ARTICLE	IF	CITATIONS
379	Deprivation of Growth Hormone-Releasing Hormone Early in the Rat's Neonatal Life Permanently Affects Somatotrophic Function. <i>Endocrinology</i> , 1990, 127, 1625-1634.	1.4	53
380	Production and characterization of monoclonal antibodies to N-acetyl-aspartyl-glutamate.. <i>Journal of Histochemistry and Cytochemistry</i> , 1990, 38, 493-502.	1.3	18
381	Increased tryptophan hydroxylase mRNA in raphe serotonergic neurons spared by 5,7-dihydroxytryptamine. <i>Molecular Brain Research</i> , 1990, 8, 343-348.	2.5	43
382	Cholinergic neurons of the pontomesencephalic tegmentum release acetylcholine in the basal nuclear complex of freely moving rats. <i>Neuroscience</i> , 1990, 37, 717-723.	1.1	128
383	Developmental expression of somatostatin in mouse brain. I. Immunocytochemical studies. <i>Developmental Brain Research</i> , 1990, 53, 6-25.	2.1	60
384	Developmental expression of somatostatin in mouse brain. II. In situ hybridization. <i>Developmental Brain Research</i> , 1990, 53, 26-39.	2.1	65
385	Decrease in [3H]hemicholinium binding to high-affinity choline uptake sites in deafferented striatum: restoration by oxiracetam. <i>Brain Research</i> , 1990, 530, 156-160.	1.1	8
386	The postnatal expression of acetylcholinesterase in somatostatin-positive cells of mouse hippocampus. <i>Developmental Brain Research</i> , 1989, 48, 73-85.	2.1	10
387	The effects of N-acetylated alpha-linked acidic dipeptidase (NAALADase) inhibitors on [3H]NAAG catabolism in vivo. <i>Neuroscience Letters</i> , 1989, 100, 295-300.	1.0	48
388	Calcium-Dependent Evoked Release of N[3H]Acetylaspartylglutamate from the Optic Pathway. <i>Journal of Neurochemistry</i> , 1988, 51, 1956-1959.	2.1	67
389	Enhancement of opioid cataleptic response by cortical frontal deafferentation or intrastriatal injection of NMDA-receptor antagonists. <i>Brain Research</i> , 1988, 449, 97-103.	1.1	7
390	Quantitation of N-acetyl-aspartyl-glutamate in microdissected rat brain nuclei and peripheral tissues: findings with a novel liquid phase radioimmunoassay. <i>Molecular Brain Research</i> , 1988, 3, 223-231.	2.5	35
391	Neuroanatomical localization and quantification of amyloid precursor protein mRNA by in situ hybridization in the brains of normal, aneuploid, and lesioned mice.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1988, 85, 3628-3632.	3.3	77
392	Striatal cholinergic function reflects differences in D-2 dopaminergic receptor activation. <i>Life Sciences</i> , 1987, 41, 1717-1723.	2.0	2
393	Co-localization of N-acetyl-aspartyl-glutamate in central cholinergic, noradrenergic, and serotonergic neurons. <i>Synapse</i> , 1987, 1, 455-460.	0.6	97
394	Neurochemical characterization of embryonic brain development in trisomy 19 (Ts19) mice: Implications of selective deficits observed for abnormal neural development in aneuploidy. <i>Genesis</i> , 1987, 8, 267-279.	3.1	18
395	Role of the hippocampus in the sex-dependent regulation of eating behavior: Studies with kainic acid. <i>Physiology and Behavior</i> , 1986, 38, 321-326.	1.0	34
396	Frontal decortication and adaptive changes in striatal cholinergic neurons in the rat. <i>Brain Research</i> , 1986, 363, 128-134.	1.1	27

#	ARTICLE	IF	CITATIONS
397	Qualitative differences in the effects of adenosine analogs on the cholinergic systems of rat striatum and hippocampus. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1986, 334, 86-91.	1.4	5
398	Regulation of Drugs Affecting Striatal Cholinergic Activity by Corticostriatal Projections. <i>Advances in Behavioral Biology</i> , 1986, , 973-980.	0.2	0
399	Characterization of the alpha adrenergic receptor population in hippocampus up regulated by serotonergic raphe deafferentiation. <i>Life Sciences</i> , 1985, 36, 255-270.	2.0	8
400	Studies on the up regulation of alpha-adrenoceptors on rat hippocampal perikarya by chemical lesion of the median raphe nucleus. <i>Life Sciences</i> , 1985, 37, 449-460.	2.0	9
401	Blockade of the diazepam-induced increase in rat striatal acetylcholine content by the specific benzodiazepine antagonists ethyl- β -carboline-3-carboxylate and Ro 15-1788. <i>Brain Research</i> , 1985, 336, 342-345.	1.1	10
402	Neurochemical effects of minaprine, a novel psychotropic drug, on the central cholinergic system of the rat. <i>Psychopharmacology</i> , 1984, 82, 210-214.	1.5	38
403	In vitro and in vivo evidence for the existence of presynaptic muscarinic cholinergic receptors in the rat hippocampus. <i>Brain Research</i> , 1984, 309, 147-151.	1.1	19
404	Modifications in recognition sites for neurotransmitters in rat hippocampus by kainic acid lesion. <i>Brain Research</i> , 1983, 274, 165-170.	1.1	15
405	Mediation by the corticostriatal input of the in vivo increase in rat striatal acetylcholine content induced by 2-chloroadenosine. <i>Biochemical Pharmacology</i> , 1983, 32, 2993-2996.	2.0	3
406	Modulation of the hippocampal α -adrenoceptor population by lesion of the serotonergic raphe-hippocampal pathway in rats. <i>Life Sciences</i> , 1982, 30, 1113-1119.	2.0	21
407	Studies on the indirect feedback inhibition of cholinergic neurons triggered by oxotremorine in striatum. <i>Brain Research</i> , 1981, 225, 217-223.	1.1	7
408	Evidence for noradrenergic mediation of the oxotremorine-induced increase in acetylcholine content in rat hippocampus. <i>Brain Research</i> , 1980, 187, 494-498.	1.1	19
409	Therapeutic Approaches to Prion Diseases: In Vitro Studies with Tetracycline Compounds. , 0, , 809-820.		1