
Olivier Dereure

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1790203/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	First-line rituximab combined with short-term prednisone versus prednisone alone for the treatment of pemphigus (Ritux 3): a prospective, multicentre, parallel-group, open-label randomised trial. Lancet, The, 2017, 389, 2031-2040.	13.7	438
2	Drug-Induced Skin Pigmentation. American Journal of Clinical Dermatology, 2001, 2, 253-262.	6.7	247
3	Merkel cell polyomavirus DNA detection in lesional and nonlesional skin from patients with Merkel cell carcinoma or other skin diseases. British Journal of Dermatology, 2010, 162, 59-63.	1.5	113
4	Diffuse inflammatory lesions in patients treated with interferon alfa and ribavirin for hepatitis C: a series of 20 patients. British Journal of Dermatology, 2002, 147, 1142-1146.	1.5	85
5	Allogeneic stem cell transplantation for advanced cutaneous T-cell lymphomas: a study from the French Society of Bone Marrow Transplantation and French Study Group on Cutaneous Lymphomas. Haematologica, 2014, 99, 527-534.	3.5	73
6	Higher Frequency of Dipeptidyl Peptidase-4 Inhibitor Intake in Bullous Pemphigoid Patients than in the French General Population. Journal of Investigative Dermatology, 2019, 139, 835-841.	0.7	69
7	A Prospective Study of Cutaneous Adverse Events Induced by Low-Dose Alpha-Interferon Treatment for Malignant Melanoma. Dermatology, 2004, 208, 49-54.	2.1	67
8	Permanent scalp alopecia related to breast cancer chemotherapy by sequential fluorouracil/epirubicin/cyclophosphamide (FEC) and docetaxel: a prospective study of 20 patients. Annals of Oncology, 2012, 23, 2879-2884.	1.2	67
9	Rituximab-Induced Vasculitis. Dermatology, 2001, 203, 83-84.	2.1	61
10	Decreased expression of Fas (APOâ€1/CD95) on peripheral blood CD4+ T lymphocytes in cutaneous Tâ€cell lymphomas. British Journal of Dermatology, 2000, 143, 1205-1210.	1.5	60
11	Large International Validation of ABSIS and PDAI Pemphigus Severity Scores. Journal of Investigative Dermatology, 2019, 139, 31-37.	0.7	55
12	Rituximab is an effective treatment in patients with pemphigus vulgaris and demonstrates a steroidâ€sparing effect. British Journal of Dermatology, 2020, 182, 1111-1119.	1.5	55
13	Factors Associated With Short-term Relapse in Patients With Pemphigus Who Receive Rituximab as First-line Therapy. JAMA Dermatology, 2020, 156, 545.	4.1	40
14	Epidemiological changes in cutaneous lymphomas: an analysis of 8593 patients from the French Cutaneous Lymphoma Registry*. British Journal of Dermatology, 2021, 184, 1059-1067.	1.5	39
15	HFE mutations and transferrin receptor polymorphism analysis in porphyria cutanea tarda: a prospective study of 36 cases from southern France. British Journal of Dermatology, 2001, 144, 533-539.	1.5	36
16	Treatment of Early Stages of Mycosis Fungoides with Narrowband Ultraviolet B. Dermatology, 2009, 218, 1-6.	2.1	35
17	Efficacy and Tolerance of Cetuximab Alone or Combined with Chemotherapy in Locally Advanced or Metastatic Cutaneous Squamous Cell Carcinoma: An Open Study of 14 Patients. Dermatology, 2016, 232, 721-730.	2.1	35
18	Double-hit or dual expression of MYC and BCL2 in primary cutaneous large B-cell lymphomas. Modern Pathology, 2018, 31, 1332-1342.	5.5	31

#	Article	IF	CITATIONS
19	Compression and peri-ulcer skin in outpatients' venous leg ulcers: results of a French survey. Journal of Wound Care, 2005, 14, 265-271.	1.2	30
20	Merkel cell carcinoma in France: a registriesâ€based, comprehensive epidemiological survey. Journal of the European Academy of Dermatology and Venereology, 2018, 32, 1292-1296.	2.4	30
21	HAVCR2 mutations are associated with severe hemophagocytic syndrome in subcutaneous panniculitis-like T-cell lymphoma. Blood, 2020, 135, 1058-1061.	1.4	29
22	Correlations Between Clinical, Histologic, Blood, and Skin Polymerase Chain Reaction Outcome in Patients Treated for Mycosis Fungoides. Journal of Investigative Dermatology, 2003, 121, 614-617.	0.7	28
23	Clinical Relevance of Liquid Biopsy in Melanoma and Merkel Cell Carcinoma. Cancers, 2020, 12, 960.	3.7	25
24	Low-Dose IL-2 for Treating Moderate to Severe Alopecia Areata: A 52-Week Multicenter Prospective Placebo-Controlled Study Assessing its Impact on T Regulatory Cell and NK Cell Populations. Journal of Investigative Dermatology, 2021, 141, 933-936.e6.	0.7	22
25	Efficacy and safety of hyaluronic acid in treatment of leg ulcers: a double-blind RCT. Journal of Wound Care, 2012, 21, 131-139.	1.2	19
26	Combined Therapy with Anti-PD1 and BRAF and/or MEK Inhibitor for Advanced Melanoma: A Multicenter Cohort Study. Cancers, 2020, 12, 1666.	3.7	17
27	No Evidence for Viral Sequences in Mycosis Fungoides and Sézary Syndrome Skin Lesions: A High-Throughput Sequencing Approach. Journal of Investigative Dermatology, 2013, 133, 853-855.	0.7	15
28	Measurement of Liver Iron Content by Magnetic Resonance Imaging in 20 Patients with Overt Porphyria Cutanea Tarda before Phlebotomy Therapy: A Prospective Study. Acta Dermato-Venereologica, 2008, 88, 341-345.	1.3	15
29	Epidemiological trends in Merkel cell carcinoma in southern France: a registry-based study. British Journal of Dermatology, 2017, 176, 1379-1381.	1.5	13
30	A new case of allergic contact dermatitis caused by 3â€∢i>oâ€ethyl ascorbic acid in facial antiageing cosmetics. Contact Dermatitis, 2019, 81, 315-316.	1.4	13
31	Relevance of body mass index as a predictor of systemic therapy outcomes in metastatic melanoma: analysis of the MelBase French cohort dataâ ⁻ †. Annals of Oncology, 2021, 32, 542-551.	1.2	13
32	Improved Sensitivity of T-Cell Clonality Detection in Mycosis Fungoides by Hand Microdissection and Heteroduplex Analysis. Archives of Dermatology, 2003, 139, 1571-5.	1.4	12
33	Identification and characterization of novel TRPM1 autoantibodies from serum of patients with melanoma-associated retinopathy. PLoS ONE, 2020, 15, e0231750.	2.5	12
34	Detection of Merkel cell and other human polyomavirus DNA in lesional and nonlesional skin from patients with Kaposi sarcoma. British Journal of Dermatology, 2015, 173, 1063-1065.	1.5	10
35	Teriflunomideâ€induced psoriasiform changes of fingernails: a new example of paradoxical side effect?. International Journal of Dermatology, 2017, 56, 1479-1481.	1.0	10
36	Skin reactions related to treatment with anticytokines, membrane receptor inhibitors and monoclonal antibodies. Expert Opinion on Drug Safety, 2003, 2, 467-473.	2.4	9

#	Article	lF	CITATIONS
37	The presence of dominant T-cell clones in peripheral blood of patients with collagen vascular disorders: a prospective study of 97 cases. British Journal of Dermatology, 2006, 154, 445-449.	1.5	9
38	Absence of HTLV-Related Sequences in Skin Lesions and Peripheral Blood of Cutaneous T-Cell Lymphomas. Journal of Investigative Dermatology, 2009, 129, 2520-2522.	0.7	9
39	RCT to evaluate a hyaluronic acid containing gauze pad in leg ulcers of venous or mixed aetiology. Journal of Wound Care, 2012, 21, 539-547.	1.2	9
40	Rare occurrence of CD30+ circulating cells in patients with cutaneous CD30+ anaplastic large cell lymphoma: a study of nine patients. British Journal of Dermatology, 2003, 148, 246-251.	1.5	8
41	ls photodynamic therapy a relevant therapeutic option in refractory benign familial pemphigus (Hailey–Hailey disease)? A series of eight patients. Journal of Dermatological Treatment, 2017, 28, 678-682.	2.2	8
42	Lethal anaplastic large-cell lymphoma occurring in a patient treated with dupilumab. JAAD Case Reports, 2021, 18, 4-7.	0.8	8
43	Multiple and diffuse lipomas occurring after total body electron beam therapy for mycosis fungoides. Journal of the European Academy of Dermatology and Venereology, 2008, 22, 628-629.	2.4	7
44	Contact dermatitis caused by polyacrylamide/C13â€4 isoparaffin/laurethâ€7 mix in an emollient cream for atopic skin. Contact Dermatitis, 2019, 81, 70-71.	1.4	7
45	Efficacy of sonic hedgehog inhibitors rechallenge, after initial complete response in recurrent advanced basal cell carcinoma: a retrospective study from the CARADERM database. ESMO Open, 2021, 6, 100284.	4.5	7
46	Multiple haemorrhagic-like cutaneous metastasis of malignant melanoma. European Journal of Dermatology, 2005, 15, 409-10.	0.6	7
47	Atypical and severe airborne isothiazolinone contact dermatitis mimicking Kaposi–Juliusberg syndrome. Contact Dermatitis, 2017, 76, 297-298.	1.4	6
48	A new source for isothiazolinone contact allergy in traditional, nonâ€digital photography. Contact Dermatitis, 2019, 81, 76-77.	1.4	6
49	Adjuvant therapy versus watch-and-wait post surgery for stage III melanoma: a multicountry retrospective chart review. Melanoma Management, 2019, 6, MMT33.	0.5	6
50	Lymphomatoid papulosis types D and E: a multicentre series of the French Cutaneous Lymphomas Study Group. Clinical and Experimental Dermatology, 2021, 46, 1441-1451.	1.3	6
51	Treatment of mycosis fungoides and Sézary syndrome with romidepsin: a series of 32 cases from the French Study Group for Cutaneous Lymphoma. British Journal of Dermatology, 2019, 180, 423-424.	1.5	5
52	Molecular identity of skin and blood Tâ€cell clones in cutaneous Tâ€cell lymphoma patients as determined from the migration pattern of the Tâ€cell receptorâ€Î³ gene by capillary electrophoresis. Electrophoresis, 2009, 30, 999-1007.	2.4	4
53	A new case of contact dermatitis to bakuchiol in a cosmetic cream. Contact Dermatitis, 2020, 82, 61-62.	1.4	4
54	Hemophagocytic lymphohistiocytosis in advanced melanoma treated with dabrafenib and trametinib combination: two cases. Melanoma Research, 2020, 30, 519-523.	1.2	4

#	Article	IF	CITATIONS
55	Towards a better understanding of adult idiopathic epidermal necrolysis: a retrospective study of 19 cases. Journal of the European Academy of Dermatology and Venereology, 2021, 35, 1569-1576.	2.4	4
56	ls mogamulizumab-induced alopecia areata associated with favorable outcomes in Sézary syndrome?. European Journal of Cancer, 2021, 156, S50-S51.	2.8	4
57	Clinicopathologic and molecular analyses of cutaneous leiomyosarcoma: A retrospective, multicenter study of 79 cases. Journal of the American Academy of Dermatology, 2023, 88, 215-216.	1.2	4
58	Occupational fixed drug eruption with ipe wood. Contact Dermatitis, 2018, 79, 186-188.	1.4	3
59	Allergic contact dermatitis caused by 10â€hydroxydecenoic acid contained in an emollient cream. Contact Dermatitis, 2019, 81, 386-387.	1.4	3
60	Allergic contact dermatitis to sucrose stearate in a facial moisturizing cream. Contact Dermatitis, 2020, 82, 245-246.	1.4	2
61	An unusual clinical presentation of allergic contact dermatitis to common ivy. Contact Dermatitis, 2020, 82, 235-237.	1.4	2
62	Efficacy and safety of lowâ€dose oral lenalidomide in refractory cutaneous lupus erythematosus: an open series of 19 cases. Journal of the European Academy of Dermatology and Venereology, 2021, 35, e113-e115.	2.4	2
63	Carrying out local care for epidermal necrolysis: survey of practices. Journal of the European Academy of Dermatology and Venereology, 2021, 35, e155-e157.	2.4	2
64	<scp>PEG</scp> â€45/dodecyl glycol coâ€polymer and bisâ€diglyceryl polyacyladipateâ€2: Two culprits responsible of an allergic contact dermatitis to a lip balm. Contact Dermatitis, 2021, 85, 117-119.	1.4	2
65	Lymph node and visceral progression without erythroderma or blood worsening in erythrodermic cutaneous Tâ€cell lymphoma: nine cases. British Journal of Dermatology, 2021, 185, 1061-1063.	1.5	2
66	Biologie moléculaire en dermatologie. EMC - Dermatologie-Cosmetologie, 2005, 2, 1-19.	0.0	1
67	Increased risks of SARS-CoV-2 nosocomial acquisition in high-risk COVID-19 units justify personal protective equipment: a cross-sectional study. Journal of Hospital Infection, 2021, 107, 108-110.	2.9	1
68	Real-world effectiveness of pembrolizumab in advanced melanoma: analysis of a French national clinicobiological database. Immunotherapy, 2021, 13, 905-916.	2.0	1
69	BiologÃa molecular en dermatologÃa. EMC - DermatologÃa, 2005, 39, 1-14.	0.1	0
70	Inmunoglobulinas intravenosas. EMC - DermatologÃa, 2007, 41, 1-6.	0.1	0
71	Transient and relapsing reticulated erythema associated with probable focal infection on implantable catheter site: a toxin-induced reaction?. Journal of the European Academy of Dermatology and Venereology, 2008, 22, 773-775.	2.4	0
72	Neutrophilic dermatosis and sideroblastic anaemia: An unusual association. Journal of the European Academy of Dermatology and Venereology, 2009, 23, 219-220.	2.4	0

#	Article	IF	CITATIONS
73	Recommandations pour le traitement des lymphomes T cutanés. , 2013, , 259-268.		Ο
74	No evidence for viral transcripts in dermatofibrosarcoma protuberans. British Journal of Dermatology, 2019, 181, 634-636.	1.5	0
75	Cold contact urticaria triggered by a permanent tattoo. Journal of Cosmetic Dermatology, 2020, 20, 2463-2465.	1.6	0
76	An immune reaction caused by silicone breast implants. Contact Dermatitis, 2021, 85, 703-705.	1.4	0
77	Characterization of advanced basal cell carcinoma patients progressing while receiving Hedgehog pathway inhibitors. British Journal of Dermatology, 2021, , .	1.5	0
78	Allergic contact dermatitis in response to cetearyl glucoside from a topical drug. Contact Dermatitis, 2022, 86, 125-127.	1.4	0
79	Effets cutanéo-muqueux indésirables des cytokines et des nouvelles molécules anticancéreuses. , 2009, , 300-317.		0
80	Allergic Contact Dermatitis in a Patient After Five Years of Use of Omnipod Insulin Pump. Journal of Diabetes Science and Technology, 0, , 193229682211105.	2.2	0