

# Enrico Ruiz

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1791424/publications.pdf>

Version: 2024-02-01

14  
papers

79  
citations

1684188  
5  
h-index

1588992  
8  
g-index

14  
all docs

14  
docs citations

14  
times ranked

106  
citing authors

#	ARTICLE	IF	CITATIONS
1	Strong Philopatry, Isolation by Distance, and Local Habitat Have Promoted Genetic Structure in Heermann's Gull. <i>Diversity</i> , 2022, 14, 108.	1.7	3
2	A Strategy to Provide a Present and Future Scenario of Mexican Biodiversity of Tardigrada. <i>Diversity</i> , 2022, 14, 280.	1.7	0
3	Characterization, Selection, and Trans-Species Polymorphism in the MHC Class II of Heermann's Gull (Charadriiformes). <i>Genes</i> , 2022, 13, 917.	2.4	0
4	Comparative proteomic analysis of outer membrane vesicles from <i>Brucella suis</i> , <i>Brucella ovis</i> , <i>Brucella canis</i> and <i>Brucella neotomae</i> . <i>Archives of Microbiology</i> , 2021, 203, 1611-1626.	2.2	7
5	Species-Specific Cuticular Phenotypes in Eutardigrada: A Morphometric Approach to Analyze the Variation of Star-Shaped Pores in Minibiotus Species. <i>Diversity</i> , 2021, 13, 307.	1.7	1
6	Diverging Genetic Structure of Coexisting Populations of the Black Storm-Petrel and the Least Storm-Petrel in the Gulf of California. <i>Tropical Conservation Science</i> , 2020, 13, 194008292094917.	1.2	3
7	Tardigrades from Iztaccihuatl Volcano (Trans-Mexican Volcanic Belt), with the Description of <i>Minibiotus citlalium</i> sp. nov. (Eutardigrada: Macrobiotidae). <i>Diversity</i> , 2020, 12, 271.	1.7	5
8	High Connectivity Among Breeding Populations of the Elegant Tern ( <i>Thalasseus elegans</i> ) in Mexico and Southern California Revealed Through Population Genomic Analysis. <i>Waterbirds</i> , 2020, 43, 17.	0.3	5
9	Proteomic Analysis of Membrane Blebs of <i>Brucella abortus</i> 2308 and RB51 and Their Evaluation as an Acellular Vaccine. <i>Frontiers in Microbiology</i> , 2019, 10, 2714.	3.5	22
10	Detection of Potential Human Pathogenic Bacteria Isolated From Feces of Two Colonial Seabirds Nesting on Isla Rasa, Gulf of California: Heermann's Gull ( <i>Larus heermanni</i> ) and Elegant Tern ( <i>Thalasseus elegans</i> ). <i>Tropical Conservation Science</i> , 2019, 12, 194008291985567.	1.2	5
11	Correct Identification of <i>Ochrobactrum anthropi</i> From Blood Culture Using 16rRNA Sequencing: A First Case Report in an Immunocompromised Patient in Mexico. <i>Frontiers in Medicine</i> , 2018, 5, 205.	2.6	11
12	Demographic history of Heermann's Gull ( <i>Larus heermanni</i> ) from late Quaternary to present: Effects of past climate change in the Gulf of California. <i>Auk</i> , 2017, 134, 308-316.	1.4	4
13	Partial Characterization of Bacteriocin Produced by Halotolerant <i>Pediococcus acidilactici</i> Strain QC38 Isolated from Traditional Cotija Cheese. <i>Polish Journal of Microbiology</i> , 2016, 65, 279-285.	1.7	9
14	Seasonal dietary differences of the Yellow-footed Gull (Charadriiformes: Laridae) in Isla Partida Norte, Gulf of California, Mexico. <i>Revista Mexicana De Biodiversidad</i> , 2015, 86, 412-418.	0.4	4