Flavio Kapczinski

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1791445/flavio-kapczinski-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

537 25,702 83 136 g-index

601 29,356 4.6 6.91 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
537	Physician suicide demographics and the COVID-19 pandemic Revista Brasileira De Psiquiatria, 2022,	2.6	2
536	What not to use in bipolar disorders: A systematic review of non-recommended treatments in clinical practice guidelines. <i>Journal of Affective Disorders</i> , 2022 , 298, 565-576	6.6	1
535	Clinical predictors of depressive symptom remission and response after racemic ketamine and esketamine infusion in treatment-resistant depression <i>Human Psychopharmacology</i> , 2022 , e2836	2.3	O
534	Investigating biological rhythms disruptions across the menstrual cycle in women with comorbid bipolar disorder and premenstrual dysphoric disorder <i>Archives of Womeng Mental Health</i> , 2022 , 25, 345	5	О
533	A qualitative study exploring the process of postmortem brain tissue donation after suicide <i>Scientific Reports</i> , 2022 , 12, 4710	4.9	
532	The impact of substance use disorder comorbidity on cognition of individuals with bipolar disorder: A systematic review <i>Psychiatry Research</i> , 2022 , 311, 114525	9.9	0
531	Biomarkers of neuroprogression and late staging in bipolar disorder: A systematic review <i>Australian and New Zealand Journal of Psychiatry</i> , 2022 , 48674221091731	2.6	O
530	Investigation of blood-brain barrier disruption in an animal model of mania induced by D-amphetamine. <i>Journal of Affective Disorders Reports</i> , 2022 , 9, 100368	1.4	
529	Expert consensus recommendations on the use of randomized clinical trials for drug approval in psychiatry- comparing trial designs. <i>European Neuropsychopharmacology</i> , 2022 , 60, 91-99	1.2	1
528	Adding science to the art of suicide prevention. <i>Jornal Brasileiro De Psiquiatria</i> , 2021 , 70, 191-192	0.5	
527	Functional and cognitive impairment in the first episode of depression: A systematic review. <i>Acta Psychiatrica Scandinavica</i> , 2021 ,	6.5	4
526	Canadian Network for Mood and Anxiety Treatments (CANMAT) and International Society for Bipolar Disorders (ISBD) recommendations for the management of patients with bipolar disorder with mixed presentations. <i>Bipolar Disorders</i> , 2021 ,	3.8	6
525	Cannabidiol for COVID-19 Patients with Mild to Moderate Symptoms (CANDIDATE Study): A Randomized, Double-Blind, Placebo-Controlled Clinical Trial. <i>Cannabis and Cannabinoid Research</i> , 2021 ,	4.6	3
524	Substance use as a risk factor for bipolar disorder: A systematic review. <i>Journal of Psychiatric Research</i> , 2021 , 144, 285-295	5.2	2
523	Differential power of placebo across major psychiatric disorders: a preliminary meta-analysis and machine learning study. <i>Scientific Reports</i> , 2021 , 11, 21301	4.9	1
522	Structural and Functional Brain Correlates of Neuroprogression in Bipolar Disorder. <i>Current Topics in Behavioral Neurosciences</i> , 2021 , 48, 197-213	3.4	5
521	Precision Psychiatry: The Future Is Now. <i>Canadian Journal of Psychiatry</i> , 2021 , 706743721998044	4.8	5

(2021-2021)

520	Effects of depression and excess body weight on cognition and functioning in young adults: A population-based study. <i>Journal of Affective Disorders</i> , 2021 , 282, 401-406	6.6	2
519	Sleep alterations in individuals recently diagnosed with bipolar disorder across different mood stages. <i>Psychiatry Research</i> , 2021 , 299, 113824	9.9	Ο
518	Cognitive complaints in individuals recently diagnosed with bipolar disorder: A cross-sectional study. <i>Psychiatry Research</i> , 2021 , 300, 113894	9.9	1
517	Predicting offenses among individuals with psychiatric disorders - A machine learning approach. Journal of Psychiatric Research, 2021 , 138, 146-154	5.2	3
516	Lifestyle in Undergraduate Students and Demographically Matched Controls during the COVID-19 Pandemic in Spain. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	3
515	The assessment of lifestyle changes during the COVID-19 pandemic using a multidimensional scale. <i>Revista De Psiquiatr Y Salud Mental</i> , 2021 , 14, 16-26	2.7	41
514	Lithium-induced neuroprotective activity in neuronal and microglial cells: A purinergic perspective. <i>Psychiatry Research</i> , 2021 , 295, 113562	9.9	2
513	History of suicide attempts in patients with bipolar disorder type I: socio-demographic and clinical factors, quality of life and functioning. <i>Nordic Journal of Psychiatry</i> , 2021 , 75, 306-313	2.3	2
512	Ketamine and Esketamine augmentation for suicidal ideation: A randomized, double-blinded clinical trial. <i>General Hospital Psychiatry</i> , 2021 , 68, 97-99	5.6	6
511	Association between vaping and health outcomes in patients with opioid use disorder: a systematic review protocol. <i>BMJ Open</i> , 2021 , 11, e040349	3	
510	The assessment of lifestyle changes during the COVID-19 pandemic using a multidimensional scale. <i>Revista De Psiquiatr Y Salud Mental (English Edition)</i> , 2021 , 14, 16-26	0.2	1
509	Prediction of suicide attempts in a prospective cohort study with a nationally representative sample of the US population. <i>Psychological Medicine</i> , 2021 , 1-12	6.9	9
508	Neuroprogression in post-traumatic stress disorder: a systematic review. <i>Trends in Psychiatry and Psychotherapy</i> , 2021 , 43, 167-176	2.3	О
507	Biological Pathways Associated with Neuroprogression in Bipolar Disorder. <i>Brain Sciences</i> , 2021 , 11,	3.4	9
506	Translating science into policy: mental health challenges during the COVID-19 pandemic. <i>Revista Brasileira De Psiquiatria</i> , 2021 ,	2.6	3
505	Consensus on nomenclature for clinical staging models in bipolar disorder: A narrative review from the International Society for Bipolar Disorders (ISBD) Staging Task Force. <i>Bipolar Disorders</i> , 2021 , 23, 659-678	3.8	7
504	Efficacy and Safety of Cannabidiol Plus Standard Care vs Standard Care Alone for the Treatment of Emotional Exhaustion and Burnout Among Frontline Health Care Workers During the COVID-19 Pandemic: A Randomized Clinical Trial. <i>JAMA Network Open</i> , 2021 , 4, e2120603	10.4	13
503	Bipolar disorder and frontotemporal dementia: A systematic review. <i>Acta Psychiatrica Scandinavica</i> , 2021 , 144, 433-447	6.5	O

502	Unveiling the neurobiology of learning and memory: the lifetime accomplishments of Ivan Izquierdo (1937-2021). <i>Revista Brasileira De Psiquiatria</i> , 2021 , 43, 353-354	2.6	78
501	Genetic basis of cannabis use: a systematic review. <i>BMC Medical Genomics</i> , 2021 , 14, 203	3.7	1
500	The cumulative effect of multiple dimensions of lifestyle on risky drinking during the Covid-19 pandemic. <i>Preventive Medicine</i> , 2021 , 150, 106718	4.3	2
499	Variations in seasonal solar insolation are associated with a history of suicide attempts in bipolar I disorder. <i>International Journal of Bipolar Disorders</i> , 2021 , 9, 26	5.4	O
498	Early illness progression in mood disorders: A population-based longitudinal study. <i>Psychiatry Research</i> , 2021 , 306, 114225	9.9	
497	5-year incidence of suicide-risk in youth: A gradient tree boosting and SHAP study. <i>Journal of Affective Disorders</i> , 2021 , 295, 1049-1056	6.6	2
496	Lifestyle changes and mental health during the COVID-19 pandemic: A repeated, cross-sectional web survey. <i>Journal of Affective Disorders</i> , 2021 , 295, 173-182	6.6	3
495	Identifying patient-important outcomes for treatment of bipolar disorder: a systematic review protocol. <i>BMJ Open</i> , 2021 , 11, e050453	3	
494	The Early Burden of Disability in Individuals With Mood and Other Common Mental Disorders in Ontario, Canada. <i>JAMA Network Open</i> , 2020 , 3, e2020213	10.4	8
493	Clozapine in bipolar disorder: A systematic review and meta-analysis. <i>Journal of Psychiatric Research</i> , 2020 , 125, 21-27	5.2	11
492	Evaluation of BDNF as a Biomarker for Impulsivity in a Psychiatric Population. <i>Diagnostics</i> , 2020 , 10,	3.8	4
491	Emotional reactivity and explicit emotional memory biases in major depressive disorder during euthymia. <i>Psychiatry Research</i> , 2020 , 285, 112847	9.9	O
490	Mixed episodes and suicide risk: A community sample of young adults. <i>Journal of Affective Disorders</i> , 2020 , 266, 252-257	6.6	3
489	Risk of dementia in bipolar disorder and the interplay of lithium: a systematic review and meta-analyses. <i>Acta Psychiatrica Scandinavica</i> , 2020 , 141, 510-521	6.5	35
488	Resilience as a mediator factor in the relationship between childhood trauma and mood disorder: A community sample of young adults. <i>Journal of Affective Disorders</i> , 2020 , 274, 48-53	6.6	11
487	Effects of childhood trauma on BDNF and TBARS during crack-cocaine withdrawal. <i>Revista Brasileira De Psiquiatria</i> , 2020 , 42, 214-217	2.6	1
486	Peripheral Oxidative Stress Markers in Patients with Bipolar Disorder during Euthymia and in Siblings. <i>Endocrine, Metabolic and Immune Disorders - Drug Targets</i> , 2020 , 20, 77-86	2.2	5
485	Depression, Anxiety, and Lifestyle Among Essential Workers: A Web Survey From Brazil and Spain During the COVID-19 Pandemic. <i>Journal of Medical Internet Research</i> , 2020 , 22, e22835	7.6	30

(2019-2020)

484	Differentiating irritable mood and disruptive behavior in adults. <i>Trends in Psychiatry and Psychotherapy</i> , 2020 , 42, 375-386	2.3		
483	P2X7 Purinergic Receptor Is Involved in the Pathophysiology of Mania: a Preclinical Study. <i>Molecular Neurobiology</i> , 2020 , 57, 1347-1360	6.2	1	
482	Gene Regulatory Network of Dorsolateral Prefrontal Cortex: a Master Regulator Analysis of Major Psychiatric Disorders. <i>Molecular Neurobiology</i> , 2020 , 57, 1305-1316	6.2	3	
481	Differential biomarker signatures in unipolar and bipolar depression: A machine learning approach. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020 , 54, 393-401	2.6	14	
480	Data-driven cognitive phenotypes in subjects with bipolar disorder and their clinical markers of severity. <i>Psychological Medicine</i> , 2020 , 1-8	6.9	2	
479	Clinical correlates of high burden of general medical comorbidities in patients with bipolar disorder. <i>Journal of Affective Disorders Reports</i> , 2020 , 1, 100001	1.4		
478	CCL11 levels in drug-naive bipolar patients: The role of sex and smoking status. <i>Journal of Affective Disorders Reports</i> , 2020 , 1, 100002	1.4	O	
477	GWAS-identified genetic variants associated with medication-assisted treatment outcomes in patients with opioid use disorder: a systematic review and meta-analysis protocol. <i>Systematic Reviews</i> , 2020 , 9, 200	3	1	
476	Early identification of bipolar disorder among young adults - a 22-year community birth cohort. <i>Acta Psychiatrica Scandinavica</i> , 2020 , 142, 476-485	6.5	6	
475	Genetic determinants of cannabis use: a systematic review protocol. <i>Systematic Reviews</i> , 2020 , 9, 190	3	2	
474	Current understandings of the trajectory and emerging correlates of cognitive impairment in bipolar disorder: An overview of evidence. <i>Bipolar Disorders</i> , 2020 , 22, 13-27	3.8	42	
473	Emotional memory in bipolar disorder: Impact of multiple episodes and childhood trauma. <i>Journal of Affective Disorders</i> , 2020 , 260, 206-213	6.6	3	
472	Lifetime cocaine use is a potential predictor for conversion from major depressive disorder to bipolar disorder: A prospective study. <i>Psychiatry and Clinical Neurosciences</i> , 2020 , 74, 418-423	6.2	5	
471	Attenuated inflammatory response of monocyte-derived macrophage from patients with BD: a preliminary report. <i>International Journal of Bipolar Disorders</i> , 2019 , 7, 13	5.4	10	
470	Clinical outcomes and childhood trauma in bipolar disorder: A community sample of young adults. <i>Psychiatry Research</i> , 2019 , 275, 228-232	9.9	10	
469	Explicit emotional memory biases in mood disorders: A systematic review. <i>Psychiatry Research</i> , 2019 , 278, 162-172	9.9	6	
468	Anxiety disorders in childhood are associated with youth IL-6 levels: A mediation study including metabolic stress and childhood traumatic events. <i>Journal of Psychiatric Research</i> , 2019 , 115, 43-50	5.2	10	
467	Adjunctive tianeptine treatment for bipolar disorder: A 24-week randomized, placebo-controlled, maintenance trial. <i>Journal of Psychopharmacology</i> , 2019 , 33, 502-510	4.6	9	

466	Association between solar insolation and a history of suicide attempts in bipolar I disorder. <i>Journal of Psychiatric Research</i> , 2019 , 113, 1-9	5.2	15
465	Ndel1 oligopeptidase activity as a potential biomarker of early stages of schizophrenia. <i>Schizophrenia Research</i> , 2019 , 208, 202-208	3.6	11
464	Agmatine as a potential therapeutic intervention in bipolar depression: the preclinical landscape. <i>Expert Opinion on Therapeutic Targets</i> , 2019 , 23, 327-339	6.4	5
463	Metabolic syndrome, depression and anhedonia among young adults. <i>Psychiatry Research</i> , 2019 , 271, 306-310	9.9	17
462	Risk factors for suicidality in patients with panic disorder: A systematic review and meta-analysis. <i>Neuroscience and Biobehavioral Reviews</i> , 2019 , 105, 34-38	9	7
461	Machine learning and big data analytics in bipolar disorder: A position paper from the International Society for Bipolar Disorders Big Data Task Force. <i>Bipolar Disorders</i> , 2019 , 21, 582-594	3.8	52
460	Age-related deficits in intracortical myelination in young adults with bipolar disorder type I. <i>Journal of Psychiatry and Neuroscience</i> , 2019 , 44, 79-88	4.5	3
459	Big Data and Machine Learning Meet the Health Sciences 2019 , 1-13		5
458	Subjective neurocognition and quality of life in patients with bipolar disorder and siblings. <i>Journal of Affective Disorders</i> , 2019 , 245, 283-288	6.6	14
457	Differences between unipolar mania and bipolar-I disorder: Evidence from nine epidemiological studies. <i>Bipolar Disorders</i> , 2019 , 21, 437-448	3.8	11
456	Metabolic syndrome and psychiatric disorders: a population-based study. <i>Revista Brasileira De Psiquiatria</i> , 2019 , 41, 38-43	2.6	11
455	Bipolar disorder and 1513A>C P2RX7 polymorphism frequency. <i>Neuroscience Letters</i> , 2019 , 694, 143-14	173.3	4
454	The impact of body mass index in gene expression of reelin pathway mediators in individuals with schizophrenia and mood disorders: A post-mortem study. <i>Journal of Psychiatric Research</i> , 2018 , 102, 18	6 ⁻⁵ 1 ³ 1	4
453	Bipolar disorder and tobacco smoking: Categorical and dimensional clinical correlates in subjects from the Brazilian bipolar research network. <i>Comprehensive Psychiatry</i> , 2018 , 82, 14-21	7.3	9
452	Mood disorders and prospective suicidality in young adults: a population-based cohort study. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 137, 109-115	6.5	8
451	Association of intracortical myelin and cognitive function in bipolar I disorder. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 138, 62-72	6.5	4
450	Oxidative stress markers imbalance in late-life depression. <i>Journal of Psychiatric Research</i> , 2018 , 102, 29-33	5.2	28
449	Canadian Network for Mood and Anxiety Treatments (CANMAT) and International Society for Bipolar Disorders (ISBD) 2018 guidelines for the management of patients with bipolar disorder. Bipolar Disorders 2018 20 97-170	3.8	639

(2018-2018)

The differential association between history of childhood sexual abuse and body mass index in early and late stages of bipolar disorder. <i>Journal of Affective Disorders</i> , 2018 , 227, 214-218	6.6	16	
Risk Factors for Suicidality in Patients With Schizophrenia: A Systematic Review, Meta-analysis, and Meta-regression of 96 Studies. <i>Schizophrenia Bulletin</i> , 2018 , 44, 787-797	1.3	68	
Cardiovascular risk and bipolar disorder: factors associated with a positive coronary calcium score in patients with bipolar disorder type 1. <i>Revista Brasileira De Psiquiatria</i> , 2018 , 40, 163-168	2.6	5	
Immediate Early Gene and the Brain-Derived Neurotrophic Factor in Bipolar Disorder. <i>Frontiers in Behavioral Neuroscience</i> , 2018 , 12, 15	3.5	12	
Mediator effects of parameters of inflammation and neurogenesis from a N-acetyl cysteine clinical-trial for bipolar depression. <i>Acta Neuropsychiatrica</i> , 2018 , 30, 334-341	3.9	11	
Intracellular Pathogen Infections and Immune Response in Autism. <i>NeuroImmunoModulation</i> , 2018 , 25, 271-279	2.5	8	
Neuron-glia Interaction as a Possible Pathophysiological Mechanism of Bipolar Disorder. <i>Current Neuropharmacology</i> , 2018 , 16, 519-532	7.6	36	
Validation of the Korean Version of the Biological Rhythms Interview of Assessment in Neuropsychiatry. <i>Psychiatry Investigation</i> , 2018 , 15, 1115-1120	3.1	8	
Case series of diagnostic shift from bipolar disorder to schizoaffective disorder. <i>Nordic Journal of Psychiatry</i> , 2018 , 72, 232-235	2.3	1	
Resting-state functional connectivity in individuals with bipolar disorder during clinical remission: a systematic review. <i>Journal of Psychiatry and Neuroscience</i> , 2018 , 43, 298-316	4.5	60	
Depression and Mania Induce Pro-inflammatory Activation of Macrophages Following Application of Serum from Individuals with Bipolar Disorder. <i>Clinical Psychopharmacology and Neuroscience</i> , 2018 , 16, 103-108	3.4	17	
White matter volume is decreased in bipolar disorder at early and late stages. <i>Trends in Psychiatry and Psychotherapy</i> , 2018 , 40, 277-284	2.3	7	
Toward Precision Psychiatry in Bipolar Disorder: Staging 2.0. Frontiers in Psychiatry, 2018, 9, 641	5	54	
Staging, Neurocognition and Social Functioning in Bipolar Disorder. Frontiers in Psychiatry, 2018, 9, 709	5	12	
Potential use of text classification tools as signatures of suicidal behavior: A proof-of-concept study using Virginia Woolf@personal writings. <i>PLoS ONE</i> , 2018 , 13, e0204820	3.7	10	
Impact of resilience on the improvement of depressive symptoms after cognitive therapies for depression in a sample of young adults. <i>Trends in Psychiatry and Psychotherapy</i> , 2018 , 40, 226-231	2.3	6	
Construction of a biological rhythm assessment scale for children. <i>Trends in Psychiatry and Psychotherapy</i> , 2018 , 40, 53-60	2.3	6	
Volumetric brain magnetic resonance imaging predicts functioning in bipolar disorder: A machine learning approach. <i>Journal of Psychiatric Research</i> , 2018 , 103, 237-243	5.2	34	
	early and late stages of bipolar disorder. <i>Journal of Affective Disorders</i> , 2018, 227, 214-218 Risk Factors for Suicidality in Patients With Schizophrenia: A Systematic Review, Meta-analysis, and Meta-regression of 96 Studies. <i>Schizophrenia Bulletin</i> , 2018, 44, 787-797 Cardiovascular risk and bipolar disorder: factors associated with a positive coronary calcium score in patients with bipolar disorder type 1. <i>Revista Brasileira De Psiquiatria</i> , 2018, 40, 163-168 Immediate Early Gene and the Brain-Derived Neurotrophic Factor in Bipolar Disorder. <i>Frontiers in Behavioral Neuroscience</i> , 2018, 12, 15 Mediator effects of parameters of inflammation and neurogenesis from a N-acetyl cysteine clinical-trial for bipolar depression. <i>Acta Neuropsychiatrica</i> , 2018, 30, 334-341 Intracellular Pathogen Infections and Immune Response in Autism. <i>NeuroImmunoModulation</i> , 2018, 25, 271-279 Neuron-glia Interaction as a Possible Pathophysiological Mechanism of Bipolar Disorder. <i>Current Neuropharmacology</i> , 2018, 16, 519-532 Validation of the Korean Version of the Biological Rhythms Interview of Assessment in Neuropsychiatry. <i>Psychiatry Investigation</i> , 2018, 15, 1115-1120 Case series of diagnostic shift from bipolar disorder to schizoaffective disorder. <i>Nordic Journal of Psychiatry</i> , 2018, 72, 232-235 Resting-state functional connectivity in individuals with bipolar disorder during clinical remission: a systematic review. <i>Journal of Psychiatry and Neuroscience</i> , 2018, 43, 298-316 Depression and Mania Induce Pro-inflammatory Activation of Macrophages Following Application of Serum from Individuals with Bipolar Disorder. <i>Clinical Psychopharmacology and Neuroscience</i> , 2018, 16, 103-108 White matter volume is decreased in bipolar disorder at early and late stages. <i>Trends in Psychiatry and Psychiatry</i> , 2018, 9, 641 Toward Precision Psychiatry in Bipolar Disorder: Staging 2.0. <i>Frontiers in Psychiatry</i> , 2018, 9, 641 Toward Precision of a biological rhythm assessment scale for children. <i>Trends in Psychiatry and Psychia</i>	early and late stages of bipolar disorder. Journal of Affective Disorders, 2018, 227, 214-218 Risk Factors for Suicidality in Patients With Schizophrenia: A Systematic Review, Meta-analysis, and Meta-regression of 96 Studies. Schizophrenia Bulletin, 2018, 44, 787-797 1-3 Cardiovascular risk and bipolar disorder: factors associated with a positive coronary calcium score in patients with bipolar disorder type 1. Revista Brasileira De Psiquiatria, 2018, 40, 163-168 Immediate Early Gene and the Brain-Derived Neurotrophic Factor in Bipolar Disorder. Frontiers in Behavioral Neuroscience, 2018, 12, 15 Mediator effects of parameters of inflammation and neurogenesis from a N-acetyl cysteine clinical-trial for bipolar depression. Acta Neuropsychiatrica, 2018, 30, 334-341 Intracellular Pathogen Infections and Immune Response in Autism. NeuroImmunoModulation, 2018, 25, 271-279 Neuron-glia Interaction as a Possible Pathophysiological Mechanism of Bipolar Disorder. Current Neuropharmacology, 2018, 16, 519-532 Validation of the Korean Version of the Biological Rhythms Interview of Assessment in Neuropsychiatry. Psychiatry Investigation, 2018, 15, 1115-1120 Case series of diagnostic shift from bipolar disorder to schizoaffective disorder. Nordic Journal of Psychiatry, 2018, 72, 232-235 Resting-state functional connectivity in individuals with bipolar disorder during clinical remission: a systematic review. Journal of Psychiatry and Neuroscience, 2018, 43, 298-316 Depression and Mania Induce Pro-inflammatory Activation of Macrophages Following Application of Serum from Individuals with Bipolar Disorder. Clinical Psychopharmacology and Neuroscience, 2018, 16, 103-108 White matter volume is decreased in bipolar disorder at early and late stages. Trends in Psychiatry 2018, 9, 641 5 Staging, Neurocognition and Social Functioning in Bipolar Disorder. Frontiers in Psychiatry, 2018, 9, 641 5 Staging, Neurocognition and Social Functioning in Bipolar Disorder. A proof-of-concept study using Virginia Woolf@personal writings	early and late stages of bipolar disorder. Journal of Affective Disorders, 2018, 227, 214-218 Risk Factors for Suicidality in Patients With Schizophrenia: A Systematic Review, Meta-analysis, and Meta-regression of 95 Studies. Schizophrenia Billetin, 2018, 44, 787-797 Cardiovascular risk and bipolar disorder: factors associated with a positive coronary calcium score in patients with bipolar disorder type 1. Revista Brasileira De Psiquiatria, 2018, 40, 163-168 2.6 5 Immediator effects of parameters of inflammation and neurogenesis from a N-acetyl cysteine clinical-trial for bipolar depression. Acta Neuropsychiatrica, 2018, 30, 334-341 Intracellular Pathogen Infections and Immune Response in Autism. NeuroImmunaModulation, 2018, 25, 271-279 Neuron-glia Interaction as a Possible Pathophysiological Mechanism of Bipolar Disorder. Current Neurophysiology, 2018, 16, 519-532 Neuron-glia Interaction as a Possible Pathophysiological Mechanism of Bipolar Disorder. Current Neurophysiolary. Psychiatry Investigation, 2018, 15, 1115-1120 Case series of diagnostic shift from bipolar disorder to schizoaffective disorder. Nordic Journal of Psychiatry. Psychiatry Investigation, 2018, 15, 1115-1120 Case series of diagnostic shift from bipolar disorder to schizoaffective disorder. Nordic Journal of Psychiatry and Neuroscience, 2018, 13, 298-316 Resting-state functional connectivity in individuals with bipolar disorder during clinical remission: a systematic review. Journal of Psychiatry and Neuroscience, 2018, 43, 298-316 Depression and Mania Induce Pro-inflammatory Activation of Macrophages Following Application of Serum from Individuals with Bipolar Disorder. Clinical Psychopharmacology and Neuroscience, 2018, 16, 103-108 White matter volume is decreased in bipolar disorder at early and late stages. Trends in Psychiatry, 2018, 9, 79 5 24 Toward Precision Psychiatry in Bipolar Disorder: Staging 2.0. Frontiers in Psychiatry, 2018, 9, 641 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5

430	Emotional hyper-reactivity and cardiometabolic risk in remitted bipolar patients: a machine learning approach. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 138, 348-359	6.5	14	
429	Hippocampal neurochemical markers in bipolar disorder patients following the first-manic episode: A prospective 12-month proton magnetic resonance spectroscopy study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017 , 51, 65-74	2.6	5	
428	Peripheral biomarker signatures of bipolar disorder and schizophrenia: A machine learning approach. <i>Schizophrenia Research</i> , 2017 , 188, 182-184	3.6	19	
427	Functional impairment and cognitive performance in mood disorders: A community sample of young adults. <i>Psychiatry Research</i> , 2017 , 251, 85-89	9.9	7	
426	Inflammatory cytokines and functional impairment in drug-free subjects with mood disorder. <i>Journal of Neuroimmunology</i> , 2017 , 307, 33-36	3.5	15	
425	Telomere Length, Oxidative Stress, Inflammation and BDNF Levels in Siblings of Patients with Bipolar Disorder: Implications for Accelerated Cellular Aging. <i>International Journal of Neuropsychopharmacology</i> , 2017 , 20, 445-454	5.8	51	
424	Clinical staging and serum cytokines in bipolar patients during euthymia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2017 , 77, 194-201	5.5	28	
423	"Why throw away something useful?": Attitudes and opinions of people treated for bipolar disorder and their relatives on organ and tissue donation. <i>Cell and Tissue Banking</i> , 2017 , 18, 105-117	2.2	6	
422	Differences in biomarkers of crack-cocaine adolescent users before/after abstinence. <i>Drug and Alcohol Dependence</i> , 2017 , 177, 207-213	4.9	11	
421	Metabolic syndrome in subjects with bipolar disorder and major depressive disorder in a current depressive episode: Population-based study: Metabolic syndrome in current depressive episode. <i>Journal of Psychiatric Research</i> , 2017 , 92, 119-123	5.2	41	
420	Inflammation and internalizing disorders in adolescents. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2017 , 77, 133-137	5.5	14	
419	Changing the bipolar illness trajectory. <i>Lancet Psychiatry,the</i> , 2017 , 4, 11-13	23.3	9	
418	Cell therapy in the treatment of bipolar mania in an animal model: a proof of concept study. <i>Trends in Psychiatry and Psychotherapy</i> , 2017 , 39, 196-201	2.3	2	
417	Frequency of brain tissue donation for research after suicide. <i>Revista Brasileira De Psiquiatria</i> , 2017 , 39, 180-182	2.6	4	
416	The impact of machine learning techniques in the study of bipolar disorder: A systematic review. <i>Neuroscience and Biobehavioral Reviews</i> , 2017 , 80, 538-554	9	107	
415	Solar insolation in springtime influences age of onset of bipolar I disorder. <i>Acta Psychiatrica Scandinavica</i> , 2017 , 136, 571-582	6.5	14	
414	Sudden unexpected death in bipolar disorder. Journal of Affective Disorders, 2017, 223, 8-9	6.6	1	
413	The Bipolar Illness Onset study: research protocol for the BIO cohort study. <i>BMJ Open</i> , 2017 , 7, e01540	62 3	81	

(2016-2017)

412	Serum of Bipolar Patients Induces Pro-inflammatory Activation of Macrophages. <i>European Psychiatry</i> , 2017 , 41, S114-S114	6	
411	Neuroprogression and illness trajectories in bipolar disorder. <i>Expert Review of Neurotherapeutics</i> , 2017 , 17, 277-285	4.3	70
410	Mood disorders and biological rhythms in young adults: A large population-based study. <i>Journal of Psychiatric Research</i> , 2017 , 84, 98-104	5.2	33
409	Virginia Woolf, neuroprogression, and bipolar disorder. <i>Revista Brasileira De Psiquiatria</i> , 2017 , 39, 69-71	2.6	3
408	Rapid infusion of esketamine for unipolar and bipolar depression: a retrospective chart review. <i>Neuropsychiatric Disease and Treatment</i> , 2017 , 13, 1627-1632	3.1	23
407	Analyzing leukocyte telomere length in bipolar disorder: AuthorsOreply. <i>Revista Brasileira De Psiquiatria</i> , 2017 , 39, 275-276	2.6	1
406	Cytokine Levels in Panic Disorder: Evidence for a Dose-Response Relationship. <i>Psychosomatic Medicine</i> , 2017 , 79, 126-132	3.7	20
405	Predictors of psychiatric readmission among patients with bipolar disorder at an academic safety-net hospital. <i>Australian and New Zealand Journal of Psychiatry</i> , 2016 , 50, 584-93	2.6	30
404	Refractory bipolar disorder and neuroprogression. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2016 , 70, 103-10	5.5	26
403	Optimal duration of risperidone or olanzapine adjunctive therapy to mood stabilizer following remission of a manic episode: A CANMAT randomized double-blind trial. <i>Molecular Psychiatry</i> , 2016 , 21, 1050-6	15.1	34
402	Clinical outcomes associated with comorbid posttraumatic stress disorder among patients with bipolar disorder. <i>Journal of Clinical Psychiatry</i> , 2016 , 77, e555-60	4.6	11
401	Circadian preferences, oxidative stress and inflammatory cytokines in bipolar disorder: A community study. <i>Journal of Neuroimmunology</i> , 2016 , 301, 23-29	3.5	20
400	Biological rhythms, metabolic syndrome and current depressive episode in a community sample. <i>Psychoneuroendocrinology</i> , 2016 , 72, 34-9	5	14
399	Childhood trauma, family history, and their association with mood disorders in early adulthood. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 134, 281-6	6.5	47
398	Role of P2X7 Receptor in an Animal Model of Mania Induced by D-Amphetamine. <i>Molecular Neurobiology</i> , 2016 , 53, 611-620	6.2	37
397	Big data analytics and machine learning: 2015 and beyond. <i>Lancet Psychiatry,the</i> , 2016 , 3, 13-15	23.3	83
396	Reduced hippocampus volume and memory performance in bipolar disorder patients carrying the BDNF val66met met allele. <i>Journal of Affective Disorders</i> , 2016 , 198, 198-205	6.6	66
395	Individualized Prediction and Clinical Staging of Bipolar Disorders using Neuroanatomical Biomarkers. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2016 , 1, 186-194	3.4	51

394	Post-traumatic stress disorder and interleukin 6 - Authors Oreply. Lancet Psychiatry, the, 2016, 3, 202	23.3	1
393	Glucocorticoid Receptors, Brain-Derived Neurotrophic Factor, Serotonin and Dopamine Neurotransmission are Associated with Interferon-Induced Depression. <i>International Journal of Neuropsychopharmacology</i> , 2016 , 19,	5.8	23
392	Hippocampal volume and verbal memory performance in late-stage bipolar disorder. <i>Journal of Psychiatric Research</i> , 2016 , 73, 102-107	5.2	77
391	Individualized identification of euthymic bipolar disorder using the Cambridge Neuropsychological Test Automated Battery (CANTAB) and machine learning. <i>Journal of Affective Disorders</i> , 2016 , 192, 219-	£6	30
390	Identifying a clinical signature of suicidality among patients with mood disorders: A pilot study using a machine learning approach. <i>Journal of Affective Disorders</i> , 2016 , 193, 109-16	6.6	120
389	Concepts and misconceptions regarding clinical staging models: Author response. <i>Journal of Psychiatry and Neuroscience</i> , 2016 , 41, E83-E84	4.5	O
388	Cognitive performance and psychosocial functioning in patients with bipolar disorder, unaffected siblings, and healthy controls. <i>Revista Brasileira De Psiquiatria</i> , 2016 , 38, 275-280	2.6	10
387	Challenges and developments in research of the early stages of bipolar disorder. <i>Revista Brasileira De Psiquiatria</i> , 2016 , 38, 329-337	2.6	5
386	Serum BDNF levels in unaffected first-degree relatives of patients with bipolar disorder. <i>Revista Brasileira De Psiquiatria</i> , 2016 , 38, 197-200	2.6	7
385	Psychiatric and clinical correlates of rapid cycling bipolar disorder: a cross-sectional study. <i>Revista Brasileira De Psiquiatria</i> , 2016 , 38, 270-274	2.6	16
384	Shortened telomere length in bipolar disorder: a comparison of the early and late stages of disease. <i>Revista Brasileira De Psiquiatria</i> , 2016 , 38, 281-286	2.6	33
383	The Biological Rhythms Interview of Assessment in Neuropsychiatry in patients with bipolar disorder: correlation with affective temperaments and schizotypy. <i>Revista Brasileira De Psiquiatria</i> , 2016 , 38, 325-328	2.6	6
382	The association between biological rhythms, depression, and functioning in bipolar disorder: a large multi-center study. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 133, 102-108	6.5	56
381	Areas of controversy in neuroprogression in bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 134, 91-103	6.5	145
380	Brain-derived neurotrophic factor, impaired glucose metabolism, and bipolar disorder course. <i>Bipolar Disorders</i> , 2016 , 18, 373-8	3.8	17
379	BDNF Val66Met polymorphism and peripheral protein levels in pediatric bipolar disorder and attention-deficit/hyperactivity disorder. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 134, 268-74	6.5	14
378	A Study of Biological Rhythm Disturbances in Polish Remitted Bipolar Patients using the BRIAN, CSM, and SWPAQ Scales. <i>Neuropsychobiology</i> , 2016 , 74, 125-130	4	7
377	Antioxidant treatments for schizophrenia. <i>The Cochrane Library</i> , 2016 , 2, CD008919	5.2	35

(2015-2016)

376	Evaluation of cytokines, oxidative stress markers and brain-derived neurotrophic factor in patients with fibromyalgia - A controlled cross-sectional study. <i>Cytokine</i> , 2016 , 84, 25-8	4	32
375	Differential expression of transcriptional regulatory units in the prefrontal cortex of patients with bipolar disorder: potential role of early growth response gene 3. <i>Translational Psychiatry</i> , 2016 , 6, e805	8.6	18
374	Reduced Neurite Density in Neuronal Cell Cultures Exposed to Serum of Patients with Bipolar Disorder. <i>International Journal of Neuropsychopharmacology</i> , 2016 , 19,	5.8	6
373	The role of macrophage polarization on bipolar disorder: Identifying new therapeutic targets. <i>Australian and New Zealand Journal of Psychiatry</i> , 2016 , 50, 618-30	2.6	21
372	Peripheral adenosine levels in euthymic patients with bipolar disorder. <i>Psychiatry Research</i> , 2016 , 246, 421-426	9.9	19
371	High levels of brain-derived neurotrophic factor are associated with treatment adherence among crack-cocaine users. <i>Neuroscience Letters</i> , 2016 , 630, 169-175	3.3	9
370	The role of encoding strategies in contextual memory deficits in patients with bipolar disorder. <i>Neuropsychological Rehabilitation</i> , 2015 , 25, 122-36	3.1	6
369	Is bipolar disorder associated with accelerating aging? A meta-analysis of telomere length studies. <i>Journal of Affective Disorders</i> , 2015 , 186, 241-8	6.6	34
368	Biological rhythms in bipolar and depressive disorders: A community study with drug-nalle young adults. <i>Journal of Affective Disorders</i> , 2015 , 186, 145-8	6.6	43
367	Mitochondrial and Oxidative Stress Aspects in Hippocampus of Rats Submitted to Dietary n-3 Polyunsaturated Fatty Acid Deficiency After Exposure to Early Stress. <i>Neurochemical Research</i> , 2015 , 40, 1870-81	4.6	10
366	Is religiosity a protective factor against suicidal behavior in bipolar I outpatients?. <i>Journal of Affective Disorders</i> , 2015 , 186, 156-61	6.6	18
365	Effects of a single bout of maximal aerobic exercise on BDNF in bipolar disorder: A gender-based response. <i>Psychiatry Research</i> , 2015 , 229, 57-62	9.9	23
364	Damage-associated molecular patterns and immune activation in bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2015 , 132, 211-7	6.5	30
363	Effects of sodium butyrate on aversive memory in rats submitted to sepsis. <i>Neuroscience Letters</i> , 2015 , 595, 134-8	3.3	22
362	Verbal episodic memory along the course of schizophrenia and bipolar disorder: a new perspective. <i>European Neuropsychopharmacology</i> , 2015 , 25, 169-75	1.2	23
361	Effects of Mood Stabilizers on Brain Energy Metabolism in Mice Submitted to an Animal Model of Mania Induced by Paradoxical Sleep Deprivation. <i>Neurochemical Research</i> , 2015 , 40, 1144-52	4.6	16
360	Treatment delay is associated with more episodes and more severe illness staging progression in patients with bipolar disorder. <i>Psychiatry Research</i> , 2015 , 227, 372-3	9.9	9
359	Influence of light exposure during early life on the age of onset of bipolar disorder. <i>Journal of Psychiatric Research</i> , 2015 , 64, 1-8	5.2	34

358	Neuroprogression and Cognitive Functioning in Bipolar Disorder: A Systematic Review. <i>Current Psychiatry Reports</i> , 2015 , 17, 75	9.1	84
357	Staging Models and Functional Outcomes in Bipolar Disorder: Clinical Implications. <i>Current Treatment Options in Psychiatry</i> , 2015 , 2, 205-217	3.1	4
356	Immune activation as a mediator of the gut-brain axis in manic episodes. <i>Australian and New Zealand Journal of Psychiatry</i> , 2015 , 49, 1223	2.6	
355	Functioning in bipolar disorder with substance abuse/dependence in a community sample of young adults. <i>Journal of Affective Disorders</i> , 2015 , 187, 179-82	6.6	10
354	Brain-derived neurotrophic factor and inflammatory markers in school-aged children with early trauma. <i>Acta Psychiatrica Scandinavica</i> , 2015 , 131, 360-8	6.5	29
353	Psychophysiological correlates of cognitive deficits in family caregivers of patients with Alzheimer Disease. <i>Neuroscience</i> , 2015 , 286, 371-82	3.9	36
352	Folic acid prevented cognitive impairment in experimental pneumococcal meningitis. <i>Journal of Neural Transmission</i> , 2015 , 122, 643-51	4.3	9
351	Cannabidiol Exposure During Neuronal Differentiation Sensitizes Cells Against Redox-Active Neurotoxins. <i>Molecular Neurobiology</i> , 2015 , 52, 26-37	6.2	27
350	Intracerebral Administration of BDNF Protects Rat Brain Against Oxidative Stress Induced by Ouabain in an Animal Model of Mania. <i>Molecular Neurobiology</i> , 2015 , 52, 353-62	6.2	22
349	Long-lasting recognition memory impairment and alterations in brain levels of cytokines and BDNF induced by maternal deprivation: effects of valproic acid and topiramate. <i>Journal of Neural Transmission</i> , 2015 , 122, 709-19	4.3	41
348	Interaction between SLC6A4 promoter variants and childhood trauma on the age at onset of bipolar disorders. <i>Scientific Reports</i> , 2015 , 5, 16301	4.9	16
347	Rapid cycling bipolar disorder is associated with a higher lifetime prevalence of migraine. <i>Acta Psychiatrica Scandinavica</i> , 2015 , 132, 308-9	6.5	6
346	Neurotrophins, cytokines, oxidative parameters and funcionality in Progressive Muscular Dystrophies. <i>Anais Da Academia Brasileira De Ciencias</i> , 2015 , 87, 1809-18	1.4	8
345	Bipolar disorder prevalence: a systematic review and meta-analysis of the literature. <i>Revista Brasileira De Psiquiatria</i> , 2015 , 37, 155-61	2.6	92
344	Quality of life, social functioning, family structure, and treatment history associated with crack cocaine use in youth from the general population. <i>Revista Brasileira De Psiquiatria</i> , 2015 , 37, 211-8	2.6	14
343	Mesenchymal stem cells for the treatment of neurodegenerative and psychiatric disorders. <i>Anais Da Academia Brasileira De Ciencias</i> , 2015 , 87, 1435-49	1.4	25
342	Association of interleukin-10 levels with age of onset and duration of illness in patients with major depressive disorder. <i>Revista Brasileira De Psiquiatria</i> , 2015 , 37, 296-302	2.6	16
341	Association of serum brain-derived neurotrophic factor (BDNF) and tumor necrosis factor-alpha (TNF-∄with diagnosis of delirium in oncology inpatients. <i>Revista Brasileira De Psiquiatria</i> , 2015 , 37, 197-	 2 6 26	7

(2014-2015)

340	rats, but did not alter aggressive and anxiety-like behaviors. <i>Trends in Psychiatry and Psychotherapy</i> , 2015 , 37, 143-51	2.3	14
339	Correlation between Peripheral Levels of Brain-Derived Neurotrophic Factor and Hippocampal Volume in Children and Adolescents with Bipolar Disorder. <i>Neural Plasticity</i> , 2015 , 2015, 324825	3.3	5
338	The role of inflammation and microglial activation in the pathophysiology of psychiatric disorders. <i>Neuroscience</i> , 2015 , 300, 141-54	3.9	376
337	Memory and brain-derived neurotrophic factor after subchronic or chronic amphetamine treatment in an animal model of mania. <i>Journal of Psychiatric Research</i> , 2015 , 68, 329-36	5.2	18
336	Differences in parental bonding between schizophrenia and bipolar disorder: Evidence of prodromal symptoms?. <i>Schizophrenia Research</i> , 2015 , 165, 134-7	3.6	4
335	Inflammatory markers in post-traumatic stress disorder: a systematic review, meta-analysis, and meta-regression. <i>Lancet Psychiatry,the</i> , 2015 , 2, 1002-12	23.3	367
334	Developmental staging models in bipolar disorder. <i>International Journal of Bipolar Disorders</i> , 2015 , 3, 33	5.4	5
333	Influence of birth cohort on age of onset cluster analysis in bipolar I disorder. <i>European Psychiatry</i> , 2015 , 30, 99-105	6	24
332	Changes in the corpus callosum in women with late-stage bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2015 , 131, 458-64	6.5	54
331	Cognitive and psychosocial impairment in remitted bipolar patients. <i>Psicodebate</i> , 2015 , 14, 25	1.7	2
330	C-reactive protein alterations in bipolar disorder: a meta-analysis. <i>Journal of Clinical Psychiatry</i> , 2015 , 76, 142-50	4.6	109
329	Hypothalamic-pituitary-adrenal axis dysfunction and illness progression in bipolar disorder. <i>International Journal of Neuropsychopharmacology</i> , 2014 , 18,	5.8	49
328	Violent and sexual behaviors and lifetime use of crack cocaine: a population-based study in Brazil. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014 , 49, 1249-55	4.5	33
327	Association between family history of mood disorders and clinical characteristics of bipolar disorder: results from the Brazilian bipolar research network. <i>Journal of Affective Disorders</i> , 2014 , 161, 104-8	6.6	13
326	Staging bipolar disorder: clinical, biochemical, and functional correlates. <i>Acta Psychiatrica Scandinavica</i> , 2014 , 129, 437-44	6.5	76
325	Staging systems in bipolar disorder: an International Society for Bipolar Disorders Task Force Report. <i>Acta Psychiatrica Scandinavica</i> , 2014 , 130, 354-63	6.5	152
324	Vitamin B6 prevents cognitive impairment in experimental pneumococcal meningitis. <i>Experimental Biology and Medicine</i> , 2014 , 239, 1360-5	3.7	15
323	P.2.d.033 Staging bipolar disorder: biological, clinical and functional correlates. <i>European Neuropsychopharmacology</i> , 2014 , 24, S432-S433	1.2	

322	Mineralocorticoid receptor genotype moderates the association between physical neglect and serum BDNF. <i>Journal of Psychiatric Research</i> , 2014 , 59, 8-13	5.2	8
321	P.2.c.009 Epigenetically-induced modulation of the stress axis associated with the progression of bipolar disorder. <i>European Neuropsychopharmacology</i> , 2014 , 24, S412-S413	1.2	
320	Shared clinical associations between obesity and impulsivity in rapid cycling bipolar disorder: a systematic review. <i>Journal of Affective Disorders</i> , 2014 , 168, 306-13	6.6	13
319	Common biological mechanisms between bipolar disorder and type 2 diabetes: Focus on inflammation. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2014 , 54, 289-98	5.5	25
318	Oxidative stress and BDNF as possible markers for the severity of crack cocaine use in early withdrawal. <i>Psychopharmacology</i> , 2014 , 231, 4031-9	4.7	40
317	Correlation between n-3 polyunsaturated fatty acids consumption and BDNF peripheral levels in adolescents. <i>Lipids in Health and Disease</i> , 2014 , 13, 44	4.4	20
316	BDNF: a biomarker for social vulnerability in individuals diagnosed with gender dysphoria. <i>Journal of Psychiatric Research</i> , 2014 , 50, 16-7	5.2	3
315	Peripheral eotaxin-1 (CCL11) levels and mood disorder diagnosis in a population-based sample of young adults. <i>Journal of Psychiatric Research</i> , 2014 , 48, 13-5	5.2	23
314	Prevalence and clinical correlates of alcohol use disorders among bipolar disorder patients: results from the Brazilian Bipolar Research Network. <i>Comprehensive Psychiatry</i> , 2014 , 55, 1116-21	7.3	28
313	Progesterone and its metabolites as therapeutic targets in psychiatric disorders. <i>Expert Opinion on Therapeutic Targets</i> , 2014 , 18, 679-90	6.4	17
312	Relationship between sunlight and the age of onset of bipolar disorder: an international multisite study. <i>Journal of Affective Disorders</i> , 2014 , 167, 104-11	6.6	37
311	Clinical staging in bipolar disorder: focus on cognition and functioning. <i>Journal of Clinical Psychiatry</i> , 2014 , 75, e450-6	4.6	107
310	Neurocognitive functioning in overweight and obese patients with bipolar disorder: data from the Systematic Treatment Optimization Program for Early Mania (STOP-EM). <i>Canadian Journal of Psychiatry</i> , 2014 , 59, 639-48	4.8	17
309	Impaired endoplasmic reticulum stress response in bipolar disorder: cellular evidence of illness progression. <i>International Journal of Neuropsychopharmacology</i> , 2014 , 17, 1453-63	5.8	41
308	Histone deacetylase activity and brain-derived neurotrophic factor (BDNF) levels in a pharmacological model of mania. <i>Revista Brasileira De Psiquiatria</i> , 2014 , 36, 39-46	2.6	27
307	Socio-demographic and clinical characteristics of pregnant and puerperal crack-cocaine using women: preliminary data. <i>Revista De Psiquiatria Clinica</i> , 2014 , 41, 121-123	0.8	3
306	Increase in brain-derived neurotrophic factor expression in early crack cocaine withdrawal. <i>International Journal of Neuropsychopharmacology</i> , 2014 , 17, 33-40	5.8	30
305	Effectiveness and tolerance of anti-inflammatory drugs@dd-on therapy in major mental disorders: a systematic qualitative review. <i>Acta Psychiatrica Scandinavica</i> , 2014 , 129, 163-79	6.5	127

Burden and related factors in caregivers of young adults presenting bipolar and unipolar mood disorder. <i>International Journal of Social Psychiatry</i> , 2014 , 60, 396-402	8.5	15
Early apoptosis in peripheral blood mononuclear cells from patients with bipolar disorder. <i>Journal of Affective Disorders</i> , 2014 , 152-154, 474-7	6.6	23
Psychiatric and substance-use comorbidities associated with lifetime crack cocaine use in young adults in the general population. <i>Comprehensive Psychiatry</i> , 2014 , 55, 1369-76	7.3	67
Inflammatory mediators of cognitive impairment in bipolar disorder. <i>Journal of Psychiatric Research</i> , 2014 , 56, 18-27	5.2	87
Val66Met polymorphism and serum brain-derived neurotrophic factor in bipolar disorder: an open-label trial. <i>Acta Psychiatrica Scandinavica</i> , 2014 , 129, 393-400	6.5	21
Gender-based differences in oxidative stress parameters do not underlie the differences in mood disorders susceptibility between sexes. <i>European Psychiatry</i> , 2014 , 29, 58-63	6	34
Validation of the Italian Version of the Biological Rhythms Interview of Assessment in Neuropsychiatry (BRIAN): Some Considerations on its Screening Usefulness. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2014 , 10, 48-52	3.2	19
Daytime sleepiness, sleep disturbance and functioning impairment in bipolar disorder. <i>Acta Neuropsychiatrica</i> , 2013 , 25, 101-4	3.9	11
Plasma brain-derived neurotrophic factor levels, learning capacity and cognition in patients with first episode psychosis. <i>BMC Psychiatry</i> , 2013 , 13, 27	4.2	25
Biological rhythm disturbance in remitted bipolar patients. <i>International Journal of Bipolar Disorders</i> , 2013 , 1, 6	5.4	31
Neurotrophins, inflammation and oxidative stress as illness activity biomarkers in bipolar disorder. <i>Expert Review of Neurotherapeutics</i> , 2013 , 13, 827-42	4.3	48
Validity and reliability of a rating scale on subjective cognitive deficits in bipolar disorder (COBRA). <i>Journal of Affective Disorders</i> , 2013 , 150, 29-36	6.6	80
Biomarkers in bipolar disorder: a positional paper from the International Society for Bipolar Disorders Biomarkers Task Force. <i>Australian and New Zealand Journal of Psychiatry</i> , 2013 , 47, 321-32	2.6	158
The International Society for Bipolar Disorders (ISBD) task force report on antidepressant use in bipolar disorders. <i>American Journal of Psychiatry</i> , 2013 , 170, 1249-62	11.9	451
Ketamine and imipramine in the nucleus accumbens regulate histone deacetylation induced by maternal deprivation and are critical for associated behaviors. <i>Behavioural Brain Research</i> , 2013 , 256, 451-6	3.4	53
Imipramine reverses alterations in cytokines and BDNF levels induced by maternal deprivation in adult rats. <i>Behavioural Brain Research</i> , 2013 , 242, 40-6	3.4	51
Mitochondrial activity and oxidative stress markers in peripheral blood mononuclear cells of patients with bipolar disorder, schizophrenia, and healthy subjects. <i>Journal of Psychiatric Research</i> , 2013 , 47, 1396-402	5.2	82
Staging and neuroprogression in bipolar disorder: a systematic review of the literature. <i>Revista Brasileira De Psiquiatria</i> , 2013 , 35, 70-4	2.6	82
	disorder. International Journal of Social Psychiatry, 2014, 60, 396-402 Early apoptosis in peripheral blood mononuclear cells from patients with bipolar disorder. Journal of Affective Disorders, 2014, 152-154, 474-7 Psychiatric and substance-use comorbidities associated with lifetime crack cocaine use in young adults in the general population. Comprehensive Psychiatry, 2014, 55, 1369-76 Inflammatory mediators of cognitive impairment in bipolar disorder. Journal of Psychiatric Research, 2014, 56, 18-27 Val66Met polymorphism and serum brain-derived neurotrophic factor in bipolar disorder: an open-label trial. Acta Psychiatrica Scandinavica, 2014, 129, 393-400 Gender-based differences in oxidative stress parameters do not underlie the differences in mood disorders susceptibility between sexes. European Psychiatry, 2014, 29, 58-63 Validation of the Italian Version of the Biological Rhythms Interview of Assessment in Neuropsychiatry (BRIAN): Some Considerations on its Screening Usefulness. Clinical Practice and Epidemiology in Mental Health, 2014, 10, 48-52 Daytime sleepiness, sleep disturbance and functioning impairment in bipolar disorder. Acta Neuropsychiatrica, 2013, 25, 101-4 Plasma brain-derived neurotrophic factor levels, learning capacity and cognition in patients with first episode psychosis. BMC Psychiatry, 2013, 13, 27 Biological rhythm disturbance in remitted bipolar patients. International Journal of Bipolar Disorders, 2013, 1, 6 Neurotrophins, inflammation and oxidative stress as illness activity biomarkers in bipolar disorder. Expert Review of Neurotherapeutics, 2013, 130, 29-36 Biomarkers in bipolar disorders a positional paper from the International Society for Bipolar Disorders Biomarkers Task Force. Australian and New Zealand Journal of Psychiatry, 2013, 47, 321-32 The International Society for Bipolar Disorders (ISBD) task force report on antidepressant use in bipolar disorders. American Journal of Psychiatry, 2013, 170, 1249-62 Ketamine and imipramine in the nucleus accumbens regula	disorder. International Journal of Social Psychiatry, 2014, 60, 396-402 Early apoptosis in peripheral blood mononuclear cells from patients with bipolar disorder. Journal of Affective Disorders, 2014, 152-154, 474-7 Psychiatric and substance-use comorbidities associated with lifetime crack cocaine use in young adults in the general population. Comprehensive Psychiatry, 2014, 55, 1369-76 Inflammatory mediators of cognitive impairment in bipolar disorder. Journal of Psychiatric Research, 2014, 56, 18-27 Val66Met polymorphism and serum brain-derived neurotrophic factor in bipolar disorder: an oppen-label trial. Acta Psychiatrica Scandinavica, 2014, 129, 393-400 Gender-based differences in oxidative stress parameters do not underlie the differences in mood disorders susceptibility between sexes. European Psychiatry, 2014, 29, 58-63 Validation of the Italian Version of the Biological Rhythms Interview of Assessment in Neuropsychiatry (BRIAN): Some Considerations on its Screening Usefulness. Clinical Practice and Epidemiology in Mental Health, 2014, 10, 48-52 Daytime steepiness, sleep disturbance and functioning impairment in bipolar disorder. Acta Neuropsychiatrica, 2013, 25, 101-4 Plasma brain-derived neurotrophic factor levels, learning capacity and cognition in patients with first episode psychosis. BMC Psychiatry, 2013, 13, 27 Biological rhythm disturbance in remitted bipolar patients. International Journal of Bipolar Disorders, 2013, 15, 27-42 Validity and reliability of a rating scale on subjective cognitive deficits in bipolar disorder (COBRA). Journal of Affective Disorders, 2013, 150, 29-36 Biomarkers in bipolar disorder: a positional paper from the International Society for Bipolar Disorders (BSD) task force report on antidepressant use in bipolar disorders. American Journal of Psychiatry, 2013, 170, 1249-62 Ketamine and imipramine in the nucleus accumbens regulate histone deacetylation induced by maternal deprivation and are critical for associated behaviors. Behavioural Brain Research, 2013,

286	Modafinil ameliorates cognitive deficits induced by maternal separation and sleep deprivation. <i>Behavioural Brain Research</i> , 2013 , 253, 274-9	3.4	17
285	Serum concentrations of brain-derived neurotrophic factor in patients with gender identity disorder. <i>Journal of Psychiatric Research</i> , 2013 , 47, 1546-8	5.2	15
284	Vulnerability to dietary n-3 polyunsaturated fatty acid deficiency after exposure to early stress in rats. <i>Pharmacology Biochemistry and Behavior</i> , 2013 , 107, 11-9	3.9	20
283	Peripheral toxicity in crack cocaine use disorders. <i>Neuroscience Letters</i> , 2013 , 544, 80-4	3.3	44
282	The clinical implications of cognitive impairment and allostatic load in bipolar disorder. <i>European Psychiatry</i> , 2013 , 28, 21-9	6	101
281	Is bipolar disorder an inflammatory condition? The relevance of microglial activation. <i>Current Opinion in Psychiatry</i> , 2013 , 26, 19-26	4.9	142
280	Soft Bipolar Spectrum and Staging in Bipolar Disorder. Current Psychiatry Reviews, 2013, 9, 33-40	0.9	
279	Correlation of acute phase inflammatory and oxidative markers with long-term cognitive impairment in sepsis survivors rats. <i>Shock</i> , 2013 , 40, 45-8	3.4	30
278	Bipolar disorder affects behavior and social skills on the Internet. <i>PLoS ONE</i> , 2013 , 8, e79673	3.7	10
277	Expression of matrix metalloproteinases in patients with bipolar disorder. <i>Revista Brasileira De Psiquiatria</i> , 2013 , 35, 375-9	2.6	2
276	Ketamine alters behavior and decreases BDNF levels in the rat brain as a function of time after drug administration. <i>Revista Brasileira De Psiquiatria</i> , 2013 , 35, 262-6	2.6	30
275	Cardiovascular risk factors in outpatients with bipolar disorder: a report from the Brazilian Research Network in Bipolar Disorder. <i>Revista Brasileira De Psiquiatria</i> , 2013 , 35, 126-30	2.6	30
274	Homocysteine and other markers of cardiovascular risk during a manic episode in patients with bipolar disorder. <i>Revista Brasileira De Psiquiatria</i> , 2013 , 35, 157-60	2.6	15
273	Early life stress interacts with the diet deficiency of omega-3 fatty acids during the life course increasing the metabolic vulnerability in adult rats. <i>PLoS ONE</i> , 2013 , 8, e62031	3.7	27
272	RBP and Brazilian science. Revista Brasileira De Psiquiatria, 2013, 35, 337-337	2.6	1
271	Social phobia in Brazilian university students: prevalence, under-recognition and academic impairment in women. <i>Journal of Affective Disorders</i> , 2012 , 136, 857-61	6.6	42
270	Is there an association between suicide attempt and delay of initiation of mood stabilizers in bipolar I disorder?. <i>Journal of Affective Disorders</i> , 2012 , 136, 1082-7	6.6	22
269	Towards a multifactorial approach for prediction of bipolar disorder in at risk populations. <i>Journal of Affective Disorders</i> , 2012 , 140, 82-91	6.6	77

268	Stigma experiences in bipolar patients: the impact upon functioning. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2012 , 19, 665-71	2.4	19
267	Illness burden and medical comorbidity in the Systematic Treatment Enhancement Program for Bipolar Disorder. <i>Acta Psychiatrica Scandinavica</i> , 2012 , 125, 303-8	6.5	66
266	Increased levels of adipokines in bipolar disorder. <i>Journal of Psychiatric Research</i> , 2012 , 46, 389-93	5.2	61
265	Neurobiological correlates of illness progression in the recurrent affective disorders. <i>Journal of Psychiatric Research</i> , 2012 , 46, 561-73	5.2	112
264	Similarities in serum oxidative stress markers and inflammatory cytokines in patients with overt schizophrenia at early and late stages of chronicity. <i>Journal of Psychiatric Research</i> , 2012 , 46, 819-24	5.2	118
263	Mediators of allostasis and systemic toxicity in bipolar disorder. <i>Physiology and Behavior</i> , 2012 , 106, 46-	59 .5	86
262	Impact of sunlight on the age of onset of bipolar disorder. <i>Bipolar Disorders</i> , 2012 , 14, 654-63	3.8	31
261	Staging and neuroprogression in bipolar disorder. <i>Current Psychiatry Reports</i> , 2012 , 14, 667-75	9.1	86
260	Peripheral brain-derived neurotrophic factor changes along treatment with extended release quetiapine during acute mood episodes: an open-label trial in drug-free patients with bipolar disorder. <i>Journal of Psychiatric Research</i> , 2012 , 46, 1511-4	5.2	30
259	Tianeptine exerts neuroprotective effects in the brain tissue of rats exposed to the chronic stress model. <i>Pharmacology Biochemistry and Behavior</i> , 2012 , 103, 395-402	3.9	29
258	P.2.e.027 Interleukin-6 as a biomarker of the model of staging in bipolar disorder. <i>European Neuropsychopharmacology</i> , 2012 , 22, S291-S292	1.2	
257	Prevalence and clinical impact of eating disorders in bipolar patients. <i>Revista Brasileira De Psiquiatria</i> , 2012 , 34, 66-70	2.6	14
256	Screening for bipolar disorder in the primary care: a Brazilian survey. <i>Journal of Affective Disorders</i> , 2012 , 143, 118-24	6.6	9
255	Increased serum levels of C3 and C4 in patients with schizophrenia compared to eutymic patients with bipolar disorder and healthy. <i>Revista Brasileira De Psiquiatria</i> , 2012 , 34, 119-120	2.6	1
254	Dopamine sudden depletion as a model for mixed depression. <i>Medical Hypotheses</i> , 2012 , 78, 107-12	3.8	10
253	Effects of experimental cerebral malaria in memory, brain-derived neurotrophic factor and acetylcholinesterase activity [correction for acitivity] in the hippocampus of survivor mice. <i>Neuroscience Letters</i> , 2012 , 523, 104-7	3.3	21
252	Childhood trauma, impulsivity, and executive functioning in crack cocaine users. <i>Comprehensive Psychiatry</i> , 2012 , 53, 238-44	7.3	41
251	Maintenance N-acetyl cysteine treatment for bipolar disorder: a double-blind randomized placebo controlled trial. <i>BMC Medicine</i> , 2012 , 10, 91	11.4	72

250	Impact of comorbid migraine on the clinical course of bipolar disorder. <i>Comprehensive Psychiatry</i> , 2012 , 53, 809-12	7.3	23
249	Cognitive impairment in school-aged children with early trauma. <i>Comprehensive Psychiatry</i> , 2012 , 53, 758-64	7.3	71
248	Concurrent Validity and Reliability of the Brazilian Version of the Functioning Assessment Short Test in Patients with Schizophrenia. <i>Value in Health Regional Issues</i> , 2012 , 1, 244-247	1.6	9
247	Early functional impairment in bipolar youth: a nested population-based case-control study. <i>Journal of Affective Disorders</i> , 2012 , 142, 208-12	6.6	32
246	Associations between parenting behavior and anxiety in a rodent model and a clinical sample: relationship to peripheral BDNF levels. <i>Translational Psychiatry</i> , 2012 , 2, e195	8.6	68
245	Marcadores perifficos e a fisiopatologia do transtorno bipolar. <i>Revista De Psiquiatria Clinica</i> , 2012 , 39, 60-67	0.8	12
244	Memory mood congruency phenomenon in bipolar I disorder and major depression disorder patients. <i>Brazilian Journal of Medical and Biological Research</i> , 2012 , 45, 856-61	2.8	3
243	Decreased BDNF levels in amygdala and hippocampus after intracerebroventricular administration of ouabain. <i>Revista De Psiquiatria Clinica</i> , 2012 , 39, 157-160	0.8	3
242	Imipramine treatment reverses depressive-like behavior in alloxan-diabetic rats. Diabetes/Metabolism Research and Reviews, 2012 , 28, 139-44	7.5	22
241	Memantine treatment reverses anhedonia, normalizes corticosterone levels and increases BDNF levels in the prefrontal cortex induced by chronic mild stress in rats. <i>Metabolic Brain Disease</i> , 2012 , 27, 175-82	3.9	68
240	Early life stress exacerbates cognitive dysfunction induced by d-amphetamine: amelioration by valproic acid. <i>Journal of Neural Transmission</i> , 2012 , 119, 627-37	4.3	7
239	Peripheral oxidative damage in early-stage mood disorders: a nested population-based case-control study. <i>International Journal of Neuropsychopharmacology</i> , 2012 , 15, 1043-50	5.8	52
238	Protein kinase C and oxidative stress in an animal model of mania. <i>Current Neurovascular Research</i> , 2012 , 9, 47-57	1.8	24
237	Anatomical faces of neuroprogression in bipolar disorder. <i>Neuropsychiatry</i> , 2012 , 2, 279-280	1.8	2
236	A bidimensional solution for outcomes in bipolar disorder. <i>Journal of Nervous and Mental Disease</i> , 2012 , 200, 180-2	1.8	2
235	Increased serum levels of C3 and C4 in patients with schizophrenia compared to eutymic patients with bipolar disorder and healthy. <i>Revista Brasileira De Psiquiatria</i> , 2012 , 34, 119-120	2.6	32
234	Assessment of executive functions in a Brazilian sample of bipolar subjects. <i>Spanish Journal of Psychology</i> , 2011 , 14, 859-68	1	2
233	Therapeutic use of omega-3 fatty acids in bipolar disorder. <i>Expert Review of Neurotherapeutics</i> , 2011 , 11, 1029-47	4.3	74

232	Early life stress decreases hippocampal BDNF content and exacerbates recognition memory deficits induced by repeated D-amphetamine exposure. <i>Behavioural Brain Research</i> , 2011 , 224, 100-6	3.4	34
231	Serum brain-derived neurotrophic factor and clozapine daily dose in patients with schizophrenia: a positive correlation. <i>Neuroscience Letters</i> , 2011 , 491, 207-10	3.3	54
230	Olanzapine plus fluoxetine treatment increases Nt-3 protein levels in the rat prefrontal cortex. <i>Neuroscience Letters</i> , 2011 , 497, 99-103	3.3	12
229	Effects of increased opportunity for physical exercise and learning experiences on recognition memory and brain-derived neurotrophic factor levels in brain and serum of rats. <i>Neuroscience</i> , 2011 , 199, 284-91	3.9	23
228	The impact of a history of psychotic symptoms on cognitive function in euthymic bipolar patients: a comparison with schizophrenic patients and healthy controls. <i>Revista Brasileira De Psiquiatria</i> , 2011 , 33, 353-61	2.6	23
227	Creatine kinase levels in patients with bipolar disorder: depressive, manic, and euthymic phases. <i>Revista Brasileira De Psiquiatria</i> , 2011 , 33, 171-5	2.6	9
226	Serum levels of IL-6, IL-10 and TNF-Hn patients with bipolar disorder and schizophrenia: differences in pro- and anti-inflammatory balance. <i>Revista Brasileira De Psiquiatria</i> , 2011 , 33, 268-74	2.6	107
225	Association study of tryptophan hydroxylase 2 gene polymorphisms in bipolar disorder patients with panic disorder comorbidity. <i>Psychiatric Genetics</i> , 2011 , 21, 106-11	2.9	14
224	Behavioral and neurochemical effects of sodium butyrate in an animal model of mania. <i>Behavioural Pharmacology</i> , 2011 , 22, 766-72	2.4	56
223	Six-month functional outcome of a bipolar disorder cohort in the context of a specialized-care program. <i>Bipolar Disorders</i> , 2011 , 13, 679-86	3.8	54
222	Administration of cannabidiol and imipramine induces antidepressant-like effects in the forced swimming test and increases brain-derived neurotrophic factor levels in the rat amygdala. <i>Acta Neuropsychiatrica</i> , 2011 , 23, 241-8	3.9	41
221	Brain-derived neurotrophic factor and neuron-specific enolase, but not S100 levels are associated to the occurrence of delirium in intensive care unit patients. <i>Journal of Critical Care</i> , 2011 , 26, 133-7	4	58
220	Acute low dose of MK-801 prevents memory deficits without altering hippocampal DARPP-32 expression and BDNF levels in sepsis survivor rats. <i>Journal of Neuroimmunology</i> , 2011 , 230, 48-51	3.5	15
219	Peripheral biomarkers and illness activity in bipolar disorder. <i>Journal of Psychiatric Research</i> , 2011 , 45, 156-61	5.2	184
218	Cognitive abilities and clinical variables in bipolar I depressed and euthymic patients and controls. Journal of Psychiatric Research, 2011 , 45, 495-504	5.2	20
217	Brain-derived neurotrophic factor as a state-marker of mood episodes in bipolar disorders: a systematic review and meta-regression analysis. <i>Journal of Psychiatric Research</i> , 2011 , 45, 995-1004	5.2	308
216	Systemic toxicity in early-stage mood disorders. <i>Journal of Psychiatric Research</i> , 2011 , 45, 1407-9	5.2	14
215	Tamoxifen effects on respiratory chain complexes and creatine kinase activities in an animal model of mania. <i>Pharmacology Biochemistry and Behavior</i> , 2011 , 98, 304-10	3.9	27

214	Stigma and functioning in patients with bipolar disorder. <i>Journal of Affective Disorders</i> , 2011 , 130, 323-7	7 6.6	57
213	Risk of suicide and mixed episode in men in the postpartum period. <i>Journal of Affective Disorders</i> , 2011 , 132, 243-6	6.6	28
212	The identification of unipolar mania subtype based on anxiety comorbidity. <i>Journal of Affective Disorders</i> , 2011 , 132, 356-9	6.6	11
211	The efficacy of N-acetylcysteine as an adjunctive treatment in bipolar depression: an open label trial. <i>Journal of Affective Disorders</i> , 2011 , 135, 389-94	6.6	139
210	Maternal deprivation induces depressive-like behaviour and alters neurotrophin levels in the rat brain. <i>Neurochemical Research</i> , 2011 , 36, 460-6	4.6	72
209	Total and mitochondrial nitrosative stress, decreased brain-derived neurotrophic factor (BDNF) levels and glutamate uptake, and evidence of endoplasmic reticulum stress in the hippocampus of vitamin A-treated rats. <i>Neurochemical Research</i> , 2011 , 36, 506-17	4.6	21
208	Neuroanatomical profile of antimaniac effects of histone deacetylases inhibitors. <i>Molecular Neurobiology</i> , 2011 , 43, 207-14	6.2	35
207	Effects of cannabidiol on amphetamine-induced oxidative stress generation in an animal model of mania. <i>Journal of Psychopharmacology</i> , 2011 , 25, 274-80	4.6	48
206	Cannabidiol reduces the anxiety induced by simulated public speaking in treatment-naWe social phobia patients. <i>Neuropsychopharmacology</i> , 2011 , 36, 1219-26	8.7	417
205	Insulin dysfunction and allostatic load in bipolar disorder. <i>Expert Review of Neurotherapeutics</i> , 2011 , 11, 1017-28	4.3	41
204	Pathways underlying neuroprogression in bipolar disorder: focus on inflammation, oxidative stress and neurotrophic factors. <i>Neuroscience and Biobehavioral Reviews</i> , 2011 , 35, 804-17	9	844
203	Should bipolar disorder be considered a systemic illness?. <i>Neuropsychiatry</i> , 2011 , 1, 45-54	1.8	3
202	Improvement of behavioural and manic-like symptoms secondary to herpes simplex virus encephalitis with mood stabilizers: a case report. <i>International Journal of Neuropsychopharmacology</i> , 2011 , 14, 718-20	5.8	2
201	Symptom dimensional approach and BDNF in unmedicated obsessive-compulsive patients: an exploratory study. <i>CNS Spectrums</i> , 2011 , 16, 179-89	1.8	15
200	Serum levels of IL-6, IL-10 and TNF-α in patients with bipolar disorder and schizophrenia: differences in pro- and anti-inflammatory balance. <i>Revista Brasileira De Psiquiatria</i> , 2011 , 33, 268-274	2.6	93
199	Sleep and circadian rhythm disturbances in bipolar disorder: an urgent need for objective assessment and systematic follow-up. <i>Journal of Clinical Psychiatry</i> , 2011 , 72, 724	4.6	7
198	Functional impairment and disability across mood states in bipolar disorder. <i>Value in Health</i> , 2010 , 13, 984-8	3.3	119
197	Obesity is associated with previous suicide attempts in bipolar disorder. <i>Acta Neuropsychiatrica</i> , 2010 , 22, 63-7	3.9	31

(2010-2010)

196	Validity of the Portuguese version of the Bipolar Depression Rating Scale. <i>Acta Neuropsychiatrica</i> , 2010 , 22, 100-101	3.9	2	
195	A systemic toxicity index developed to assess peripheral changes in mood episodes. <i>Molecular Psychiatry</i> , 2010 , 15, 784-6	15.1	98	
194	Improvement of schizophrenia with electroconvulsive therapy and serum brain-derived neurotrophic factor levels: Lack of association in a pilot study. <i>Psychiatry and Clinical Neurosciences</i> , 2010 , 64, 663-5	6.2	10	
193	The role of BDNF as a mediator of neuroplasticity in bipolar disorder. <i>Psychiatry Investigation</i> , 2010 , 7, 243-50	3.1	99	
192	BDNF/TrkB content and interaction with gastrin-releasing peptide receptor blockade in colorectal cancer. <i>Oncology</i> , 2010 , 79, 430-9	3.6	42	
191	Effects of moderate exercise on cigarette smoke exposure-induced hippocampal oxidative stress values and neurological behaviors in mice. <i>Neuroscience Letters</i> , 2010 , 475, 16-9	3.3	31	
190	Effects of beta-carboline harmine on behavioral and physiological parameters observed in the chronic mild stress model: further evidence of antidepressant properties. <i>Brain Research Bulletin</i> , 2010 , 81, 491-6	3.9	66	
189	Neurochemical and behavioural effects of acute and chronic memantine administration in rats: Further support for NMDA as a new pharmacological target for the treatment of depression?. <i>Brain Research Bulletin</i> , 2010 , 81, 585-9	3.9	87	
188	Correlates and impact of obsessive-compulsive comorbidity in bipolar disorder. <i>Comprehensive Psychiatry</i> , 2010 , 51, 353-6	7.3	40	
187	Serum brain-derived neurotrophic factor in patients with trauma psychopathology. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010 , 34, 459-62	5.5	57	
186	Ketamine impairs recognition memory consolidation and prevents learning-induced increase in hippocampal brain-derived neurotrophic factor levels. <i>Neuroscience</i> , 2010 , 167, 969-73	3.9	90	
185	Mitochondrial Dysfunction and Oxidative Stress 2010 , 244-254		2	
184	Effects of a gastrin-releasing peptide receptor antagonist on D-amphetamine-induced oxidative stress in the rat brain. <i>Journal of Neural Transmission</i> , 2010 , 117, 309-16	4.3	7	
183	Chronic administration of harmine elicits antidepressant-like effects and increases BDNF levels in rat hippocampus. <i>Journal of Neural Transmission</i> , 2010 , 117, 1131-7	4.3	60	
182	Depressive-like parameters in sepsis survivor rats. <i>Neurotoxicity Research</i> , 2010 , 17, 279-86	4.3	24	
181	BDNF and PDE4, but not the GRPR, regulate viability of human medulloblastoma cells. <i>Journal of Molecular Neuroscience</i> , 2010 , 40, 303-10	3.3	26	
180	Circadian preference in bipolar disorder. Sleep and Breathing, 2010, 14, 153-5	3.1	80	
179	Correlation between behavioral deficits and decreased brain-derived neurotrophic [correction of neurotrofic] factor in neonatal meningitis. <i>Journal of Neuroimmunology</i> , 2010 , 223, 73-6	3.5	28	

178	Functional impact of biological rhythm disturbance in bipolar disorder. <i>Journal of Psychiatric Research</i> , 2010 , 44, 220-3	5.2	57
177	Association of polymorphisms of the tryptophan hydroxylase 2 gene with risk for bipolar disorder or suicidal behavior. <i>Journal of Psychiatric Research</i> , 2010 , 44, 271-4	5.2	15
176	Effects of mood stabilizers on hippocampus and amygdala BDNF levels in an animal model of mania induced by ouabain. <i>Journal of Psychiatric Research</i> , 2010 , 44, 506-10	5.2	76
175	Increased neurotrophin-3 in drug-free subjects with bipolar disorder during manic and depressive episodes. <i>Journal of Psychiatric Research</i> , 2010 , 44, 561-5	5.2	40
174	Impairment of the mitochondrial electron transport chain due to sleep deprivation in mice. <i>Journal of Psychiatric Research</i> , 2010 , 44, 775-80	5.2	36
173	Effects of mood stabilizers on mitochondrial respiratory chain activity in brain of rats treated with d-amphetamine. <i>Journal of Psychiatric Research</i> , 2010 , 44, 903-9	5.2	92
172	Comparison between proliferative and neuron-like SH-SY5Y cells as an in vitro model for Parkinson disease studies. <i>Brain Research</i> , 2010 , 1337, 85-94	3.7	239
171	The impact of comorbid posttraumatic stress disorder on bipolar disorder patients. <i>Journal of Affective Disorders</i> , 2010 , 123, 71-6	6.6	45
170	The impact of staging bipolar disorder on treatment outcome of family psychoeducation. <i>Journal of Affective Disorders</i> , 2010 , 123, 81-6	6.6	84
169	Plasma Brain-Derived-Neurotrophic Factor levels and cognitive function in euthymic bipolar type I patients 2010 , 9,		78
168	Resistficia linsulina e sfidrome metablica em pacientes ambulatoriais com transtorno do humor bipolar. <i>Revista De Psiquiatria Clinica</i> , 2010 , 37, 81-84	0.8	2
167	National Science and Technology Institute for Translational Medicine (INCT-TM): advancing the field of translational medicine and mental health. <i>Revista Brasileira De Psiquiatria</i> , 2010 , 32, 83-90	2.6	12
166	Quality of Life in Bipolar Disorder 2010 , 3591-3606		
165	From neuroprogression to neuroprotection: implications for clinical care. <i>Medical Journal of Australia</i> , 2010 , 193, S36-40	4	67
164	Bipolar disorder and age-related functional impairment. Revista Brasileira De Psiquiatria, 2009, 31, 354	-72.6	15
163	Pilot-project of implantation of pharmaceutical care close to the program of bipolar mood disorder of the Hospital of Clinics of Porto Alegre. <i>Brazilian Journal of Pharmaceutical Sciences</i> , 2009 , 45, 249-25	56 ^{1.8}	2
162	Increased serum neurotrophin-4/5 levels in bipolar disorder. <i>Journal of Psychiatric Research</i> , 2009 , 43, 721-3	5.2	45
161	Decreased brain-derived neurotrophic factor in medicated and drug-free bipolar patients. <i>Journal of Psychiatric Research</i> , 2009 , 43, 1171-4	5.2	95

(2009-2009)

160	Serum brain-derived neurotrophic factor in bipolar and unipolar depression: a potential adjunctive tool for differential diagnosis. <i>Journal of Psychiatric Research</i> , 2009 , 43, 1200-4	5.2	100
159	Electrophysiological correlates of sleep disturbance induced by acute and chronic administration of D-amphetamine. <i>Brain Research</i> , 2009 , 1249, 162-72	3.7	11
158	Serum homocysteine levels and cognitive functioning in euthymic bipolar patients. <i>Journal of Affective Disorders</i> , 2009 , 113, 285-90	6.6	23
157	Early intervention in bipolar disorders: clinical, biochemical and neuroimaging imperatives. <i>Journal of Affective Disorders</i> , 2009 , 114, 1-13	6.6	67
156	Development and use of a biological rhythm interview. <i>Journal of Affective Disorders</i> , 2009 , 118, 161-5	6.6	87
155	Use of contraceptive methods among women treated for bipolar disorder. <i>Archives of Womeng Mental Health</i> , 2009 , 12, 183-5	5	25
154	Sleep in bipolar patients. Sleep and Breathing, 2009, 13, 169-73	3.1	40
153	The concept of staging in bipolar disorder: the role of BDNF and TNF-alpha as biomarkers. <i>Acta Neuropsychiatrica</i> , 2009 , 21, 272-274	3.9	25
152	Birth-cohort and dual diagnosis effects on age-at-onset in Brazilian patients with bipolar I disorder. <i>Acta Psychiatrica Scandinavica</i> , 2009 , 120, 492-5	6.5	15
151	Brain-derived neurotrophic factor in bipolar disorder: beyond trait and state: comment on Decreased levels of serum brain-derived neurotrophic factor in both depressed and euthymic patients with unipolar depression and in euthymic patients with bipolar I and II disordersOBipolar	3.8	10
150	Canadian Network for Mood and Anxiety Treatments (CANMAT) and International Society for Bipolar Disorders (ISBD) collaborative update of CANMAT guidelines for the management of patients with bipolar disorder: update 2009. <i>Bipolar Disorders</i> , 2009 , 11, 225-55	3.8	465
149	Clinical predictors of functional outcome of bipolar patients in remission. <i>Bipolar Disorders</i> , 2009 , 11, 401-9	3.8	129
148	The International Society for Bipolar Disorders (ISBD) Task Force report on the nomenclature of course and outcome in bipolar disorders. <i>Bipolar Disorders</i> , 2009 , 11, 453-73	3.8	316
147	Cognitive function and serum levels of brain-derived neurotrophic factor in patients with bipolar disorder. <i>Bipolar Disorders</i> , 2009 , 11, 663-71	3.8	70
146	Problems with single-factor solutions in factor analyses of low-end scores. <i>Bipolar Disorders</i> , 2009 , 11, 900; author reply 901	3.8	1
145	Validity of a short functioning test (FAST) in Brazilian outpatients with bipolar disorder. <i>Value in Health</i> , 2009 , 12, 624-7	3.3	53
144	Marcadores de estrŝ oxidativo en el trastorno bipolar: un metaanlisis. <i>Psiquiatria Biologica</i> , 2009 , 16, 60-69	0.2	
143	Abnormalities in serum chemokine levels in euthymic patients with bipolar disorder. <i>Brain, Behavior, and Immunity</i> , 2009 , 23, 1079-82	16.6	110

142	Psychometric properties of the Parkinson@ Disease Sleep ScaleBrazilian version. <i>Parkinsonism and Related Disorders</i> , 2009 , 15, 495-9	3.6	21
141	Ketamine treatment reverses behavioral and physiological alterations induced by chronic mild stress in rats. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009 , 33, 450-5	5.5	171
140	Acute harmine administration induces antidepressive-like effects and increases BDNF levels in the rat hippocampus. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009 , 33, 1425-30	5.5	84
139	The potential use of biomarkers as an adjunctive tool for staging bipolar disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009 , 33, 1366-71	5.5	116
138	Brain-derived neurotrophic factor serum levels before and after treatment for acute mania. <i>Neuroscience Letters</i> , 2009 , 452, 111-3	3.3	109
137	Serum brain-derived neurotrophic factor (BDNF) is not associated with response to electroconvulsive therapy (ECT): a pilot study in drug resistant depressed patients. <i>Neuroscience Letters</i> , 2009 , 453, 195-8	3.3	69
136	Striatum brain-derived neurotrophic factor levels are decreased in dystrophin-deficient mice. <i>Neuroscience Letters</i> , 2009 , 459, 66-8	3.3	8
135	Clinical implications of a staging model for bipolar disorders. <i>Expert Review of Neurotherapeutics</i> , 2009 , 9, 957-66	4.3	186
134	Advances in the Pathophysiology of Episode-Related Cognitive Impairment in Bipolar Disorder. <i>European Psychiatry</i> , 2009 , 24, 1-1	6	
133	Increased Serum Neurotrophin-4/5 Levels in Bipolar Disorder. <i>European Psychiatry</i> , 2009 , 24, 1-1	6	1
132	Development and use of a Biological Rhythm Interview. European Psychiatry, 2009, 24, 1-1	6	1
131	Waist Circumference as a Simple and Meaningful Means to Assess Insulin Resistance Among Outpatients with Bipolar Disorder. <i>European Psychiatry</i> , 2009 , 24, 1-1	6	
130	Clinical Factors as Predictors on Functional Impairment in Bipolar Disorder. <i>European Psychiatry</i> , 2009 , 24, 1-1	6	
129	Brain-derived neurotrophic factor and inflammatory markers in patients with early- vs. late-stage bipolar disorder. <i>International Journal of Neuropsychopharmacology</i> , 2009 , 12, 447-58	5.8	292
128	Lower rates of comorbidities in euthymic bipolar patients. <i>World Journal of Biological Psychiatry</i> , 2009 , 10, 474-9	3.8	14
127	Epidemiology and management of anxiety in patients with bipolar disorder. <i>CNS Drugs</i> , 2009 , 23, 953-64	1 6.7	23
126	Comparison of cytokine levels in depressed, manic and euthymic patients with bipolar disorder. Journal of Affective Disorders, 2009 , 116, 214-7	6.6	309
125	Accelerated age-related decrease in brain-derived neurotrophic factor levels in bipolar disorder. <i>International Journal of Neuropsychopharmacology</i> , 2009 , 12, 137-9	5.8	41

(2008-2009)

124	Reduced NGF secretion by HT-29 human colon cancer cells treated with a GRPR antagonist. <i>Protein and Peptide Letters</i> , 2009 , 16, 650-2	1.9	5
123	Brain-derived neurotrophic factor gene val66met polymorphism and executive functioning in patients with bipolar disorder. <i>Revista Brasileira De Psiquiatria</i> , 2009 , 31, 136-40	2.6	19
122	3-Nitrotyrosine and glutathione antioxidant system in patients in the early and late stages of bipolar disorder. <i>Journal of Psychiatry and Neuroscience</i> , 2009 , 34, 263-71	4.5	134
121	Predominant polarity in bipolar disorder: diagnostic implications. <i>Journal of Affective Disorders</i> , 2008 , 107, 45-51	6.6	75
120	Insight, quality of life and cognitive functioning in euthymic patients with bipolar disorder. <i>Journal of Affective Disorders</i> , 2008 , 110, 75-83	6.6	72
119	Oxidative stress markers in bipolar disorder: a meta-analysis. <i>Journal of Affective Disorders</i> , 2008 , 111, 135-44	6.6	384
118	Effects of lithium and valproate on serum and hippocampal neurotrophin-3 levels in an animal model of mania. <i>Journal of Psychiatric Research</i> , 2008 , 42, 416-21	5.2	50
117	Brain creatine kinase activity in an animal model of mania. <i>Life Sciences</i> , 2008 , 82, 424-9	6.8	49
116	Elevated serum thiobarbituric acid reactive substances in clinically symptomatic schizophrenic males. <i>Neuroscience Letters</i> , 2008 , 433, 270-3	3.3	34
115	Decreased serum neurotrophin 3 in chronically medicated schizophrenic males. <i>Neuroscience Letters</i> , 2008 , 440, 197-201	3.3	20
114	Acute administration of ketamine induces antidepressant-like effects in the forced swimming test and increases BDNF levels in the rat hippocampus. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008 , 32, 140-4	5.5	321
113	TNF-alpha as a molecular target in bipolar disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008 , 32, 1355-61	5.5	120
112	Effect of N-acetylcysteine and/or deferoxamine on oxidative stress and hyperactivity in an animal model of mania. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008 , 32, 1064-8	5.5	37
111	Serum levels of brain-derived neurotrophic factor in schizophrenia on a hypocaloric diet. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008 , 32, 1595-8	5.5	25
110	Elevated serum superoxide dismutase and thiobarbituric acid reactive substances in different phases of bipolar disorder and in schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008 , 32, 1677-81	5.5	158
109	Peripheral nucleotide hydrolysis in rats submitted to a model of electroconvulsive therapy. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008 , 32, 1829-33	5.5	7
108	Brain-derived neurotrophic factor and neuroplasticity in bipolar disorder. <i>Expert Review of Neurotherapeutics</i> , 2008 , 8, 1101-13	4.3	133
107	Functional impairment in patients with remitted bipolar disorder. <i>Psychotherapy and Psychosomatics</i> , 2008 , 77, 390-2	9.4	57

106	Cognitive performance and quality of life in bipolar disorder. <i>Canadian Journal of Psychiatry</i> , 2008 , 53, 517-24	4.8	59
105	Emotional memory in bipolar disorder. British Journal of Psychiatry, 2008, 192, 458-63	5.4	24
104	Chronic mild stress paradigm reduces sweet food intake in rats without affecting brain derived neurotrophic factor protein levels. <i>Current Neurovascular Research</i> , 2008 , 5, 207-13	1.8	38
103	Serum levels of brain-derived neurotrophic factor and thiobarbituric acid reactive substances in chronically medicated schizophrenic patients: a positive correlation. <i>Revista Brasileira De Psiquiatria</i> , 2008 , 30, 337-40	2.6	27
102	Increased oxidative stress as a mechanism for decreased BDNF levels in acute manic episodes. <i>Revista Brasileira De Psiquiatria</i> , 2008 , 30, 243-5	2.6	112
101	Cognitive impairment in a Brazilian sample of patients with bipolar disorder. <i>Revista Brasileira De Psiquiatria</i> , 2008 , 30, 209-14	2.6	5
100	Lack of effect of antipsychotics on BNDF and NGF levels in hippocampus of Wistar rats. <i>Metabolic Brain Disease</i> , 2008 , 23, 213-9	3.9	14
99	Intense exercise induces mitochondrial dysfunction in mice brain. <i>Neurochemical Research</i> , 2008 , 33, 51-8	4.6	36
98	Downhill training upregulates mice hippocampal and striatal brain-derived neurotrophic factor levels. <i>Journal of Neural Transmission</i> , 2008 , 115, 1251-5	4.3	50
97	Investigation of serum high-sensitive C-reactive protein levels across all mood states in bipolar disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2008 , 258, 300-4	5.1	94
96	The impact of co-morbid alcohol use disorder in bipolar patients. <i>Alcohol</i> , 2008 , 42, 451-7	2.7	73
95	Allostatic load in bipolar disorder: implications for pathophysiology and treatment. <i>Neuroscience and Biobehavioral Reviews</i> , 2008 , 32, 675-92	9	357
94	Oxidative stress may be a common mechanism linking major depression and osteoporosis. <i>Acta Neuropsychiatrica</i> , 2008 , 20, 112-6	3.9	21
93	When illness does not get better: do we need a palliative psychiatry?. <i>Acta Neuropsychiatrica</i> , 2008 , 20, 165-166	3.9	8
92	Functional impairment and previous suicide attempts in bipolar disorder. <i>Acta Neuropsychiatrica</i> , 2008 , 20, 300-6	3.9	12
91	Chronic administration of ketamine elicits antidepressant-like effects in rats without affecting hippocampal brain-derived neurotrophic factor protein levels. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2008 , 103, 502-6	3.1	88
90	Effects of mood stabilizers on DNA damage in an animal model of mania. <i>Journal of Psychiatry and Neuroscience</i> , 2008 , 33, 516-24	4.5	58
89	A double-blind, randomized, placebo-controlled 4-week study on the efficacy and safety of the purinergic agents allopurinol and dipyridamole adjunctive to lithium in acute bipolar mania. <i>Journal of Clinical Psychiatry</i> 2008, 69, 1237, 45	4.6	92

(2007-2007)

88	Decreased plasma brain derived neurotrophic factor levels in unmedicated bipolar patients during manic episode. <i>Biological Psychiatry</i> , 2007 , 61, 142-4	7.9	177
87	Val66met polymorphism and serum brain-derived neurotrophic factor levels in bipolar disorder. <i>Molecular Psychiatry</i> , 2007 , 12, 230-1	15.1	49
86	Abnormal cellular energy and phospholipid metabolism in the left dorsolateral prefrontal cortex of medication-free individuals with bipolar disorder: an in vivo 1H MRS study. <i>Bipolar Disorders</i> , 2007 , 9 Suppl 1, 119-27	3.8	94
85	Traumatic life events in bipolar disorder: impact on BDNF levels and psychopathology. <i>Bipolar Disorders</i> , 2007 , 9 Suppl 1, 128-35	3.8	112
84	Dopamine dysregulation syndrome: implications for a dopamine hypothesis of bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2007 , 116, 41-9	6.5	267
83	Mismatch between self-reported quality of life and functional assessment in acute mania: a matter of unawareness of illness?. <i>Journal of Affective Disorders</i> , 2007 , 103, 247-52	6.6	34
82	Serum S100B and antioxidant enzymes in bipolar patients. <i>Journal of Psychiatric Research</i> , 2007 , 41, 523	3 -9 .2	249
81	Basic fibroblast growth factor prevents the memory impairment induced by gastrin-releasing peptide receptor antagonism in area CA1 of the rat hippocampus. <i>Neurochemical Research</i> , 2007 , 32, 1381-6	4.6	7
80	Oxidative stress and S100B protein in cirrhotic children. Neurochemical Research, 2007, 32, 1600-3	4.6	7
79	Immunoassay for glial fibrillary acidic protein: antigen recognition is affected by its		
	phosphorylation state. <i>Journal of Neuroscience Methods</i> , 2007 , 162, 282-6	3	55
78	Validity and reliability of the Functioning Assessment Short Test (FAST) in bipolar disorder. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2007 , 3, 5	3.2	442
78 77	Validity and reliability of the Functioning Assessment Short Test (FAST) in bipolar disorder. <i>Clinical</i>		
	Validity and reliability of the Functioning Assessment Short Test (FAST) in bipolar disorder. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2007 , 3, 5 Anxiety comorbidity and quality of life in bipolar disorder patients. <i>Canadian Journal of Psychiatry</i> ,	3.2	442
77	Validity and reliability of the Functioning Assessment Short Test (FAST) in bipolar disorder. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2007 , 3, 5 Anxiety comorbidity and quality of life in bipolar disorder patients. <i>Canadian Journal of Psychiatry</i> , 2007 , 52, 175-81 Sensitization and cross-sensitization after chronic treatment with methylphenidate in adolescent	3.2 4.8	44 ² 55
77 76	Validity and reliability of the Functioning Assessment Short Test (FAST) in bipolar disorder. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2007 , 3, 5 Anxiety comorbidity and quality of life in bipolar disorder patients. <i>Canadian Journal of Psychiatry</i> , 2007 , 52, 175-81 Sensitization and cross-sensitization after chronic treatment with methylphenidate in adolescent Wistar rats. <i>Behavioural Pharmacology</i> , 2007 , 18, 205-12 The role of hippocampus in the pathophysiology of bipolar disorder. <i>Behavioural Pharmacology</i> ,	3.2 4.8 2.4	4425543
77 76 75	Validity and reliability of the Functioning Assessment Short Test (FAST) in bipolar disorder. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2007 , 3, 5 Anxiety comorbidity and quality of life in bipolar disorder patients. <i>Canadian Journal of Psychiatry</i> , 2007 , 52, 175-81 Sensitization and cross-sensitization after chronic treatment with methylphenidate in adolescent Wistar rats. <i>Behavioural Pharmacology</i> , 2007 , 18, 205-12 The role of hippocampus in the pathophysiology of bipolar disorder. <i>Behavioural Pharmacology</i> , 2007 , 18, 419-30 Late-onset neuroleptic malignant syndrome in a patient using olanzapine. <i>Journal of Clinical</i>	3.2 4.8 2.4	4425543120
77 76 75 74	Validity and reliability of the Functioning Assessment Short Test (FAST) in bipolar disorder. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2007 , 3, 5 Anxiety comorbidity and quality of life in bipolar disorder patients. <i>Canadian Journal of Psychiatry</i> , 2007 , 52, 175-81 Sensitization and cross-sensitization after chronic treatment with methylphenidate in adolescent Wistar rats. <i>Behavioural Pharmacology</i> , 2007 , 18, 205-12 The role of hippocampus in the pathophysiology of bipolar disorder. <i>Behavioural Pharmacology</i> , 2007 , 18, 419-30 Late-onset neuroleptic malignant syndrome in a patient using olanzapine. <i>Journal of Clinical Psychopharmacology</i> , 2007 , 27, 303-4	3.2 4.8 2.4 2.4	44255431202

70	Increased oxidative stress and DNA damage in bipolar disorder: a twin-case report. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2007 , 31, 283-5	5.5	93
69	Correlation between drug treatment adherence and lithium treatment attitudes and knowledge by bipolar patients. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2007 , 31, 217-24	5.5	57
68	Effects of lithium and valproate on hippocampus citrate synthase activity in an animal model of mania. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2007 , 31, 887-91	5.5	41
67	DNA damage in rats after treatment with methylphenidate. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2007 , 31, 1282-8	5.5	59
66	Serum neurotrophin-3 is increased during manic and depressive episodes in bipolar disorder. <i>Neuroscience Letters</i> , 2007 , 415, 87-9	3.3	56
65	Serum levels of brain-derived neurotrophic factor in patients with schizophrenia and bipolar disorder. <i>Neuroscience Letters</i> , 2007 , 420, 45-8	3.3	123
64	Oxidative stress parameters in unmedicated and treated bipolar subjects during initial manic episode: a possible role for lithium antioxidant effects. <i>Neuroscience Letters</i> , 2007 , 421, 33-6	3.3	246
63	Mitochondrial IV complex and brain neurothrophic derived factor responses of mice brain cortex after downhill training. <i>Neuroscience Letters</i> , 2007 , 426, 171-4	3.3	23
62	Polypharmacy and suicide attempts in bipolar disorder. Revista Brasileira De Psiquiatria, 2007, 29, 35-38	2.6	7
61	Increased oxidative stress in submitochondrial particles after chronic amphetamine exposure. <i>Brain Research</i> , 2006 , 1097, 224-9	3.7	72
60	Adaptation and validation of the Portuguese version of the Lithium Knowledge Test (LKT) of bipolar patients treated with lithium: cross-over study. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2006 , 2, 34	3.2	3
59	Validation of the Portuguese version of the Lithium Attitudes Questionnaire (LAQ) in bipolar patients treated with lithium: cross-over study. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2006 , 2, 32	3.2	4
58	Azapirones for generalized anxiety disorder. <i>The Cochrane Library</i> , 2006 , CD006115	5.2	57
57	Acute and chronic electroconvulsive shock in rats: effects on peripheral markers of neuronal injury and glial activity. <i>Life Sciences</i> , 2006 , 78, 3013-7	6.8	33
56	Effects of mood stabilizers on hippocampus BDNF levels in an animal model of mania. <i>Life Sciences</i> , 2006 , 79, 281-6	6.8	191
55	Serum brain-derived neurotrophic factor is decreased in bipolar disorder during depressive and manic episodes. <i>Neuroscience Letters</i> , 2006 , 398, 215-9	3.3	311
54	Increased serum glial cell line-derived neurotrophic factor immunocontent during manic and depressive episodes in individuals with bipolar disorder. <i>Neuroscience Letters</i> , 2006 , 407, 146-50	3.3	76
53	Elevated serum superoxide dismutase and thiobarbituric acid reactive substances in schizophrenia: a study of patients treated with haloperidol or clozapine. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2006 , 30, 512-5	5.5	91

(2003-2006)

52	Glial fibrillary acidic protein expression after electroconvulsive shocks in rat brain. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2006 , 30, 663-7	5.5	5
51	Evidence of astrogliosis in rat hippocampus after d-amphetamine exposure. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2006 , 30, 1231-4	5.5	14
50	Bipolar depression: the importance of being on remission. Revista Brasileira De Psiquiatria, 2006, 28, 93	-6 2.6	24
49	Lithium increases nerve growth factor levels in the rat hippocampus in an animal model of mania. <i>Behavioural Pharmacology</i> , 2006 , 17, 311-8	2.4	37
48	Increased oxidative stress after repeated amphetamine exposure: possible relevance as a model of mania. <i>Bipolar Disorders</i> , 2006 , 8, 275-80	3.8	92
47	Changes in antioxidant defense enzymes after d-amphetamine exposure: implications as an animal model of mania. <i>Neurochemical Research</i> , 2006 , 31, 699-703	4.6	84
46	Effects of lithium and valproate on amphetamine-induced oxidative stress generation in an animal model of mania. <i>Journal of Psychiatry and Neuroscience</i> , 2006 , 31, 326-32	4.5	168
45	An open trial of adjunctive escitalopram in bipolar depression. <i>Journal of Clinical Psychiatry</i> , 2006 , 67, 81-6	4.6	13
44	Bipolar disorder: building the path of return to the ideas of Kraepelin. <i>Revista Brasileira De Psiquiatria</i> , 2006 , 28, 82	2.6	
43	CANMAT guidelines for bipolar disorder: a commentary from South America. <i>Bipolar Disorders</i> , 2005 , 7 Suppl 3, 87-8	3.8	2
42	Clinical impact of late diagnose of bipolar disorder. <i>Journal of Affective Disorders</i> , 2005 , 86, 313-6	6.6	38
41	A proton magnetic resonance spectroscopy investigation of the dorsolateral prefrontal cortex in acute mania. <i>Human Psychopharmacology</i> , 2005 , 20, 133-9	2.3	20
40	Changes in S100B cerebrospinal fluid levels of rats subjected to predator stress. <i>Brain Research</i> , 2004 , 1028, 213-8	3.7	25
39	Perspectives for the development of animal models of bipolar disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2004 , 28, 209-24	5.5	119
38	Increased cerebrospinal fluid levels of S100B protein in rat model of mania induced by ouabain. <i>Life Sciences</i> , 2004 , 76, 805-11	6.8	29
37	Seasonal distribution and demographical characteristics of carpal tunnel syndrome in 1039 patients. <i>Arquivos De Neuro-Psiquiatria</i> , 2004 , 62, 596-9	1.6	5
36	Effects of gabapentin on anxiety induced by simulated public speaking. <i>Journal of Psychopharmacology</i> , 2003 , 17, 184-8	4.6	33
35	Dose-related effects of propericiazine in rats. <i>Brazilian Journal of Medical and Biological Research</i> , 2003 , 36, 227-31	2.8	7

34	The acute effect of methylphenidate on cerebral blood flow in boys with attention-deficit/hyperactivity disorder. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2003 , 30, 423-6	8.8	47
33	Differential involvement of hippocampal and amygdalar NMDA receptors in contextual and aversive aspects of inhibitory avoidance memory in rats. <i>Brain Research</i> , 2003 , 975, 207-13	3.7	65
32	Differential effects of emotional arousal in short- and long-term memory in healthy adults. <i>Neurobiology of Learning and Memory</i> , 2003 , 79, 132-5	3.1	67
31	Cognitive-behavioral group therapy in obsessive-compulsive disorder: a randomized clinical trial. <i>Psychotherapy and Psychosomatics</i> , 2003 , 72, 211-6	9.4	92
30	An open trial of reboxetine in HIV-seropositive outpatients with major depressive disorder. <i>Journal of Clinical Psychiatry</i> , 2003 , 64, 421-4	4.6	12
29	Cognitive-behavioral group therapy in obsessive-compulsive disorder: a clinical trial. <i>Revista Brasileira De Psiquiatria</i> , 2002 , 24, 113-120	2.6	22
28	Behavioural effects of acute phenylalanine and tyrosine depletion in healthy male volunteers. Journal of Psychopharmacology, 2002 , 16, 51-5	4.6	23
27	Interaction between midazolam-induced anterograde amnesia and memory enhancement by treatments given immediately after training on an inhibitory avoidance task in rats. <i>Behavioural Pharmacology</i> , 2002 , 13, 319-22	2.4	6
26	Elevated serum S100B protein in drug-free bipolar patients during first manic episode: a pilot study. <i>European Neuropsychopharmacology</i> , 2002 , 12, 269-72	1.2	51
25	Purinergic dysfunction in mania: an integrative model. <i>Medical Hypotheses</i> , 2002 , 58, 297-304	3.8	63
24	The serum S100B concentration is age dependent. Clinical Chemistry, 2002, 48, 950-2	5.5	31
23	Mania associated with an energy drink: the possible role of caffeine, taurine, and inositol. <i>Canadian Journal of Psychiatry</i> , 2001 , 46, 454-5	4.8	38
22	Comparative pharmacological study of hydroethanol extracts of Passiflora alata and Passiflora edulis leaves. <i>Phytotherapy Research</i> , 2001 , 15, 162-4	6.7	73
21	Use and misuse of benzodiazepines in Brazil: a review. Substance Use and Misuse, 2001, 36, 1053-69	2.2	22
20	Mirtazapine versus fluoxetine in the treatment of panic disorder. <i>Brazilian Journal of Medical and Biological Research</i> , 2001 , 34, 1303-7	2.8	59
19	Therapeutic efficacy of allopurinol in mania associated with hyperuricemia. <i>Journal of Clinical Psychopharmacology</i> , 2001 , 21, 621-2	1.7	36
18	The anticonvulsant compound gabapentin possesses anxiolytic but not amnesic effects in rats. <i>Behavioural Pharmacology</i> , 2000 , 11, 169-73	2.4	33
17	Evoked potentials for the evaluation of latent hepatic encephalopathy in pediatric liver transplant candidates. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2000 , 31, 371-6	2.8	2

LIST OF PUBLICATIONS

16	Behavioural effects of acute tryptophan depletion in healthy male volunteers. <i>Journal of Psychopharmacology</i> , 2000 , 14, 157-63	4.6	27
15	Clozapine-induced neuroleptic malignant syndrome: an interaction between dopaminergic and purinergic systems?. <i>Journal of Psychopharmacology</i> , 1999 , 13, 318-9	4.6	11
14	Brain uptake of iomazenil in cirrhotic patients: a single photon emission tomography study. <i>Journal of Psychopharmacology</i> , 1999 , 13, 219-25	4.6	1
13	Flumazenil and hepatic encephalopathy. <i>Hepatology</i> , 1999 , 29, 1338-9	11.2	
12	Pharmacokinetics of radiotracers in human plasma during positron emission tomography. <i>Synapse</i> , 1999 , 34, 124-34	2.4	27
11	Drugs acting at the glycine site on the NMDA receptor as cognitive enhancers in patients with Alzheimer® disease. <i>Neurology</i> , 1998 , 50, 1195	6.5	2
10	Cognitive impairments of alcoholic cirrhotic patients: correlation with endogenous benzodiazepine receptor ligands and increased affinity of platelet receptors. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1996 , 60, 676-80	5.5	8
9	Differential effects of flumazenil in alcoholic and nonalcoholic cirrhotic patients. <i>Psychopharmacology</i> , 1995 , 120, 220-6	4.7	14
8	Central benzodiazepine receptor imaging and quantitation with single photon emission computerised tomography: SPECT. <i>Journal of Psychopharmacology</i> , 1995 , 9, 369-80	4.6	3
7	Flumazenil has an anxiolytic effect in simulated stress. <i>Psychopharmacology</i> , 1994 , 114, 187-9	4.7	38
6	Observing countertransference in brief dynamic psychotherapy. <i>Psychotherapy and Psychosomatics</i> , 1991 , 56, 174-81	9.4	10
5	Memory modulation by post-training intraperitoneal, but not intracerebroventricular, administration of ACTH or epinephrine. <i>Behavioral and Neural Biology</i> , 1983 , 39, 277-83		21
4	Oxidative stress and neuronal resilience [Implications for the pathophysiology of bipolar disorder61-69		
3	Depression, Anxiety, and Lifestyle Among Essential Workers: A Web Survey From Brazil and Spain During the COVID-19 Pandemic (Preprint)		1
2	Longitudinal course of bipolar disorder. Revista Debates Em Psiquiatria, Ano 6, 6-8	Ο	
1	Lifestyle Behaviors, Depression, and Anxiety Among Individuals Living in Canada During the COVID-19 Pandemic. <i>American Journal of Lifestyle Medicine</i> ,155982762211020	1.9	