Johan Mrtensson

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1791909/johan-martensson-publications-by-year.pdf

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

111 3,489 28 57 g-index

124 4,198 4.2 5.45 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
111	Thrombosis and Bleeding After Implementation of an Intermediate-Dose Prophylactic Anticoagulation Protocol in ICU Patients With COVID-19: A Multicenter Screening Study. <i>Journal of Intensive Care Medicine</i> , 2021 , 8850666211051960	3.3	O
110	Rapid Evaluation of Coronavirus Illness Severity (RECOILS) in intensive care: Development and validation of a prognostic tool for in-hospital mortality. <i>Acta Anaesthesiologica Scandinavica</i> , 2021 ,	1.9	2
109	The obesity paradox and hypoglycemia in critically ill patients. <i>Critical Care</i> , 2021 , 25, 378	10.8	1
108	Glycemic lability index and mortality in critically ill patients-A multicenter cohort study. <i>Acta Anaesthesiologica Scandinavica</i> , 2021 , 65, 1267-1275	1.9	2
107	Direct oral anticoagulant use and risk of severe COVID-19. <i>Journal of Internal Medicine</i> , 2021 , 289, 411-4	119 .8	40
106	Prevalence and impact of chronic dysglycemia in intensive care unit patients-A retrospective cohort study. <i>Acta Anaesthesiologica Scandinavica</i> , 2021 , 65, 82-91	1.9	2
105	Characteristics and outcomes of patients with COVID-19 admitted to ICU in a tertiary hospital in Stockholm, Sweden. <i>Acta Anaesthesiologica Scandinavica</i> , 2021 , 65, 76-81	1.9	28
104	Laboratory-derived early warning score for the prediction of in-hospital mortality, intensive care unit admission, medical emergency team activation and cardiac arrest in general medical wards. <i>Internal Medicine Journal</i> , 2021 , 51, 746-751	1.6	2
103	A Post Hoc Analysis of Osmotherapy Use in the Erythropoietin in Traumatic Brain Injury Study-Associations With Acute Kidney Injury and Mortality. <i>Critical Care Medicine</i> , 2021 , 49, e394-e403	1.4	4
102	Long-term outcome after intensive care for COVID-19: differences between men and women-a nationwide cohort study. <i>Critical Care</i> , 2021 , 25, 86	10.8	9
101	Clinical phenotypes and outcomes of SARS-CoV-2, influenza, RSV and seven other respiratory viruses: a retrospective study using complete hospital data. <i>Thorax</i> , 2021 ,	7.3	1
100	Nationwide case-control study of risk factors and outcomes for community-acquired sepsis. <i>Scientific Reports</i> , 2021 , 11, 15118	4.9	2
99	Chronic dysglycemia and risk of SARS-CoV-2 associated respiratory failure in hospitalized patients. <i>Acta Anaesthesiologica Scandinavica</i> , 2021 ,	1.9	1
98	Comparison of Thromboelastography and Conventional Coagulation Tests in Patients With Severe Liver Disease. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2020 , 26, 1076029620925915	3.3	1
97	Point-of-care creatinine measurements to predict acute kidney injury. <i>Acta Anaesthesiologica Scandinavica</i> , 2020 , 64, 766-773	1.9	2
96	Assessing TEG6S reliability between devices and across multiple time points: A prospective thromboelastography validation study. <i>Scientific Reports</i> , 2020 , 10, 7045	4.9	6
95	Relative Hypoglycemia in Diabetic Patients With Critical Illness. <i>Critical Care Medicine</i> , 2020 , 48, e233-e2	2404	11

(2019-2020)

94	The Frequency of, and Factors Associated with Prolonged Hospitalization: A Multicentre Study in Victoria, Australia. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	1
93	Neutrophil Gelatinase-Associated Lipocalin Measured on Clinical Laboratory Platforms for the Prediction of Acute Kidney Injury and the Associated Need for Dialysis Therapy: A Systematic Review and Meta-analysis. <i>American Journal of Kidney Diseases</i> , 2020 , 76, 826-841.e1	7.4	30
92	Haemodynamic effect of a 20% albumin fluid bolus in post-cardiac surgery patients. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2020 , 22, 15-25	2.8	1
91	Study protocol and statistical analysis plan for the Liberal Glucose Control in Critically Ill Patients with Pre-existing Type 2 Diabetes (LUCID) trial. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2020 , 22, 133-141	2.8	4
90	Hemoglobin A1c and Permissive Hyperglycemia in Patients in the Intensive Care Unitwith Diabetes. <i>Critical Care Clinics</i> , 2019 , 35, 289-300	4.5	11
89	Fluid balance after continuous renal replacement therapy initiation and outcome in paediatric multiple organ failure. <i>Acta Anaesthesiologica Scandinavica</i> , 2019 , 63, 1028-1036	1.9	4
88	Hospital-acquired complications in intensive care unit patients with diabetes: A before-and-after study of a conventional versus liberal glucose control protocol. <i>Acta Anaesthesiologica Scandinavica</i> , 2019 , 63, 761-768	1.9	2
87	Assessment of agreement and interchangeability between the TEG5000 and TEG6S thromboelastography haemostasis analysers: a prospective validation study. <i>BMC Anesthesiology</i> , 2019 , 19, 45	2.4	20
86	Creatinine versus cystatin C based glomerular filtration rate in critically ill patients. <i>Journal of Critical Care</i> , 2019 , 52, 136-140	4	12
85	A Pilot Randomized Controlled Study of Mild Hypercapnia During Cardiac Surgery With Cardiopulmonary Bypass. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2019 , 33, 2968-2978	2.1	
84	Carotid artery and cerebral blood flow during experimental cardiopulmonary resuscitation: A systematic review of the literature. <i>Resuscitation</i> , 2019 , 138, 46-52	4	2
83	Erythropoietin in traumatic brain injury associated acute kidney injury: A randomized controlled trial. <i>Acta Anaesthesiologica Scandinavica</i> , 2019 , 63, 200-207	1.9	17
82	Renal Energy Consumption and Metabolism 2019 , 59-64.e1		0
81	Performance of plasma measurement of neutrophil gelatinase-associated lipocalin as a biomarker of bacterial infections in the intensive care unit. <i>Journal of Critical Care</i> , 2019 , 53, 264-270	4	6
80	Conservative versus conventional oxygen therapy for cardiac surgical patients: A before-and-after study. <i>Anaesthesia and Intensive Care</i> , 2019 , 47, 175-182	1.1	2
79	Blood Glucose Control in Critical Care 2019 , 464-469.e2		
78	Opinions and practices of blood glucose control in critically ill patients with pre-existing type 2 diabetes in Australian and New Zealand intensive care units. <i>Australian Critical Care</i> , 2019 , 32, 361-365	2.9	5
77	Sex and mortality in septic severe acute kidney injury. <i>Journal of Critical Care</i> , 2019 , 49, 70-76	4	8

76	Predictors and correlates of systolic blood pressure reduction with liraglutide treatment in patients with type 2 diabetes. <i>Journal of Clinical Hypertension</i> , 2019 , 21, 105-115	2.3	9
75	Predictors and Outcomes of Cardiac Surgery-Associated Delirium. A Single Centre Retrospective Cohort Study. <i>Heart Lung and Circulation</i> , 2019 , 28, 455-463	1.8	6
74	Sepsis uncouples serum C-peptide and insulin levels in critically ill patients with type 2 diabetes mellitus. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2019 , 21, 87-95	2.8	1
73	Early glycemia and mortality in critically ill septic patients: Interaction with insulin-treated diabetes. Journal of Critical Care, 2018, 45, 170-177	4	11
72	Liberal Glucose Control in ICU Patients With Diabetes: A Before-and-After Study. <i>Critical Care Medicine</i> , 2018 , 46, 935-942	1.4	29
71	Magnesium supplementation: Pharmacokinetics in cardiac surgery patients with normal renal function. <i>Journal of Critical Care</i> , 2018 , 44, 419-423	4	4
70	The Presence of Diabetes and Higher HbA Are Independently Associated With Adverse Outcomes After Surgery. <i>Diabetes Care</i> , 2018 , 41, 1172-1179	14.6	37
69	Impact of hemodynamic goal-directed resuscitation on mortality in adult critically ill patients: a systematic review and meta-analysis. <i>Journal of Clinical Monitoring and Computing</i> , 2018 , 32, 403-414	2	11
68	Pharmacokinetics of Magnesium Bolus Therapy in Cardiothoracic Surgery. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2018 , 32, 1289-1294	2.1	6
67	Higher versus Lower Continuous Renal Replacement Therapy Intensity in Critically ill Patients with Liver Dysfunction. <i>Blood Purification</i> , 2018 , 45, 36-43	3.1	11
66	Creatinine- and Cystatin C-Based Incidence of Chronic Kidney Disease and Acute Kidney Disease in AKI Survivors. <i>Critical Care Research and Practice</i> , 2018 , 2018, 7698090	1.5	4
65	Small volume resuscitation with 20% albumin in intensive care: physiological effects: The SWIPE randomised clinical trial. <i>Intensive Care Medicine</i> , 2018 , 44, 1797-1806	14.5	27
64	Impact of unit-wide chlorhexidine bathing in intensive care on bloodstream infection and drug-resistant organism acquisition. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2018 , 20, 109-116	2.8	1
63	Magnesium sulfate therapy after cardiac surgery: a before-and-after study comparing strategies involving bolus and continuous infusion. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2018 , 20, 209-216	2.8	1
62	Haemodynamic effects of cold versus warm fluid bolus in healthy volunteers: a randomised crossover trial. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2018 , 20, 277-284	2.8	1
61	Epidemiology of long-stay patients in a university teaching hospital. <i>Internal Medicine Journal</i> , 2017 , 47, 513-521	1.6	12
60	The effect of insulin administration on c-peptide in critically ill patients with type 2 diabetes. <i>Annals of Intensive Care</i> , 2017 , 7, 50	8.9	3
59	Acute kidney injury in the ICU: from injury to recovery: reports from the 5th Paris International Conference. <i>Annals of Intensive Care</i> , 2017 , 7, 49	8.9	7 ²

(2016-2017)

58	Superiority of Serum Cystatin C Over Creatinine in Prediction of Long-Term Prognosis at Discharge From ICU. <i>Critical Care Medicine</i> , 2017 , 45, e932-e940	1.4	29
57	Does fluid management affect the occurrence of acute kidney injury?. <i>Current Opinion in Anaesthesiology</i> , 2017 , 30, 84-91	2.9	7
56	Acute kidney injury in sepsis. <i>Intensive Care Medicine</i> , 2017 , 43, 816-828	14.5	309
55	Continuous glucose monitoring in the ICU: clinical considerations and consensus. <i>Critical Care</i> , 2017 , 21, 197	10.8	65
54	Coagulation in acutely ill patients with severe chronic liver disease: Insights from thromboelastography. <i>Journal of Critical Care</i> , 2017 , 38, 215-224	4	23
53	Review of Evidence for Adult Diabetic Ketoacidosis Management Protocols. <i>Frontiers in Endocrinology</i> , 2017 , 8, 106	5.7	36
52	Assessment of plasma endostatin to predict acute kidney injury in critically ill patients. <i>Acta Anaesthesiologica Scandinavica</i> , 2017 , 61, 1286-1295	1.9	10
51	Pharmacodynamics of intravenous frusemide bolus in critically ill patients. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2017 , 19, 142-149	2.8	5
50	The performance of flash glucose monitoring in critically ill patients with diabetes. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2017 , 19, 167-174	2.8	16
49	Calprotectin as an early biomarker of bacterial infections in critically ill patients: an exploratory cohort assessment. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2017 , 19, 205-213	2.8	10
48	Intensity of early correction of hyperglycaemia and outcome of critically ill patients with diabetic ketoacidosis. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2017 , 19, 266-273	2.8	2
47	Peripheral venoarterial extracorporeal membrane oxygenation for severe hyperlactataemia after cardiac surgery: a pilot study. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2017 , 19, 274-279	2.8	1
46	Epidemiology of RBC Transfusions in Patients With Severe Acute Kidney Injury: Analysis From the Randomized Evaluation of Normal Versus Augmented Level Study. <i>Critical Care Medicine</i> , 2016 , 44, 892-	·9 00	7
45	Intra-day variability of cystatin C, creatinine and estimated GFR in intensive care patients. <i>Clinica Chimica Acta</i> , 2016 , 460, 1-4	6.2	3
44	Intraoperative hypotension is associated with myocardial damage in noncardiac surgery: An observational study. <i>European Journal of Anaesthesiology</i> , 2016 , 33, 450-6	2.3	49
43	Pathophysiology of Septic Acute Kidney Injury. <i>Contributions To Nephrology</i> , 2016 , 187, 36-46	1.6	18
42	Conservative oxygen therapy in mechanically ventilated patients following cardiac arrest: A retrospective nested cohort study. <i>Resuscitation</i> , 2016 , 101, 108-14	4	30
41	The Rationale for Permissive Hyperglycemia in Critically Ill Patients with Diabetes. <i>Annual Update in Intensive Care and Emergency Medicine</i> , 2016 , 365-372	0.2	2

40	Re: Assessment of acute kidney injury following severe trauma. <i>Journal of Trauma and Acute Care Surgery</i> , 2016 , 80, 552-3	3.3	
39	Glycated Hemoglobin A1c Levels Are Not Affected by Critical Illness. <i>Critical Care Medicine</i> , 2016 , 44, 1692-4	1.4	18
38	Liberal Versus Conventional Glucose Targets in Critically Ill Diabetic Patients: An Exploratory Safety Cohort Assessment. <i>Critical Care Medicine</i> , 2016 , 44, 1683-91	1.4	32
37	A comparison of therapeutic hypothermia and strict therapeutic normothermia after cardiac arrest. <i>Resuscitation</i> , 2016 , 106, 83-8	4	23
36	Association between fluid balance and mortality in patients with septic shock: a post hoc analysis of the TRISS trial. <i>Acta Anaesthesiologica Scandinavica</i> , 2016 , 60, 925-33	1.9	10
35	Femoral Access and Delivery of Continuous Renal Replacement Therapy Dose. <i>Blood Purification</i> , 2016 , 41, 11-7	3.1	22
34	Defining the characteristics and expectations of fluid bolus therapy: A worldwide perspective. Journal of Critical Care, 2016 , 35, 126-32	4	25
33	Plasma endostatin may improve acute kidney injury risk prediction in critically ill patients. <i>Annals of Intensive Care</i> , 2016 , 6, 6	8.9	18
32	Targeted therapeutic mild hypercapnia after cardiac arrest: A phase II multi-centre randomised controlled trial (the CCC trial). <i>Resuscitation</i> , 2016 , 104, 83-90	4	83
31	Continuous Renal Replacement Therapy Versus Intermittent Haemodialysis: Impact on Clinical Outcomes 2016 , 43-49		
	Secretaria (Characteria de Constituiro de Carteria (Characteria de Constituiro de Carteria (Characteria de Car		0
30	Prevalence of ketosis, ketonuria, and ketoacidosis during liberal glycemic control in critically ill patients with diabetes: an observational study. <i>Critical Care</i> , 2016 , 20, 297	10.8	8
30		2.8	3
	patients with diabetes: an observational study. <i>Critical Care</i> , 2016 , 20, 297 Changes in intravenous fluid use patterns in Australia and New Zealand: evidence of research translating into practice. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of</i>		
29	patients with diabetes: an observational study. <i>Critical Care</i> , 2016 , 20, 297 Changes in intravenous fluid use patterns in Australia and New Zealand: evidence of research translating into practice. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2016 , 18, 78-88 A multicentre randomised controlled pilot study of fluid resuscitation with saline or Plasma-Lyte 148 in critically ill patients. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of</i>	2.8	3
29	Changes in intravenous fluid use patterns in Australia and New Zealand: evidence of research translating into practice. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2016 , 18, 78-88 A multicentre randomised controlled pilot study of fluid resuscitation with saline or Plasma-Lyte 148 in critically ill patients. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2016 , 18, 205-12 Long-term outcomes after severe drug overdose. <i>Critical Care and Resuscitation: Journal of the</i>	2.8	3
29 28 27	Changes in intravenous fluid use patterns in Australia and New Zealand: evidence of research translating into practice. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2016 , 18, 78-88 A multicentre randomised controlled pilot study of fluid resuscitation with saline or Plasma-Lyte 148 in critically ill patients. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2016 , 18, 205-12 Long-term outcomes after severe drug overdose. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2016 , 18, 247-254	2.8 2.8 2.8	3 11 1
29 28 27 26	Changes in intravenous fluid use patterns in Australia and New Zealand: evidence of research translating into practice. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2016 , 18, 78-88 A multicentre randomised controlled pilot study of fluid resuscitation with saline or Plasma-Lyte 148 in critically ill patients. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2016 , 18, 205-12 Long-term outcomes after severe drug overdose. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2016 , 18, 247-254 Sepsis-Induced Acute Kidney Injury. <i>Critical Care Clinics</i> , 2015 , 31, 649-60 The effect of hemodynamic monitoring depends entirely on the action to which it leads. <i>Intensive</i>	2.8 2.8 2.8 4.5	3 11 1

(2012-2015)

22	Bioelectrical impedance vector analysis in critically ill patients: a prospective, clinician-blinded investigation. <i>Critical Care</i> , 2015 , 19, 290	10.8	32
21	Evolution of chronic renal impairment and long-term mortality after de novo acute kidney injury in the critically ill; a Swedish multi-centre cohort study. <i>Critical Care</i> , 2015 , 19, 221	10.8	64
20	Long-term mortality and risk factors for development of end-stage renal disease in critically ill patients with and without chronic kidney disease. <i>Critical Care</i> , 2015 , 19, 383	10.8	46
19	Acute kidney injury following severe trauma: Risk factors and long-term outcome. <i>Journal of Trauma and Acute Care Surgery</i> , 2015 , 79, 407-12	3.3	61
18	Are all fluids bad for the kidney?. Current Opinion in Critical Care, 2015, 21, 292-301	3.5	17
17	Assessment of cell-cycle arrest biomarkers to predict early and delayed acute kidney injury. <i>Disease Markers</i> , 2015 , 2015, 158658	3.2	50
16	Characteristics and expectations of fluid bolus therapy: a bi-national survey of acute care physicians. <i>Anaesthesia and Intensive Care</i> , 2015 , 43, 750-6	1.1	6
15	Metabolic and electrolyte disturbance after cardiac arrest: How to deal with it. <i>Bailliereas Best Practice and Research in Clinical Anaesthesiology</i> , 2015 , 29, 471-84	4	9
14	What's new in perioperative renal dysfunction?. Intensive Care Medicine, 2015, 41, 514-6	14.5	4
13	Urinary neutrophil gelatinase-associated lipocalin to hepcidin ratio as a biomarker of acute kidney injury in intensive care unit patients. <i>Minerva Anestesiologica</i> , 2015 , 81, 1192-200	1.9	15
12	Loop diuretic therapy in the critically ill: a survey. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2015 , 17, 223-6	2.8	10
11	The rise and fall of NGAL in acute kidney injury. <i>Blood Purification</i> , 2014 , 37, 304-10	3.1	135
10	Prevention of renal dysfunction in postoperative elderly patients. <i>Current Opinion in Critical Care</i> , 2014 , 20, 451-9	3.5	12
9	Association of plasma neutrophil gelatinase-associated lipocalin (NGAL) with sepsis and acute kidney dysfunction. <i>Biomarkers</i> , 2013 , 18, 349-56	2.6	35
8	Novel biomarkers of acute kidney injury and failure: clinical applicability. <i>British Journal of Anaesthesia</i> , 2012 , 109, 843-50	5.4	177
7	Immunoassays distinguishing between HNL/NGAL released in urine from kidney epithelial cells and neutrophils. <i>Clinica Chimica Acta</i> , 2012 , 413, 1661-7	6.2	69
6	Long-term outcome after acute renal replacement therapy: a narrative review. <i>Acta Anaesthesiologica Scandinavica</i> , 2012 , 56, 138-46	1.9	12
5	Impact of sepsis on levels of plasma cystatin C in AKI and non-AKI patients. <i>Nephrology Dialysis Transplantation</i> , 2012 , 27, 576-81	4.3	35

4	The outcome of neutrophil gelatinase-associated lipocalin-positive subclinical acute kidney injury: a multicenter pooled analysis of prospective studies. <i>Journal of the American College of Cardiology</i> , 2011 , 57, 1752-61	15.1	485
3	Neutrophil gelatinase-associated lipocalin in adult septic patients with and without acute kidney injury. <i>Intensive Care Medicine</i> , 2010 , 36, 1333-40	14.5	681
2	Cystatin C is correlated with mortality in patients with and without acute kidney injury. <i>Nephrology Dialysis Transplantation</i> , 2009 , 24, 3096-102	4.3	51
1	Continuous renal replacement therapy in septic patients: is it really harmful?. <i>Critical Care Medicine</i> , 2009 , 37, 2677-8; author reply 2678	1.4	