

Wladimiro Jimenez

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1791996/wladimiro-jimenez-publications-by-year.pdf>

Version: 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

190
papers

12,129
citations

56
h-index

105
g-index

202
ext. papers

13,707
ext. citations

6.9
avg, IF

5.39
L-index

#	Paper	IF	Citations
190	The loss of DHX15 impairs endothelial energy metabolism, lymphatic drainage and tumor metastasis in mice. <i>Communications Biology</i> , 2021 , 4, 1192	6.7	0
189	Validation of a Gas Chromatography-Mass Spectrometry Method for the Measurement of the Redox State Metabolic Ratios Lactate/Pyruvate and β -Hydroxybutyrate/Acetoacetate in Biological Samples. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	2
188	Cerium Oxide Nanoparticles: A New Therapeutic Tool in Liver Diseases. <i>Antioxidants</i> , 2021 , 10,	7.1	10
187	Value of clinical laboratory test for early prediction of mortality in patients with COVID-19: the BGM score. <i>Journal of Circulating Biomarkers</i> , 2021 , 10, 1-8	3.3	3
186	Treatment of Hepatic Fibrosis in Mice Based on Targeted Plasmonic Hyperthermia. <i>ACS Nano</i> , 2021 , 15, 7547-7562	16.7	6
185	Monitoring of Donor-Derived Cell-Free DNA by Short Tandem Repeats: Concentration of Total Cell-Free DNA and Fragment Size for Acute Rejection Risk Assessment in Liver Transplantation. <i>Liver Transplantation</i> , 2021 ,	4.5	2
184	Scalable synthesis of multicomponent multifunctional inorganic core@mesoporous silica shell nanocomposites. <i>Materials Science and Engineering C</i> , 2021 , 128, 112272	8.3	1
183	Urinary L-FABP is a promising prognostic biomarker of ACLF and mortality in patients with decompensated cirrhosis. <i>Journal of Hepatology</i> , 2021 ,	13.4	1
182	Bespoken Nanoceria: An Effective Treatment in Experimental Hepatocellular Carcinoma. <i>Hepatology</i> , 2020 , 72, 1267-1282	11.2	15
181	Cerium Oxide Nanoparticles: Advances in Biodistribution, Toxicity, and Preclinical Exploration. <i>Small</i> , 2020 , 16, e1907322	11	38
180	Cerium Oxide Nanoparticles: Cerium Oxide Nanoparticles: Advances in Biodistribution, Toxicity, and Preclinical Exploration (Small 20/2020). <i>Small</i> , 2020 , 16, 2070111	11	2
179	Follow-Up After Myocardial Infarction to Explore the Stability of Arrhythmogenic Substrate: The Footprint Study. <i>JACC: Clinical Electrophysiology</i> , 2020 , 6, 207-218	4.6	12
178	Chromosome microarray analysis should be offered to all invasive prenatal diagnostic testing following a normal rapid aneuploidy test result. <i>Clinical Genetics</i> , 2020 , 98, 379-383	4	3
177	Beyond the Scavenging of Reactive Oxygen Species (ROS): Direct Effect of Cerium Oxide Nanoparticles in Reducing Fatty Acids Content in an In Vitro Model of Hepatocellular Steatosis. <i>Biomolecules</i> , 2019 , 9,	5.9	23
176	Cerium oxide nanoparticles display antilipogenic effect in rats with non-alcoholic fatty liver disease. <i>Scientific Reports</i> , 2019 , 9, 12848	4.9	19
175	Functionalized cerium oxide nanoparticles mitigate the oxidative stress and pro-inflammatory activity associated to the portal vein endothelium of cirrhotic rats. <i>PLoS ONE</i> , 2019 , 14, e0218716	3.7	12
174	Cerium oxide nanoparticles improve liver regeneration after acetaminophen-induced liver injury and partial hepatectomy in rats. <i>Journal of Nanobiotechnology</i> , 2019 , 17, 112	9.4	17

173	Roles of the Hepatic Endocannabinoid and Apelin Systems in the Pathogenesis of Liver Fibrosis. <i>Cells</i> , 2019 , 8,	7.9	18
172	Cerium Oxide Nanoparticles Protect against Oxidant Injury and Interfere with Oxidative Mediated Kinase Signaling in Human-Derived Hepatocytes. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	12
171	Validation of a routine gas chromatography mass spectrometry method for 2-hydroxyglutarate quantification in human serum as a screening tool for detection of idh mutations. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2018 , 1083, 28-34	3.2	6
170	Chondroitin Sulphate Attenuates Atherosclerosis in ApoE Knockout Mice Involving Cellular Regulation of the Inflammatory Response. <i>Thrombosis and Haemostasis</i> , 2018 , 118, 1329-1339	7	16
169	An evaluation of the SENTIFIT 270 analyser for quantitation of faecal haemoglobin in the investigation of patients with suspected colorectal cancer. <i>Clinical Chemistry and Laboratory Medicine</i> , 2018 , 56, 625-633	5.9	10
168	Prognostic prediction by liver tissue proteomic profiling in patients with colorectal liver metastases. <i>Future Oncology</i> , 2017 , 13, 875-882	3.6	2
167	Identification of the potentially arrhythmogenic substrate in the acute phase of ST-segment elevation myocardial infarction. <i>Heart Rhythm</i> , 2017 , 14, 592-598	6.7	5
166	The Role of Akt in Chronic Liver Disease and Liver Regeneration. <i>Seminars in Liver Disease</i> , 2017 , 37, 11-16.	6.3	16
165	Cost-effectiveness of enhanced liver fibrosis test to assess liver fibrosis in chronic hepatitis C virus and alcoholic liver disease patients. <i>World Journal of Gastroenterology</i> , 2017 , 23, 3163-3173	5.6	16
164	A small population of liver endothelial cells undergoes endothelial-to-mesenchymal transition in response to chronic liver injury. <i>American Journal of Physiology - Renal Physiology</i> , 2017 , 313, G492-G504	5.1	33
163	Letter in reply: Prognostic prediction by liver tissue proteomic profiling in patients with colorectal liver metastases. <i>Future Oncology</i> , 2017 , 13, 1135-1136	3.6	
162	Prognostic value of plasma apelin concentrations at admission in patients with ST-segment elevation acute myocardial infarction. <i>Clinical Biochemistry</i> , 2017 , 50, 279-284	3.5	7
161	Intrinsic and Extrinsic Properties Affecting Innate Immune Responses to Nanoparticles: The Case of Cerium Oxide. <i>Frontiers in Immunology</i> , 2017 , 8, 970	8.4	31
160	Clinical utility of one versus two faecal immunochemical test samples in the detection of advanced colorectal neoplasia in symptomatic patients. <i>Clinical Chemistry and Laboratory Medicine</i> , 2016 , 54, 125-32	5.9	25
159	Vasopressin 1a receptor partial agonism increases sodium excretion and reduces portal hypertension and ascites in cirrhotic rats. <i>Hepatology</i> , 2016 , 63, 207-16	11.2	13
158	Plasma copeptin as biomarker of disease progression and prognosis in cirrhosis. <i>Journal of Hepatology</i> , 2016 , 65, 914-920	13.4	24
157	Characterization of Inflammatory Response in Acute-on-Chronic Liver Failure and Relationship with Prognosis. <i>Scientific Reports</i> , 2016 , 6, 32341	4.9	76
156	Cerium oxide nanoparticles reduce steatosis, portal hypertension and display anti-inflammatory properties in rats with liver fibrosis. <i>Journal of Hepatology</i> , 2016 , 64, 691-8	13.4	120

155	Urine Monocyte Chemoattractant Protein-1 Is an Independent Predictive Factor of Hospital Readmission and Survival in Cirrhosis. <i>PLoS ONE</i> , 2016 , 11, e0157371	3.7	13
154	Akt-mediated foxo1 inhibition is required for liver regeneration. <i>Hepatology</i> , 2016 , 63, 1660-74	11.2	34
153	Metastatic Tissue Proteomic Profiling Predicts 5-Year Outcomes in Patients with Colorectal Liver Metastases. <i>Translational Oncology</i> , 2016 , 9, 445-452	4.9	2
152	Sipa111 is an early biomarker of liver fibrosis in CCl4-treated rats. <i>Biology Open</i> , 2016 , 5, 858-65	2.2	3
151	Utility of galectin-3 in predicting post-infarct remodeling after acute myocardial infarction based on extracellular volume fraction mapping. <i>International Journal of Cardiology</i> , 2016 , 223, 458-464	3.2	12
150	Overexpression of angiopoietin-2 in rats and patients with liver fibrosis. Therapeutic consequences of its inhibition. <i>Liver International</i> , 2015 , 35, 1383-92	7.9	18
149	Analysis of a urinary biomarker panel for clinical outcomes assessment in cirrhosis. <i>PLoS ONE</i> , 2015 , 10, e0128145	3.7	66
148	Formation of $\alpha(1)$ and $\alpha(6)$ testosterone metabolites by human hepatocytes. <i>Steroids</i> , 2015 , 95, 66-72	2.8	7
147	Hepatorenal Syndrome and Other Liver-Related Kidney Diseases 2014 , 268-276		
146	Microwave-assisted derivatization: application to steroid profiling by gas chromatography/mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2014 , 960, 8-13	3.2	16
145	Risk stratification for advanced colorectal neoplasia according to fecal hemoglobin concentration in a colorectal cancer screening program. <i>Gastroenterology</i> , 2014 , 147, 628-636.e1	13.3	73
144	Urinary neutrophil gelatinase-associated lipocalin predicts kidney outcome and death in patients with cirrhosis and bacterial infections. <i>Journal of Hepatology</i> , 2014 , 61, 35-42	13.4	67
143	Lack of a 5.9 kDa peptide C-terminal fragment of fibrinogen α chain precedes fibrosis progression in patients with liver disease. <i>PLoS ONE</i> , 2014 , 9, e109254	3.7	12
142	The influence of prostate volume in prostate health index performance in patients with total PSA lower than 10 μ g/L. <i>Clinica Chimica Acta</i> , 2014 , 436, 303-7	6.2	18
141	Real-time PCR PCA3 assay is a useful test measured in urine to improve prostate cancer detection. <i>Clinica Chimica Acta</i> , 2014 , 435, 53-8	6.2	10
140	Relative adrenal insufficiency in decompensated cirrhosis: Relationship to short-term risk of severe sepsis, hepatorenal syndrome, and death. <i>Hepatology</i> , 2013 , 58, 1757-65	11.2	92
139	PCA3 in the detection and management of early prostate cancer. <i>Tumor Biology</i> , 2013 , 34, 1337-47	2.9	41
138	Impaired liver regeneration in Ldlr ^{-/-} mice is associated with an altered hepatic profile of cytokines, growth factors, and lipids. <i>Journal of Hepatology</i> , 2013 , 59, 731-7	13.4	13

137	Increased nitric oxide production in lymphatic endothelial cells causes impairment of lymphatic drainage in cirrhotic rats. <i>Gut</i> , 2013 , 62, 138-45	19.2	33
136	Bacterial lipopolysaccharide inhibits CB2 receptor expression in human monocytic cells. <i>Gut</i> , 2013 , 62, 1089-91	19.2	8
135	Factors involved in extracellular matrix turnover in human derived cardiomyocytes. <i>Cellular Physiology and Biochemistry</i> , 2013 , 32, 1125-36	3.9	10
134	Protein fingerprinting of the extracellular matrix remodelling in a rat model of liver fibrosis--a serological evaluation. <i>Liver International</i> , 2013 , 33, 439-47	7.9	43
133	Urinary neutrophil gelatinase-associated lipocalin as biomarker in the differential diagnosis of impairment of kidney function in cirrhosis. <i>Journal of Hepatology</i> , 2012 , 57, 267-73	13.4	146
132	ARFI, FibroScan, ELF, and their combinations in the assessment of liver fibrosis: a prospective study. <i>Journal of Hepatology</i> , 2012 , 57, 281-7	13.4	123
131	Prevention of fibrosis progression in CCl4-treated rats: role of the hepatic endocannabinoid and apelin systems. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2012 , 340, 629-37	4.7	49
130	Hypoxia and proinflammatory factors upregulate apelin receptor expression in human stellate cells and hepatocytes. <i>Gut</i> , 2011 , 60, 1404-11	19.2	51
129	Circulating CO3-610, a degradation product of collagen III, closely reflects liver collagen and portal pressure in rats with fibrosis. <i>Fibrogenesis and Tissue Repair</i> , 2011 , 4, 19		27
128	Apelin mediates the induction of profibrogenic genes in human hepatic stellate cells. <i>Endocrinology</i> , 2010 , 151, 5306-14	4.8	52
127	Assessment of QF-PCR as the first approach in prenatal diagnosis. <i>Journal of Molecular Diagnostics</i> , 2010 , 12, 828-34	5.1	31
126	Serum fibrosis markers identify patients with mild and progressive hepatitis C recurrence after liver transplantation. <i>Gastroenterology</i> , 2010 , 138, 147-58.e1	13.3	56
125	Further pharmacological and genetic evidence for the efficacy of PlGF inhibition in cancer and eye disease. <i>Cell</i> , 2010 , 141, 178-90	56.2	218
124	Hypoxia induces B-type natriuretic peptide release in cell lines derived from human cardiomyocytes. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2009 , 297, H550-5	5.2	59
123	LH/HCG stimulation of VEGF and adrenomedullin production by follicular fluid macrophages and luteinized granulosa cells. <i>Reproductive BioMedicine Online</i> , 2009 , 18, 743-9	4	12
122	Regression of fibrosis after chronic stimulation of cannabinoid CB2 receptor in cirrhotic rats. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2008 , 324, 475-83	4.7	134
121	The hepatic apelin system: a new therapeutic target for liver disease. <i>Hepatology</i> , 2008 , 48, 1193-201	11.2	94
120	Bradykinin attenuates hepatocellular damage and fibrosis in rats with chronic liver injury. <i>Gastroenterology</i> , 2007 , 133, 2019-28	13.3	28

119	Antiangiogenic treatment with sunitinib ameliorates inflammatory infiltrate, fibrosis, and portal pressure in cirrhotic rats. <i>Hepatology</i> , 2007 , 46, 1919-26	11.2	213
118	Vascular endothelial growth factor levels in serum and plasma from patients undergoing controlled ovarian hyperstimulation for IVF. <i>Human Reproduction</i> , 2007 , 22, 669-75	5.7	17
117	Serum vascular endothelial growth factor as a predictive factor in metronomic (weekly) Paclitaxel treatment for advanced head and neck cancer. <i>JAMA Otolaryngology</i> , 2007 , 133, 1143-8		19
116	Ciclosporin-induced hypertension is associated with increased sodium transporter of the loop of Henle (NKCC2). <i>Nephrology Dialysis Transplantation</i> , 2007 , 22, 2810-6	4.3	34
115	Impaired extracellular matrix degradation in aortic vessels of cirrhotic rats. <i>Journal of Hepatology</i> , 2007 , 46, 440-6	13.4	14
114	Aquaporin-1 and aquaporin-2 urinary excretion in cirrhosis: Relationship with ascites and hepatorenal syndrome. <i>Hepatology</i> , 2006 , 44, 1555-63	11.2	42
113	Increased expression of the renin-angiotensin system and mast cell density but not of angiotensin-converting enzyme II in late stages of human heart failure. <i>Journal of Heart and Lung Transplantation</i> , 2006 , 25, 1117-25	5.8	38
112	The selective cyclooxygenase-2 inhibitor celecoxib modulates the formation of vasoconstrictor eicosanoids and activates PPARgamma. Influence of albumin. <i>Journal of Hepatology</i> , 2005 , 42, 75-81	13.4	32
111	A novel sodium overload test predicting ascites decompensation in rats with CCl4-induced cirrhosis. <i>Journal of Hepatology</i> , 2005 , 43, 92-7	13.4	10
110	Ascites from cirrhotic patients induces angiogenesis through the phosphoinositide 3-kinase/Akt signaling pathway. <i>Journal of Hepatology</i> , 2005 , 43, 85-91	13.4	11
109	Microarray analysis of endothelial differentially expressed genes in liver of cirrhotic rats. <i>Gastroenterology</i> , 2005 , 129, 1686-95	13.3	37
108	The role of nitric oxide in the pathogenesis of systemic and splanchnic vasodilation in cirrhotic rats before and after the onset of ascites. <i>Liver International</i> , 2005 , 25, 429-37	7.9	26
107	Sodium retention in cirrhotic rats is associated with increased renal abundance of sodium transporter proteins. <i>Kidney International</i> , 2005 , 67, 622-30	9.9	24
106	Sustained aquaretic effect of the V2-AVP receptor antagonist, RWJ-351647, in cirrhotic rats with ascites and water retention. <i>British Journal of Pharmacology</i> , 2005 , 146, 654-61	8.6	13
105	Effects of celecoxib and naproxen on renal function in nonazotemic patients with cirrhosis and ascites. <i>Hepatology</i> , 2005 , 41, 579-87	11.2	58
104	MELD score and clinical type predict prognosis in hepatorenal syndrome: relevance to liver transplantation. <i>Hepatology</i> , 2005 , 41, 1282-9	11.2	266
103	Circulatory function and hepatorenal syndrome in cirrhosis. <i>Hepatology</i> , 2005 , 42, 439-47	11.2	424
102	A randomized unblinded pilot study comparing albumin versus hydroxyethyl starch in spontaneous bacterial peritonitis. <i>Hepatology</i> , 2005 , 42, 627-34	11.2	182

101	Plasma endothelin-1 and clinical manifestations of neonatal sepsis. <i>Journal of Perinatal Medicine</i> , 2004 , 32, 522-6	2.7	24
100	Adrenomedullin and vascular endothelial growth factor production by follicular fluid macrophages and granulosa cells. <i>Human Reproduction</i> , 2004 , 19, 808-14	5.7	14
99	Effects of contrast media on renal function in patients with cirrhosis: a prospective study. <i>Hepatology</i> , 2004 , 40, 646-51	11.2	46
98	Adrenomedullin messenger RNA expression is increased in myocardial tissue of patients with idiopathic dilated cardiomyopathy. <i>Journal of Heart and Lung Transplantation</i> , 2004 , 23, 1297-300	5.8	3
97	High-density lipoproteins reduce the effect of endotoxin on cytokine production and systemic hemodynamics in cirrhotic rats with ascites. <i>Journal of Hepatology</i> , 2004 , 40, 424-30	13.4	41
96	Effect of intravenous albumin on systemic and hepatic hemodynamics and vasoactive neurohormonal systems in patients with cirrhosis and spontaneous bacterial peritonitis. <i>Journal of Hepatology</i> , 2004 , 41, 384-90	13.4	118
95	Clinical need for antidiuretic hormone antagonists in cirrhosis. <i>Hepatology</i> , 2003 , 37, 13-5	11.2	6
94	Increased carbon monoxide production in patients with cirrhosis with and without spontaneous bacterial peritonitis. <i>Hepatology</i> , 2003 , 38, 452-9	11.2	56
93	The management of ascites in cirrhosis: report on the consensus conference of the International Ascites Club. <i>Hepatology</i> , 2003 , 38, 258-66	11.2	554
92	Systemic, renal, and hepatic hemodynamic derangement in cirrhotic patients with spontaneous bacterial peritonitis. <i>Hepatology</i> , 2003 , 38, 1210-8	11.2	329
91	Activated human hepatic stellate cells express the renin-angiotensin system and synthesize angiotensin II. <i>Gastroenterology</i> , 2003 , 125, 117-25	13.3	278
90	Transduction of the liver with activated Akt normalizes portal pressure in cirrhotic rats. <i>Gastroenterology</i> , 2003 , 125, 522-31	13.3	99
89	Nitric oxide synthase 3-dependent vascular remodeling and circulatory dysfunction in cirrhosis. <i>American Journal of Pathology</i> , 2003 , 162, 1985-93	5.8	53
88	Effect of the V1a/V2-AVP receptor antagonist, Conivaptan, on renal water metabolism and systemic hemodynamics in rats with cirrhosis and ascites. <i>Journal of Hepatology</i> , 2003 , 38, 755-61	13.4	30
87	Cyclooxygenase-1 derived prostaglandins are involved in the maintenance of renal function in rats with cirrhosis and ascites. <i>British Journal of Pharmacology</i> , 2002 , 135, 891-900	8.6	35
86	Hypoxia is an inducer of vasodilator agents in peritoneal macrophages of cirrhotic patients. <i>Hepatology</i> , 2002 , 36, 1172-9	11.2	29
85	Increased plasma levels of neuropeptide Y in hepatorenal syndrome. <i>Journal of Hepatology</i> , 2002 , 36, 349-55	13.4	20
84	Chronology of hemodynamic changes in asymptomatic in vitro fertilization patients and relationship with ovarian steroids and cytokines. <i>Fertility and Sterility</i> , 2002 , 77, 1178-83	4.8	14

83	Hemodynamic changes induced by urinary human chorionic gonadotropin and recombinant luteinizing hormone used for inducing final follicular maturation and luteinization. <i>Fertility and Sterility</i> , 2002 , 78, 1261-7	4.8	30
82	Terlipressin therapy with and without albumin for patients with hepatorenal syndrome: Results of a prospective, nonrandomized study. <i>Hepatology</i> , 2002 , 36, 941-948	11.2	8
81	Effect of salt intake on endothelium-derived factors in a group of patients with essential hypertension. <i>Clinical Science</i> , 2001 , 101, 73	6.5	5
80	Increased production of vascular endothelial growth factor in peritoneal macrophages of cirrhotic patients with spontaneous bacterial peritonitis. <i>Hepatology</i> , 2001 , 34, 487-93	11.2	28
79	A prognostic model for predicting survival in cirrhosis with ascites. <i>Journal of Hepatology</i> , 2001 , 34, 46-52	3.4	165
78	Human hepatic stellate cells secrete adrenomedullin: potential autocrine factor in the regulation of cell contractility. <i>Journal of Hepatology</i> , 2001 , 34, 222-9	13.4	21
77	Dysregulation of renal aquaporins and Na-Cl cotransporter in CCl4-induced cirrhosis. <i>Kidney International</i> , 2000 , 58, 216-28	9.9	67
76	Increased plasma adrenomedullin levels in hemodialysis patients with sustained hypotension. <i>Kidney International</i> , 2000 , 57, 664-70	9.9	31
75	Circulating levels of nitric oxide in successful and unsuccessful implantation after in vitro fertilization and embryo transfer. Relationship to estradiol and progesterone. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2000 , 79, 564-569	3.8	1
74	Hepatocyte-derived cysteinyl leukotrienes modulate vascular tone in experimental cirrhosis. <i>Gastroenterology</i> , 2000 , 119, 794-805	13.3	60
73	Terlipressin plus albumin infusion: an effective and safe therapy of hepatorenal syndrome. <i>Journal of Hepatology</i> , 2000 , 33, 43-8	13.4	298
72	Losartan decreases plasma levels of TGF-beta1 in transplant patients with chronic allograft nephropathy. <i>Kidney International</i> , 1999 , 56, 714-9	9.9	117
71	Regulation of cyclooxygenase-2 expression in human mesangial cells--transcriptional inhibition by IL-13. <i>FEBS Journal</i> , 1999 , 260, 268-74		15
70	Nitric oxide production and inducible nitric oxide synthase expression in peritoneal macrophages of cirrhotic patients. <i>Hepatology</i> , 1999 , 30, 670-6	11.2	30
69	Selective inhibition of cyclooxygenase 2 spares renal function and prostaglandin synthesis in cirrhotic rats with ascites. <i>Gastroenterology</i> , 1999 , 116, 1167-75	13.3	50
68	Chronic blockade of endothelin receptors in cirrhotic rats: hepatic and hemodynamic effects. <i>Gastroenterology</i> , 1999 , 116, 161-7	13.3	75
67	Ascites and liver test abnormalities during severe ovarian hyperstimulation syndrome. <i>American Journal of Gastroenterology</i> , 1999 , 94, 994-999	0.7	7
66	Adrenomedullin and nitric oxide in menstrual and in vitro fertilization cycles. Relationship to estradiol. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1999 , 78, 626-631	3.8	11

65	Reversibility of hepatorenal syndrome by prolonged administration of ornipressin and plasma volume expansion. <i>Hepatology</i> , 1998 , 27, 35-41	11.2	223
64	Increased renal expression of nitric oxide synthase type III in cirrhotic rats with ascites. <i>Hepatology</i> , 1998 , 27, 1191-9	11.2	15
63	Tumor necrosis factor and interleukin-6 in spontaneous bacterial peritonitis in cirrhosis: relationship with the development of renal impairment and mortality. <i>Hepatology</i> , 1998 , 27, 1227-32	11.2	293
62	Increased cerebrovascular resistance in cirrhotic patients with ascites. <i>Hepatology</i> , 1998 , 28, 39-44	11.2	110
61	Transjugular intrahepatic portosystemic shunt in hepatorenal syndrome: effects on renal function and vasoactive systems. <i>Hepatology</i> , 1998 , 28, 416-22	11.2	279
60	Hyponatremia in cirrhosis: from pathogenesis to treatment. <i>Hepatology</i> , 1998 , 28, 851-64	11.2	195
59	Insulin therapy in type 2 diabetic patients: effects on arterial blood pressure and endothelin-1 plasma levels. <i>Diabetes Research and Clinical Practice</i> , 1998 , 41, 151-5	7.4	1
58	Altered biosynthesis of leukotrienes and lipoxins and host defense disorders in patients with cirrhosis and ascites. <i>Gastroenterology</i> , 1998 , 115, 147-56	13.3	53
57	Increased adrenomedullin levels in cirrhosis: relationship with hemodynamic abnormalities and vasoconstrictor systems. <i>Gastroenterology</i> , 1998 , 114, 336-43	13.3	91
56	Effects of increasing blood hemoglobin levels on systemic hemodynamics of acutely anemic cirrhotic patients. <i>Journal of Hepatology</i> , 1998 , 29, 789-95	13.4	32
55	Hemodynamic changes in patients developing effective hypovolemia after total paracentesis. <i>Journal of Hepatology</i> , 1998 , 28, 639-45	13.4	53
54	Gene expression of endothelin-1 and ET(A) and ET(B) receptors in human cirrhosis: relationship with hepatic hemodynamics. <i>Journal of Vascular Research</i> , 1998 , 35, 186-93	1.9	85
53	Tetrahydrobiopterin modulates cyclooxygenase-2 expression in human mesangial cells. <i>Biochemical and Biophysical Research Communications</i> , 1997 , 241, 7-12	3.4	7
52	Effect of bacterial lipopolysaccharide on endothelin-1 production in human vascular endothelial cells. <i>Journal of Hepatology</i> , 1997 , 26, 81-7	13.4	33
51	Effect of therapeutic paracentesis on plasma volume and transvascular escape rate of albumin in patients with cirrhosis. <i>Journal of Hepatology</i> , 1997 , 27, 645-53	13.4	45
50	Urinary endothelin-like immunoreactivity in patients with cirrhosis. <i>Journal of Hepatology</i> , 1997 , 27, 810-6	13.4	12
49	Platelet cytosolic calcium concentration in patients with liver cirrhosis. Relationship with hepatic and systemic hemodynamics. <i>Journal of Hepatology</i> , 1997 , 27, 824-9	13.4	2
48	Diuretic requirements after therapeutic paracentesis in non-azotemic patients with cirrhosis. A randomized double-blind trial of spironolactone versus placebo. <i>Journal of Hepatology</i> , 1997 , 26, 614-20	13.4	55

47	Aquaretic agents: a new potential treatment of dilutional hyponatremia in cirrhosis. <i>Journal of Hepatology</i> , 1996 , 24, 506-12	13.4	30
46	Renal and neurohormonal changes following simultaneous administration of systemic vasoconstrictors and dopamine or prostacyclin in cirrhotic patients with hepatorenal syndrome. <i>Journal of Hepatology</i> , 1996 , 25, 916-23	13.4	45
45	Treatment of severe ovarian hyperstimulation syndrome by a conservative medical approach. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1996 , 75, 662-7	3.8	20
44	Endothelin 1 does not play a major role in the homeostasis of arterial pressure in cirrhotic rats with ascites. <i>Gastroenterology</i> , 1995 , 108, 1842-8	13.3	53
43	Aquaretic effect of the kappa-opioid agonist RU 51599 in cirrhotic rats with ascites and water retention. <i>Gastroenterology</i> , 1995 , 109, 217-23	13.3	40
42	Increased plasma endothelin in cirrhosis. Relationship with systemic endotoxemia and response to changes in effective blood volume. <i>Journal of Hepatology</i> , 1995 , 22, 389-98	13.4	39
41	Acetylcholine-induced vasorelaxation in portal hypertensive rats. <i>Hepatology</i> , 1995 , 22, 1009-1011	11.2	2
40	Antidiuretic hormone and the pathogenesis of water retention in cirrhosis with ascites. <i>Seminars in Liver Disease</i> , 1994 , 14, 44-58	7.3	62
39	Favorable effects of total paracentesis on splanchnic hemodynamics in cirrhotic patients with tense ascites. <i>Hepatology</i> , 1994 , 20, 30-33	11.2	49
38	Impaired responsiveness to angiotensin II in experimental cirrhosis. <i>Hepatology</i> , 1994 , 20, 266-268	11.2	12
37	Diagnosis of functional kidney failure of cirrhosis with Doppler sonography: prognostic value of resistive index. <i>Hepatology</i> , 1994 , 20, 839-44	11.2	101
36	Renal effects of natriuretic peptide receptor blockade in cirrhotic rats with ascites. <i>Hepatology</i> , 1994 , 20, 948-54	11.2	48
35	Increased nitric oxide-dependent vasorelaxation in aortic rings of cirrhotic rats with ascites. <i>Hepatology</i> , 1994 , 20, 1615-21	11.2	77
34	Total paracentesis with dextran 40 vs diuretics in the treatment of ascites in cirrhosis: a randomized controlled study. <i>Journal of Hepatology</i> , 1994 , 20, 282-8	13.4	60
33	Blunted natriuretic response to human urine extracts with Na ⁺ ,K ⁽⁺⁾ -ATPase inhibiting activity in experimental cirrhosis. <i>Journal of Hepatology</i> , 1994 , 20, 660-5	13.4	
32	Intracellular calcium concentration in vascular smooth muscle cells of rats with cirrhosis. <i>Journal of Hepatology</i> , 1994 , 21, 521-6	13.4	15
31	Impaired responsiveness to endogenous vasoconstrictors and endothelium-derived vasoactive factors in cirrhosis. <i>Gastroenterology</i> , 1994 , 107, 1201-3	13.3	18
30	Pathogenesis of sodium retention in cirrhosis. <i>Journal of Hepatology</i> , 1993 , 18, 147-50	13.4	10

29	Circulating levels of endothelin in cirrhosis. <i>Gastroenterology</i> , 1993 , 104, 1485-91	13.3	168
28	Incidence, predictive factors, and prognosis of the hepatorenal syndrome in cirrhosis with ascites. <i>Gastroenterology</i> , 1993 , 105, 229-36	13.3	661
27	Effect of Dipyridamole on Kidney Function in Cirrhosis. <i>Hepatology</i> , 1993 , 17, 59-64	11.2	28
26	Hemodynamic and humoral changes after liver transplantation in patients with cirrhosis. <i>Hepatology</i> , 1993 , 17, 355-360	11.2	150
25	Brachial and femoral artery blood flow in cirrhosis: Relationship to kidney dysfunction. <i>Hepatology</i> , 1993 , 17, 788-793	11.2	119
24	Impaired responsiveness to angiotensin II in experimental cirrhosis: Role of nitric oxide. <i>Hepatology</i> , 1993 , 18, 367-372	11.2	120
23	Effects of somatostatin on renal function in cirrhosis. <i>Gastroenterology</i> , 1992 , 103, 1868-74	13.3	47
22	Rapid increase in plasma levels of atrial natriuretic peptide after common bile duct ligation in the rabbit. <i>Annals of Surgery</i> , 1992 , 216, 554-9	7.8	17
21	Carbon tetrachloride induced cirrhosis in rats: a useful tool for investigating the pathogenesis of ascites in chronic liver disease. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 1992 , 7, 90-7	4	58
20	Assessment of the renin-angiotensin system in cirrhotic patients. Comparison between plasma renin activity and direct measurement of immunoreactive renin. <i>Journal of Hepatology</i> , 1992 , 15, 179-83	13.4	50
19	Chemoattractants provoke monocyte adhesion to human mesangial cells and mesangial cell injury. <i>Kidney International</i> , 1992 , 42, 480-7	9.9	41
18	Pathogenesis of arterial hypotension in cirrhotic rats with ascites: role of endogenous nitric oxide. <i>Hepatology</i> , 1992 , 15, 343-9	11.2	179
17	Severe ovarian hyperstimulation syndrome: role of peripheral vasodilation. <i>Fertility and Sterility</i> , 1991 , 56, 1077-83	4.8	69
16	Effect of V1-vasopressin receptor blockade on arterial pressure in conscious rats with cirrhosis and ascites. <i>Gastroenterology</i> , 1991 , 100, 494-501	13.3	68
15	Doses of endothelin have natriuretic effects in conscious rats with cirrhosis and ascites. <i>Kidney International</i> , 1991 , 40, 182-7	9.9	22
14	Temporal relationship between the decrease in arterial pressure and sodium retention in conscious spontaneously hypertensive rats with carbon tetrachloride-induced cirrhosis. <i>Hepatology</i> , 1991 , 13, 585-589	11.2	31
13	Molecular forms and biological activity of atrial natriuretic factor in patients with cirrhosis and ascites. <i>Hepatology</i> , 1991 , 14, 601-607	11.2	14
12	Total paracentesis associated with intravenous albumin management of patients with cirrhosis and ascites. <i>Gastroenterology</i> , 1990 , 98, 146-51	13.3	169

11	Effects of intravenous amino acid infusion and dietary proteins on kidney function in cirrhosis. <i>Hepatology</i> , 1990 , 11, 379-86	11.2	16
10	Natriuretic hormone activity in the urine of cirrhotic patients. <i>Hepatology</i> , 1990 , 12, 467-75	11.2	17
9	Role of altered systemic hemodynamics in the blunted renal response to atrial natriuretic peptide in rats with cirrhosis and ascites. <i>Journal of Hepatology</i> , 1989 , 9, 217-26	13.4	25
8	Blockade of the hydroosmotic effect of vasopressin normalizes water excretion in cirrhotic rats. <i>Gastroenterology</i> , 1989 , 97, 1294-9	13.3	55
7	Atrial natriuretic factor in cirrhosis with ascites: plasma levels, cardiac release and splanchnic extraction. <i>Hepatology</i> , 1988 , 8, 636-42	11.2	150
6	Prognostic value of arterial pressure, endogenous vasoactive systems, and renal function in cirrhotic patients admitted to the hospital for the treatment of ascites. <i>Gastroenterology</i> , 1988 , 94, 482-7	13.3	360
5	Randomized comparative study of therapeutic paracentesis with and without intravenous albumin in cirrhosis. <i>Gastroenterology</i> , 1988 , 94, 1493-502	13.3	489
4	Temporal relationship between hyperaldosteronism, sodium retention and ascites formation in rats with experimental cirrhosis. <i>Hepatology</i> , 1985 , 5, 245-50	11.2	105
3	Measurement of fibrosis in needle liver biopsies: evaluation of a colorimetric method. <i>Hepatology</i> , 1985 , 5, 815-8	11.2	109
2	Experimental Models of Cirrhosis and Ascites		215-226 4
1	Nitric Oxide and Systemic and Renal Hemodynamic Disturbances in Cirrhosis		105-114 1