In-Ho Yoon

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1792041/publications.pdf Version: 2024-02-01



ΙΝ-ΗΟ ΥΟΟΝ

#	Article	IF	CITATIONS
1	Reduction and adsorption mechanisms of selenate by zero-valent iron and related iron corrosion. Applied Catalysis B: Environmental, 2011, 104, 185-192.	20.2	135
2	Perchlorate adsorption and desorption on activated carbon and anion exchange resin. Journal of Hazardous Materials, 2009, 164, 87-94.	12.4	111
3	Mechanism for the stabilization/solidification of arsenic-contaminated soils with Portland cement and cement kiln dust. Journal of Environmental Management, 2010, 91, 2322-2328.	7.8	85
4	Effects of pH and dissolved oxygen on Cr(VI) removal in Fe(0)/H2O systems. Journal of Hazardous Materials, 2011, 186, 855-862.	12.4	84
5	Assessment of cement kiln dust (CKD) for stabilization/solidification (S/S) of arsenic contaminated soils. Journal of Hazardous Materials, 2008, 159, 512-518.	12.4	73
6	Qualitative analysis and mapping of heavy metals in an abandoned Au–Ag mine area using NIR spectroscopy. Environmental Geology, 2009, 58, 477-482.	1.2	69
7	Arsenic detoxification potential of aox genes in arsenite-oxidizing bacteria isolated from natural and constructed wetlands in the Republic of Korea. Environmental Geochemistry and Health, 2010, 32, 95-105.	3.4	60
8	Heavy metal and arsenic accumulating fern species as potential ecological indicators in As-contaminated abandoned mines. Ecological Indicators, 2009, 9, 1275-1279.	6.3	49
9	Synergy between Zeolite Framework and Encapsulated Sulfur for Enhanced Ion-Exchange Selectivity to Radioactive Cesium. Chemistry of Materials, 2018, 30, 5777-5785.	6.7	43
10	A Novel Combination of Anaerobic Bioleaching and Electrokinetics for Arsenic Removal from Mine Tailing Soil. Environmental Science & Technology, 2009, 43, 9354-9360.	10.0	40
11	Stabilization of arsenic-contaminated mine tailings using natural and calcined oyster shells. Environmental Earth Sciences, 2011, 64, 597-605.	2.7	39
12	Hollow flower-like titanium ferrocyanide structure for the highly efficient removal of radioactive cesium from water. Chemical Engineering Journal, 2020, 392, 123713.	12.7	37
13	Selenate removal by zero-valent iron in oxic condition: the role of Fe(II) and selenate removal mechanism. Environmental Science and Pollution Research, 2016, 23, 1081-1090.	5.3	33
14	Arsenic biotransformation potential of microbial arsH responses in the biogeochemical cycling of arsenic-contaminated groundwater. Chemosphere, 2018, 191, 729-737.	8.2	33
15	Effect of surface modification of silica nanoparticles by silane coupling agent on decontamination foam stability. Annals of Nuclear Energy, 2018, 114, 11-18.	1.8	29
16	Selective separation of Cs-contaminated clay from soil using polyethylenimine-coated magnetic nanoparticles. Science of the Total Environment, 2020, 706, 136020.	8.0	29
17	Poly(vinyl alcohol)-borax complex-based spray coating for the decontamination of radioactive Cs from wide-area surfaces. Chemical Engineering Journal, 2020, 402, 126299.	12.7	27
18	lsolation and ars detoxification of arsenite-oxidizing bacteria from abandoned arsenic-contaminated mines. Journal of Microbiology and Biotechnology, 2007, 17, 812-21.	2.1	27

IN-HO YOON

#	Article	IF	CITATIONS
19	Sulfur-modified chabazite as a low-cost ion exchanger for the highly selective and simultaneous removal of cesium and strontium. Applied Surface Science, 2021, 536, 147776.	6.1	26
20	Scale-up and optimization of a two-stage molten salt oxidation reactor system for the treatment of cation exchange resins. Chemical Engineering Research and Design, 2013, 91, 703-712.	5.6	24
21	Arsenite oxidation by Alcaligenes sp. strain RS-19 isolated from arsenic-contaminated mines in the Republic of Korea. Environmental Geochemistry and Health, 2009, 31, 109-117.	3.4	23
22	Modeling, rate-limiting step investigation, and enhancement of the direct bio-regeneration of perchlorate laden anion-exchange resin. Water Research, 2009, 43, 127-136.	11.3	22
23	Kinetic study for phenol degradation by ZVI-assisted Fenton reaction and related iron corrosion investigated by X-ray absorption spectroscopy. Chemosphere, 2016, 145, 409-415.	8.2	20
24	Polyvinyl alcohol-borate hydrogel containing Prussian blue for surface decontamination. Journal of Radioanalytical and Nuclear Chemistry, 2018, 316, 955-962.	1.5	19
25	Effect of silica nanoparticles on the stability of decontamination foam and their application for oxide dissolution of corroded specimens. Annals of Nuclear Energy, 2014, 73, 168-174.	1.8	18
26	Stabilizing decontamination foam using surface-modified silica nanoparticles containing chemical reagent: foam stability, structures, and dispersion properties. RSC Advances, 2021, 11, 1841-1849.	3.6	16
27	Sorption behavior of cesium on silt and clay soil fractions. Journal of Environmental Radioactivity, 2021, 233, 106592.	1.7	16
28	Removal of radioactive cesium from an aqueous solution via bioaccumulation by microalgae and magnetic separation. Scientific Reports, 2019, 9, 10149.	3.3	15
29	A highly efficient decontamination foam stabilized by well-dispersed mesoporous silica nanoparticles. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2019, 560, 164-170.	4.7	15
30	Novel two-step process for remediation of Cs-contaminated soil assisted by magnetic composites. Chemical Engineering Journal, 2021, 424, 130554.	12.7	12
31	Colloid mobilization and heavy metal transport in the sampling of soil solution from Duckum soil in South Korea. Environmental Geochemistry and Health, 2019, 41, 469-480.	3.4	11
32	Hydrothermal Desorption of Cs with Oxalic Acid from Hydrobiotite and Wastewater Treatment by Chemical Precipitation. Energies, 2020, 13, 3284.	3.1	11
33	Highly enhanced foams for stability and decontamination efficiency with a fluorosurfactant, silica nanoparticles, and Ce(IV) in radiological application. Environmental Technology and Innovation, 2020, 18, 100744.	6.1	11
34	Application of polyethylenimine-coated magnetic nanocomposites for the selective separation of Cs-enriched clay particles from radioactive soil. RSC Advances, 2020, 10, 21822-21829.	3.6	10
35	Factors affecting metal exchange between sediment and water in an estuarine reservoir: A spatial and seasonal observation. Journal of Environmental Monitoring, 2009, 11, 2058.	2.1	9
36	Volatility and leachability of heavy metals and radionuclides in thermally treated HEPA filter media generated from nuclear facilities. Journal of Hazardous Materials, 2012, 219-220, 240-246.	12.4	9

In-Ho Yoon

#	Article	IF	CITATIONS
37	The effect of SiO2 nanoparticles in Li3V2(PO4)3/graphene as a cathode material for Li-ion batteries. Materials Letters, 2015, 160, 206-209.	2.6	9
38	Structure and stability of decontamination foam in concentrated nitric acid and silica nanoparticles by image analysis. Annals of Nuclear Energy, 2016, 95, 102-108.	1.8	9
39	Cs desorption behavior during hydrothermal treatment of illite with oxalic acid. Environmental Science and Pollution Research, 2020, 27, 35580-35590.	5.3	9
40	Desorption of cesium from hydrobiotite by hydrogen peroxide with divalent cations. Journal of Hazardous Materials, 2020, 390, 121381.	12.4	8
41	Enhanced selective separation of fine particles from Cs-contaminated soil using magnetic nanoparticles. Journal of Soils and Sediments, 2021, 21, 346-354.	3.0	6
42	Monolayer Hexagonal Boron Nitride Nanosheets as Proton-Conductive Gas Barriers for Polymer Electrolyte Membrane Water Electrolysis. ACS Applied Nano Materials, 2021, 4, 9104-9112.	5.0	6
43	Morphological Control of Mesoporous Silica Nanoparticles and Their Application for Foam Stability. Asian Journal of Chemistry, 2014, 26, 1401-1404.	0.3	5
44	Characteristic and remediation of radioactive soil in nuclear facility sites: a critical review. Environmental Science and Pollution Research, 2021, 28, 67990-68005.	5.3	5
45	Decontamination Foam Containing Silica Nanoparticles of Various Structures. Asian Journal of Chemistry, 2014, 26, 1405-1407.	0.3	4
46	Preparation of Low-Cost Adsorbents from Paper Industry Wastes and their Pb(II) Removal Behavior in Water. Separation Science and Technology, 2014, 49, 2540-2547.	2.5	3
47	Stability of Foaming Agent for Foam Decontamination. Asian Journal of Chemistry, 2015, 27, 4254-4256.	0.3	3
48	Adsorption of Perfluorocarbon Surfactant on Activated Carbon Adsorbents. Asian Journal of Chemistry, 2013, 25, 5602-5604.	0.3	2
49	Considerations on the preliminary safety assessment for operation of the melting facility for radioactive metal waste from nuclear facilities. Annals of Nuclear Energy, 2022, 175, 109213.	1.8	2
50	Cesium Removal from Nonexpandable Illite Clay by Chloride Salt Treatment. ACS Omega, 2021, 6, 17923-17930.	3.5	1
51	Synthesis and Application of Tricaprylmethyl ammoniumthiosalicylate as Extracting Agent for Actinide Ions. Asian Journal of Chemistry, 2015, 27, 4263-4265.	0.3	0
52	Sorption of cobalt by amine-functionalized silica nanoparticles for foam decontamination of nuclear facilities. Journal of Radioanalytical and Nuclear Chemistry, 2016, 310, 841-847.	1.5	0
53	Environmental applications of magnetic nanoparticles. , 2021, , 529-545.		0
54	Hydrogen isotope exchange behavior of protonated lithium metal compounds. Nuclear Engineering and Technology, 2021, , .	2.3	0

#	Article	IF	CITATIONS
55	Improved flotation separation of fine particles using hydrophobic silica nanoparticles as surface modifiers. Journal of Environmental Chemical Engineering, 2021, 9, 106767.	6.7	0