

Bronwyn L Fox

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1795751/bronwyn-l-fox-publications-by-year.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

144 papers	3,910 citations	32 h-index	55 g-index
149 ext. papers	4,505 ext. citations	5.9 avg, IF	5.68 L-index

#	Paper	IF	Citations
144	Improving energy efficiency of carbon fiber manufacturing through waste heat recovery: A circular economy approach with machine learning. <i>Energy</i> , 2021 , 225, 120113	7.9	14
143	Graphene as a piezo-resistive coating to enable strain monitoring in glass fiber composites. <i>Composites Science and Technology</i> , 2021 , 211, 108842	8.6	6
142	Comparing the properties of commercially treated and air plasma treated carbon fibers. <i>Surface and Coatings Technology</i> , 2021 , 408, 126751	4.4	2
141	Distribution states of graphene in polymer nanocomposites: A review. <i>Composites Part B: Engineering</i> , 2021 , 226, 109353	10	10
140	Evolving Strategies for Producing Multiscale Graphene-Enhanced Fiber-Reinforced Polymer Composites for Smart Structural Applications. <i>Advanced Science</i> , 2020 , 7, 1903501	13.6	31
139	Design and characterization of a plasma chamber for improved radial and axial film uniformity. <i>Plasma Processes and Polymers</i> , 2020 , 17, 2000017	3.4	4
138	Tailoring specific properties of polymer-based composites by using graphene and its associated compounds. <i>International Journal of Smart and Nano Materials</i> , 2020 , 11, 173-189	3.6	2
137	Multifunctionality in Epoxy Resins. <i>Polymer Reviews</i> , 2020 , 60, 1-41	14	54
136	Effect of graphene oxide concentration on the flexural properties of CFRP at low temperature. <i>Carbon</i> , 2019 , 152, 556-564	10.4	28
135	Influence of Different Nanocellulose Additives on Processing and Performance of PAN-Based Carbon Fibers. <i>ACS Omega</i> , 2019 , 4, 9720-9730	3.9	8
134	Wet-spinning and carbonization of graphene/PAN-based fibers: Toward improving the properties of carbon fibers. <i>Journal of Applied Polymer Science</i> , 2019 , 136, 47932	2.9	9
133	Large, Mesoporous Carbon Nanoparticles with Tunable Architectures for Energy Storage. <i>ACS Applied Nano Materials</i> , 2019 , 2, 1727-1736	5.6	6
132	A Review on Graphene Polymer Nanocomposites in Harsh Operating Conditions. <i>Industrial & Engineering Chemistry Research</i> , 2019 , 58, 17106-17129	3.9	18
131	Property enhancement of CFRP composites with different graphene oxide employment methods at a cryogenic temperature. <i>Composites Part A: Applied Science and Manufacturing</i> , 2019 , 120, 56-63	8.4	23
130	Making stronger carbon-fiber precursors. <i>Science</i> , 2019 , 366, 1314-1315	33.3	9
129	A predictive model of interfacial interactions between functionalised carbon fibre surfaces cross-linked with epoxy resin. <i>Composites Science and Technology</i> , 2018 , 159, 127-134	8.6	28
128	Mechanical, Thermal, and Morphological Behavior of Silicone Rubber during Accelerated Aging. <i>Polymer-Plastics Technology and Engineering</i> , 2018 , 57, 1687-1696		35

127	Graphene based room temperature flexible nanocomposites from permanently cross-linked networks. <i>Scientific Reports</i> , 2018 , 8, 2803	4.9	25
126	Effect of carbonization and multi-walled carbon nanotubes on polyacrylonitrile short carbon fiber - epoxy composites. <i>Polymer Composites</i> , 2018 , 39, E817-E825	3	5
125	Surface modification of carbon fibre using graphene related materials for multifunctional composites. <i>Composites Part B: Engineering</i> , 2018 , 133, 240-257	10	91
124	Radial structure and property relationship in the thermal stabilization of PAN precursor fibres. <i>Polymer Testing</i> , 2017 , 59, 203-211	4.5	25
123	Cellulose Nanofibers as Rheology Modifiers and Enhancers of Carbonization Efficiency in Polyacrylonitrile. <i>ACS Sustainable Chemistry and Engineering</i> , 2017 , 5, 3296-3304	8.3	25
122	Tailoring the fibre-to-matrix interface using click chemistry on carbon fibre surfaces. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 11204-11213	13	40
121	The effect of thermally induced chemical transformations on the structure and properties of carbon fibre precursors. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 7372-7382	13	28
120	Evolution of radial heterogeneity in polyacrylonitrile fibres during thermal stabilization: An overview. <i>Polymer Degradation and Stability</i> , 2017 , 136, 20-30	4.7	49
119	Anisotropic compressive behaviour of turbostratic graphite in carbon fibre. <i>Applied Materials Today</i> , 2017 , 9, 196-203	6.6	6
118	Thermal Properties of Epoxy/Block-Copolymer Blends 2017 , 1041-1065		
117	The influence of processing techniques on the matrix distribution and filtration of clay in a fibre reinforced nanocomposite. <i>Composites Part B: Engineering</i> , 2016 , 84, 1-8	10	11
116	Preparation of microporous carbon materials via in-depth sulfonation and stabilization of polyethylene. <i>Polymer Degradation and Stability</i> , 2016 , 134, 272-283	4.7	10
115	A facile method to fabricate carbon nanostructures via the self-assembly of polyacrylonitrile/poly(methyl methacrylate-b-polyacrylonitrile) AB/B? type block copolymer/homopolymer blends. <i>RSC Advances</i> , 2016 , 6, 55792-55799	3.7	10
114	Carbon Nexus at Deakin University: a globally unique carbon fiber and composite research facility in Australia. <i>Reinforced Plastics</i> , 2016 , 60, 396-400	0.9	4
113	Rapid surface functionalization of carbon fibres using microwave irradiation in an ionic liquid. <i>RSC Advances</i> , 2016 , 6, 32480-32483	3.7	23
112	Investigation of progress of reactions and evolution of radial heterogeneity in the initial stage of thermal stabilization of PAN precursor fibres. <i>Polymer Degradation and Stability</i> , 2016 , 125, 105-114	4.7	50
111	Crack Damage in Polymers and Composites: A Review. <i>Polymer Reviews</i> , 2016 , 56, 31-69	14	98
110	Structural transformation of polyacrylonitrile fibers during stabilization and low temperature carbonization. <i>Polymer Degradation and Stability</i> , 2016 , 128, 39-45	4.7	79

109 Thermal Properties of Epoxy/Block Copolymer Blends **2016**, 1-25

108 Solvate Ionic Liquids as Reaction Media for Electrocyclic Transformations. *European Journal of Organic Chemistry*, **2016**, 2016, 913-917 3.2 26

107 A systematic investigation into a novel method for preparing carbon fibreCarbon nanotube hybrid structures. *Composites Part A: Applied Science and Manufacturing*, **2016**, 90, 174-185 8.4 27

106 Using ionic liquids to reduce energy consumption for carbon fibre production. *Journal of Materials Chemistry A*, **2016**, 4, 16619-16626 13 30

105 Interfacial characterization and reinforcing mechanism of novel carbon nanotube Carbon fibre hybrid composites. *Carbon*, **2016**, 109, 74-86 10.4 65

104 Interfacial shear strength studies of experimental carbon fibres, novel thermosetting polyurethane and epoxy matrices and bespoke sizing agents. *Composites Science and Technology*, **2016**, 133, 104-110 8.6 42

103 The Surface Finish of Thermally Aged Carbon Fibre Reinforced Composites Using E-glass as a Surface Barrier. *Applied Composite Materials*, **2015**, 22, 573-582 2 1

102 Thermally flexible epoxy/cellulose blends mediated by an ionic liquid. *RSC Advances*, **2015**, 5, 52832-52836 3.7 6

101 A Novel Approach to the Functionalisation of Pristine Carbon Fibre Using Azomethine 1,3-Dipolar Cycloaddition. *Australian Journal of Chemistry*, **2015**, 68, 335 1.2 21

100 . *IEEE Transactions on Industrial Informatics*, **2015**, 11, 887-896 11.9 51

99 Rapidly cured out-of-autoclave laminates: Understanding and controlling the effect of voids on laminate fracture toughness. *Composites Part A: Applied Science and Manufacturing*, **2015**, 73, 186-194 8.4 10

98 Hydrogen bonding interactions in poly(ϵ -caprolactoneDimethyl siloxaneCaprolactone)/poly(hydroxyether of bisphenol A) triblock copolymer/homopolymer blends and the effect on crystallization, microphase separation and self-assembly. *European Polymer Journal*, **2015**, 67, 18-29 5.2 5

97 Thermal and Rheological Characteristics of Biobased Carbon Fiber Precursor Derived from Low Molecular Weight Organosolv Lignin. *ACS Sustainable Chemistry and Engineering*, **2015**, 3, 758-769 8.3 71

96 Stochastic optimization models for energy management in carbonization process of carbon fiber production. *Applied Energy*, **2015**, 158, 643-655 10.7 33

95 A systematic study of carbon fibre surface grafting via in situ diazonium generation for improved interfacial shear strength in epoxy matrix composites. *Composites Science and Technology*, **2015**, 118, 31-38 8.6 55

94 Properties of bio-based polymer nylon 11 reinforced with short carbon fiber composites. *Polymer Composites*, **2015**, 36, 668-674 3 7

93 A novel approach to functionalise pristine unsized carbon fibre using in situ generated diazonium species to enhance interfacial shear strength. *Journal of Materials Chemistry A*, **2015**, 3, 3360-3371 13 42

92 StructureProperty relationships in nylon 6 nanocomposites based on octaphenyl-, dodecaphenylBOSS, montmorillonite, and their combinations. *Polymer Composites*, **2015**, 36, 153-160 3 4

91	Wettability Investigation of UV/O ₃ and Acid Functionalized MWCNT and MWCNT/PMMA Nanocomposites by Contact Angle Measurement. <i>Journal of Nanomaterials</i> , 2015 , 2015, 1-12	3.2	3
90	Flower like micellar assemblies in poly(styrene)-block-poly(4-vinyl pyridine)/poly(acrylic acid) complexes. <i>Materials Letters</i> , 2015 , 147, 92-96	3.3	8
89	Novel Approach to Trigger Nanostructures in Thermosets Using Competitive Hydrogen-Bonding-Induced Phase Separation (CHIPS). <i>Macromolecules</i> , 2015 , 48, 8337-8345	5.5	8
88	Enhanced thermal stability and lifetime of epoxy nanocomposites using covalently functionalized clay: experimental and modelling. <i>New Journal of Chemistry</i> , 2015 , 39, 2269-2278	3.6	42
87	Surface energy of silk fibroin and mechanical properties of silk cocoon composites. <i>RSC Advances</i> , 2015 , 5, 1640-1647	3.7	14
86	A simple and effective method to ameliorate the interfacial properties of cellulosic fibre based bio-composites using poly (ethylene glycol) based amphiphiles. <i>European Polymer Journal</i> , 2015 , 64, 70-78 ²	5.2	7
85	Mechanical property and structure of covalent functionalised graphene/epoxy nanocomposites. <i>Scientific Reports</i> , 2014 , 4, 4375	4.9	352
84	Effect of surface functionality of PAN-based carbon fibres on the mechanical performance of carbon/epoxy composites. <i>Composites Science and Technology</i> , 2014 , 94, 89-95	8.6	58
83	Enhancing the carbon yield of cellulose based carbon fibres with ionic liquid impregnates. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 15758-15762	13	18
82	Preparation of polyacrylonitrile/natural polymer composite precursors for carbon fiber using ionic liquid co solvent solutions. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 3424-3429	13	18
81	An improved understanding of the dispersion of multi-walled carbon nanotubes in non-aqueous solvents. <i>Journal of Nanoparticle Research</i> , 2014 , 16, 1	2.3	23
80	Improving the mechanical properties of multiwalled carbon nanotube/epoxy nanocomposites using polymerization in a stirring plasma system. <i>Composites Part A: Applied Science and Manufacturing</i> , 2014 , 56, 172-180	8.4	17
79	2014 ,		2
78	A STUDY ON MECHANICAL BEHAVIOR OF FUNCTIONALLY-GRADED CARBON NANOTUBE-REINFORCED NANOCOMPOSITES. <i>International Journal of Computational Methods</i> , 2014 , 11, 1344003	1.1	6
77	Investigating strain transfer in polymer coated structures for the health monitoring of aerospace vehicles using polymer photonic waveguides 2014 ,		1
76	Actuation curvature limits for a composite beam with embedded shape memory alloy wires. <i>Smart Materials and Structures</i> , 2014 , 23, 065002	3.4	16
75	Heterogeneity of carbon fibre. <i>Carbon</i> , 2014 , 68, 240-249	10.4	66
74	A novel carbon nanofibre/phenolic nanocomposite coated polymer system for tailoring thermal behaviour. <i>Composites Part A: Applied Science and Manufacturing</i> , 2013 , 46, 80-88	8.4	17

73	Protic ionic liquids as recyclable solvents for the acid catalysed synthesis of diphenylmethyl thioethers. <i>Comptes Rendus Chimie</i> , 2013 , 16, 634-639	2.7	10
72	Ageing of surface treated thermoplastic polyolefins. <i>Polymer Degradation and Stability</i> , 2013 , 98, 1699-1704	4.9	5
71	Dispersing single-walled carbon nanotubes in ionic liquids: a quantitative analysis. <i>RSC Advances</i> , 2013 , 3, 20034	3.7	24
70	Functionally graded carbon nanofiber/phenolic nanocomposites and their mechanical properties. <i>Composites Part A: Applied Science and Manufacturing</i> , 2013 , 54, 124-134	8.4	23
69	Individual dispersion of carbon nanotubes in epoxy via a novel dispersion-curing approach using ionic liquids. <i>Physical Chemistry Chemical Physics</i> , 2013 , 15, 11696-703	3.6	34
68	Improving the mechanical properties of epoxy using multiwalled carbon nanotubes functionalized by a novel plasma treatment. <i>Composites Part A: Applied Science and Manufacturing</i> , 2013 , 45, 145-152	8.4	50
67	Novel polymer-ceramic composites for protection against ballistic fragments. <i>Polymer Composites</i> , 2013 , 34, 180-186	3	12
66	Cure behaviour and void development within rapidly cured out-of-autoclave composites. <i>Composites Part B: Engineering</i> , 2013 , 47, 230-237	10	46
65	Surface functionalization of unsized carbon fiber using nitrenes derived from organic azides. <i>Carbon</i> , 2013 , 54, 378-388	10.4	59
64	Functionally graded carbon nanofiber-phenolic nanocomposites for sudden temperature change applications. <i>Polymer</i> , 2013 , 54, 3940-3948	3.9	6
63	Preparation and properties of composition-controlled carbon nanofiber/phenolic nanocomposites. <i>Composites Part B: Engineering</i> , 2013 , 52, 120-126	10	24
62	Cure kinetics and viscosity modelling of a high-performance epoxy resin film. <i>Polymer Testing</i> , 2013 , 32, 150-157	4.5	68
61	Overcoming interfacial affinity issues in natural fiber reinforced polylactide biocomposites by surface adsorption of amphiphilic block copolymers. <i>ACS Applied Materials & Interfaces</i> , 2013 , 5, 276-83	9.5	22
60	Effect of Manufacturing Method and Aging Environment on Painted Automotive Carbon Fibre Composite Surfaces. <i>Applied Composite Materials</i> , 2013 , 20, 747-759	2	2
59	The Effect of a Rapid Heating Rate, Mechanical Vibration and Surfactant Chemistry on the Structure-Property Relationships of Epoxy/Clay Nanocomposites. <i>Materials</i> , 2013 , 6, 3624-3640	3.5	14
58	Hygrothermal effects on painted carbon fibre composite surfaces. <i>Journal of Composite Materials</i> , 2013 , 47, 539-547	2.7	5
57	Coating and Functionalization of Carbon Fibres Using a Three-Step Plasma Treatment. <i>Plasma Processes and Polymers</i> , 2013 , 10, 1100-1109	3.4	8
56	Physical and Chemical Heterogeneity of Carbon Fibre 2013 , 3339-3345		

55	Understanding Wettability Changes from Practical Plasma Functionalization of Carbon Nanotubes. <i>Nanoscience and Nanotechnology Letters</i> , 2013 , 4, 344-347	0.8	4
54	Physical and Chemical Heterogeneity of Carbon Fibre 2013 , 3339-3345		
53	Fabrication and characterization of functionally graded synthetic graphite/phenolic nanocomposites. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 545, 123-131	5.3	40
52	Rapid formation of diphenylmethyl ethers and thioethers using microwave irradiation and protic ionic liquids. <i>Tetrahedron Letters</i> , 2012 , 53, 2035-2039	2	19
51	Effect of compositional gradient on thermal behavior of synthetic graphite/phenolic nanocomposites. <i>Journal of Thermal Analysis and Calorimetry</i> , 2012 , 109, 1169-1176	4.1	20
50	Measuring the Adhesion Force on Natural Fibre Surface Using Scanning Probe Microscopy. <i>Journal of Adhesion Science and Technology</i> , 2012 , 26, 175-187	2	2
49	Out-of-autoclave cure cycle study of a resin film infusion process using in situ process monitoring. <i>Composites Part A: Applied Science and Manufacturing</i> , 2012 , 43, 935-944	8.4	43
48	Practical Amine Functionalization of Multi-Walled Carbon Nanotubes for Effective Interfacial Bonding. <i>Plasma Processes and Polymers</i> , 2012 , 9, 733-741	3.4	22
47	Nanocomposites of poly(m-xylene diamide) with polyhedral oligomeric silsesquioxane, montmorillonite, and their combination: Structure and properties. <i>Polymer Engineering and Science</i> , 2012 , 52, 1402-1412	2.3	6
46	Influence of Atmospheric Helium Plasma on the Surface Energy of Jute Fibres and the Performance of Resulting Composites. <i>Journal of Adhesion Science and Technology</i> , 2012 , 26, 151-162	2	5
45	Methyl 3-[4-(4-nitro-benz-yloxy)phen-yl]propano-ate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2012 , 68, o1997-8		
44	Enhanced permanganate chemiluminescence. <i>Analyst, The</i> , 2011 , 136, 64-6	5	24
43	Effect of manufacturing process on the flexural, fracture toughness, and thermo-mechanical properties of bio-composites. <i>Composites Part A: Applied Science and Manufacturing</i> , 2011 , 42, 993-999	8.4	10
42	A surface-property relationship of atmospheric plasma treated jute composites. <i>Composites Science and Technology</i> , 2011 , 71, 1692-1698	8.6	52
41	The effect of alternate heating rates during cure on the structure/property relationships of epoxy/MMT clay nanocomposites. <i>Composites Science and Technology</i> , 2011 , 71, 1761-1768	8.6	27
40	The effect of a rapid curing process on the surface finish of a carbon fibre epoxy composite. <i>Composites Part B: Engineering</i> , 2011 , 42, 1035-1043	10	30
39	Effect of drawing on the molecular orientation, polymorphism, and properties of melt-spun nanocomposite fibers based on nylon 6 with polyhedral oligomeric silsesquioxane, montmorillonite, and their combination. <i>Polymer Composites</i> , 2011 , 32, 604-614	3	5
38	Tailoring the surface chemistry of carbon fiber and E-glass composites for improved adhesion. <i>Surface and Interface Analysis</i> , 2011 , 43, 856-864	1.5	9

37	Toughening of a Carbon-Fibre Composite Using Electrospun Poly(Hydroxyether of Bisphenol A) Nanofibrous Membranes Through Inverse Phase Separation and Inter-Domain Etherification. <i>Materials</i> , 2011 , 4, 1967-1984	3.5	67
36	Exploring molecular changes at the surface of polypropylene after accelerated thermomolecular adhesion treatments. <i>ACS Applied Materials & Interfaces</i> , 2010 , 2, 1505-13	9.5	4
35	Interphase study of thermoplastic modified epoxy matrix composites: Phase behaviour around a single fibre influenced by heating rate and surface treatment. <i>Composites Part A: Applied Science and Manufacturing</i> , 2010 , 41, 787-794	8.4	22
34	The effects of molecular weight and polymorphism on the fracture and thermo-mechanical properties of a carbon-fibre composite modified by electrospun poly (vinylidene fluoride) membranes. <i>Polymer</i> , 2010 , 51, 2585-2596	3.9	48
33	The effect of material selection and manufacturing process on the surface finish of carbon fibre composites. <i>Journal of Materials Processing Technology</i> , 2010 , 210, 926-940	5.3	22
32	Fracture behaviour of a rapidly cured polyethersulfone toughened carbon fibre/epoxy composite. <i>Composite Structures</i> , 2010 , 92, 2119-2127	5.3	20
31	An evaluation of the performance of advanced melded composite joints. <i>Composite Structures</i> , 2010 , 92, 2071-2076	5.3	5
30	Thermal and mechanical properties of a dendritic hydroxyl-functional hyperbranched polymer and tetrafunctional epoxy resin blends. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2010 , 48, 417-424	2.6	46
29	Inspection of Drop-weight Impact Damage in Woven CFRP Laminates Fabricated by Different Processes. <i>Journal of Composite Materials</i> , 2009 , 43, 1939-1946	2.7	7
28	Strain Rate Effects on the Energy Absorption of Rapidly Manufactured Composite Tubes. <i>Journal of Composite Materials</i> , 2009 , 43, 2183-2200	2.7	12
27	Structural and material properties of a rapidly cured thermoplastic-toughened epoxy system. <i>Journal of Applied Polymer Science</i> , 2009 , 113, 485-491	2.9	9
26	Investigation of the postcure reaction and surface energy of epoxy resins using time-of-flight secondary ion mass spectrometry and contact-angle measurements. <i>Journal of Applied Polymer Science</i> , 2009 , 113, 2755-2764	2.9	5
25	Time-of-flight secondary ion mass spectrometry investigation of epoxy resin curing behavior in real time. <i>Journal of Applied Polymer Science</i> , 2009 , 113, 2765-2776	2.9	9
24	Study on thermoplastic-modified multifunctional epoxies: Influence of heating rate on cure behaviour and phase separation. <i>Composites Science and Technology</i> , 2009 , 69, 1172-1179	8.6	45
23	Silver sulfide as a staining agent for scanning electron microscopy of nylon 6/MXD6 blends. <i>Polymer International</i> , 2009 , 58, 858-862	3.3	3
22	Nonisothermal crystallization behavior of poly(m-xylylene adipamide)/montmorillonite nanocomposites. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2009 , 47, 1300-1312	2.6	16
21	Combined Continuous Wave and Pulsed Plasma Modes: For More Stable Interfaces with Higher Functionality on Metal and Semiconductor Surfaces. <i>Plasma Processes and Polymers</i> , 2009 , 6, 615-619	3.4	23
20	Adhesion of polymers. <i>Progress in Polymer Science</i> , 2009 , 34, 948-968	29.6	521

19	Analysis of the Effects of Atmospheric Helium Plasma Treatment on the Surface Structure of Jute Fibres and Resulting Composite Properties. <i>Journal of Adhesion Science and Technology</i> , 2009 , 23, 2109-2120	7
18	Surface properties of polypropylene following a novel industrial surface-treatment process. <i>Surface and Interface Analysis</i> , 2008 , 40, 1454-1462	1.5 13
17	Consistent model predictions for isothermal cure kinetics investigation of high performance epoxy prepregs. <i>Journal of Applied Polymer Science</i> , 2008 , 107, 2231-2237	2.9 10
16	ToF-SIMS investigation of epoxy resin curing reaction at different resin to hardener ratios. <i>Journal of Applied Polymer Science</i> , 2008 , 110, 2711-2717	2.9 9
15	Investigation of Processing Conditions of Melded Parts to Determine Process Boundaries. <i>Materials and Manufacturing Processes</i> , 2007 , 22, 777-781	4.1 3
14	An experimental study of low velocity impact response in 2/2 twill weave composite laminates manufactured by a novel fabrication process. <i>Journal of Materials Science</i> , 2007 , 42, 232-238	4.3 3
13	Rapid Composite Tube Manufacture Utilizing the Quickstep™ Process. <i>Journal of Composite Materials</i> , 2007 , 41, 965-978	2.7 10
12	Characterization of melded carbon fibre/epoxy laminates. <i>Composites Part A: Applied Science and Manufacturing</i> , 2007 , 38, 1860-1871	8.4 5
11	Manufacturing Influence on the Delamination Fracture Behavior of the T800H/3900-2 Carbon Fiber Reinforced Polymer Composites. <i>Materials and Manufacturing Processes</i> , 2007 , 22, 768-772	4.1 31
10	Characterization and Analysis of Delamination Fracture and Nanocreep Properties in Carbon Epoxy Composites Manufactured by Different Processes. <i>Journal of Composite Materials</i> , 2006 , 40, 1287-1299	2.7 19
9	Finite element modelling of metallic tubular crash structures with an explicit code. <i>International Journal of Vehicle Safety</i> , 2006 , 1, 292	0.4 6
8	Investigation of failure mechanisms in aged aerospace composites. <i>Engineering Failure Analysis</i> , 2004 , 11, 235-241	3.2 11
7	Interfacial ageing of high temperature carbon/bismaleimide composites. <i>Composites Part A: Applied Science and Manufacturing</i> , 2002 , 33, 1289-1292	8.4 28
6	Characterization of poly(ethylene terephthalate) and poly(ethylene terephthalate) blends. <i>Polymer</i> , 1997 , 38, 3035-3043	3.9 32
5	Morphology-property relationships in ABS/PET blends. I. Compositional effects 1996 , 62, 1699-1708	31
4	Morphology-property relationships in ABS/PET blends. II. Influence of processing conditions on structure and properties 1996 , 62, 1709-1714	16
3	Synthesis and crystal structure of tris(diethyldithiocarbamate-S,S')(disulfido-S,S')niobium(V). <i>Journal of the Chemical Society Dalton Transactions</i> , 1994 , 1765-1767	10
2	The melding of dithiocarbamate and alkyne moieties at molybdenum centres; new ligands and heterometallacyclic complexes. <i>Journal of the Chemical Society Chemical Communications</i> , 1994 , 2579	11

- 1 Rheology, dispersion, and cure kinetics of epoxy filled with amine- and non-functionalized reduced graphene oxide for composite manufacturing. *Journal of Applied Polymer Science*, 2.9 2