

Corinne Gerard

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1796240/publications.pdf>

Version: 2024-02-01

27
papers

606
citations

516710

16
h-index

580821

25
g-index

28
all docs

28
docs citations

28
times ranked

612
citing authors

#	ARTICLE	IF	CITATIONS
1	Pasireotide and octreotide antiproliferative effects and sst2 trafficking in human pancreatic neuroendocrine tumor cultures. <i>Endocrine-Related Cancer</i> , 2014, 21, 691-704.	3.1	53
2	Small conductance chloride channels in the apical membrane of thyroid cells. <i>FEBS Letters</i> , 1990, 259, 263-268.	2.8	46
3	Insulin like growth factor I is an autocrine regulator of human colon cancer cell differentiation and growth. <i>Cancer Letters</i> , 1992, 62, 23-33.	7.2	43
4	Gs α overexpression and loss of Gs α imprinting in human somatotroph adenomas: Association with tumor size and response to pharmacologic treatment. <i>International Journal of Cancer</i> , 2007, 121, 1245-1252.	5.1	38
5	Vasoactive Intestinal Polypeptide and Pituitary Adenylate Cyclase-Activating Polypeptides Stimulate Mitogen-Activated Protein Kinase in the Pituitary Cell Line GH4C1 by a 3 α ,5 β -Cyclic Adenosine Monophosphate Pathway. <i>Neuroendocrinology</i> , 2000, 72, 46-56.	2.5	37
6	Differential Involvement of the Ras and Rap1 Small GTPases in Vasoactive Intestinal and Pituitary Adenylate Cyclase Activating Polypeptides Control of the Prolactin Gene. <i>Journal of Biological Chemistry</i> , 2003, 278, 51386-51394.	3.4	37
7	Regulation of the RAP1/RAF-1/Extracellularly Regulated Kinase-1/2 Cascade and Prolactin Release by the Phosphoinositide 3-Kinase/AKT Pathway in Pituitary Cells. <i>Endocrinology</i> , 2006, 147, 6036-6045.	2.8	33
8	Signalling Pathway Alterations in Pituitary Adenomas: Involvement of Gs α , cAMP and Mitogen-Activated Protein Kinases. <i>Journal of Neuroendocrinology</i> , 2009, 21, 869-877.	2.6	30
9	Chronic and acute effects of thyrotropin on phosphatidylinositol turnover in cultured porcine thyroid cells. <i>Lipids and Lipid Metabolism</i> , 1982, 710, 359-369.	2.6	27
10	Identification and properties of a novel type of Na ⁺ -permeable amiloride-sensitive channel in thyroid cells. <i>FEBS Journal</i> , 1989, 183, 499-505.	0.2	26
11	The thyroid cell monolayer in culture. <i>Pflugers Archiv European Journal of Physiology</i> , 1989, 414, 509-515.	2.8	26
12	Anti-proliferative and anti-secretory effects of everolimus on human pancreatic neuroendocrine tumors primary cultures: is there any benefit from combination with somatostatin analogs?. <i>Oncotarget</i> , 2017, 8, 41044-41063.	1.8	24
13	Localization of the Na ⁺ /K ⁺ -ATPase and of an amiloride sensitive Na ⁺ uptake on thyroid epithelial cells. <i>European Journal of Cell Biology</i> , 1985, 38, 134-41.	3.6	24
14	Evidence for a Direct Negative Coupling between Dopamine-D2 Receptors and PLC by Heterotrimeric Gi1/2 Proteins in Rat Anterior Pituitary Cell Membranes. <i>Endocrinology</i> , 2002, 143, 747-754.	2.8	22
15	Characterization of an electrogenic sodium/glucose cotransporter in a human colon epithelial cell line. <i>Journal of Cellular Physiology</i> , 1995, 163, 120-128.	4.1	19
16	Electrophysiological correlates of fluid transport in cultured porcine thyroid cells. <i>Journal of Endocrinology</i> , 1988, 119, 309-314.	2.6	17
17	Physiopathology of somatolactotroph cells: from transduction mechanisms to cotargeting therapy. <i>Annals of the New York Academy of Sciences</i> , 2011, 1220, 60-70.	3.8	15
18	Conditional Overexpression of the Wild-Type Gs α as the gsp Oncogene Initiates Chronic Extracellularly Regulated Kinase 1/2 Activation and Hormone Hypersecretion in Pituitary Cell Lines. <i>Endocrinology</i> , 2007, 148, 2973-2983.	2.8	14

#	ARTICLE	IF	CITATIONS
19	Evidence for probenecid-sensitive organic anion transporters on polarized thyroid cells in culture. <i>Journal of Cellular Physiology</i> , 1990, 144, 354-364.	4.1	13
20	Effects of arachidonate on cultured pig thyroid cells and their stimulation by thyrotropin. <i>FEBS Letters</i> , 1981, 132, 23-28.	2.8	11
21	Chloride Channel Blockers Inhibit the Na ⁺ /I ⁻ Symporter in Thyroid Follicles in Culture. <i>Biochemical and Biophysical Research Communications</i> , 1994, 204, 1265-1271.	2.1	11
22	The gsp Oncogene Disrupts Ras/ERK-Dependent Prolactin Gene Regulation in gsp Inducible Somatotroph Cell Line. <i>Endocrinology</i> , 2011, 152, 1234-1243.	2.8	9
23	Ras and Rap1 govern spatiotemporal dynamic of activated ERK in pituitary living cells. <i>Cellular Signalling</i> , 2012, 24, 2237-2248.	3.6	8
24	Effects of eicosatetraenoic acid (ETYA) on cultured pig thyroid cells. <i>FEBS Letters</i> , 1982, 148, 281-288.	2.8	6
25	Effects of prostaglandin E2 and cholera toxin on apical sodium uptake in thyroid epithelial cells: role of cAMP. <i>FEBS Letters</i> , 1985, 180, 9-12.	2.8	5
26	Polarized distribution of ? interferon-stimulated MHC antigens and transferrin receptors in a clonal cell line isolated from Fisher rat thyroid (FRT cells). <i>Cell and Tissue Research</i> , 1993, 272, 23-31.	2.9	5
27	Thyrotropin regulation of basolateral Cl ⁻ and I ⁻ effluxes in thyroid follicles in culture. <i>Molecular and Cellular Endocrinology</i> , 1994, 106, 195-205.	3.2	5