

Aylin Yildirim

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1797006/aylin-yildirim-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

141
papers

18,330
citations

30
h-index

135
g-index

200
ext. papers

23,066
ext. citations

3.5
avg, IF

5.33
L-index

#	Paper	IF	Citations
141	Recommendations for Ramadan fasting to patients with cardiovascular diseases; Turkish Society of Cardiology consensus report. <i>Anatolian Journal of Cardiology</i> , 2021 , 25, 284-293	0.8	3
140	Global perspective of familial hypercholesterolaemia: a cross-sectional study from the EAS Familial Hypercholesterolaemia Studies Collaboration (FHSC). <i>Lancet, The</i> , 2021 , 398, 1713-1725	4.0	14
139	Consensus paper on the evaluation and treatment of resistant hypertension by the Turkish Society of Cardiology. <i>Anatolian Journal of Cardiology</i> , 2020 , 24, 137-152	0.8	0
138	2019 ESC Guidelines for the diagnosis and management of chronic coronary syndromes. <i>European Heart Journal</i> , 2020 , 41, 407-477	9.5	1835
137	Platelet Membrane β -Glutamyl Transferase-Specific Activity and the Clinical Course of Acute Coronary Syndrome. <i>Angiology</i> , 2019 , 70, 166-173	2.1	4
136	Turkish Society of Cardiology consensus paper on the rational use of cardiac troponins in daily practice. <i>Anatolian Journal of Cardiology</i> , 2019 , 21, 331-344	0.8	1
135	Turkish Society of Cardiology consensus paper on management of arrhythmia-induced cardiomyopathy. <i>Anatolian Journal of Cardiology</i> , 2019 , 21, 98-106	0.8	6
134	Turkish Society of Cardiology consensus report on recommendations for athletes with high-risk genetic cardiovascular diseases or implanted cardiac devices. <i>Anatolian Journal of Cardiology</i> , 2019 , 22, 140-151	0.8	
133	Consensus Report on Patient Blood Management in Cardiac Surgery by Turkish Society of Cardiovascular Surgery (TSCVS), Turkish Society of Cardiology (TSC), and Society of Cardio-Vascular-Thoracic Anaesthesia and Intensive Care (SCTAIC). <i>Turkish Journal of Thoracic and Cardiovascular Surgery</i> , 2019 , 27, 122-150	0.5	2
132	Plasma osteopontin concentration is elevated in patients with coronary bare metal stent restenosis. <i>Acta Cardiologica</i> , 2018 , 73, 69-74	0.9	1
131	2017 ESC Guidelines for the management of acute myocardial infarction in patients presenting with ST-segment elevation: The Task Force for the management of acute myocardial infarction in patients presenting with ST-segment elevation of the European Society of Cardiology (ESC). <i>European Heart Journal</i> , 2018 , 39, 119-177	9.5	4237
130	Is there a relationship between resistin levels and left ventricular end-diastolic pressure?. <i>Anatolian Journal of Cardiology</i> , 2018 , 19, 267-272	0.8	2
129	What have we learned from Turkish familial hypercholesterolemia registries (A-HIT1 and A-HIT2)?. <i>Atherosclerosis</i> , 2018 , 277, 341-346	3.1	10
128	Serum cystatin C and neutrophil gelatinase-associated lipocalin in predicting the severity of coronary artery disease in diabetic patients. <i>Anatolian Journal of Cardiology</i> , 2016 , 16, 756-761	0.8	1
127	Coronary artery disease detected by coronary computed tomography angiography is associated with red cell distribution width. <i>Turk Kardiyoloji Dernegi Arsivi</i> , 2016 , 44, 570-574	0.3	2
126	Comparison of Carvedilol and Metoprolol for Preventing Contrast-Induced Nephropathy after Coronary Angiography. <i>CardioRenal Medicine</i> , 2015 , 5, 199-207	2.8	3
125	ADMA is a useful marker, but many confounding factors should be considered!. <i>Anatolian Journal of Cardiology</i> , 2015 , 15, 81		2

124	Assessment of serum hepcidin levels in patients with non-ST elevation myocardial infarction. <i>Anatolian Journal of Cardiology</i> , 2015 , 15, 164-5		
123	The preanalytical and analytical factors responsible for false-positive cardiac troponins. <i>Anatolian Journal of Cardiology</i> , 2015 , 15, 264-5	0.8	5
122	Hematological parameters can predict the extent of coronary artery disease in patients with end-stage renal disease. <i>International Urology and Nephrology</i> , 2015 , 47, 1719-25	2.3	11
121	Ezetimibe Added to Statin Therapy after Acute Coronary Syndromes. <i>New England Journal of Medicine</i> , 2015 , 372, 2387-97	59.2	2371
120	Coronary anatomy, anatomic variations and anomalies: a retrospective coronary angiography study. <i>Singapore Medical Journal</i> , 2015 , 56, 339-45	1.9	14
119	Author's reply. <i>Anatolian Journal of Cardiology</i> , 2015 , 15, 81-2	0.8	
118	The effect of raloxifene on left ventricular hypertrophy in postmenopausal women: A prospective, randomized, and controlled study. <i>Anatolian Journal of Cardiology</i> , 2015 , 15, 480-4	0.8	4
117	2014 ESC/EACTS Guidelines on myocardial revascularization: The Task Force on Myocardial Revascularization of the European Society of Cardiology (ESC) and the European Association for Cardio-Thoracic Surgery (EACTS) Developed with the special contribution of the European Association of Percutaneous Cardiovascular Interventions (EAPCI). <i>European Heart Journal</i> , 2014 , 35, 255-264	9.5	3467
116	Could plasma asymmetric dimethylarginine level be a novel predictor beyond the classic predictors of stent restenosis?. <i>Anatolian Journal of Cardiology</i> , 2014 , 14, 491-7		6
115	The prevalence and types of cardiovascular disease in patients with end-stage renal disease undergoing renal transplantation. <i>Transplantation Proceedings</i> , 2013 , 45, 3478-80	1.1	7
114	2013 ESC guidelines on the management of stable coronary artery disease: the Task Force on the management of stable coronary artery disease of the European Society of Cardiology. <i>European Heart Journal</i> , 2013 , 34, 2949-3003	9.5	3076
113	Use of alpha-lipoic acid in prevention of contrast-induced nephropathy in diabetic patients. <i>Renal Failure</i> , 2013 , 35, 748-53	2.9	11
112	Management of myocardial infarction related to in situ thrombosis. <i>Anatolian Journal of Cardiology</i> , 2013 , 13, 178-80		
111	Association of epicardial adipose tissue thickness by echocardiography and hypertension. <i>Turk Kardiyoloji Dernegi Arsivi</i> , 2013 , 41, 115-22		22
110	Coronary microvascular function in patients with isolated systolic and combined systolic/diastolic hypertension. <i>Journal of Clinical Hypertension</i> , 2012 , 14, 871-6	2.3	5
109	Thrombin-receptor antagonist vorapaxar in acute coronary syndromes. <i>New England Journal of Medicine</i> , 2012 , 366, 20-33	59.2	570
108	Case images: percutaneous retrieval of an embolized occluder device from the aorta using a goose-neck snare. <i>Turk Kardiyoloji Dernegi Arsivi</i> , 2012 , 40, 393		1
107	Association between cardiac functional capacity and parameters of tissue Doppler imaging in patients with normal ejection fraction. <i>Acta Cardiologica</i> , 2011 , 66, 181-7	0.9	3

106	Pravastatin therapy fails to suppress post-PCI inflammatory response measured by serum neopterin and CRP levels. <i>Anatolian Journal of Cardiology</i> , 2011 , 11, 207-12		1
105	Is there any relationship between coronary artery disease and postprandial triglyceride levels?. <i>Anatolian Journal of Cardiology</i> , 2011 , 11, 201-6		3
104	Increased serum gamma-glutamyltransferase activity in patients with metabolic syndrome. <i>Turk Kardiyoloji Dernegi Arsivi</i> , 2011 , 39, 122-8		15
103	Prevention of contrast-induced impairment of renal function by short-term or long-term statin therapy in patients undergoing elective coronary angiography. <i>Blood Coagulation and Fibrinolysis</i> , 2010 , 21, 750-7	1	37
102	Acute effects of smoking light cigarettes on coronary microvascular functions. <i>Clinical Cardiology</i> , 2009 , 32, 210-4	3.3	9
101	Value of stress myocardial perfusion scanning in diagnosis of severe coronary artery disease in liver transplantation candidates. <i>Transplantation Proceedings</i> , 2009 , 41, 3757-60	1.1	48
100	Epicardial adipose tissue thickness by echocardiography is a marker for the presence and severity of coronary artery disease. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2009 , 19, 211-7	4.5	166
99	A rare presentation of primary spontaneous coronary dissection: left ventricular apical thrombus associated with ischemic cerebrovascular event. <i>International Journal of Cardiology</i> , 2009 , 134, e53-5	3.2	3
98	Evaluation of coronary microvascular function in patients with end-stage renal disease, and renal allograft recipients. <i>Atherosclerosis</i> , 2009 , 202, 498-504	3.1	13
97	The clinical importance of laboratory-defined aspirin resistance in patients presenting with non-ST elevation acute coronary syndromes. <i>Blood Coagulation and Fibrinolysis</i> , 2009 , 20, 427-32	1	4
96	Serum levels of C-reactive protein and uric acid in patients with cardiac syndrome X. <i>Acta Cardiologica</i> , 2009 , 64, 207-11	0.9	7
95	Raloxifene has favourable effects on metabolic parameters but has no effect on left ventricular function in postmenopausal women. <i>Pharmacological Research</i> , 2008 , 57, 364-8	10.2	7
94	Comparison of the efficacy of metoprolol and carvedilol for preventing atrial fibrillation after coronary bypass surgery. <i>International Journal of Cardiology</i> , 2008 , 126, 108-13	3.2	53
93	Rationale, design, and baseline characteristics for a large international trial of cardiovascular disease prevention in people with dysglycemia: the ORIGIN Trial (Outcome Reduction with an Initial Glargine Intervention). <i>American Heart Journal</i> , 2008 , 155, 26-32, 32.e1-6	4.9	146
92	Lipid profiles of patients with a transplanted heart before and after the operation. <i>Transplantation Proceedings</i> , 2008 , 40, 263-6	1.1	3
91	Incidence of aspirin resistance and its relationship with cardiovascular risk factors and graft function in renal transplant recipients. <i>Transplantation Proceedings</i> , 2008 , 40, 3485-8	1.1	6
90	Impaired coronary microvascular and left ventricular diastolic functions in patients with ankylosing spondylitis. <i>Atherosclerosis</i> , 2008 , 196, 306-312	3.1	88
89	Coronary flow reserve is impaired in patients with aortic valve calcification. <i>Atherosclerosis</i> , 2008 , 197, 846-52	3.1	12

88	Mitral annular calcification associated with impaired coronary microvascular function. <i>Atherosclerosis</i> , 2008 , 198, 115-21	3.1	9
87	Impaired coronary microvascular function and increased intima-media thickness in rheumatoid arthritis. <i>Atherosclerosis</i> , 2008 , 198, 332-7	3.1	59
86	Impaired coronary flow reserve in patients with metabolic syndrome. <i>Atherosclerosis</i> , 2008 , 201, 112-6	3.1	42
85	Laparoscopic surgery: does it increase the probability of atrial and ventricular arrhythmias in children?. <i>Surgical Laparoscopy, Endoscopy and Percutaneous Techniques</i> , 2008 , 18, 173-7	1.3	2
84	Serum gamma-glutamyl transferase activity: new high-risk criteria in acute coronary syndrome patients?. <i>Coronary Artery Disease</i> , 2008 , 19, 489-95	1.4	22
83	Value of peri-procedural B-type natriuretic peptide levels in predicting cardiac events after elective percutaneous coronary intervention. <i>Acta Cardiologica</i> , 2008 , 63, 47-52	0.9	5
82	The effects of prior calcium channel blocker therapy on creatine kinase-MB levels after percutaneous coronary interventions. <i>Vascular Health and Risk Management</i> , 2008 , 4, 1417-22	4.4	1
81	Effects of persistent platelet reactivity despite aspirin therapy on cardiac troponin I and creatine kinase-MB levels after elective percutaneous coronary interventions. <i>Journal of Thrombosis and Thrombolysis</i> , 2008 , 25, 239-46	5.1	5
80	Echocardiographic diagnosis of left ventricular-right atrial communication (Gerbode-type defect) in an adult with chronic renal failure: a case report. <i>European Journal of Echocardiography</i> , 2008 , 9, 314-5		5
79	Smoking mentholated cigarettes impairs coronary microvascular function as severely as does smoking regular cigarettes. <i>Acta Cardiologica</i> , 2008 , 63, 135-40	0.9	9
78	Prevalence and predictors of arrhythmia in end stage renal disease patients on hemodialysis. <i>Renal Failure</i> , 2007 , 29, 331-9	2.9	31
77	Value of preoperative echocardiography in the prediction of postoperative atrial fibrillation following isolated coronary artery bypass grafting. <i>American Journal of Cardiology</i> , 2007 , 100, 1383-6	3	22
76	Coronary flow reserve is impaired in subclinical hypothyroidism. <i>Clinical Cardiology</i> , 2007 , 30, 562-6	3.3	24
75	Effects of atorvastatin on coronary flow reserve in patients with slow coronary flow. <i>Clinical Cardiology</i> , 2007 , 30, 475-9	3.3	60
74	Does pravastatin therapy affect cardiac enzyme levels after percutaneous coronary intervention?. <i>Advances in Therapy</i> , 2007 , 24, 493-504	4.1	15
73	Effects of rosiglitazone on plasma brain natriuretic peptide levels and myocardial performance index in patients with type 2 diabetes mellitus. <i>Acta Diabetologica</i> , 2007 , 44, 149-56	3.9	16
72	Effects of normal blood pressure, prehypertension and hypertension on left ventricular diastolic function and aortic elastic properties. <i>Blood Pressure</i> , 2007 , 16, 114-21	1.7	29
71	Association between serum uric acid levels and coronary flow reserve in hypertensive patients without concomitant risk factors. <i>Blood Pressure</i> , 2007 , 16, 254-61	1.7	4

70	Nebivolol improves coronary flow reserve in patients with idiopathic dilated cardiomyopathy. <i>Heart</i> , 2007 , 93, 319-24	5.1	30
69	Elevated serum uric acid levels impair coronary microvascular function in patients with idiopathic dilated cardiomyopathy. <i>European Journal of Heart Failure</i> , 2007 , 9, 466-8	12.3	18
68	Light cigarette smoking impairs coronary microvascular functions as severely as smoking regular cigarettes. <i>Heart</i> , 2007 , 93, 1274-7	5.1	15
67	Assessment of biochemical aspirin resistance at rest and immediately after exercise testing. <i>Blood Coagulation and Fibrinolysis</i> , 2007 , 18, 9-13	1	2
66	Recombinant human-activated protein C inhibits cardiomyocyte apoptosis in a rat model of myocardial ischemia-reperfusion. <i>Coronary Artery Disease</i> , 2007 , 18, 61-6	1.4	22
65	Association between serum gamma-glutamyltransferase levels and coronary microvascular function in hypertensive patients. <i>Journal of Hypertension</i> , 2007 , 25, 2497-503	1.9	9
64	C-reactive protein levels increase after exercise testing in patients with increased platelet reactivity. <i>Coronary Artery Disease</i> , 2007 , 18, 437-42	1.4	3
63	Coronary flow reserve is impaired in patients with slow coronary flow. <i>Atherosclerosis</i> , 2007 , 191, 168-74	3.1	51
62	Serum gamma-glutamyl transferase activity: a new marker for stent restenosis?. <i>Atherosclerosis</i> , 2007 , 195, 348-53	3.1	20
61	Brain natriuretic peptide levels and cardiac functional capacity in patients with dyspnea and isolated diastolic dysfunction. <i>International Heart Journal</i> , 2007 , 48, 97-106	1.8	6
60	Effects of lesion complexity on baseline and postprocedural B-type natriuretic peptide levels in patients undergoing percutaneous coronary interventions. <i>Texas Heart Institute Journal</i> , 2007 , 34, 282-9	0.8	2
59	Is it possible to increase the diagnostic value of exercise electrocardiography by post-exercise B-type natriuretic peptide levels?. <i>Acta Cardiologica</i> , 2007 , 62, 39-45	0.9	
58	Effects of metoprolol therapy on cardiac troponin-I levels after elective percutaneous coronary interventions. <i>European Heart Journal</i> , 2006 , 27, 547-52	9.5	7
57	Do young women with polycystic ovary syndrome show early evidence of preclinical coronary artery disease?. <i>Human Reproduction</i> , 2006 , 21, 930-5	5.7	22
56	High Sensitivity C-Reactive Protein (hsCRP): A New Biochemical Marker of Atherosclerotic Vascular Disease. <i>Current Cardiology Reviews</i> , 2006 , 2, 215-225	2.4	
55	Rhesus positivity and low high-density lipoprotein cholesterol: a new link?. <i>Asian Cardiovascular and Thoracic Annals</i> , 2006 , 14, 119-22	0.6	1
54	Cardiac enzymes, renal failure and renal transplantation. <i>Clinical Medicine and Research</i> , 2006 , 4, 79-84	1.4	14
53	Frequency of atrial fibrillation and factors related to its development in dialysis patients. <i>International Journal of Cardiology</i> , 2006 , 106, 47-51	3.2	67

52	Effects of immunosuppressive drugs on serum lipid levels in renal transplant recipients. <i>Transplantation Proceedings</i> , 2006 , 38, 502-5	1.1	10
51	Heart rate variability in young women with polycystic ovary syndrome. <i>Annals of Noninvasive Electrocardiology</i> , 2006 , 11, 306-12	1.5	67
50	Intercoronary continuity between the left anterior descending and right coronary arteries associated with abnormal origin of the circumflex artery. <i>Anatolian Journal of Cardiology</i> , 2006 , 6, 206-7		
49	Beta blocker effects on plasma homocysteine levels in patients with hypertension. <i>Atherosclerosis</i> , 2005 , 181, 399-402	3.1	13
48	Statin Therapy Helps to Control Blood Pressure Levels in Hypertensive Dyslipidemic Patients. <i>Renal Failure</i> , 2005 , 27, 297-303	2.9	22
47	Effects of a single, 24-hour, low-dose intravenous dobutamine infusion on left ventricular myocardial performance index in congestive heart failure: A prospective, nonrandomized study. <i>Current Therapeutic Research</i> , 2005 , 66, 35-44	2.4	
46	The effects of prior beta-blocker therapy on serum C-reactive protein levels after percutaneous coronary intervention. <i>Clinical Cardiology</i> , 2005 , 28, 243-6	3.3	11
45	Effectiveness of triple-site triggered atrial pacing for prevention of atrial fibrillation after coronary artery bypass graft surgery. <i>Clinical Cardiology</i> , 2005 , 28, 479-82	3.3	7
44	Typical ECG changes unmasked by ajmaline in a patient with Brugada syndrome and left bundle branch block. <i>Annals of Noninvasive Electrocardiology</i> , 2005 , 10, 378-81	1.5	2
43	Melatonin levels decrease in type 2 diabetic patients with cardiac autonomic neuropathy. <i>Journal of Pineal Research</i> , 2005 , 39, 43-9	10.4	66
42	Doppler tissue imaging of the heart in secondary amyloidosis. <i>Advances in Therapy</i> , 2005 , 22, 433-42	4.1	1
41	Statin Therapy Helps to Control Blood Pressure Levels in Hypertensive Dyslipidemic Patients. <i>Renal Failure</i> , 2005 , 27, 297-303	2.9	9
40	Calcific Aortic Stenosis: Molecular and Cellular Mechanisms, Medical Treatment Alternatives. <i>Current Cardiology Reviews</i> , 2005 , 1, 231-238	2.4	
39	Serum levels of cardiac enzymes before and after renal transplantation. <i>Clinical Cardiology</i> , 2004 , 27, 559-62	3.3	10
38	Effects of hemodialysis on myocardial performance index. <i>Advances in Therapy</i> , 2004 , 21, 96-106	4.1	8
37	Cor triatriatum dexter, atrial septal defect, and Ebstein's anomaly in an adult given a diagnosis by transthoracic and transesophageal echocardiography: a case report. <i>Journal of the American Society of Echocardiography</i> , 2004 , 17, 780-2	5.8	22
36	Non-lipid effects of statins: emerging new indications. <i>Current Vascular Pharmacology</i> , 2004 , 2, 309-18	3.3	29
35	Effects of a beta-blocker and spironolactone on plasma homocysteine levels. <i>International Journal of Cardiology</i> , 2003 , 88, 119-20	3.2	4

34	Effects of a beta blocker and spironolactone on plasma homocysteine levels. <i>International Journal of Cardiology</i> , 2003 , 91, 259-60	3.2	6
33	Echocardiographic evidence of cardiac involvement in ankylosing spondylitis. <i>Clinical Rheumatology</i> , 2002 , 21, 129-34	3.9	64
32	Embolization of pacing electrode fragment into the superolateral vein in the spinal canal causing root compression. <i>Journal of Cardiovascular Electrophysiology</i> , 2002 , 13, 290-1	2.7	3
31	Effects of menstrual cycle on cardiac autonomic innervation as assessed by heart rate variability. <i>Annals of Noninvasive Electrocardiology</i> , 2002 , 7, 60-3	1.5	100
30	Angioplasty induced myocardial ischaemia prolongs the signal-averaged P-wave duration in single vessel coronary artery disease. <i>Europace</i> , 2002 , 4, 289-93	3.9	2
29	Hypertension and arrhythmia: blood pressure control and beyond. <i>Europace</i> , 2002 , 4, 175-82	3.9	28
28	Carbon coating of stents has no effect on inflammatory response to primary stent deployment. <i>Angiology</i> , 2002 , 53, 563-8	2.1	9
27	Effects of hormone replacement therapy on plasma homocysteine and C-reactive protein levels. <i>Gynecologic and Obstetric Investigation</i> , 2002 , 53, 54-8	2.5	28
26	Pre-analytical errors: everything that happens to the specimen up to the point of testing: Reply of the authors. <i>Fertility and Sterility</i> , 2002 , 77, 856-857	4.8	
25	Hyperhomocysteinaemia and coronary artery disease in the Turkish population. <i>Acta Cardiologica</i> , 2002 , 57, 415-20	0.9	4
24	No evidence of cardiac autonomic involvement in ankylosing spondylitis, as assessed by heart rate variability. <i>Clinical Rheumatology</i> , 2001 , 20, 185-8	3.9	16
23	Soy protein diet significantly improves endothelial function and lipid parameters. <i>Clinical Cardiology</i> , 2001 , 24, 711-6	3.3	32
22	Hormone replacement therapy shortens QT dispersion in healthy postmenopausal women. <i>Annals of Noninvasive Electrocardiology</i> , 2001 , 6, 193-7	1.5	11
21	The diagnostic value of 12-lead electrocardiogram in predicting infarct-related artery and right ventricular involvement in acute inferior myocardial infarction. <i>Annals of Noninvasive Electrocardiology</i> , 2001 , 6, 229-35	1.5	6
20	Effects of hormone replacement therapy on heart rate variability in postmenopausal women. <i>Annals of Noninvasive Electrocardiology</i> , 2001 , 6, 280-4	1.5	23
19	Exercise-induced left bundle branch block during thallium 201 myocardial perfusion scintigraphy--a case report. <i>Angiology</i> , 2001 , 52, 145-8	2.1	4
18	What is the optimal evaluation time of the QT dispersion after acute myocardial infarction for the risk stratification?. <i>Angiology</i> , 2001 , 52, 463-8	2.1	3
17	Left ventricular septal aneurysm in association with bicuspid aortic valve--a case report. <i>Angiology</i> , 2001 , 52, 73-6	2.1	7

16	A huge mitral valve tumor and its vascularity--a case report. <i>Angiology</i> , 2001 , 52, 77-81	2.1	
15	Extent of coronary atherosclerosis and homocysteine affect endothelial markers. <i>Angiology</i> , 2001 , 52, 589-96	2.1	7
14	Diastolic dysfunction and increased serum homocysteine concentrations may contribute to increased cardiovascular risk in patients with polycystic ovary syndrome. <i>Fertility and Sterility</i> , 2001 , 76, 511-6	4.8	142
13	Left ventricular function and autonomic nervous system balance during two different stages of the menstrual cycle. <i>International Journal of Cardiology</i> , 2001 , 77, 305-6	3.2	2
12	Hormone replacement therapy to improve left ventricular diastolic functions in healthy postmenopausal women. <i>International Journal of Gynecology and Obstetrics</i> , 2001 , 75, 273-8	4	11
11	The effects of chronic carvedilol therapy on QT dispersion in patients with congestive heart failure. <i>European Journal of Heart Failure</i> , 2001 , 3, 717-21	12.3	16
10	Dobutamine combined with low-level exercise for myocardial perfusion scintigraphy. <i>Nuclear Medicine Communications</i> , 2000 , 21, 1015-20	1.6	3
9	Diagnosis and management of inadvertently placed pacing and ICD leads in the left ventricle: a multicenter experience and review of the literature. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2000 , 23, 877-83	1.6	135
8	Is ventricular repolarization heterogeneity a cause of serious ventricular tachyarrhythmias in aortic valve stenosis?. <i>Clinical Cardiology</i> , 2000 , 23, 449-52	3.3	3
7	Detection of Chlamydia pneumoniae and Helicobacter pylori DNA in human atherosclerotic plaques by PCR. <i>Journal of Clinical Microbiology</i> , 2000 , 38, 4408-11	9.7	108
6	QT dispersion as a predictor of arrhythmic events in patients with ankylosing spondylitis. <i>Rheumatology</i> , 2000 , 39, 875-9	3.9	42
5	Inappropriate shocks diagnosed by stored electrograms of implantable cardioverter defibrillators--two case reports. <i>Angiology</i> , 2000 , 51, 425-30	2.1	2
4	Ruptured aneurysm of the sinus of Valsalva in association with persistent left superior vena cava--a case report. <i>Angiology</i> , 2000 , 51, 167-71	2.1	4
3	Circadian variations of QTc dispersion: is it a clue to morning increase of sudden cardiac death?. <i>Clinical Cardiology</i> , 1999 , 22, 103-6	3.3	28
2	Prediction of atrial fibrillation recurrence after cardioversion by P wave signal-averaged electrocardiography. <i>International Journal of Cardiology</i> , 1999 , 70, 15-21	3.2	51
1	Relationship between endogenous sex hormone levels, lipoproteins and coronary atherosclerosis in men undergoing coronary angiography. <i>Cardiology</i> , 1999 , 92, 221-5	1.6	31