

Luca Pilia

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1798544/publications.pdf>

Version: 2024-02-01

73
papers

1,534
citations

279798

23
h-index

345221

36
g-index

77
all docs

77
docs citations

77
times ranked

1448
citing authors

#	ARTICLE	IF	CITATIONS
1	Progress and perspectives on strategies to control photochemical properties in Metallo-Dithiolene Donor-Acceptor systems. <i>Inorganica Chimica Acta</i> , 2022, 531, 120731.	2.4	1
2	Influence of Magnetic Scaffold Loading Patterns on Their Hyperthermic Potential Against Bone Tumors. <i>IEEE Transactions on Biomedical Engineering</i> , 2022, 69, 2029-2040.	4.2	15
3	Stable CsPbBr ₃ Nanocrystals@Decorated Nanoporous Gold for Optoelectronic Applications. <i>Crystals</i> , 2022, 12, 863.	2.2	1
4	Molecular Size Matters: Ultrafast Dye Singlet Sensitization Pathways to Bright Nanoparticle Emission. <i>Advanced Optical Materials</i> , 2021, 9, 2001678.	7.3	7
5	Insight into the Properties of Heteroleptic Metal Dithiolenes: Multistimuli Responsive Luminescence, Chromism, and Nonlinear Optics. <i>Inorganic Chemistry</i> , 2021, 60, 9332-9344.	4.0	3
6	Fabrication of Nanoporous Al by Vapor-Phase Dealloying: Morphology Features, Mechanical Properties and Model Predictions. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 6639.	2.5	10
7	Characterization and Structural Insights of the Reaction Products by Direct Leaching of the Noble Metals Au, Pd and Cu with N,N'-Dimethyl-piperazine-2,3-dithione/12 Mixtures. <i>Molecules</i> , 2021, 26, 4721.	3.8	6
8	Single-component panchromatic white light generation, and tuneable excimer-like visible orange and NIR emission in a Dy quinolinolate complex. <i>Journal of Materials Chemistry C</i> , 2021, 9, 15641-15648.	5.5	7
9	Substitution Effects on the Optoelectronic Properties of Coumarin Derivatives. <i>Applied Sciences (Switzerland)</i> , 2020, 10, 144.	2.5	17
10	DFT study of [Pt(Cl)2L] complex (L=Rubanic acid) and its derived compounds with DNA purine bases. <i>Chemical Physics</i> , 2020, 530, 110646.	1.9	3
11	Multimagnetic Properties of a Novel SCO [Fe(3-OMeSal 2 trien)][Fe(tdac) 2]·CH 3 CN Salt. <i>European Journal of Inorganic Chemistry</i> , 2020, 2020, 4556-4567.	2.0	3
12	Novel homogeneous selective electrocatalysts for CO ₂ reduction: an electrochemical and computational study of cyclopentadienyl-phenylenediamino-cobalt complexes. <i>Sustainable Energy and Fuels</i> , 2020, 4, 5609-5617.	4.9	5
13	Anti-Kasha Conformational Photoisomerization of a Heteroleptic Dithiolene Metal Complex Revealed by Ultrafast Spectroscopy. <i>Journal of Physical Chemistry A</i> , 2020, 124, 10687-10693.	2.5	8
14	Effect of fluorination on the crystal and electronic structure of organometallic cyclopentadienyl-phenylenediamino-cobalt complexes. <i>Journal of Organometallic Chemistry</i> , 2020, 918, 121277.	1.8	6
15	Design of nickel donor-acceptor dithiolenes for 2nd order nonlinear optics: an experimental and computational study. <i>New Journal of Chemistry</i> , 2019, 43, 12570-12579.	2.8	7
16	Molecular engineering of heteroleptic metal-dithiolene complexes with optimized second-order NLO response. <i>Inorganica Chimica Acta</i> , 2018, 470, 295-302.	2.4	16
17	Structural and Electronic Effects Due to Fluorine Atoms on Dibenzotetraaza-Annulenes Complexes. <i>ACS Omega</i> , 2018, 3, 10074-10083.	3.5	4
18	Uncommon Optical Properties and Silver-Responsive Turn-Off/On Luminescence in a Pt ^{II} Heteroleptic Dithiolene Complex. <i>Chemistry - A European Journal</i> , 2018, 24, 10503-10512.	3.3	8

#	ARTICLE	IF	CITATIONS
19	Fluorination induced electronic effects on a Pt(II) square-planar complex of the o-phenylenediimine ligand. <i>New Journal of Chemistry</i> , 2017, 41, 5487-5492.	2.8	3
20	Optically Multiresponsive Heteroleptic Platinum Dithiolene Complex with Proton-Switchable Properties. <i>Inorganic Chemistry</i> , 2017, 56, 6763-6767.	4.0	16
21	A nonlinear optical active polymer film based on Pd(II) dithione/dithiolate second-order NLO chromophores. <i>Dalton Transactions</i> , 2016, 45, 17431-17438.	3.3	7
22	High Second-Order NLO Response Exhibited by the First Example of Polymeric Film Incorporating a Diimine-Dithiolate Square-Planar Complex: The [Ni(o-phen)(bdt)]. <i>Journal of Physical Chemistry C</i> , 2016, 120, 19286-19294.	3.1	3
23	Structural changes in M(II) dithione/dithiolato complexes (M = Ni, Pd, Pt) on varying the dithione functionalization. <i>CrystEngComm</i> , 2015, 17, 4161-4171.	2.6	6
24	Tuning the LUMO energy of 1,10-phenanthroline in \pm -diimine-dithiolate Ni(II) complex and enhancement of nonlinear optical properties. <i>Inorganica Chimica Acta</i> , 2015, 430, 114-119.	2.4	7
25	Tuning the oxidation state and magnetic and coordination behaviour of iron and cobalt complexes by O/S variation in mono-thio and dithio-oxamide chelating ligands. <i>New Journal of Chemistry</i> , 2015, 39, 4716-4725.	2.8	6
26	Ultrafast electronic and vibrational relaxations in mixed-ligand dithione-dithiolato Ni, Pd, and Pt complexes. <i>Dalton Transactions</i> , 2014, 43, 17666-17676.	3.3	24
27	Giant Magnetoresistance in a Molecular Thin Film as an Intrinsic Property. <i>Advanced Functional Materials</i> , 2014, 24, 2383-2388.	14.9	10
28	Role of the Acceptor in Tuning the Properties of Metal [M(II) = Ni, Pd, Pt] Dithiolato/Dithione (Donor/Acceptor) Second-Order Nonlinear Chromophores: Combined Experimental and Theoretical Studies. <i>Inorganic Chemistry</i> , 2014, 53, 1170-1183.	4.0	33
29	Nonlinear-Optical Properties of \pm -Diiminedithiolato-nickel(II) Complexes Enhanced by Electron-Withdrawing Carboxyl Groups. <i>Inorganic Chemistry</i> , 2014, 53, 4517-4526.	4.0	30
30	Near-infrared pigments based on ion-pair charge transfer salts of dicationic and dianionic metal-dithiolene [M(II) = Pd, Pt] complexes. <i>Dalton Transactions</i> , 2013, 42, 12429.	3.3	16
31	New BDH-TTP/[M(III)(C ₅ O ₅) ₃] ³⁻ (M = Fe, Ga) Isostructural Molecular Metals. <i>Inorganic Chemistry</i> , 2013, 52, 423-430.	4.0	7
32	Synthesis and Physical Properties of K ₄ [Fe(C ₅ O ₅) ₂ (H ₂ O) ₂](HC ₅ O ₅) ₂ (C ₅ O ₅) ²⁻ = Croconate): A Rare Example of Ferromagnetic Coupling via H-bonds. <i>Inorganic Chemistry</i> , 2012, 51, 5360-5367.	4.0	16
33	Mixed-ligand Pt(II) dithione-dithiolato complexes: influence of the dicyanobenzodithiolato ligand on the second-order NLO properties. <i>Dalton Transactions</i> , 2012, 41, 3485.	3.3	41
34	Electrochromic second-order NLO chromophores based on M(II) (M = Ni, Pd, Pt) complexes with diselenolato-dithione (donor-acceptor) ligands. <i>Dalton Transactions</i> , 2012, 41, 12106.	3.3	26
35	Ultrafast Electronic Relaxations in Metal Mixed-Ligand Dithiolene Complexes. , 2012, , .		0
36	Argentophilic Interactions in Mono-, Di-, and Polymeric Ag(I) Complexes with N ₂ , N ₂ -Dimethyl-piperazine-2,3-dithione, and Iodide. <i>Crystal Growth and Design</i> , 2011, 11, 1278-1286.	3.0	55

#	ARTICLE	IF	CITATIONS
37	Redox-Switchable Chromophores Based on Metal (Ni, Pd, Pt) Mixed-Ligand Dithiolene Complexes Showing Molecular Second-Order Nonlinear-Optical Activity. <i>Inorganic Chemistry</i> , 2011, 50, 2058-2060.	4.0	53
38	Combined Experimental and Theoretical Study on Redox-Active d ⁸ Metal Dithioneâ€“Dithiolato Complexes Showing Molecular Second-Order Nonlinear Optical Activity. <i>Inorganic Chemistry</i> , 2011, 50, 10015-10027.	4.0	46
39	Croconato-containing M(III) (M = Ga, Er) complexes as potential building blocks for mono/multifunctional molecular materials. <i>Inorganica Chimica Acta</i> , 2011, 370, 474-481.	2.4	7
40	Interactions modes and physical properties in transition metal chalcogenolene-based molecular materials. <i>Coordination Chemistry Reviews</i> , 2010, 254, 1419-1433.	18.8	40
41	Square-planar d8 metal mixed-ligand dithiolene complexes as second order nonlinear optical chromophores: Structure/property relationship. <i>Coordination Chemistry Reviews</i> , 2010, 254, 1434-1447.	18.8	126
42	New sulfur-oxygen mixed-donor ligand N,N'-dimethyl-piperazine-3-oxo-2-thione (Me ₂ pipto) and its Ni(ii) and Fe(ii) complexes. <i>Dalton Transactions</i> , 2010, 39, 8139.	3.3	7
43	Innocence and noninnocence of the ligands in bis(pyrazine-2,3-dithiolate and -diselonate) d8-metal complexes. A theoretical and experimental study for the Cu(iii), Au(iii) and Ni(ii) cases. <i>Dalton Transactions</i> , 2010, 39, 4566.	3.3	27
44	Square-planar mixed ligand nickel dithiolenes as second-order non-linear chromophores: synthesis and characterisation of [Ni(Me ₂ pipdt)(dddt)]. <i>Monatshefte FÃ¼r Chemie</i> , 2009, 140, 775-781.	1.8	12
45	Square-planar d8 metal pushâ€“pull dithiolene complexes: Synthesis and characterization of [Pd(Me ₂ pipdt)(dmit)]. <i>Inorganic Chemistry Communication</i> , 2009, 12, 490-493.	3.9	18
46	Self-assembly supramolecular architectures of chromium(III) complexes using croconate as building block. <i>Dalton Transactions</i> , 2009, , 557-563.	3.3	9
47	Synthesis, structure and spectroscopic properties of a new class of polymerisable nickel dithiolenes. <i>Journal of Materials Chemistry</i> , 2009, 19, 6194.	6.7	8
48	Peculiar electronic and vibrational properties of metalâ€“dithiolenes (Ni, Au) based on 1,2,5-thiadiazole-3,4-dithiolato. <i>Dalton Transactions</i> , 2009, , 495-503.	3.3	13
49	Charge transfer complexes of dithioamides with dihalogens as powerful reagents in the dissolution of noble metals. <i>Coordination Chemistry Reviews</i> , 2008, 252, 1200-1212.	18.8	34
50	Synthesis, Structure, Spectroscopic Studies and Magnetic Properties of the Tetrakis(5,7â€“dichloroâ€“8â€“quinolinolato)gadolinium(III) Complex. <i>European Journal of Inorganic Chemistry</i> , 2008, 2008, 3820-3826.	2.0	19
51	New BEDT-TTF/[Fe(C ₅ O ₅) ₃]-Hybrid System:Â Synthesis, Crystal Structure, and Physical Properties of a Chirality-Induced Î± Phase and a Novel Magnetic Molecular Metal. <i>Inorganic Chemistry</i> , 2007, 46, 4446-4457.	4.0	31
52	Influence of the R-substituents on the properties of [Ni(R ₂ pipdt)(dmit)] complexes and crystal structure where R = CH ₂ C ₆ H ₅ . <i>Dalton Transactions</i> , 2007, , 5453.	3.3	19
53	New Insights on Nearâ€“Infrared Emitters Based on Erâ€“quinolinolate Complexes: Synthesis, Characterization, Structural, and Photophysical Properties. <i>Advanced Functional Materials</i> , 2007, 17, 2365-2376.	14.9	60
54	A chirality-induced alpha phase and a novel molecular magnetic metal in the BEDT-TTF/tris(croconate)ferrate(iii) hybrid molecular system. <i>Chemical Communications</i> , 2006, , 4931-4933.	4.1	34

#	ARTICLE	IF	CITATIONS
55	Synthesis, crystal structure and properties of the semiconducting salts (TTF) ₂ [Ni(dtcr) ₂] and (ET) ₂ [Ni(dtcr) ₂] based on [Ni(dtcr) ₂] dianions (dtcr = dithiocroconate). Dalton Transactions, 2006, , 2456.	3.3	2
56	Near infrared light emission quenching in organolanthanide complexes. Journal of Applied Physics, 2006, 99, 053520.	2.5	67
57	Structure and characterisation of [Pt(Me ₂ pipdt) ₂][Pt(mnt) ₂] ₂ and its unusual magnetic properties associated with a non-regular one-dimensional [Pt(mnt) ₂] stack. Chemical Physics Letters, 2006, 421, 361-366.	2.6	6
58	Synthesis, crystal structures and magnetic properties of mononuclear tris(croconate)ferrate(III) complexes. Inorganica Chimica Acta, 2006, 359, 1177-1183.	2.4	12
59	Electro-Conducting Properties of Charge-Transfer Salts Based on Cationic and Anionic Platinum Dithiolenes " Crystal Structure of [Pt(Me ₂ pipdt) ₂][Pt(dtcr) ₂]. European Journal of Inorganic Chemistry, 2005, 2005, 1829-1835.	2.0	12
60	Pd-Dissolution through a mild and effective one-step reaction and its application for Pd-recovery from spent catalytic converters. Chemical Communications, 2005, , 1040.	4.1	42
61	Structure and Emission Properties of Er ₃ Q ₉ (Q = 8-Quinolinolate). Inorganic Chemistry, 2005, 44, 840-842.	4.0	81
62	Molecular materials with conducting and magnetic properties based on ET and [M(tdas) ₂] ^{x-} dithiolenes. European Physical Journal Special Topics, 2004, 114, 425-430.	0.2	2
63	Salts of cationic platinum dithiolenes with anionic platinum complexes: structural characterization of [Pt(Me ₂ pipdt) ₂][Pt(SCN) ₄] (Me ₂ pipdt = N,Nâ€²-dimethyl-piperazine-2,3-dithione). Inorganica Chimica Acta, 2004, 357, 1608-1612.	2.4	6
64	Synthesis, Crystal Structure, and Physical Properties of (BEDT-TTF)[Ni(tdas) ₂] (BEDT-TTF = Tj ETQq ₀ O 0 rgBT /Overlock 10 Tf 50 387 Td [Ni(tdas) ₂]-Monoanion. Inorganic Chemistry, 2004, 43, 2049-2056.	4.0	26
65	Conductive thin films of [Pt(BETS) ₄][Fe(CN) ₅ NO] on silicon electrodes " new perspectives on charge transfer salts. New Journal of Chemistry, 2004, 28, 52-55.	2.8	20
66	Electronic Factors Affecting Second-Order NLO Properties: A Case Study of Four Different Push-Pull Bis-Dithiolene Nickel Complexes. Inorganic Chemistry, 2004, 43, 5069-5079.	4.0	75
67	New nickel dithiolene " diselenolene complexes obtained from 3,4-dichloro-1,2,5-thiadiazole. Polyhedron, 2003, 22, 2175-2181.	2.2	8
68	New salts derived from organic donor molecules with long-living excited states counter-ions. Synthetic Metals, 2003, 133-134, 377-380.	3.9	1
69	New powerful reagents based on dihalogen/N,Nâ€²-dimethylperhydrodiazepine-2,3-dithione adducts for gold dissolution: the IBr case. Dalton Transactions, 2003, , 1969-1974.	3.3	34
70	Ion Pair Charge-Transfer Complexes between Anionic and Cationic Metal-Dithiolenes [M(II) = Pd, Pt]. Inorganic Chemistry, 2002, 41, 5241-5248.	4.0	51
71	A New Conducting Molecular Solid Based on the Magnetic [Ni(dmf) ₆] ²⁺ Cation and on [Ni(dsit) ₂] ₂ (dsit=1,3-dithiole-2-thione-4,5-diselenolate) Showing an Unprecedented Anion Packing. Journal of Solid State Chemistry, 2002, 168, 653-660.	2.9	13
72	(BETS) ₂ [Fe(tdas) ₂] ₂ : a new metal in the molecular conductor family. Acta Crystallographica Section C: Crystal Structure Communications, 2002, 58, m240-m242.	0.4	14

#	ARTICLE	IF	CITATIONS
73	[Ni(R2pipdt)2](BF4)2 (R2pipdt = 1,4-disubstituted-piperazine-3,2-dithione) as useful precursors of mixed-ligand dithiolenes of interest for non-linear optics. Chemical Communications, 2001, , 2246-2247.	4.1	65