Kyu Shik Kim

List of Publications by Citations

Source: https://exaly.com/author-pdf/1799200/kyu-shik-kim-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

23	81	5	7
papers	citations	h-index	g-index
25	115	3	2.35
ext. papers	ext. citations	avg, IF	L-index

#	Paper	IF	Citations
23	Men With Severe Lower Urinary Tract Symptoms Are at Increased Risk of Depression. <i>International Neurourology Journal</i> , 2015 , 19, 286-92	2.6	18
22	The effect of two weeks of treatment with dutasteride on bleeding after transurethral resection of the prostate. World Journal of Men?s Health, 2015, 33, 14-9	6.8	7
21	Sociodemographic Factors Related to Lower Urinary Tract Symptoms in Men: A Korean Community Health Survey. <i>International Neurourology Journal</i> , 2017 , 21, 143-151	2.6	7
20	The effect of terpene combination on ureter calculus expulsion after extracorporeal shock wave lithotripsy. <i>Korean Journal of Urology</i> , 2014 , 55, 36-40		6
19	Characteristics of inappropriate multiple medication use in older urological outpatients. <i>Archives of Gerontology and Geriatrics</i> , 2019 , 83, 61-65	4	5
18	The association of lower urinary tract symptoms with incidental falls and fear of falling in later life: The Community Health Survey. <i>Neurourology and Urodynamics</i> , 2018 , 37, 775-784	2.3	4
17	Randomized controlled trials in the journal of sexual medicine: a quality assessment and relevant clinical impact. <i>Journal of Sexual Medicine</i> , 2014 , 11, 894-900	1.1	4
16	Do Lifestyle Factors Affect Lower Urinary Tract Symptoms? Results from the Korean Community Health Survey. <i>International Neurourology Journal</i> , 2019 , 23, 125-135	2.6	4
15	Changes in Prevalence and Treatment Pattern of Benign Prostatic Hyperplasia in Korea. <i>International Neurourology Journal</i> , 2021 ,	2.6	4
14	Tamsulosin Treatment Affecting Patient-reported Outcomes in Benign Prostatic Hyperplasia-associated Depressive Symptoms. <i>Urology</i> , 2016 , 87, 172-7	1.6	3
13	Association Between Irritable Bowel Syndrome and Overactive Bladder: A Research Survey. <i>Urology</i> , 2017 , 109, 88-93	1.6	3
12	Catheter-Related Bladder Discomfort: How Can We Manage It?. <i>International Neurourology Journal</i> , 2020 , 24, 324-331	2.6	3
11	Effect of daily tadalafil on reported outcomes in patients with erectile dysfunction and depressive symptoms: STROBE, a case-control study. <i>Medicine (United States)</i> , 2020 , 99, e20546	1.8	2
10	Quality of randomized controlled trials published in the International Urogynecology Journal 2007-2016. <i>International Urogynecology Journal</i> , 2018 , 29, 1011-1017	2	2
9	Antimuscarinic Agent Treatment Affecting Patient-Reported Outcomes in Overactive Bladder Syndrome With Depressive Symptoms. <i>International Neurourology Journal</i> , 2016 , 20, 349-355	2.6	2
8	Effect of highly concentrated hyaluronic acid/chondroitin sulphate instillation on ureteric stent-induced discomfort after ureteroscopic lithotripsy: a multicentre randomised controlled pilot study. <i>BJU International</i> , 2018 , 122, 858-865	5.6	2
7	The Safety and Feasibility of the Single-Port Laparoscopic Repair of Intraperitoneal Bladder Rupture. <i>Journal of Endourology</i> , 2018 , 32, 403-409	2.7	1

LIST OF PUBLICATIONS

6	The Safety and Feasibility of the Single-Port Laparoscopic Transabdominal Preperitoneal Inguinal Hernia Repair Through Retropubic Radical Prostatectomy Scar, Prospective, Case Series. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2018 , 28, 1458-1462	2.1	1
5	Intravenous Iron Isomaltoside 1000 Reduces Postoperative Anemia in Patients Undergoing Elective Urologic Surgery and Those with Urosepsis. <i>Drug Design, Development and Therapy</i> , 2020 , 14, 5679-5687	, 4·4	1
4	Effects of poloxamer-based thermo-sensitive sol-gel agent on urethral stricture after transurethral resection of the prostate for benign prostatic hyperplasia: a multicentre, single-blinded, randomised controlled trial. <i>BJU International</i> , 2020 , 125, 160-167	5.6	1
3	The Effect of Blockers Monotherapy vs. Combination Antibiotic Therapy on Symptom Alleviation in Patients with Chronic Prostatitis/Chronic Pelvic Pain Syndrome. <i>Urogenital Tract Infection</i> , 2018 , 13, 1	0	1
2	Randomized controlled trials on erectile dysfunction: quality assessment and relevant clinical impact (2007-2018). <i>International Journal of Impotence Research</i> , 2020 , 32, 213-220	2.3	
1	Reply to Commentary on "Changes in Prevalence and Treatment Pattern of Benign Prostatic Hyperplasia in Korea" <i>International Neurourology Journal</i> , 2021 , 25, 365-366	2.6	