

# Xiaowei Yin

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/1800061/xiaowei-yin-publications-by-year.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

99  
papers

8,306  
citations

42  
h-index

91  
g-index

100  
ext. papers

10,041  
ext. citations

6.1  
avg. IF

6.39  
L-index

#	Paper	IF	Citations
99	Relationship between microstructure and electromagnetic properties of SiC fibers. <i>Journal of the American Ceramic Society</i> , <b>2020</b> , 103, 4352-4362	3.8	5
98	Light-weight and highly flexible TaC modified PyC fiber fabrics derived from cotton fiber textile with excellent electromagnetic shielding effectiveness. <i>Chemical Engineering Journal</i> , <b>2020</b> , 387, 124085	14.7	17
97	Optimized design of high-temperature microwave absorption properties of CNTs/Sc <sub>2</sub> Si <sub>2</sub> O <sub>7</sub> ceramics. <i>Journal of Alloys and Compounds</i> , <b>2020</b> , 823, 153864	5.7	20
96	Phase Transition Induced Unusual Electrochemical Performance of VCT MXene for Aqueous Zinc Hybrid-Ion Battery. <i>ACS Nano</i> , <b>2020</b> , 14, 541-551	16.7	99
95	Optically transparent and flexible broadband microwave metamaterial absorber with sandwich structure. <i>Applied Physics A: Materials Science and Processing</i> , <b>2019</b> , 125, 1	2.6	41
94	Lightweight TiCT MXene/Poly(vinyl alcohol) Composite Foams for Electromagnetic Wave Shielding with Absorption-Dominated Feature. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2019</b> , 11, 10198-10207	9.5	266
93	2D carbide MXene Ti <sub>2</sub> CTX as a novel high-performance electromagnetic interference shielding material. <i>Carbon</i> , <b>2019</b> , 146, 210-217	10.4	92
92	Paper-based metasurface: Turning waste-paper into a solution for electromagnetic pollution. <i>Journal of Cleaner Production</i> , <b>2019</b> , 234, 588-596	10.3	44
91	Ultralight Cellular Foam from Cellulose Nanofiber/Carbon Nanotube Self-Assemblies for Ultrabroad-Band Microwave Absorption. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2019</b> , 11, 22628-22636	9.5	62
90	Hierarchical carbon nanowires network modified PDCs-SiCN with improved microwave absorption performance. <i>Ceramics International</i> , <b>2019</b> , 45, 14238-14248	5.1	18
89	Anisotropic MXene Aerogels with a Mechanically Tunable Ratio of Electromagnetic Wave Reflection to Absorption. <i>Advanced Optical Materials</i> , <b>2019</b> , 7, 1900267	8.1	138
88	Controllable synthesis of defective carbon nanotubes/Sc <sub>2</sub> Si <sub>2</sub> O <sub>7</sub> ceramic with adjustable dielectric properties for broadband high-performance microwave absorption. <i>Carbon</i> , <b>2019</b> , 147, 276-283	10.4	59
87	Constructing a tunable heterogeneous interface in bimetallic metal-organic frameworks derived porous carbon for excellent microwave absorption performance. <i>Carbon</i> , <b>2019</b> , 148, 421-429	10.4	70
86	Thermal stability and dielectric properties of 2D Ti <sub>2</sub> C MXenes via annealing under a gas mixture of Ar and H <sub>2</sub> atmosphere. <i>Functional Composites and Structures</i> , <b>2019</b> , 1, 015002	3.5	9
85	Microstructure and Dielectric Property of 3D BNf/Si <sub>3</sub> N <sub>4</sub> Fabricated by CVI Process. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , <b>2019</b> , 34, 818-823	1	0
84	Mechanical properties and electromagnetic shielding performance of single-source-precursor synthesized dense monolithic SiC/HfC <sub>x</sub> N <sub>1-x</sub> /C ceramic nanocomposites. <i>Journal of Materials Chemistry C</i> , <b>2019</b> , 7, 10683-10693	7.1	15
83	Ultra-light, high flexible and efficient CNTs/Ti <sub>3</sub> C <sub>2</sub> -sodium alginate foam for electromagnetic absorption application. <i>Journal of Materials Science and Technology</i> , <b>2019</b> , 35, 2859-2867	9.1	30

82	Interface evolution of a C/ZnO absorption agent annealed at elevated temperature for tunable electromagnetic properties. <i>Journal of the American Ceramic Society</i> , <b>2019</b> , 102, 5305-5315	3.8	20
81	Ablation Behavior of ZrAl(Si) Layered Carbides Modified 3D Needled C/SiC Composites. <i>Advanced Engineering Materials</i> , <b>2019</b> , 21, 1800936	3.5	1
80	Powerful absorbing and lightweight electromagnetic shielding CNTs/RGO composite. <i>Carbon</i> , <b>2019</b> , 145, 61-66	10.4	164
79	Reduced Graphene Oxide/Silicon Nitride Composite for Cooperative Electromagnetic Absorption in Wide Temperature Spectrum with Excellent Thermal Stability. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2019</b> , 11, 5364-5372	9.5	33
78	Constructing hollow graphene nano-spheres confined in porous amorphous carbon particles for achieving full X band microwave absorption. <i>Carbon</i> , <b>2019</b> , 142, 346-353	10.4	178
77	Electromagnetic Performance of CVD Si <sub>3</sub> N <sub>4</sub> /SiCN Ceramics Oxidized from 500 to 1000 °C. <i>Advanced Engineering Materials</i> , <b>2019</b> , 21, 1800834	3.5	0
76	Thermophysical properties of three-dimensional ceramic-filler-modified carbon/carbon composites. <i>Ceramics International</i> , <b>2019</b> , 45, 1302-1307	5.1	5
75	Direct Growth of Edge-Rich Graphene with Tunable Dielectric Properties in Porous Si <sub>3</sub> N <sub>4</sub> Ceramic for Broadband High-Performance Microwave Absorption. <i>Advanced Functional Materials</i> , <b>2018</b> , 28, 1707205	15.6	294
74	Novel Scale-Like Structures of Graphite/TiC/Ti <sub>3</sub> C <sub>2</sub> Hybrids for Electromagnetic Absorption. <i>Advanced Electronic Materials</i> , <b>2018</b> , 4, 1700617	6.4	61
73	Mesoporous carbon hollow microspheres with red blood cell like morphology for efficient microwave absorption at elevated temperature. <i>Carbon</i> , <b>2018</b> , 132, 343-351	10.4	189
72	Tunable dielectric properties of mesoporous carbon hollow microspheres via textural properties. <i>Nanotechnology</i> , <b>2018</b> , 29, 184003	3.4	31
71	Microstructure and EMW absorption properties of CVI Si <sub>3</sub> N <sub>4</sub> /SiCN ceramics with BN interface annealed in N <sub>2</sub> atmosphere. <i>Journal of the American Ceramic Society</i> , <b>2018</b> , 101, 1201-1210	3.8	17
70	Mechanical and Electromagnetic Interference Shielding Behavior of C/SiC Composite Containing Ti <sub>3</sub> SiC <sub>2</sub> . <i>Advanced Engineering Materials</i> , <b>2018</b> , 20, 1700590	3.5	11
69	Effects of alumina hollow microspheres on the properties of water-borne polyurethane films. <i>Journal of Materials Research</i> , <b>2018</b> , 33, 2486-2493	2.5	2
68	A novel SiC-based microwave absorption ceramic with Sc <sub>2</sub> Si <sub>2</sub> O <sub>7</sub> as transparent matrix. <i>Journal of the European Ceramic Society</i> , <b>2018</b> , 38, 4189-4197	6	31
67	Self-Assembly Core/Shell Graphene-Bridged Hollow MXenes Spheres 3D Foam with Ultrahigh Specific EM Absorption Performance. <i>Advanced Functional Materials</i> , <b>2018</b> , 28, 1803938	15.6	366
66	Multiscale designed SiCf/Si <sub>3</sub> N <sub>4</sub> composite for low and high frequency cooperative electromagnetic absorption. <i>Journal of the American Ceramic Society</i> , <b>2018</b> , 101, 5552-5563	3.8	14
65	Reactive Synthesis of Ceramic-Metal Composites. <i>Advanced Engineering Materials</i> , <b>2018</b> , 20, 1800324	3.5	3

64	Negative permittivity behavior of titanium nitride/polyphenylene sulfide fiber composites under radio frequency. <i>Journal of Materials Science: Materials in Electronics</i> , <b>2018</b> , 29, 12144-12151	2.1	5
63	Progress in research and development on matrix modification of continuous fiber-reinforced silicon carbide matrix composites. <i>Advanced Composites and Hybrid Materials</i> , <b>2018</b> , 1, 685-695	8.7	8
62	Broadband Microwave Absorbing Composites with a Multi-Scale Layered Structure Based on Reduced Graphene Oxide Film as the Frequency Selective Surface. <i>Materials</i> , <b>2018</b> , 11,	3.5	13
61	Oxidation Behavior of Tyranno ZMI-SiC Fiber/SiC-SiBC Matrix Composite from 800 to 1200 °C. <i>Materials</i> , <b>2018</b> , 11,	3.5	4
60	In situ growth of one-dimensional carbon-rich SiC nanowires in porous Sc <sub>2</sub> Si <sub>2</sub> O <sub>7</sub> ceramics with excellent microwave absorption properties. <i>Ceramics International</i> , <b>2018</b> , 44, 22784-22793	5.1	24
59	Ultralight MXene-Coated, Interconnected SiC nanowires Three-Dimensional Lamellar Foams for Efficient Microwave Absorption in the X-Band. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2018</b> , 10, 34524-34533	9.5	110
58	Carbon Hollow Microspheres with a Designable Mesoporous Shell for High-Performance Electromagnetic Wave Absorption. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2017</b> , 9, 6332-6341	9.5	319
57	Three-dimensional reduced graphene oxide foam modified with ZnO nanowires for enhanced microwave absorption properties. <i>Carbon</i> , <b>2017</b> , 116, 50-58	10.4	413
56	Electromagnetic interference shielding and mechanical properties of Si <sub>3</sub> N <sub>4</sub> /SiOC composites fabricated by 3D-printing combined with polymer infiltration and pyrolysis. <i>Journal of Materials Research</i> , <b>2017</b> , 32, 3394-3401	2.5	13
55	Carbon Nanotube-Multilayered Graphene Edge Plane Core-Shell Hybrid Foams for Ultrahigh-Performance Electromagnetic-Interference Shielding. <i>Advanced Materials</i> , <b>2017</b> , 29, 1701583	2.4	379
54	Role of single-source-precursor structure on microstructure and electromagnetic properties of CNTs-SiCN nanocomposites. <i>Journal of the American Ceramic Society</i> , <b>2017</b> , 100, 4649-4660	3.8	17
53	Laminated and Two-Dimensional Carbon-Supported Microwave Absorbers Derived from MXenes. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2017</b> , 9, 20038-20045	9.5	229
52	Ti <sub>3</sub> C <sub>2</sub> MXenes modified with in situ grown carbon nanotubes for enhanced electromagnetic wave absorption properties. <i>Journal of Materials Chemistry C</i> , <b>2017</b> , 5, 4068-4074	7.1	224
51	Flexible and Thermostable Graphene/SiC Nanowire Foam Composites with Tunable Electromagnetic Wave Absorption Properties. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2017</b> , 9, 11803-11810	10.5	231
50	Electromagnetic wave absorption properties of a carbon nanotube modified by a tetrapyridinoporphyrazine interface layer. <i>Journal of Materials Chemistry C</i> , <b>2017</b> , 5, 7479-7488	7.1	116
49	A controllable heterogeneous structure and electromagnetic wave absorption properties of Ti <sub>2</sub> CTx MXene. <i>Journal of Materials Chemistry C</i> , <b>2017</b> , 5, 7621-7628	7.1	121
48	Single-source-precursor synthesis and electromagnetic properties of novel RGO/SiCN ceramic nanocomposites. <i>Journal of Materials Chemistry C</i> , <b>2017</b> , 5, 7950-7960	7.1	35
47	Macroscopic bioinspired graphene sponge modified with in-situ grown carbon nanowires and its electromagnetic properties. <i>Carbon</i> , <b>2017</b> , 111, 94-102	10.4	144

46	Microwave-Absorbing Polymer-Derived Ceramics from Cobalt-Coordinated Poly(dimethylsilylene)diacetylenes. <i>Journal of Physical Chemistry C</i> , <b>2016</b> , 120, 18721-18732	3.8	96
45	Core/shell structured C/ZnO nanoparticles composites for effective electromagnetic wave absorption. <i>RSC Advances</i> , <b>2016</b> , 6, 6467-6474	3.7	84
44	Mechanical and electrical properties of carbon nanotube buckypaper reinforced silicon carbide nanocomposites. <i>Ceramics International</i> , <b>2016</b> , 42, 4984-4992	5.1	14
43	Fabrication and electromagnetic interference shielding effectiveness of Ti <sub>3</sub> Si(Al)C <sub>2</sub> modified Al <sub>2</sub> O <sub>3</sub> /SiC composites. <i>Ceramics International</i> , <b>2016</b> , 42, 9448-9454	5.1	21
42	Crystallization Mechanism of CVD Si <sub>3</sub> N <sub>4</sub> /SiCN Composite Ceramics Annealed in N <sub>2</sub> Atmosphere and Their Excellent EMW Absorption Properties. <i>Journal of the American Ceramic Society</i> , <b>2016</b> , 99, 2672-2679	3.8	26
41	Mechanical Behavior and Electromagnetic Interference Shielding Properties of C/SiC/Ti <sub>3</sub> Si(Al)C <sub>2</sub> . <i>Journal of the American Ceramic Society</i> , <b>2016</b> , 99, 1717-1724	3.8	28
40	Hierarchical graphene/SiC nanowire networks in polymer-derived ceramics with enhanced electromagnetic wave absorbing capability. <i>Journal of the European Ceramic Society</i> , <b>2016</b> , 36, 2695-2703	6	166
39	Synthesis and EMW absorbing properties of nano SiC modified PDC/SiOC. <i>Journal of Materials Chemistry C</i> , <b>2016</b> , 4, 5962-5969	7.1	69
38	In-situ synthesis of hierarchically porous and polycrystalline carbon nanowires with excellent microwave absorption performance. <i>Carbon</i> , <b>2016</b> , 107, 36-45	10.4	140
37	Ti <sub>3</sub> C <sub>2</sub> MXenes with Modified Surface for High-Performance Electromagnetic Absorption and Shielding in the X-Band. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2016</b> , 8, 21011-9	9.5	532
36	The comparison of microstructure and oxidation behaviors of (SiC-C)/PyC/SiC and C/PyC/SiC composites in air. <i>Science and Engineering of Composite Materials</i> , <b>2015</b> , 22,	1.5	2
35	Oxidation behavior of SiBC matrix modified C/SiC composites with different PyC interphase thicknesses. <i>Ceramics International</i> , <b>2015</b> , 41, 1695-1700	5.1	27
34	The Microstructure and Dielectric Properties of SiBCN Ceramics Fabricated Via LPCVD/CVI. <i>Journal of the American Ceramic Society</i> , <b>2015</b> , 98, 2703-2706	3.8	14
33	Near-Net-Shape Fabrication of Ti <sub>3</sub> SiC <sub>2</sub> -based Ceramics by Three-Dimensional Printing. <i>International Journal of Applied Ceramic Technology</i> , <b>2015</b> , 12, 71-80	2	16
32	High-temperature dielectric and microwave absorption properties of Si <sub>3</sub> N <sub>4</sub> /SiC/SiO <sub>2</sub> composite ceramics. <i>Journal of Materials Science</i> , <b>2015</b> , 50, 1478-1487	4.3	54
31	Electromagnetic wave absorption properties of graphene modified with carbon nanotube/poly(dimethyl siloxane) composites. <i>Carbon</i> , <b>2014</b> , 73, 185-193	10.4	361
30	Microstructure and the dielectric properties of SiCN/Si <sub>3</sub> N <sub>4</sub> ceramics fabricated via LPCVD/CVI. <i>Ceramics International</i> , <b>2014</b> , 40, 5097-5102	5.1	16
29	Graphene-wrapped ZnO hollow spheres with enhanced electromagnetic wave absorption properties. <i>Journal of Materials Chemistry A</i> , <b>2014</b> , 2, 16403-16409	13	447

28	Fabrication and electromagnetic interference shielding effectiveness of carbon nanotube reinforced carbon fiber/pyrolytic carbon composites. <i>Carbon</i> , <b>2014</b> , 68, 501-510	10.4	154
27	Microstructures and mechanical properties of three-dimensional ceramic filler modified carbon/carbon composites. <i>Ceramics International</i> , <b>2014</b> , 40, 399-408	5.1	25
26	Thermodynamic calculation for the chemical vapor deposition of silicon carbonitride. <i>Journal of the European Ceramic Society</i> , <b>2014</b> , 34, 3607-3618	6	8
25	Effects of particle sizes and contents of ceramic fillers on tribological behavior of 3D C/C composites. <i>Ceramics International</i> , <b>2014</b> , 40, 14029-14037	5.1	19
24	Microstructure and Properties of Carbon Fiber Reinforced SiC Matrix Composites Containing Ti <sub>3</sub> SiC <sub>2</sub> . <i>Advanced Engineering Materials</i> , <b>2014</b> , 16, 670-683	3.5	23
23	Electromagnetic properties of SiCN based ceramics and composites. <i>International Materials Reviews</i> , <b>2014</b> , 59, 326-355	16.1	357
22	Erosion Behavior of C/SiC Composites in Atomic Oxygen. <i>International Journal of Applied Ceramic Technology</i> , <b>2013</b> , 10, 168-174	2	5
21	High-Temperature Electromagnetic Wave Absorption Properties of ZnO/ZrSiO <sub>4</sub> Composite Ceramics. <i>Journal of the American Ceramic Society</i> , <b>2013</b> , 96, 2211-2217	3.8	38
20	Electromagnetic properties of SiO <sub>2</sub> reinforced with both multi-wall carbon nanotubes and ZnO particles. <i>Carbon</i> , <b>2013</b> , 64, 541-544	10.4	43
19	Thermodynamic calculations on the chemical vapor deposition of SiCN from the SiCl <sub>4</sub> -H <sub>2</sub> -C <sub>2</sub> H <sub>2</sub> -Ar system. <i>Ceramics International</i> , <b>2013</b> , 39, 3971-3977	5.1	10
18	Electromagnetic Wave Absorption Properties of Reduced Graphene Oxide Modified by Maghemite Colloidal Nanoparticle Clusters. <i>Journal of Physical Chemistry C</i> , <b>2013</b> , 117, 19701-19711	3.8	287
17	The Physical Essence of Mono-dispersed Nanometer Particle Surface Energy by Boundary bond Interaction. <i>Materials Research Society Symposia Proceedings</i> , <b>2013</b> , 1505, 1		0
16	Thermodynamic Analysis on the Codeposition of SiC/Si <sub>3</sub> N <sub>4</sub> Composite Ceramics by Chemical Vapor Deposition using SiCl <sub>4</sub> -H <sub>2</sub> -C <sub>2</sub> H <sub>2</sub> -Ar Mixture Gases. <i>Journal of the American Ceramic Society</i> , <b>2013</b> , 96, 979-986	3.8	19
15	Effect of Aluminum Doping on Microwave Absorption Properties of ZnO/ZrSiO <sub>4</sub> Composite Ceramics. <i>Journal of the American Ceramic Society</i> , <b>2012</b> , 95, 3158-3165	3.8	57
14	Dielectric properties of Si <sub>3</sub> N <sub>4</sub> /SiCN composite ceramics in X-band. <i>Ceramics International</i> , <b>2012</b> , 38, 6015-6020	5.0	59
13	Microstructure and Properties of Porous Si <sub>3</sub> N <sub>4</sub> Ceramics with a Dense Surface. <i>International Journal of Applied Ceramic Technology</i> , <b>2011</b> , 8, 627-636	2	30
12	Effects of Graphitization Degree in Three-Dimensional Needled C/SiC Composites on Tribological Properties. <i>International Journal of Applied Ceramic Technology</i> , <b>2011</b> , 8, 317-328	2	11
11	Microstructure and Mechanical Properties of SiC and Carbon Hybrid Fiber Reinforced SiC Matrix Composite. <i>International Journal of Applied Ceramic Technology</i> , <b>2011</b> , 8, 308-316	2	21

10	Three-Dimensional Printing of Ti <sub>3</sub> SiC <sub>2</sub> -Based Ceramics. <i>Journal of the American Ceramic Society</i> , <b>2011</b> , 94, 969-972	3.8	59
9	Synthesis and Electromagnetic Shielding Property of Pyrolytic Carbon-Silicon Nitride Ceramics with Dense Silicon Nitride Coating. <i>Journal of the American Ceramic Society</i> , <b>2011</b> , 95, n/a-n/a	3.8	2
8	Microstructure, Thermophysical, and Ablative Performances of a 3D Needled C/C <sub>SiC</sub> Composite. <i>International Journal of Applied Ceramic Technology</i> , <b>2010</b> , 7, 197-206	2	25
7	Microstructure and Mechanical Properties of Lu <sub>2</sub> O <sub>3</sub> -Doped Porous Silicon Nitride Ceramics Using Phenolic Resin as Pore-Forming Agent. <i>International Journal of Applied Ceramic Technology</i> , <b>2009</b> , 7, 391-398	2	44
6	Three-Dimensional Printing of Nanolaminated Ti <sub>3</sub> AlC <sub>2</sub> Toughened TiAl <sub>3</sub> /Al <sub>2</sub> O <sub>3</sub> Composites. <i>Journal of the American Ceramic Society</i> , <b>2007</b> , 90, 2128-2134	3.8	48
5	Near-Net-Shape Fabrication of Ti <sub>3</sub> AlC <sub>2</sub> -Based Composites. <i>International Journal of Applied Ceramic Technology</i> , <b>2007</b> , 4, 184-190	2	38
4	The Degradation of Hi-Nicalon Monofilament after Proton Irradiation. <i>Ceramic Transactions</i> , 607-614	0.1	
3	High Temperature Dielectric and Microwave Absorption Properties of Polymer Derived SiCN Ceramic in X Band. <i>Ceramic Transactions</i> , 193-202	0.1	
2	Fabrication of ZAO Ceramic Target and Effect on the Photoelectric Properties of Its Film. <i>Ceramic Transactions</i> , 159-166	0.1	
1	Fabrication of Porous Silicon Nitride Ceramics with Gradient Microstructure. <i>Ceramic Engineering and Science Proceedings</i> , 349-357	0.1	