

Lars Thore Fadnes

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1800218/publications.pdf>

Version: 2024-02-01

80
papers

4,471
citations

257450

24
h-index

110387

64
g-index

86
all docs

86
docs citations

86
times ranked

6975
citing authors

#	ARTICLE	IF	CITATIONS
1	Fruit and vegetable intake and the risk of cardiovascular disease, total cancer and all-cause mortality—a systematic review and dose-response meta-analysis of prospective studies. <i>International Journal of Epidemiology</i> , 2017, 46, 1029-1056.	1.9	1,491
2	Whole grain consumption and risk of cardiovascular disease, cancer, and all cause and cause specific mortality: systematic review and dose-response meta-analysis of prospective studies. <i>BMJ</i> , The, 2016, 353, i2716.	6.0	628
3	Nut consumption and risk of cardiovascular disease, total cancer, all-cause and cause-specific mortality: a systematic review and dose-response meta-analysis of prospective studies. <i>BMC Medicine</i> , 2016, 14, 207.	5.5	306
4	Country, regional, and global estimates for lactose malabsorption in adults: a systematic review and meta-analysis. <i>The Lancet Gastroenterology and Hepatology</i> , 2017, 2, 738-746.	8.1	253
5	Dietary intake and blood concentrations of antioxidants and the risk of cardiovascular disease, total cancer, and all-cause mortality: a systematic review and dose-response meta-analysis of prospective studies. <i>American Journal of Clinical Nutrition</i> , 2018, 108, 1069-1091.	4.7	232
6	Exclusive breastfeeding promotion by peer counsellors in sub-Saharan Africa (PROMISE-EBF): a cluster-randomised trial. <i>Lancet</i> , The, 2011, 378, 420-427.	13.7	219
7	Timeliness of Childhood Vaccinations in Kampala Uganda: A Community-Based Cross-Sectional Study. <i>PLoS ONE</i> , 2012, 7, e35432.	2.5	99
8	Vaccination coverage and timeliness in three South African areas: a prospective study. <i>BMC Public Health</i> , 2011, 11, 404.	2.9	81
9	Early cessation of breastfeeding amongst women in South Africa: an area needing urgent attention to improve child health. <i>BMC Pediatrics</i> , 2012, 12, 105.	1.7	78
10	Is vaccination coverage a good indicator of age-appropriate vaccination? A prospective study from Uganda. <i>Vaccine</i> , 2011, 29, 3564-3570.	3.8	73
11	Emotional Eating in Relation to Worries and Psychological Distress Amid the COVID-19 Pandemic: A Population-Based Survey on Adults in Norway. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 130.	2.6	67
12	Alcohol Consumption during a Pandemic Lockdown Period and Change in Alcohol Consumption Related to Worries and Pandemic Measures. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 1220.	2.6	60
13	Population-based survey of overweight and obesity and the associated factors in peri-urban and rural Eastern Uganda. <i>BMC Public Health</i> , 2015, 15, 1168.	2.9	57
14	Estimating impact of food choices on life expectancy: A modeling study. <i>PLoS Medicine</i> , 2022, 19, e1003889.	8.4	47
15	Infant feeding among HIV-positive mothers and the general population mothers: comparison of two cross-sectional surveys in Eastern Uganda. <i>BMC Public Health</i> , 2009, 9, 124.	2.9	41
16	Early infant feeding practices in three African countries: the PROMISE-EBF trial promoting exclusive breastfeeding by peer counsellors. <i>International Breastfeeding Journal</i> , 2014, 9, 19.	2.6	37
17	Cost-Effectiveness of Peer Counselling for the Promotion of Exclusive Breastfeeding in Uganda. <i>PLoS ONE</i> , 2015, 10, e0142718.	2.5	34
18	Perceived consequences and worries among youth in Norway during the COVID-19 pandemic lockdown. <i>Scandinavian Journal of Public Health</i> , 2021, 49, 755-765.	2.3	34

#	ARTICLE	IF	CITATIONS
19	Growth effects of exclusive breastfeeding promotion by peer counsellors in sub-Saharan Africa: the cluster-randomised PROMISE EBF trial. <i>BMC Public Health</i> , 2014, 14, 633.	2.9	33
20	Infant feeding counselling in Uganda in a changing environment with focus on the general population and HIV-positive mothers - a mixed method approach. <i>BMC Health Services Research</i> , 2010, 10, 260.	2.2	30
21	Need to optimise infant feeding counselling: A cross-sectional survey among HIV-positive mothers in Eastern Uganda. <i>BMC Pediatrics</i> , 2009, 9, 2.	1.7	29
22	Integrated treatment of hepatitis C virus infection among people who inject drugs: A multicenter randomized controlled trial (INTRO-HCV). <i>PLoS Medicine</i> , 2021, 18, e1003653.	8.4	29
23	Integrated treatment of hepatitis C virus infection among people who inject drugs: study protocol for a randomised controlled trial (INTRO-HCV). <i>BMC Infectious Diseases</i> , 2019, 19, 943.	2.9	28
24	Health status and use of medication and their association with migration related exposures among Syrian refugees in Lebanon and Norway: a cross-sectional study. <i>BMC Public Health</i> , 2020, 20, 341.	2.9	28
25	HIV Infection, Viral Load, Low Birth Weight, and Nevirapine Are Independent Influences on Growth Velocity in HIV-Exposed South African Infants. <i>Journal of Nutrition</i> , 2014, 144, 42-48.	2.9	26
26	Using growth velocity to predict child mortality. <i>American Journal of Clinical Nutrition</i> , 2016, 103, 801-807.	4.7	26
27	Health-related quality of life of long-term patients receiving opioid agonist therapy: a nested prospective cohort study in Norway. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2020, 15, 68.	2.2	26
28	Effect of Breastfeeding Promotion on Early Childhood Caries and Breastfeeding Duration among 5 Year Old Children in Eastern Uganda: A Cluster Randomized Trial. <i>PLoS ONE</i> , 2015, 10, e0125352.	2.5	24
29	Effects of an exclusive breastfeeding intervention for six months on growth patterns of 4-5 year old children in Uganda: the cluster-randomised PROMISE EBF trial. <i>BMC Public Health</i> , 2016, 16, 555.	2.9	19
30	Substance use and symptoms of mental health disorders: a prospective cohort of patients with severe substance use disorders in Norway. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2021, 16, 20.	2.2	17
31	Caretaker's caries experience and its association with early childhood caries and children's oral health-related quality of life: A prospective two-generation study. <i>Acta Odontologica Scandinavica</i> , 2016, 74, 605-612.	1.6	16
32	Integrated care of severe infectious diseases to people with substance use disorders; a systematic review. <i>BMC Infectious Diseases</i> , 2019, 19, 306.	2.9	14
33	Effects of early feeding on growth velocity and overweight/obesity in a cohort of HIV unexposed South African infants and children. <i>International Breastfeeding Journal</i> , 2015, 10, 14.	2.6	13
34	Increased Gaming During COVID-19 Predicts Physical Inactivity Among Youth in Norway—A Two-Wave Longitudinal Cohort Study. <i>Frontiers in Public Health</i> , 2022, 10, 812932.	2.7	13
35	Dispensation of attention deficit hyperactivity disorder (ADHD) medications in patients receiving opioid agonist therapy; a national prospective cohort study in Norway from 2015 to 2017. <i>BMC Psychiatry</i> , 2020, 20, 119.	2.6	12
36	Impact of a peer-counseling intervention on breastfeeding practices in different socioeconomic strata: results from the equity analysis of the PROMISE-EBF trial in Uganda. <i>Global Health Action</i> , 2016, 9, 30578.	1.9	11

#	ARTICLE	IF	CITATIONS
37	Potentially addictive drugs dispensing to patients receiving opioid agonist therapy: a register-based prospective cohort study in Norway and Sweden from 2015 to 2017. <i>BMJ Open</i> , 2020, 10, e036860.	1.9	11
38	Predicting Undernutrition at Age 2 Years with Early Attained Weight and Length Compared with Weight and Length Velocity. <i>Journal of Pediatrics</i> , 2017, 182, 127-132.e1.	1.8	10
39	Caries experience and oral health related quality of life in a cohort of Ugandan HIV-1 exposed uninfected children compared with a matched cohort of HIV unexposed uninfected children. <i>BMC Public Health</i> , 2020, 20, 423.	2.9	10
40	Uptake and predictors of direct-acting antiviral treatment for hepatitis C among people receiving opioid agonist therapy in Sweden and Norway: a drug utilization study from 2014 to 2017. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2020, 15, 44.	2.2	10
41	Dispensations of benzodiazepines, z-hypnotics, and gabapentinoids to patients receiving opioid agonist therapy; a prospective cohort study in Norway from 2013 to 2017. <i>BMC Health Services Research</i> , 2020, 20, 352.	2.2	10
42	Oral health related quality of life and reasons for non-€dental attendance among patients with substance use disorders in withdrawal rehabilitation. <i>Clinical and Experimental Dental Research</i> , 2022, 8, 68-75.	1.9	10
43	Target weight gain for moderately wasted children during supplementation interventions – a population-based approach. <i>Public Health Nutrition</i> , 2011, 14, 2117-2123.	2.2	9
44	Infant Feeding Survival and Markov Transition Probabilities Among Children Under Age 6 Months in Uganda. <i>American Journal of Epidemiology</i> , 2013, 177, 453-462.	3.4	9
45	Primary healthcare usage and morbidity among immigrant children compared with non-immigrant children: a population-based study in Norway. <i>BMJ Open</i> , 2016, 6, e012101.	1.9	9
46	Primary healthcare usage and use of medications among immigrant children according to age of arrival to Norway: a population-based study. <i>BMJ Open</i> , 2017, 7, e014641.	1.9	9
47	Effects of Nutritional Interventions in Individuals with Chronic Obstructive Lung Disease: A Systematic Review of Randomized Controlled Trials. <i>International Journal of COPD</i> , 2021, Volume 16, 3145-3156.	2.3	9
48	Impact of low birthweight on early childhood caries in 6-€36 months old infants in Uganda: A cross-sectional study. <i>Acta Odontologica Scandinavica</i> , 2014, 72, 312-320.	1.6	8
49	Assessing causal effects of early life-€course factors on early childhood caries in 5-€year-€old Ugandan children using directed acyclic graphs (<scp>DAG</scp>s): A prospective cohort study. <i>Community Dentistry and Oral Epidemiology</i> , 2017, 45, 512-521.	1.9	8
50	Impact of clinical and sociodemographic factors on fatigue among patients with substance use disorder: a cohort study from Norway for the period 2016-€2020. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2020, 15, 93.	2.2	8
51	How the Norwegian population was affected by non-pharmaceutical interventions during the first six weeks of the COVID-19 lockdown. <i>Scandinavian Journal of Public Health</i> , 2022, 50, 94-101.	2.3	8
52	Chronic pain and mental health problems among Syrian refugees: associations, predictors and use of medication over time: a prospective cohort study. <i>BMJ Open</i> , 2021, 11, e046454.	1.9	8
53	The Effect of Physiotherapy Group Intervention in Reducing Pain Disorders and Mental Health Symptoms among Syrian Refugees: A Randomized Controlled Trial. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 9468.	2.6	6
54	Validation of a three-item Fatigue Severity Scale for patients with substance use disorder: a cohort study from Norway for the period 2016-€2020. <i>Health and Quality of Life Outcomes</i> , 2021, 19, 69.	2.4	6

#	ARTICLE	IF	CITATIONS
55	Non-financial barriers in oral health care: a qualitative study of patients receiving opioid maintenance treatment and professionals' experiences. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2021, 16, 44.	2.2	6
56	Dental health care workers' attitude towards patients with substance use disorders in medically assisted rehabilitation (MAR). <i>Acta Odontologica Scandinavica</i> , 2021, 79, 31-36.	1.6	6
57	Quality of life among young people in Norway during the COVID-19 pandemic. A longitudinal study. <i>European Child and Adolescent Psychiatry</i> , 2023, 32, 1061-1071.	4.7	6
58	Two interventions to treat pain disorders and post-traumatic symptoms among Syrian refugees: protocol for a randomized controlled trial. <i>Trials</i> , 2019, 20, 784.	1.6	5
59	Too much or too little opioids to patients receiving opioid agonist therapy in Norway (2013-2017): a prospective cohort study. <i>BMC Health Services Research</i> , 2020, 20, 668.	2.2	5
60	On the path towards universal coverage of hepatitis C treatment among people receiving opioid agonist therapy (OAT) in Norway: a prospective cohort study from 2013 to 2017. <i>BMJ Open</i> , 2020, 10, e036355.	1.9	4
61	Effectiveness and Safety of Low-Threshold Opioid-Agonist Treatment in Hard-To-Reach Populations with Opioid Dependence. <i>European Addiction Research</i> , 2022, 28, 199-209.	2.4	4
62	Prevalence and correlates of suicide attempts in high-risk populations: a cross-sectional study among patients receiving opioid agonist therapy in Norway. <i>BMC Psychiatry</i> , 2022, 22, 181.	2.6	4
63	Antiretroviral treatment and its impact on oral health outcomes in 5 to 7 year old Ugandan children. <i>Medicine (United States)</i> , 2020, 99, e22352.	1.0	3
64	Association of maternal HIV severity with dental caries: an observational study of uninfected 5- to 7-year-old children of HIV-infected mothers without severe immune suppression. <i>European Journal of Oral Sciences</i> , 2020, 128, 46-54.	1.5	3
65	Subjective symptoms and serum methadone concentrations: what should guide dose adjustments in methadone maintenance treatment? A naturalistic cohort study from Norway. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2021, 16, 39.	2.2	3
66	Caries experience by socio-behavioural characteristics in HIV-1-infected and uninfected Ugandan mothers - a multilevel analysis. <i>Acta Odontologica Scandinavica</i> , 2022, 80, 91-98.	1.6	3
67	The prevalence and socio-behavioural and clinical covariates of oral health related quality of life in Ugandan mothers with and without HIV-1. <i>Health and Quality of Life Outcomes</i> , 2021, 19, 201.	2.4	3
68	Changes in substance use during outpatient treatment for substance use disorders: a prospective Norwegian cohort study from 2016 to 2020. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2021, 16, 67.	2.2	3
69	The Predictive Value of Degree of Preference for Extended-Release Naltrexone for Treatment Adherence, Opioid Use, and Relapse. <i>European Addiction Research</i> , 2022, 28, 56-67.	2.4	3
70	Folate Status as a Nutritional Indicator among People with Substance Use Disorder; A Prospective Cohort Study in Norway. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 5754.	2.6	3
71	Risk of Relapse Among Opioid-Dependent Patients Treated With Extended-Release Naltrexone or Buprenorphine-Naloxone: A Randomized Clinical Trial. <i>American Journal on Addictions</i> , 2021, 30, 453-460.	1.4	2
72	Climate change - the biggest health threat of our time. <i>Tidsskrift for Den Norske Laegeforening</i> , 2011, 131, 1670-2.	0.2	2

#	ARTICLE	IF	CITATIONS
73	Impact of liver fibrosis and clinical characteristics on dose-adjusted serum methadone concentrations. <i>Journal of Addictive Diseases</i> , 2023, 41, 53-63.	1.3	2
74	Life satisfaction among individuals with opioid use disorder receiving extended-release naltrexone: A 12-week randomized controlled trial and a 36-week follow-up. <i>Journal of Substance Abuse Treatment</i> , 2022, 135, 108656.	2.8	1
75	Vitamin B12 Levels, Substance Use Patterns and Clinical Characteristics among People with Severe Substance Use Disorders: A Cohort Study from Western Norway. <i>Nutrients</i> , 2022, 14, 1941.	4.1	1
76	The Role of Physical Activity in Opioid Substitution Therapy: A Systematic Review of Interventional and Observational Studies. <i>Substance Abuse: Research and Treatment</i> , 2022, 16, 117822182211118.	0.9	1
77	Nutrition of Infants and HIV. , 2013, , 175-188.		0
78	Statistical Modeling. , 2013, , 451-489.		0
79	Peer involvement and cross-sector efforts in establishing integrated treatment of hepatitis C virus infection for people with substance use disorders: experiences from Norway. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2019, 14, 58.	2.2	0
80	Facilitators for use of oral healthcare services among people with substance use disorders: a qualitative study in Norway. <i>Acta Odontologica Scandinavica</i> , 2022, 80, 513-521.	1.6	0