

Yosuke Tanaka

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/180031/yosuke-tanaka-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

59
papers

8,905
citations

29
h-index

61
g-index

61
ext. papers

10,080
ext. citations

16.1
avg, IF

5.8
L-index

#	Paper	IF	Citations
59	Eliminating chronic myeloid leukemia stem cells by IRAK1/4 inhibitors.. <i>Nature Communications</i> , 2022 , 13, 271	17.4	1
58	CHIP-associated mutant ASXL1 in blood cells promotes solid tumor progression.. <i>Cancer Science</i> , 2022 ,	6.9	2
57	A neuropathy-associated kinesin KIF1A mutation hyper-stabilizes the motor-neck interaction during the ATPase cycle.. <i>EMBO Journal</i> , 2022 , e108899	13	2
56	MDS cells impair osteolineage differentiation of MSCs via extracellular vesicles to suppress normal hematopoiesis.. <i>Cell Reports</i> , 2022 , 39, 110805	10.6	0
55	Mutant ASXL1 induces age-related expansion of phenotypic hematopoietic stem cells through activation of Akt/mTOR pathway. <i>Nature Communications</i> , 2021 , 12, 1826	17.4	13
54	Betaine ameliorates schizophrenic traits by functionally compensating for KIF3-based CRMP2 transport. <i>Cell Reports</i> , 2021 , 35, 108971	10.6	2
53	Cytoskeleton Microtubule-Associated Proteins 2021 , 240-246		
52	Further Reading Kinesin Superfamily Proteins 2021 , 535-546		
51	A histone modifier, ASXL1, interacts with NONO and is involved in paraspeckle formation in hematopoietic cells. <i>Cell Reports</i> , 2021 , 36, 109576	10.6	7
50	CRISPR/Cas9-mediated base-editing enables a chain reaction through sequential repair of sgRNA scaffold mutations.. <i>Scientific Reports</i> , 2021 , 11, 23889	4.9	
49	HHEX promotes myeloid transformation in cooperation with mutant ASXL1. <i>Blood</i> , 2020 , 136, 1670-1684.2	4.2	6
48	Impaired Osteoblastic Differentiation of MSCs Suppresses Normal Hematopoiesis in MDS. <i>Blood</i> , 2020 , 136, 17-18	2.2	
47	Kinesin Kif3b mutation reduces NMDAR subunit NR2A trafficking and causes schizophrenia-like phenotypes in mice. <i>EMBO Journal</i> , 2020 , 39, e101090	13	18
46	Efficacy of tyrosine kinase inhibitors on a mouse chronic myeloid leukemia model and chronic myeloid leukemia stem cells. <i>Experimental Hematology</i> , 2020 , 90, 46-51.e2	3.1	1
45	Opposing effects of acute versus chronic inhibition of p53 on decitabine efficacy in myeloid neoplasms. <i>Scientific Reports</i> , 2019 , 9, 8171	4.9	3
44	Mitochondrial Damage Causes Inflammation via cGAS-STING Signaling in Acute Kidney Injury. <i>Cell Reports</i> , 2019 , 29, 1261-1273.e6	10.6	106
43	Antitumor immunity augments the therapeutic effects of p53 activation on acute myeloid leukemia. <i>Nature Communications</i> , 2019 , 10, 4869	17.4	15

42	Excess hydrogen sulfide and polysulfides production underlies a schizophrenia pathophysiology. <i>EMBO Molecular Medicine</i> , 2019 , 11, e10695	12	25
41	Mutant ASXL1 Disrupts Paraspeckle Formation through Aberrant Interaction with Nono in Hematopoietic Cells. <i>Blood</i> , 2019 , 134, 2514-2514	2.2	
40	Discrimination of Dormant and Active Hematopoietic Stem Cells by G Marker Reveals Dormancy Regulation by Cytoplasmic Calcium. <i>Cell Reports</i> , 2019 , 29, 4144-4158.e7	10.6	11
39	Improving the quality of a recombinant rabbit monoclonal antibody against PLXDC2 by optimizing transient expression conditions and purification method. <i>Protein Expression and Purification</i> , 2018 , 146, 27-33	2	9
38	Mutant ASXL1 cooperates with BAP1 to promote myeloid leukaemogenesis. <i>Nature Communications</i> , 2018 , 9, 2733	17.4	54
37	KIF1B mutations detected in hereditary neuropathy impair IGF1R transport and axon growth. <i>Journal of Cell Biology</i> , 2018 , 217, 3480-3496	7.3	18
36	The Atypical Kinesin KIF26A Facilitates Termination of Nociceptive Responses by Sequestering Focal Adhesion Kinase. <i>Cell Reports</i> , 2018 , 24, 2894-2907	10.6	9
35	Transcriptional activities of DUX4 fusions in B-cell acute lymphoblastic leukemia. <i>Haematologica</i> , 2018 , 103, e522-e526	6.6	10
34	The Molecular Motor KIF21B Mediates Synaptic Plasticity and Fear Extinction by Terminating Rac1 Activation. <i>Cell Reports</i> , 2018 , 23, 3864-3877	10.6	29
33	The ubiquitin ligase STUB1 regulates stability and activity of RUNX1 and RUNX1-RUNX1T1. <i>Journal of Biological Chemistry</i> , 2017 , 292, 12528-12541	5.4	11
32	A p53-MDM2 Interaction Inhibitor, DS-5272, Inhibits the Development of MLL-Fusion Leukemia with the Assistance of Tumor Immunity. <i>Blood</i> , 2017 , 130, 796-796	2.2	
31	The Molecular Motor KIF1A Transports the TrkA Neurotrophin Receptor and Is Essential for Sensory Neuron Survival and Function. <i>Neuron</i> , 2016 , 90, 1215-1229	13.9	50
30	Novel working hypothesis for pathogenesis of hematological malignancies: combination of mutations-induced cellular phenotypes determines the disease (cMIP-DD). <i>Journal of Biochemistry</i> , 2016 , 159, 17-25	3.1	4
29	Kinesin superfamily proteins (KIFs): Various functions and their relevance for important phenomena in life and diseases. <i>Experimental Cell Research</i> , 2015 , 334, 16-25	4.2	139
28	Antioxidant signaling involving the microtubule motor KIF12 is an intracellular target of nutrition excess in beta cells. <i>Developmental Cell</i> , 2014 , 31, 202-14	10.2	20
27	Cilia, KIF3 molecular motor and nodal flow. <i>Current Opinion in Cell Biology</i> , 2012 , 24, 31-9	9	50
26	KIF16B/Rab14 molecular motor complex is critical for early embryonic development by transporting FGF receptor. <i>Developmental Cell</i> , 2011 , 20, 60-71	10.2	81
25	Exclusion of Kif1c as a candidate gene for anthrax toxin susceptibility. <i>Microbial Pathogenesis</i> , 2010 , 48, 188-90	3.8	3

24	Molecular motors in neurons: transport mechanisms and roles in brain function, development, and disease. <i>Neuron</i> , 2010 , 68, 610-38	13.9	770
23	Left-right determination: involvement of molecular motor KIF3, cilia, and nodal flow. <i>Cold Spring Harbor Perspectives in Biology</i> , 2009 , 1, a000802	10.2	77
22	Kinesin superfamily motor proteins and intracellular transport. <i>Nature Reviews Molecular Cell Biology</i> , 2009 , 10, 682-96	48.7	1100
21	Fluid Dynamic Mechanism Responsible for Breaking the Left-Right Symmetry of the Human Body: The Nodal Flow. <i>Annual Review of Fluid Mechanics</i> , 2009 , 41, 53-72	22	31
20	KIF1Bbeta- and KIF1A-mediated axonal transport of presynaptic regulator Rab3 occurs in a GTP-dependent manner through DENN/MADD. <i>Nature Cell Biology</i> , 2008 , 10, 1269-79	23.4	134
19	Nodal flow and the generation of left-right asymmetry. <i>Cell</i> , 2006 , 125, 33-45	56.2	433
18	Mechanism of nodal flow: a conserved symmetry breaking event in left-right axis determination. <i>Cell</i> , 2005 , 121, 633-644	56.2	374
17	The KIF3 motor transports N-cadherin and organizes the developing neuroepithelium. <i>Nature Cell Biology</i> , 2005 , 7, 474-82	23.4	138
16	FGF-induced vesicular release of Sonic hedgehog and retinoic acid in leftward nodal flow is critical for left-right determination. <i>Nature</i> , 2005 , 435, 172-7	50.4	422
15	Kinesin superfamily protein 2A (KIF2A) functions in suppression of collateral branch extension. <i>Cell</i> , 2003 , 114, 229-39	56.2	233
14	Mouse models of Charcot-Marie-Tooth disease. <i>Trends in Genetics</i> , 2002 , 18, S39-44	8.5	28
13	Glutamate-receptor-interacting protein GRIP1 directly steers kinesin to dendrites. <i>Nature</i> , 2002 , 417, 83-7	50.4	414
12	Molecular motor KIF1C is not essential for mouse survival and motor-dependent retrograde Golgi apparatus-to-endoplasmic reticulum transport. <i>Molecular and Cellular Biology</i> , 2002 , 22, 866-73	4.8	29
11	Role of KIF3C motor protein in Golgi positioning and integration. <i>Journal of Cell Biology</i> , 2002 , 158, 293-303	7.0	70
10	Charcot-Marie-Tooth disease type 2A caused by mutation in a microtubule motor KIF1Bbeta. <i>Cell</i> , 2001 , 105, 587-97	56.2	640
9	KIF5C, a novel neuronal kinesin enriched in motor neurons. <i>Journal of Neuroscience</i> , 2000 , 20, 6374-84	6.6	222
8	Left-right asymmetry and kinesin superfamily protein KIF3A: new insights in determination of laterality and mesoderm induction by kif3A ^{-/-} mice analysis. <i>Journal of Cell Biology</i> , 1999 , 145, 825-36	7.3	388
7	Abnormal nodal flow precedes situs inversus in iv and inv mice. <i>Molecular Cell</i> , 1999 , 4, 459-68	17.6	369

6	Targeted disruption of mouse conventional kinesin heavy chain, kif5B, results in abnormal perinuclear clustering of mitochondria. <i>Cell</i> , 1998 , 93, 1147-58	56.2	524
5	Randomization of left-right asymmetry due to loss of nodal cilia generating leftward flow of extraembryonic fluid in mice lacking KIF3B motor protein. <i>Cell</i> , 1998 , 95, 829-37	56.2	1284
4	Golgi vesiculation and lysosome dispersion in cells lacking cytoplasmic dynein. <i>Journal of Cell Biology</i> , 1998 , 141, 51-9	7.3	281
3	Identification and classification of 16 new kinesin superfamily (KIF) proteins in mouse genome. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997 , 94, 9654-9	11.5	138
2	The primary structure of rat brain (cytoplasmic) dynein heavy chain, a cytoplasmic motor enzyme. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1993 , 90, 7928-32	11.5	56
1	Chronological expression of microtubule-associated proteins (MAPs) in EC cell P19 after neuronal induction by retinoic acid. <i>Brain Research</i> , 1992 , 596, 269-78	3.7	51