

Peng Wang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1803644/publications.pdf>

Version: 2024-02-01

56
papers

863
citations

623188

14
h-index

552369

26
g-index

56
all docs

56
docs citations

56
times ranked

776
citing authors

#	ARTICLE	IF	CITATIONS
1	Noble-Metal Nanoframes and Their Catalytic Applications. <i>Chemical Reviews</i> , 2021, 121, 796-833.	23.0	115
2	Graphene oxide grafted carbon fiber reinforced siliconborocarbonitride ceramics with enhanced thermal stability. <i>Carbon</i> , 2015, 95, 157-165.	5.4	66
3	Ablation resistance of ZrB ₂ SiC/SiC coating prepared by pack cementation for graphite. <i>Journal of Alloys and Compounds</i> , 2016, 682, 203-207.	2.8	44
4	(ZrB ₂ SiC)/SiC oxidation protective coatings for graphite materials. <i>Ceramics International</i> , 2015, 41, 6941-6949.	2.3	42
5	Evaporation-condensation derived silicon carbide membrane from silicon carbide particles with different sizes. <i>Journal of the European Ceramic Society</i> , 2019, 39, 1781-1787.	2.8	37
6	Oxidation protective ZrB ₂ SiC coatings with ferrocene addition on SiC coated graphite. <i>Ceramics International</i> , 2016, 42, 2654-2661.	2.3	28
7	Microstructure, surface emissivity and ablation resistance of multilayer coating for lightweight and porous carbon-bonded carbon fiber composites. <i>Journal of Alloys and Compounds</i> , 2016, 685, 799-805.	2.8	25
8	One step co-sintering of silicon carbide ceramic membrane with the aid of boron carbide. <i>Journal of the European Ceramic Society</i> , 2021, 41, 1181-1188.	2.8	25
9	Fabrication of ZrO ₂ whisker modified ZrO ₂ ceramics by oscillatory pressure sintering. <i>Ceramics International</i> , 2020, 46, 17684-17690.	2.3	22
10	Zirconia ultrafiltration membranes on silicon carbide substrate: microstructure and water flux. <i>Journal of the European Ceramic Society</i> , 2020, 40, 4290-4298.	2.8	22
11	A ZrB ₂ SiC/SiC oxidation protective dual-layer coating for carbon/carbon composites. <i>Advances in Applied Ceramics</i> , 2017, 116, 462-467.	0.6	21
12	Electrical properties of ZrB ₂ SiC ceramics with potential for heating element applications. <i>Ceramics International</i> , 2014, 40, 9549-9553.	2.3	19
13	Enhanced sinterability and electrical performance of Sm ₂ O ₃ doped CeO ₂ /BaCeO ₃ electrolytes for intermediate-temperature solid oxide fuel cells through Bi ₂ O ₃ co-doping. <i>Ceramics International</i> , 2019, 45, 7667-7672.	2.3	17
14	Influence of surface oxidation on the radiative properties of ZrB ₂ -SiC composites. <i>Applied Surface Science</i> , 2017, 409, 1-7.	3.1	16
15	Crack tolerant silicon carbide ceramics prepared by liquid-phase assisted oscillatory pressure sintering. <i>Ceramics International</i> , 2020, 46, 18965-18969.	2.3	16
16	Tuning microstructures and separation behaviors of pure silicon carbide membranes. <i>Ceramics International</i> , 2019, 45, 18788-18794.	2.3	15
17	Mechanical and thermal shock properties of laminated ZrB ₂ -SiC/SiCw ceramics. <i>Ceramics International</i> , 2019, 45, 6503-6508.	2.3	15
18	Microstructure and ablation behavior of double anti-oxidation protection for carbon-bonded carbon fiber composites. <i>Ceramics International</i> , 2017, 43, 783-790.	2.3	14

#	ARTICLE	IF	CITATIONS
19	Fracture toughness and R-curve behavior of laminated ZrB ₂ -SiC/SiCw ceramic. Journal of Alloys and Compounds, 2019, 784, 96-101.	2.8	14
20	Effect of grain size on the electrical performance of BaZr _{0.1} Ce _{0.7} Y _{0.1} O _{3-δ} solid electrolytes with addition of NiO. Ceramics International, 2019, 45, 622-626.	2.3	14
21	Microstructure and fracture strength of silicon nitride ceramics consolidated by oscillatory pressure sintering. Ceramics International, 2019, 45, 15671-15675.	2.3	13
22	Microstructure and ablation properties of SiC/ZrB ₂ -SiC/ZrB ₂ /SiC multilayer coating on graphite. Journal of Alloys and Compounds, 2019, 781, 26-36.	2.8	13
23	The indentation thermal shock behavior of laminated ZrB ₂ -SiC ceramics with strong interfaces. Ceramics International, 2016, 42, 17489-17496.	2.3	12
24	Fracture behavior of laminated ZrB ₂ -SiC ceramics at high temperature in air. Ceramics International, 2018, 44, 4385-4391.	2.3	12
25	Tribological properties of carbon fiber toughened SiC prepared by hot pressing sintering. Ceramics International, 2019, 45, 832-838.	2.3	12
26	Enhanced strength and toughness of silicon carbide ceramics by graphene platelet-derived laminated reinforcement. Journal of Alloys and Compounds, 2020, 834, 155252.	2.8	12
27	<i>In Situ</i> 3D-to-2D Transformation of Manganese-Based Layered Silicates for Tumor-Specific T ₁ -Weighted Magnetic Resonance Imaging with High Signal-to-Noise and Excretability. ACS Applied Materials & Interfaces, 2020, 12, 24644-24654.	4.0	11
28	Microstructure, surface stress and surface temperature response of ZrB ₂ -SiC based coatings. Journal of Alloys and Compounds, 2020, 843, 156084.	2.8	11
29	Ablative properties of laminated ZrB ₂ -SiC ceramic modified by SiC whisker in oxyacetylene environment. Corrosion Science, 2021, 182, 109283.	3.0	11
30	ZrB ₂ grains synthesized on graphite by chemical vapor deposition. Journal of Alloys and Compounds, 2017, 698, 27-32.	2.8	10
31	Sol-gel derived zirconia membrane on silicon carbide substrate. Journal of the European Ceramic Society, 2019, 39, 3804-3811.	2.8	10
32	Enhanced mechanical properties of laminated ZrB ₂ -SiC ceramics with porous Si ₃ N ₄ interface. Ceramics International, 2020, 46, 17003-17009.	2.3	10
33	Toughness and R-curve behaviour of laminated Si ₃ N ₄ /SiCw ceramics. Ceramics International, 2021, 47, 18693-18698.	2.3	10
34	Effect of surface oxidation on the flexural strength of ZrB ₂ -SiC composites. Journal of Alloys and Compounds, 2015, 620, 142-148.	2.8	9
35	Ablation behavior of laminated Graphite/ZrB ₂ -SiC ceramics in two different directions. Ceramics International, 2018, 44, 15674-15680.	2.3	9
36	High toughness and R-curve behaviour of laminated SiC/graphite ceramics. Ceramics International, 2020, 46, 22973-22979.	2.3	9

#	ARTICLE	IF	CITATIONS
37	Zirconia ceramics consolidated by oscillatory pressure sintering and subsequent carburization. <i>Ceramics International</i> , 2019, 45, 9038-9042.	2.3	8
38	Polycrystalline ZrB ₂ coating prepared on graphite by chemical vapor deposition. <i>Physica Status Solidi (B): Basic Research</i> , 2016, 253, 1590-1595.	0.7	7
39	Preparation of hydrazine-modified CMC/Fe ₃ O ₄ hybrid magnetic particles for adsorption of Reactive Blue 21 from water. <i>Desalination and Water Treatment</i> , 2016, 57, 14986-14996.	1.0	7
40	Oxidation behaviour of laminated BN/ZrB ₂ -SiC ceramics. <i>Ceramics International</i> , 2018, 44, 8374-8379.	2.3	7
41	Experiment and simulation analysis on thermal shock resistance of laminated ceramics with graphite and boron nitride interfaces. <i>Ceramics International</i> , 2021, 47, 11973-11978.	2.3	7
42	Thermal cycling resistance of ZrB ₂ -SiC coatings with MgO additive on SiC coated graphite. <i>Ceramics International</i> , 2018, 44, 2496-2500.	2.3	6
43	Preserving the shape of silver nanocubes under corrosive environment by covering their edges and corners with iridium. <i>Nanoscale</i> , 2020, 12, 20859-20867.	2.8	6
44	Crack tolerant TaC-SiC ceramics prepared by spark plasma sintering. <i>Ceramics International</i> , 2020, 46, 25230-25235.	2.3	6
45	Enhanced photocatalytic activity of nonstoichiometric crystalline TaO ₂ F and Ta ₂ O ₅ with carbon coating. <i>Ceramics International</i> , 2022, 48, 1857-1868.	2.3	6
46	Mechanical and ablation properties of laminated ZrB ₂ -SiC ceramics with Si ₃ N ₄ whisker interface. <i>Corrosion Science</i> , 2022, 197, 110051.	3.0	6
47	Synthesis of (NH ₄) ₂ Ta ₂ O ₃ F ₆ mesocrystals via a hydrothermal route and their conversion to TaO ₂ F and Ta ₂ O ₅ mesocrystals for photocatalytic dyes degradation. <i>Ceramics International</i> , 2021, 47, 13865-13873.	2.3	5
48	Effect of silicon/graphite ratio and temperature on oxidation protective properties of SiC/ZrB ₂ -SiC coatings prepared by pack cementation. <i>Ceramics International</i> , 2022, 48, 5187-5196.	2.3	5
49	Layered Ti-based oxide hierarchical nanocomposites derived from flash oxidation of MXene with enhanced photocatalytic and microwave transparent performance. <i>Ceramics International</i> , 2022, 48, 20146-20157.	2.3	5
50	Mechanical properties of laminated HfB ₂ -SiC/SiCw material modified with silicon carbide whisker layer. <i>Ceramics International</i> , 2019, 45, 21242-21248.	2.3	4
51	Grain boundary conduction behaviors of ultra-fine grained CeO ₂ /BaCeO ₃ based electrolytes. <i>Ceramics International</i> , 2022, 48, 25314-25321.	2.3	4
52	Effect of surface microstructure on the temperature response of ZrB ₂ -SiC composites. <i>Ceramics International</i> , 2015, 41, 4218-4222.	2.3	3
53	Improved sintering behavior and electrical performance of Ce _{0.8} Sm _{0.2} O _{2-δ} - BaZr _{0.1} Ce _{0.7} Y _{0.2} O _{3-δ} (SDC) Tj ETQq1 1 0.784314 rgBT (C) International, 2019, 45, 24702-24706.	2.3	3
54	SiC whiskers: A strategy to modify the high-temperature performance of laminated ZrB ₂ -SiC ceramics. <i>Ceramics International</i> , 2020, 46, 9347-9352.	2.3	3

#	ARTICLE	IF	CITATIONS
55	Hydrothermal synthesis of UO ₂ nanoparticles and their formation mechanism. <i>Ceramics International</i> , 2022, 48, 16241-16250.	2.3	3
56	Mechanical Properties of NanoSiC Reinforced ZrB ₂ -Based Ceramic Composite. <i>Materials Science Forum</i> , 2013, 745-746, 560-564.	0.3	1