Kunal Ranjan

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1803853/publications.pdf Version: 2024-02-01



KIINAI RANIAN

#	Article	IF	CITATIONS
1	Diversity and functional traits of culturable microbiome members, including cyanobacteria in the rice phyllosphere. Plant Biology, 2016, 18, 627-637.	3.8	80
2	Beneficial cyanobacteria and eubacteria synergistically enhance bioavailability of soil nutrients and yield of okra. Heliyon, 2016, 2, e00066.	3.2	76
3	Cyanobacterial inoculation modifies the rhizosphere microbiome of rice planted to a tropical alluvial soil. Applied Soil Ecology, 2016, 108, 195-203.	4.3	49
4	Cyanobacteria-based bioinoculants influence growth and yields by modulating the microbial communities favourably in the rhizospheres of maize hybrids. European Journal of Soil Biology, 2016, 75, 15-23.	3.2	48
5	Cyanobacterial and rhizobial inoculation modulates the plant physiological attributes and nodule microbial communities of chickpea. Archives of Microbiology, 2017, 199, 1311-1323.	2.2	41
6	Nutrients and host attributes modulate the abundance and functional traits of phyllosphere microbiome in rice. Microbiological Research, 2017, 204, 55-64.	5.3	40
7	Influence of fertilizers and rice cultivation methods on the abundance and diversity of phyllosphere microbiome. Journal of Basic Microbiology, 2018, 58, 172-186.	3.3	37
8	Chrysanthemum Growth Gains from Beneficial Microbial Interactions and Fertility Improvements in Soil Under Protected Cultivation. Horticultural Plant Journal, 2016, 2, 229-239.	5.0	35
9	Microbial Inoculants with Multifaceted Traits Suppress <i>Rhizoctonia</i> Populations and Promote Plant Growth in Cotton. Journal of Phytopathology, 2016, 164, 1030-1042.	1.0	26
10	Microbial biofilm inoculants benefit growth and yield of chrysanthemum varieties under protected cultivation through enhanced nutrient availability. Plant Biosystems, 2019, 153, 306-316.	1.6	26
11	Microbial inoculants as plant growth stimulating and soil nutrient availability enhancing options for cucumber under protected cultivation. World Journal of Microbiology and Biotechnology, 2019, 35, 51.	3.6	20
12	Mode of application influences the biofertilizing efficacy of cyanobacterial biofilm formulations in chrysanthemum varieties under protected cultivation. Open Agriculture, 2018, 3, 478-489.	1.7	18
13	Microbial inoculation of seeds characteristically shapes the rhizosphere microbiome in desi and kabuli chickpea types. Journal of Soils and Sediments, 2017, 17, 2040-2053.	3.0	14
14	Analyses of genetic variability and genotype x cyanobacteria interactions in biofortified maize (Zea) Tj ETQq0 0 Agronomy, 2021, 130, 126343.	0 rgBT /0 4.1	overlock 10 Tf 5 6
15	Exploring Crop–Microbiome Interactions Towards Improving Symbiotic Performance of Chickpea (Cicer arietinum) Cultivars Using Cyanobacterial Inoculants. Journal of Plant Growth Regulation, 2019, 38, 55-69.	5.1	5
16	The role of Cryptococcus neoformans histone deacetylase genes in the response to antifungal drugs, epigenetic modulators and to photodynamic therapy mediated by an aluminium phthalocyanine chloride nanoemulsion in vitro. Journal of Photochemistry and Photobiology B: Biology, 2021, 216, 112131.	3.8	5
17	Photodynamic therapy inhibits cell growth and enhances the histone deacetylase-mediated viability impairment in Cryptococcus spp. in vitro. Photodiagnosis and Photodynamic Therapy, 2020, 29, 101583.	2.6	4
18	Base Excision Repair AP-Endonucleases-Like Genes Modulate DNA Damage Response and Virulence of the Human Pathogen Cryptococcus neoformans. Journal of Fungi (Basel, Switzerland), 2021, 7, 133.	3.5	2

0

#	Article	IF	CITATIONS
19	Genetic Diversity of Pathogenic Yeasts. , 2019, , 593-615.		1

20 Ecology and performance of rhizosphere and endosphere microbiomes. , 2021, , 125-136.

3